



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:19 PM UTC

PDB ID : 1DY7 / pdb_00001dy7
Title : Cytochrome cd1 Nitrite Reductase, CO complex
Authors : Sjogren, T.; Svensson-Ek, M.; Hajdu, J.; Brzezinski, P.
Deposited on : 2000-01-28
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	567	71% 5% 23%
1	B	567	5% 87% 7% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	DHE	A	602	X	-	-	-
2	DHE	B	602	X	-	-	-
4	GOL	A	611	-	-	X	-
4	GOL	B	611	-	-	X	-
4	GOL	B	612	-	X	X	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 8592 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NITRITE REDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	434	Total	C	N	O	S	0	0	0
			3406	2160	568	668	10			
1	B	536	Total	C	N	O	S	0	0	0
			4161	2634	694	819	14			

- Molecule 2 is HEME D (CCD ID: DHE) (formula: $C_{34}H_{32}FeN_4O_{10}$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			49	34	1	4	10		
2	B	1	Total	C	Fe	N	O	0	0
			49	34	1	4	10		

- Molecule 3 is CARBON MONOXIDE (CCD ID: CMO) (formula: CO).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			2	1	1		
3	B	1	Total	C	O	0	0
			2	1	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is HEME C (CCD ID: HEC) (formula: C₃₄H₃₄FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	405	Total	O	0	0
			405	405		
7	B	442	Total	O	0	0
			442	442		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	106.94Å 61.04Å 100.39Å 90.00° 111.77° 90.00°	Depositor
Resolution (Å)	30.00 – 1.60 30.00 – 1.60	Depositor EDS
% Data completeness (in resolution range)	88.7 (30.00-1.60) 88.7 (30.00-1.60)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.55 (at 1.60Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.178 , 0.199 0.178 , 0.197	Depositor DCC
R_{free} test set	7127 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	14.1	Xtriage
Anisotropy	0.421	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 39.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8592	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, DHE, CMO, HEC, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/3491	1.25	16/4746 (0.3%)
1	B	0.54	0/4263	1.22	17/5799 (0.3%)
All	All	0.55	0/7754	1.24	33/10545 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

There are no bond length outliers.

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	264	TRP	CA-C-O	-11.89	107.03	120.46
1	B	264	TRP	CA-C-O	-10.60	107.41	120.23
1	B	309	ARG	CD-NE-CZ	10.41	138.98	124.40
1	A	361	ASN	N-CA-C	9.16	122.10	111.11
1	A	373	GLU	CB-CG-CD	8.10	126.37	112.60
1	A	290	ASP	CA-CB-CG	7.93	120.53	112.60
1	A	217	ASP	CA-CB-CG	7.55	120.16	112.60
1	B	290	ASP	CA-CB-CG	7.52	120.12	112.60
1	B	265	PRO	CA-N-CD	-6.97	102.25	112.00
1	B	317	LYS	N-CA-C	6.70	118.28	110.97
1	B	265	PRO	N-CA-CB	6.66	109.54	103.08
1	A	200	HIS	CA-CB-CG	-6.48	107.32	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	264	TRP	CA-C-N	6.22	126.79	120.38
1	B	264	TRP	C-N-CA	6.22	126.79	120.38
1	A	309	ARG	CD-NE-CZ	6.17	133.04	124.40
1	A	360	ALA	N-CA-C	-6.17	97.83	108.56
1	A	438	LEU	N-CA-C	6.13	118.04	111.36
1	A	265	PRO	N-CA-CB	6.04	109.24	102.60
1	A	361	ASN	CA-CB-CG	5.95	118.55	112.60
1	B	264	TRP	CB-CA-C	5.87	118.54	109.15
1	B	390	GLY	N-CA-C	-5.86	100.08	110.86
1	A	343	PHE	CA-CB-CG	-5.75	108.05	113.80
1	A	201	ILE	CA-CB-CG2	5.70	120.19	110.50
1	B	309	ARG	NE-CZ-NH2	-5.61	114.15	119.20
1	B	438	LEU	N-CA-C	5.61	117.48	111.36
1	A	265	PRO	CA-N-CD	-5.58	103.69	111.50
1	A	264	TRP	CB-CA-C	5.41	117.26	108.87
1	B	557	PHE	CA-CB-CG	-5.36	108.44	113.80
1	A	404	TRP	CA-CB-CG	5.25	123.57	113.60
1	B	404	TRP	CA-CB-CG	5.24	123.55	113.60
1	B	264	TRP	CA-CB-CG	-5.21	103.69	113.60
1	B	200	HIS	CA-CB-CG	-5.21	108.59	113.80
1	B	360	ALA	N-CA-C	-5.08	99.04	108.24

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	264	TRP	Mainchain,Peptide
1	B	264	TRP	Mainchain,Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3406	0	3294	16	0
1	B	4161	0	4013	30	0
2	A	49	0	28	2	0
2	B	49	0	28	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	6	0	8	4	0
4	B	12	0	16	21	0
5	A	5	0	0	0	0
5	B	10	0	0	0	0
6	B	43	0	30	2	0
7	A	405	0	0	6	0
7	B	442	0	0	4	0
All	All	8592	0	7417	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:611:GOL:C2	4:A:611:GOL:C1	1.86	1.50
4:B:611:GOL:C1	4:B:611:GOL:C2	1.87	1.49
4:B:612:GOL:C1	4:B:612:GOL:C2	1.86	1.49
1:B:174:ARG:HH12	4:B:612:GOL:H12	1.17	1.08
1:B:174:ARG:HH22	4:B:612:GOL:H31	1.30	0.97
4:B:611:GOL:C1	4:B:611:GOL:C3	2.51	0.88
4:B:612:GOL:C1	4:B:612:GOL:C3	2.56	0.84
4:A:611:GOL:C1	4:A:611:GOL:C3	2.61	0.78
1:B:174:ARG:HH12	4:B:612:GOL:C1	1.96	0.76
1:A:201:ILE:HD12	1:A:203:ARG:HG2	1.68	0.74
1:B:174:ARG:HH22	4:B:612:GOL:C3	2.04	0.69
4:B:612:GOL:C1	4:B:612:GOL:O2	2.41	0.69
1:B:116:SER:H	1:B:119:GLN:HE21	1.38	0.68
1:B:174:ARG:NH1	4:B:612:GOL:H12	2.00	0.66
4:B:612:GOL:C2	4:B:612:GOL:O1	2.46	0.63
4:B:611:GOL:C1	4:B:611:GOL:H31	2.29	0.61
4:B:612:GOL:C1	4:B:612:GOL:H31	2.28	0.61
1:B:174:ARG:NH2	4:B:612:GOL:H31	2.10	0.59
1:A:537:LYS:HG2	7:A:2368:HOH:O	2.02	0.58
1:B:490:LEU:HD23	4:B:611:GOL:H2	1.86	0.58
4:B:611:GOL:C1	4:B:611:GOL:O2	2.50	0.57
1:A:356:PHE:HB3	1:A:369:ILE:HG13	1.88	0.56
1:A:323:LEU:HD22	1:A:337:GLU:HG2	1.87	0.56
1:A:334:LYS:NZ	7:A:2210:HOH:O	2.37	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:ARG:HG2	7:A:2100:HOH:O	2.07	0.54
1:B:74:LYS:HZ3	1:B:296:PRO:HG3	1.73	0.54
1:B:488:LYS:HZ3	4:B:611:GOL:C3	2.21	0.54
1:A:334:LYS:NZ	1:A:334:LYS:HB3	2.23	0.53
1:B:116:SER:H	1:B:119:GLN:NE2	2.07	0.53
1:A:201:ILE:HG22	2:A:602:DHE:HAD1	1.92	0.52
1:B:323:LEU:HD22	1:B:337:GLU:HG2	1.91	0.52
1:B:488:LYS:HZ3	4:B:611:GOL:H31	1.74	0.52
4:A:611:GOL:C2	4:A:611:GOL:O1	2.52	0.52
1:B:488:LYS:CG	4:B:611:GOL:H32	2.40	0.52
1:A:356:PHE:HB3	1:A:369:ILE:CG1	2.42	0.49
1:B:109:TRP:CE2	6:B:601:HEC:HBB2	2.48	0.49
1:B:321:LYS:NZ	7:B:2231:HOH:O	2.46	0.48
1:A:144:GLU:HG3	7:A:2007:HOH:O	2.14	0.47
4:B:611:GOL:C2	4:B:611:GOL:O1	2.53	0.47
4:A:611:GOL:C1	4:A:611:GOL:O2	2.57	0.46
1:A:304:LEU:HD21	1:A:348:GLY:HA2	1.98	0.46
1:B:32:LEU:N	7:B:2001:HOH:O	2.48	0.45
1:A:321:LYS:NZ	7:A:2193:HOH:O	2.49	0.45
1:A:222:MET:HE1	1:A:274:GLU:HA	1.99	0.45
1:B:380:GLU:HG3	1:B:429:TRP:O	2.17	0.45
1:A:444:PHE:CE1	2:A:602:DHE:HBD1	2.51	0.44
1:A:199:VAL:HA	1:A:215:GLY:HA2	2.00	0.44
1:B:444:PHE:CE1	2:B:602:DHE:HBD1	2.53	0.44
1:B:222:MET:HE1	1:B:274:GLU:HA	2.00	0.43
1:B:438:LEU:HG	1:B:471:ALA:HB2	1.99	0.43
1:B:297:GLU:N	1:B:298:PRO:HD3	2.34	0.42
7:A:2214:HOH:O	1:B:334:LYS:HE2	2.20	0.42
1:B:488:LYS:HG3	4:B:611:GOL:H32	2.02	0.42
6:B:601:HEC:HHA	6:B:601:HEC:HBD2	2.02	0.42
1:B:254:GLU:HG3	7:B:2154:HOH:O	2.19	0.41
1:B:77:THR:HG23	7:B:2020:HOH:O	2.19	0.41
1:B:304:LEU:HD21	1:B:348:GLY:HA2	2.02	0.41
1:A:201:ILE:HD12	1:A:203:ARG:CG	2.46	0.40
1:B:461:ASN:OD1	1:B:463:GLU:HB2	2.21	0.40
1:B:343:PHE:CG	1:B:362:ALA:HB3	2.56	0.40
1:B:199:VAL:HA	1:B:215:GLY:HA2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	432/567 (76%)	413 (96%)	17 (4%)	2 (0%)	24	10
1	B	534/567 (94%)	513 (96%)	18 (3%)	3 (1%)	21	7
All	All	966/1134 (85%)	926 (96%)	35 (4%)	5 (0%)	24	10

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	507	GLN
1	B	265	PRO
1	B	507	GLN
1	A	265	PRO
1	B	174	ARG

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	366/469 (78%)	364 (100%)	2 (0%)	81	70
1	B	442/469 (94%)	440 (100%)	2 (0%)	81	70
All	All	808/938 (86%)	804 (100%)	4 (0%)	81	70

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	377	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	525	LYS
1	B	201	ILE
1	B	563	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	GLN
1	A	221	ASN
1	A	385	GLN
1	B	58	ASN
1	B	119	GLN
1	B	282	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CMO	A	603	-	0,1,1	-	-	-		
4	GOL	B	612	-	5,5,5	4.04	1 (20%)	5,5,5	2.81	3 (60%)
4	GOL	B	611	-	5,5,5	4.25	1 (20%)	5,5,5	2.70	3 (60%)
2	DHE	B	602	1	52,56,56	4.13	9 (17%)	68,94,94	2.96	27 (39%)
5	SO4	B	621	-	4,4,4	0.75	0	6,6,6	0.26	0
5	SO4	A	621	-	4,4,4	0.68	0	6,6,6	0.28	0
2	DHE	A	602	1	52,56,56	4.17	8 (15%)	68,94,94	3.04	28 (41%)
4	GOL	A	611	-	5,5,5	4.15	1 (20%)	5,5,5	2.14	3 (60%)
3	CMO	B	603	-	0,1,1	-	-	-		
6	HEC	B	601	1	46,50,50	1.92	9 (19%)	58,82,82	1.83	8 (13%)
5	SO4	B	622	-	4,4,4	0.68	0	6,6,6	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	612	-	-	2/4/4/4	-
4	GOL	B	611	-	-	1/4/4/4	-
2	DHE	B	602	1	1/1/15/19	6/20/108/108	-
2	DHE	A	602	1	1/1/15/19	6/20/108/108	-
4	GOL	A	611	-	-	1/4/4/4	-
6	HEC	B	601	1	-	6/14/54/54	-

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	602	DHE	OMC-C2C	17.20	1.52	1.22
2	B	602	DHE	OMC-C2C	16.99	1.51	1.22
2	B	602	DHE	OMB-C2B	16.56	1.51	1.22
2	A	602	DHE	OMB-C2B	16.54	1.51	1.22
2	A	602	DHE	C3B-C2B	-10.50	1.34	1.52
2	A	602	DHE	C3C-C2C	-10.32	1.35	1.52
2	B	602	DHE	C3C-C2C	-10.19	1.35	1.52
2	B	602	DHE	C3B-C2B	-9.76	1.35	1.52
4	B	611	GOL	C1-C2	9.48	1.87	1.51
4	A	611	GOL	C1-C2	9.20	1.86	1.51
4	B	612	GOL	C1-C2	9.02	1.86	1.51
6	B	601	HEC	CAC-C3C	7.23	1.58	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	601	HEC	CAB-C3B	6.80	1.57	1.35
2	B	602	DHE	CAB-CBB	-6.12	1.32	1.50
2	A	602	DHE	CAB-CBB	-5.86	1.33	1.50
2	A	602	DHE	CAC-CBC	-5.38	1.34	1.50
2	B	602	DHE	CAC-CBC	-5.38	1.34	1.50
6	B	601	HEC	CBC-CAC	-3.39	1.36	1.49
2	B	602	DHE	CMD-C2D	2.32	1.55	1.50
6	B	601	HEC	CMD-C2D	2.28	1.55	1.50
6	B	601	HEC	CBB-CAB	-2.28	1.41	1.49
6	B	601	HEC	CMA-C3A	2.13	1.55	1.50
6	B	601	HEC	CMB-C2B	2.11	1.55	1.50
2	B	602	DHE	C1B-C2B	-2.11	1.44	1.47
6	B	601	HEC	C3D-C2D	-2.09	1.33	1.38
6	B	601	HEC	C3C-C2C	-2.07	1.34	1.41
2	A	602	DHE	CMD-C2D	2.04	1.55	1.50
2	B	602	DHE	C3D-C2D	-2.02	1.33	1.38
2	A	602	DHE	C1B-C2B	-2.02	1.44	1.47

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	602	DHE	C2B-C3B-C4B	14.97	108.29	100.35
2	B	602	DHE	C2B-C3B-C4B	13.56	107.54	100.35
2	B	602	DHE	C2C-C3C-C4C	9.42	105.35	100.35
6	B	601	HEC	CBB-CAB-C3B	-8.78	109.89	127.43
2	A	602	DHE	C2C-C3C-C4C	8.13	104.66	100.35
6	B	601	HEC	CBC-CAC-C3C	-6.77	113.90	127.43
2	A	602	DHE	OMC-C2C-C1C	-6.09	119.93	126.49
2	B	602	DHE	OMC-C2C-C1C	-5.56	120.50	126.49
2	B	602	DHE	C3B-C4B-CHC	5.34	127.19	122.44
2	B	602	DHE	O2C-CBC-O1C	-5.15	110.08	123.33
4	B	611	GOL	C3-C2-C1	-4.77	94.30	111.80
2	A	602	DHE	O2C-CBC-O1C	-4.77	111.07	123.33
2	B	602	DHE	O2C-CBC-CAC	4.33	128.06	114.35
2	A	602	DHE	O2C-CBC-CAC	4.24	127.77	114.35
2	A	602	DHE	C3B-C4B-CHC	4.14	126.12	122.44
2	A	602	DHE	CHB-C1B-C2B	3.87	126.55	122.21
4	B	612	GOL	C3-C2-C1	-3.82	97.77	111.80
4	B	612	GOL	O2-C2-C1	-3.80	93.44	109.18
2	B	602	DHE	CHB-C1B-C2B	3.71	126.37	122.21
2	A	602	DHE	OMB-C2B-C1B	-3.61	122.60	126.49
2	A	602	DHE	CAC-C3C-C2C	3.59	116.22	112.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	DHE	O2B-CBB-CAB	3.55	125.59	114.35
2	A	602	DHE	C3C-C2C-C1C	3.40	109.15	106.86
2	A	602	DHE	OMB-C2B-C3B	3.36	129.89	125.93
2	B	602	DHE	O1D-CGD-CBD	-3.36	112.45	123.09
2	A	602	DHE	CHC-C1C-NC	3.33	128.01	124.42
2	B	602	DHE	O2B-CBB-O1B	-3.25	114.98	123.33
2	A	602	DHE	C4B-NB-C1B	3.22	109.02	105.21
2	B	602	DHE	C3C-C4C-CHD	3.20	125.28	122.44
2	A	602	DHE	CGB-C3B-C2B	-3.20	101.53	109.38
4	B	612	GOL	O1-C1-C2	-3.08	96.50	110.38
2	A	602	DHE	OMC-C2C-C3C	3.08	129.56	125.93
2	A	602	DHE	O1D-CGD-CBD	-3.06	113.39	123.09
2	B	602	DHE	OMC-C2C-C3C	3.02	129.49	125.93
2	B	602	DHE	CHC-C1C-C2C	3.02	125.60	122.21
2	B	602	DHE	C4B-NB-C1B	3.01	108.77	105.21
2	A	602	DHE	O2B-CBB-CAB	2.90	123.53	114.35
4	A	611	GOL	C3-C2-C1	-2.86	101.31	111.80
2	B	602	DHE	C3C-C2C-C1C	2.86	108.78	106.86
4	B	611	GOL	O2-C2-C1	-2.82	97.49	109.18
2	A	602	DHE	C1D-CHD-C4C	-2.81	120.70	125.87
6	B	601	HEC	O1D-CGD-CBD	-2.79	114.26	123.09
2	A	602	DHE	CHD-C1D-ND	2.76	128.86	123.86
4	A	611	GOL	O3-C3-C2	2.75	122.75	110.38
2	A	602	DHE	O2B-CBB-O1B	-2.69	116.42	123.33
2	B	602	DHE	CHC-C1C-NC	2.68	127.31	124.42
2	A	602	DHE	CHC-C1C-C2C	2.67	125.21	122.21
2	B	602	DHE	CAC-C3C-C2C	2.63	115.15	112.22
2	A	602	DHE	C1C-NC-C4C	2.60	108.28	105.21
2	B	602	DHE	CAD-C3D-C4D	-2.59	119.87	124.94
2	B	602	DHE	CGB-C3B-C2B	-2.54	103.15	109.38
2	B	602	DHE	C3D-C4D-ND	-2.53	107.35	110.15
2	B	602	DHE	C2A-C1A-NA	-2.47	107.94	110.32
2	A	602	DHE	O2D-CGD-O1D	2.46	129.67	123.33
2	A	602	DHE	C2A-C1A-NA	-2.42	107.99	110.32
2	A	602	DHE	CBD-CAD-C3D	2.41	119.20	112.53
2	B	602	DHE	OMB-C2B-C1B	-2.40	123.90	126.49
2	B	602	DHE	CHD-C1D-ND	2.40	128.21	123.86
2	B	602	DHE	C1C-NC-C4C	2.38	108.03	105.21
4	B	611	GOL	O1-C1-C2	-2.38	99.68	110.38
2	B	602	DHE	O2D-CGD-O1D	2.37	129.43	123.33
2	A	602	DHE	CAD-C3D-C4D	-2.31	120.44	124.94
6	B	601	HEC	CBD-CAD-C3D	2.30	118.89	112.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	602	DHE	C1C-CHC-C4B	-2.27	121.62	125.23
6	B	601	HEC	O1A-CGA-CBA	-2.27	115.90	123.09
6	B	601	HEC	CHC-C4B-NB	2.25	126.91	124.45
2	B	602	DHE	C1D-CHD-C4C	-2.22	121.77	125.87
6	B	601	HEC	CMD-C2D-C1D	-2.21	122.06	125.42
2	B	602	DHE	OMB-C2B-C3B	2.16	128.48	125.93
2	A	602	DHE	C3D-C4D-ND	-2.14	107.78	110.15
4	A	611	GOL	O1-C1-C2	-2.08	101.01	110.38
6	B	601	HEC	O2A-CGA-O1A	2.07	128.66	123.33

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	602	DHE	NA
2	B	602	DHE	NA

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	602	DHE	C2D-C3D-CAD-CBD
2	A	602	DHE	C4D-C3D-CAD-CBD
2	B	602	DHE	C2D-C3D-CAD-CBD
2	B	602	DHE	C4D-C3D-CAD-CBD
4	B	611	GOL	C1-C2-C3-O3
4	B	612	GOL	C1-C2-C3-O3
6	B	601	HEC	C2B-C3B-CAB-CBB
6	B	601	HEC	C4B-C3B-CAB-CBB
2	A	602	DHE	C3B-CAB-CBB-O1B
2	B	602	DHE	C3C-CAC-CBC-O2C
6	B	601	HEC	C4D-C3D-CAD-CBD
2	A	602	DHE	C3C-CAC-CBC-O1C
4	A	611	GOL	O2-C2-C3-O3
4	B	612	GOL	O2-C2-C3-O3
2	A	602	DHE	C3B-CAB-CBB-O2B
2	A	602	DHE	C3C-CAC-CBC-O2C
2	B	602	DHE	C3C-CAC-CBC-O1C
6	B	601	HEC	C4C-C3C-CAC-CBC
6	B	601	HEC	C2C-C3C-CAC-CBC
2	B	602	DHE	C3B-CAB-CBB-O2B
2	B	602	DHE	C3B-CAB-CBB-O1B
6	B	601	HEC	C2D-C3D-CAD-CBD


There are no ring outliers.


6 monomers are involved in 30 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	612	GOL	11	0
4	B	611	GOL	10	0
2	B	602	DHE	1	0
2	A	602	DHE	2	0
4	A	611	GOL	4	0
6	B	601	HEC	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	434/567 (76%)	-0.27	5 (1%) 76 80	9, 14, 23, 35	0
1	B	536/567 (94%)	0.06	30 (5%) 30 31	10, 15, 32, 48	0
All	All	970/1134 (85%)	-0.09	35 (3%) 46 48	9, 15, 28, 48	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	501	GLY	4.2
1	B	103	PRO	3.9
1	B	132	ALA	3.8
1	B	500	GLU	3.8
1	A	501	GLY	3.7
1	B	104	ALA	3.5
1	B	34	GLN	3.3
1	B	131	PRO	3.3
1	B	77	THR	3.3
1	B	38	ALA	3.2
1	B	480	GLY	3.2
1	A	500	GLU	3.2
1	A	134	PRO	3.1
1	B	463	GLU	3.0
1	B	499	THR	2.9
1	B	42	ALA	2.8
1	B	51	ASP	2.8
1	B	37	VAL	2.8
1	B	217	ASP	2.7
1	B	35	GLN	2.6
1	B	153	GLU	2.6
1	B	502	GLN	2.6
1	B	40	PRO	2.6
1	B	141	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	499	THR	2.4
1	B	130	ASP	2.3
1	B	465	GLU	2.2
1	B	228	LYS	2.2
1	B	36	ASP	2.2
1	A	526	ASP	2.1
1	B	67	GLY	2.1
1	B	498	ILE	2.1
1	B	483	SER	2.1
1	B	363	ARG	2.0
1	B	33	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	B	612	6/6	0.55	0.31	42,42,44,44	0
4	GOL	B	611	6/6	0.76	0.20	35,37,38,39	0
5	SO4	B	622	5/5	0.85	0.13	48,49,49,49	0
5	SO4	B	621	5/5	0.90	0.11	31,31,33,34	0
5	SO4	A	621	5/5	0.90	0.11	31,31,34,34	0
4	GOL	A	611	6/6	0.94	0.09	14,16,17,18	0
3	CMO	A	603	2/2	0.94	0.10	17,17,17,20	0
3	CMO	B	603	2/2	0.96	0.07	14,14,14,19	0
6	HEC	B	601	43/43	0.96	0.10	16,21,32,36	0
2	DHE	B	602	49/49	0.98	0.06	11,13,18,22	0
2	DHE	A	602	49/49	0.98	0.06	9,12,16,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around DHE B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DHE A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.