



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:37 PM UTC

PDB ID : 7DYI / pdb_00007dyi
Title : Crystal Structure of Cyanobacterial Circadian Clock Protein KaiC
Authors : Furuike, Y.; Akiyama, S.
Deposited on : 2021-01-21
Resolution : 2.64 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2053 (2.66-2.62)
Clashscore	190562	2097 (2.66-2.62)
Ramachandran outliers	187476	2066 (2.66-2.62)
Sidechain outliers	187428	2066 (2.66-2.62)
RSRZ outliers	180081	2052 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	519	7% 61% 22% 5% 12%
1	B	519	6% 59% 23% 6% 12%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6669 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Circadian clock protein kinase KaiC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	456	Total	C	N	O	S	0	0	0
			3243	2034	572	625	12			
1	B	455	Total	C	N	O	S	0	0	0
			3267	2052	580	623	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	432	GLU	THR	engineered mutation	UNP Q79PF4
B	432	GLU	THR	engineered mutation	UNP Q79PF4

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	2	Total	Mg	0	0
			2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	13	Total	O	0	0
			13	13		
4	B	18	Total	O	0	0
			18	18		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Circadian clock protein kinase KaiC



- Molecule 1: Circadian clock protein kinase KaiC





4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	94.32Å 94.32Å 180.59Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.51 – 2.64 48.51 – 2.64	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.51-2.64) 99.8 (48.51-2.64)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 2.65Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.294 , 0.331 0.293 , 0.329	Depositor DCC
R_{free} test set	1339 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	58.8	Xtriage
Anisotropy	0.728	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 89.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.057 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6669	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.68 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.4183e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	0/3293	1.50	0/4469
1	B	1.05	0/3318	1.49	0/4497
All	All	1.05	0/6611	1.49	0/8966

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3243	0	2887	89	0
1	B	3267	0	2946	99	0
2	A	62	0	24	3	0
2	B	62	0	24	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	13	0	0	0	0
4	B	18	0	0	0	0
All	All	6669	0	5881	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:400:THR:HG21	1:B:433:ILE:HD11	1.18	1.11
1:A:316:ALA:HB3	1:A:348:CYS:HB3	1.47	0.94
1:B:400:THR:HG21	1:B:433:ILE:CD1	1.97	0.93
1:A:400:THR:HG21	1:A:433:ILE:HD11	1.47	0.93
1:B:400:THR:CG2	1:B:433:ILE:HD11	1.99	0.92
1:B:356:LEU:CD2	1:B:387:VAL:HG11	2.02	0.90
1:B:84:ILE:HG23	1:B:94:LEU:CB	2.03	0.88
1:A:356:LEU:HD21	1:A:387:VAL:HG11	1.60	0.84
1:B:469:GLU:HB2	1:B:483:PHE:CZ	2.20	0.76
1:B:356:LEU:HD21	1:B:387:VAL:HG11	1.66	0.76
1:B:220:LEU:HD13	1:B:246:ILE:HD11	1.70	0.74
1:A:60:LEU:CD2	1:A:141:ARG:HB3	2.18	0.73
1:B:449:MET:HE2	1:B:449:MET:HA	1.73	0.70
1:B:93:ASP:O	1:B:97:LEU:HD23	1.92	0.69
1:B:191:ILE:HB	1:B:198:GLU:HG2	1.73	0.69
1:B:443:VAL:HG13	1:B:494:PRO:HG2	1.75	0.68
1:A:75:THR:HG22	1:A:107:ASP:HA	1.76	0.67
1:A:337:GLU:O	1:A:341:GLN:HG3	1.95	0.67
1:B:443:VAL:CG1	1:B:494:PRO:HG2	2.25	0.67
1:B:443:VAL:HG13	1:B:494:PRO:CG	2.26	0.66
1:B:70:PRO:HB2	1:B:139:ALA:HA	1.76	0.66
1:A:344:LEU:HD11	1:A:346:ILE:HG13	1.78	0.66
1:A:203:ASN:HB3	1:A:225:LEU:HD23	1.78	0.64
1:B:338:MET:HB2	1:B:344:LEU:HB3	1.80	0.63
1:B:21:MET:HE1	1:B:177:THR:CB	2.28	0.63
1:A:306:CYS:SG	1:A:344:LEU:HB2	2.39	0.63
1:B:60:LEU:CD2	1:B:141:ARG:HB2	2.30	0.62
1:A:356:LEU:CD2	1:A:387:VAL:HG11	2.29	0.62
1:B:298:VAL:HA	1:B:411:LEU:HD23	1.82	0.61
1:B:225:LEU:HD12	1:B:230:HIS:HB3	1.82	0.60
1:A:400:THR:CG2	1:A:433:ILE:HD11	2.28	0.60
1:A:436:THR:HG23	1:A:458:MET:HG2	1.85	0.59
1:B:209:ASN:O	1:B:216:ARG:NH1	2.33	0.58
1:A:265:SER:HB3	1:A:278:PHE:CE1	2.38	0.58
1:B:267:VAL:HB	1:B:270:LEU:HB2	1.86	0.58
1:B:299:SER:CB	1:B:333:MET:HE1	2.33	0.58
1:B:306:CYS:SG	1:B:344:LEU:HB2	2.44	0.57
1:A:440:LEU:HD21	1:A:453:ILE:HG13	1.86	0.57
1:A:187:GLU:HG3	1:A:208:ARG:HG2	1.86	0.57
1:B:63:GLY:HA3	1:B:141:ARG:HD2	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:GLN:HE21	1:B:327:ASN:HD21	1.53	0.57
1:B:31:ILE:HA	1:B:231:MET:SD	2.45	0.56
1:B:147:VAL:HG21	1:B:180:MET:HE2	1.88	0.56
1:B:299:SER:HB3	1:B:333:MET:HE1	1.88	0.56
1:B:316:ALA:HB3	1:B:348:CYS:HB3	1.88	0.56
1:A:60:LEU:HD23	1:A:141:ARG:HB3	1.86	0.56
1:A:278:PHE:CD2	1:A:284:ILE:HD12	2.41	0.56
1:B:142:VAL:O	1:B:178:THR:HA	2.06	0.55
1:A:291:GLY:O	1:A:451:ARG:NH1	2.39	0.55
1:A:68:ASP:OD2	1:A:68:ASP:O	2.25	0.55
1:A:191:ILE:CG2	1:A:198:GLU:HG2	2.37	0.55
1:A:191:ILE:HG21	1:A:198:GLU:HG2	1.86	0.55
1:B:206:ILE:HD12	1:B:223:LEU:HB2	1.88	0.55
1:B:344:LEU:HD11	1:B:346:ILE:HG13	1.89	0.55
1:A:400:THR:HG21	1:A:433:ILE:CD1	2.28	0.54
1:A:316:ALA:O	1:A:348:CYS:HA	2.08	0.54
1:A:440:LEU:CD2	1:A:453:ILE:HG13	2.38	0.54
1:B:31:ILE:HD12	1:B:246:ILE:HG21	1.89	0.54
1:B:265:SER:HB3	1:B:278:PHE:CE1	2.43	0.54
1:B:45:SER:HB3	1:B:182:THR:OG1	2.08	0.53
1:B:316:ALA:O	1:B:348:CYS:HA	2.07	0.53
1:A:52:LYS:HB3	1:A:181:THR:HG23	1.91	0.53
1:A:75:THR:O	1:A:108:ALA:HB3	2.08	0.53
1:A:344:LEU:C	1:A:344:LEU:HD13	2.34	0.53
1:B:191:ILE:CB	1:B:198:GLU:HG2	2.39	0.53
1:B:440:LEU:CD2	1:B:453:ILE:HG13	2.38	0.52
1:A:265:SER:OG	1:A:270:LEU:HD12	2.10	0.52
1:A:204:VAL:HG11	1:A:223:LEU:HD12	1.91	0.52
1:B:458:MET:HB2	1:B:463:HIS:CD2	2.45	0.52
1:B:287:THR:HA	1:B:414:ASN:O	2.10	0.51
1:B:296:LEU:CD2	1:B:472:ILE:HD13	2.39	0.51
1:A:301:PHE:CZ	1:A:374:ARG:HD3	2.45	0.51
1:A:57:ILE:HD13	1:A:73:PHE:CE1	2.45	0.51
1:B:433:ILE:C	1:B:433:ILE:HD13	2.36	0.51
1:A:28:PHE:HB2	1:A:246:ILE:HD12	1.92	0.51
1:B:301:PHE:CZ	1:B:374:ARG:HD3	2.45	0.51
1:B:287:THR:HG21	1:B:425:ILE:CD1	2.40	0.51
1:B:338:MET:HB2	1:B:344:LEU:CB	2.40	0.51
1:B:21:MET:CE	1:B:177:THR:CB	2.88	0.51
1:B:261:VAL:HG12	1:B:280:LYS:CB	2.41	0.51
1:A:313:ILE:HG13	1:A:372:PRO:HB3	1.91	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:LEU:HD13	1:B:246:ILE:CD1	2.39	0.50
1:B:356:LEU:HD22	1:B:387:VAL:HG11	1.88	0.50
1:A:321:ARG:HH21	1:A:321:ARG:HG3	1.77	0.49
1:A:215:ARG:NH1	1:B:232:LYS:O	2.45	0.49
1:A:24:MET:HG3	1:A:66:GLU:HG3	1.94	0.49
1:B:469:GLU:HB2	1:B:483:PHE:CE2	2.48	0.49
1:A:287:THR:HG23	1:A:414:ASN:HD22	1.76	0.49
1:A:204:VAL:HG12	1:A:223:LEU:HB2	1.94	0.48
1:B:400:THR:CB	1:B:433:ILE:HD11	2.43	0.48
1:A:18:ILE:HB	1:A:228:THR:HG23	1.96	0.48
1:A:287:THR:HA	1:A:414:ASN:O	2.13	0.48
2:A:601:ATP:PG	1:B:224:LYS:NZ	2.86	0.48
1:A:220:LEU:HD13	1:A:246:ILE:HD11	1.95	0.48
1:B:147:VAL:HG11	1:B:180:MET:HE3	1.96	0.47
1:A:57:ILE:CD1	1:A:73:PHE:CE1	2.98	0.47
1:B:41:SER:HA	1:B:178:THR:O	2.14	0.47
1:B:287:THR:HG23	1:B:414:ASN:HD22	1.80	0.46
1:A:311:ARG:NH1	1:A:370:PHE:O	2.46	0.46
1:A:298:VAL:HA	1:A:411:LEU:HD23	1.95	0.46
1:A:489:ILE:HA	1:A:494:PRO:HG3	1.97	0.46
1:A:344:LEU:CD1	1:A:346:ILE:HG13	2.44	0.46
1:B:311:ARG:HA	1:B:343:LEU:O	2.14	0.46
1:B:382:ALA:O	1:B:385:ARG:HG2	2.16	0.46
1:B:296:LEU:HD11	1:B:477:PRO:HD3	1.98	0.46
1:B:344:LEU:CD1	1:B:346:ILE:HG13	2.45	0.46
1:B:24:MET:HB2	1:B:62:ASN:HB3	1.98	0.46
1:B:321:ARG:O	1:B:325:LEU:HG	2.15	0.46
1:A:203:ASN:HB3	1:A:225:LEU:CD2	2.44	0.46
1:A:278:PHE:CG	1:A:284:ILE:HD12	2.50	0.46
1:B:417:ASP:N	1:B:417:ASP:OD1	2.49	0.46
1:A:214:GLU:HB3	1:B:234:GLU:HB2	1.97	0.45
1:B:134:ILE:O	1:B:138:ARG:N	2.50	0.45
1:B:147:VAL:HG21	1:B:180:MET:CE	2.46	0.45
1:B:425:ILE:HD13	1:B:425:ILE:N	2.31	0.45
1:A:68:ASP:O	1:A:68:ASP:CG	2.60	0.45
1:A:237:PHE:HB2	1:A:246:ILE:HA	1.99	0.45
1:A:21:MET:HE3	1:A:177:THR:HG21	1.97	0.45
1:A:28:PHE:HB2	1:A:246:ILE:CD1	2.46	0.45
1:A:220:LEU:HD13	1:A:246:ILE:CD1	2.47	0.45
1:B:313:ILE:HD11	1:B:370:PHE:HB3	1.99	0.45
1:B:317:TYR:HB3	1:B:351:PRO:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:351:PRO:CD	1:A:385:ARG:HH11	2.29	0.45
2:A:601:ATP:O3G	1:B:224:LYS:NZ	2.50	0.45
1:A:395:PHE:O	1:A:399:VAL:HG23	2.18	0.44
1:B:464:ASP:OD2	1:B:468:ARG:NE	2.50	0.44
1:B:351:PRO:CD	1:B:385:ARG:HH21	2.31	0.44
1:B:106:LEU:C	1:B:106:LEU:HD12	2.43	0.44
1:B:146:SER:O	1:B:149:SER:OG	2.34	0.44
1:B:24:MET:HE2	1:B:66:GLU:HG2	2.00	0.44
1:B:187:GLU:HG3	1:B:208:ARG:HG2	1.99	0.44
1:A:269:ARG:O	1:A:273:MET:HG3	2.18	0.44
1:B:489:ILE:HA	1:B:494:PRO:HG3	2.00	0.44
1:B:52:LYS:HB3	1:B:181:THR:HG23	1.99	0.43
1:A:278:PHE:HB3	1:A:284:ILE:HD11	2.00	0.43
1:A:299:SER:C	1:A:333:MET:HE1	2.42	0.43
1:B:305:ALA:HB2	1:B:374:ARG:HD2	1.99	0.43
1:B:102:LYS:HA	1:B:102:LYS:HD3	1.86	0.43
1:B:335:PHE:HA	1:B:338:MET:HG3	1.99	0.43
1:A:300:ARG:NH1	1:A:475:LYS:O	2.49	0.43
1:B:60:LEU:HD23	1:B:141:ARG:HB2	2.01	0.43
1:A:264:SER:HA	1:A:271:ASP:OD2	2.19	0.43
2:A:601:ATP:O1G	1:B:224:LYS:NZ	2.51	0.43
1:B:296:LEU:HD22	1:B:472:ILE:HD13	2.01	0.43
1:A:31:ILE:HA	1:A:231:MET:SD	2.59	0.42
1:A:211:LEU:HD21	1:B:234:GLU:OE1	2.18	0.42
1:B:445:ILE:O	1:B:448:GLU:HB2	2.19	0.42
1:A:45:SER:HA	1:A:182:THR:O	2.20	0.42
1:A:43:LEU:HD13	1:A:197:GLU:O	2.20	0.42
1:A:444:GLU:CD	1:B:489:ILE:H	2.27	0.42
1:A:191:ILE:HG13	1:A:206:ILE:HD11	2.01	0.42
1:A:351:PRO:HG2	1:A:385:ARG:HE	1.84	0.42
1:B:235:TYR:HA	1:B:236:PRO:HD2	1.92	0.42
1:A:285:LEU:HB3	1:A:434:THR:HG21	2.00	0.42
1:B:390:ASN:HA	1:B:393:ARG:NH1	2.35	0.42
1:A:54:LEU:HD13	1:A:90:PHE:CE1	2.55	0.41
1:A:311:ARG:HA	1:A:343:LEU:O	2.20	0.41
1:A:350:TYR:HA	1:A:351:PRO:HD3	1.91	0.41
1:A:180:MET:HB3	1:A:180:MET:HE2	1.76	0.41
1:A:321:ARG:HH21	1:A:321:ARG:CG	2.31	0.41
1:B:37:PRO:HD2	1:B:203:ASN:ND2	2.34	0.41
1:A:433:ILE:HD12	1:A:433:ILE:C	2.45	0.41
1:B:204:VAL:HG11	1:B:223:LEU:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:ARG:HA	1:B:269:ARG:HD2	1.51	0.41
1:A:24:MET:HB2	1:A:62:ASN:HB3	2.01	0.41
1:A:278:PHE:CG	1:A:284:ILE:CD1	3.04	0.41
1:A:448:GLU:HA	1:B:466:ALA:HA	2.02	0.41
1:B:379:SER:HB3	1:B:413:THR:OG1	2.20	0.41
1:A:31:ILE:HD12	1:A:246:ILE:HG21	2.02	0.41
1:A:52:LYS:HB3	1:A:181:THR:CG2	2.50	0.41
1:A:379:SER:HB3	1:A:413:THR:OG1	2.20	0.41
1:B:313:ILE:HG13	1:B:372:PRO:HB3	2.01	0.41
1:A:225:LEU:HD12	1:A:230:HIS:HB3	2.03	0.41
1:B:245:ASN:HD22	1:B:245:ASN:HA	1.56	0.41
1:A:191:ILE:HB	1:A:198:GLU:HG2	2.02	0.41
1:A:133:ALA:HA	1:A:136:LYS:CB	2.50	0.40
1:A:31:ILE:CD1	1:A:246:ILE:HG21	2.52	0.40
1:A:191:ILE:CB	1:A:198:GLU:HG2	2.51	0.40
1:A:319:GLU:HG2	1:A:323:GLN:HG2	2.04	0.40
1:A:454:ASN:HB2	1:A:467:ILE:HA	2.03	0.40
1:B:358:ASP:O	1:B:362:ILE:HG13	2.20	0.40
1:A:469:GLU:HB2	1:A:483:PHE:CZ	2.56	0.40
1:B:55:PHE:CD2	1:B:55:PHE:C	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	448/519 (86%)	409 (91%)	38 (8%)	1 (0%)	43	58
1	B	447/519 (86%)	412 (92%)	31 (7%)	4 (1%)	14	21
All	All	895/1038 (86%)	821 (92%)	69 (8%)	5 (1%)	21	31

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	428	SER
1	B	428	SER
1	B	26	GLU
1	B	420	MET
1	B	150	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	289/444 (65%)	232 (80%)	57 (20%)	1	1
1	B	296/444 (67%)	239 (81%)	57 (19%)	1	1
All	All	585/888 (66%)	471 (80%)	114 (20%)	1	1

All (114) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	MET
1	A	26	GLU
1	A	30	ASP
1	A	40	ARG
1	A	43	LEU
1	A	48	SER
1	A	57	ILE
1	A	68	ASP
1	A	75	THR
1	A	83	ILE
1	A	97	LEU
1	A	143	SER
1	A	168	VAL
1	A	180	MET
1	A	182	THR
1	A	183	GLU
1	A	184	ARG
1	A	187	GLU
1	A	196	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	198	GLU
1	A	210	VAL
1	A	221	GLU
1	A	222	ILE
1	A	223	LEU
1	A	224	LYS
1	A	238	THR
1	A	261	VAL
1	A	267	VAL
1	A	270	LEU
1	A	271	ASP
1	A	284	ILE
1	A	287	THR
1	A	294	LYS
1	A	302	VAL
1	A	321	ARG
1	A	333	MET
1	A	335	PHE
1	A	342	ASN
1	A	347	VAL
1	A	348	CYS
1	A	356	LEU
1	A	377	ILE
1	A	385	ARG
1	A	397	ILE
1	A	405	GLN
1	A	406	GLU
1	A	413	THR
1	A	417	ASP
1	A	432	GLU
1	A	433	ILE
1	A	453	ILE
1	A	454	ASN
1	A	457	LYS
1	A	458	MET
1	A	465	LYS
1	A	469	GLU
1	A	487	GLU
1	B	26	GLU
1	B	40	ARG
1	B	43	LEU
1	B	66	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	81	GLN
1	B	83	ILE
1	B	84	ILE
1	B	97	LEU
1	B	106	LEU
1	B	141	ARG
1	B	147	VAL
1	B	159	VAL
1	B	180	MET
1	B	184	ARG
1	B	187	GLU
1	B	196	VAL
1	B	198	GLU
1	B	210	VAL
1	B	211	LEU
1	B	219	THR
1	B	221	GLU
1	B	223	LEU
1	B	224	LYS
1	B	239	ILE
1	B	245	ASN
1	B	261	VAL
1	B	267	VAL
1	B	269	ARG
1	B	270	LEU
1	B	287	THR
1	B	292	THR
1	B	294	LYS
1	B	302	VAL
1	B	321	ARG
1	B	338	MET
1	B	342	ASN
1	B	347	VAL
1	B	348	CYS
1	B	352	GLU
1	B	356	LEU
1	B	360	LEU
1	B	366	GLU
1	B	367	ILE
1	B	399	VAL
1	B	405	GLN
1	B	406	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	413	THR
1	B	417	ASP
1	B	418	GLN
1	B	425	ILE
1	B	433	ILE
1	B	453	ILE
1	B	454	ASN
1	B	458	MET
1	B	465	LYS
1	B	472	ILE
1	B	483	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	HIS
1	A	209	ASN
1	A	260	ASN
1	A	341	GLN
1	A	414	ASN
1	B	203	ASN
1	B	209	ASN
1	B	245	ASN
1	B	304	ASN
1	B	323	GLN
1	B	341	GLN
1	B	361	GLN
1	B	389	ASN
1	B	414	ASN
1	B	418	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ATP	B	601	3	32,33,33	0.52	0	48,52,52	0.55	0
2	ATP	A	602	3	32,33,33	0.53	0	48,52,52	0.53	0
2	ATP	B	602	3	32,33,33	0.54	0	48,52,52	0.53	0
2	ATP	A	601	3	32,33,33	0.50	0	48,52,52	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	B	601	3	-	9/22/38/38	0/3/3/3
2	ATP	A	602	3	-	2/22/38/38	0/3/3/3
2	ATP	B	602	3	-	2/22/38/38	0/3/3/3
2	ATP	A	601	3	-	2/22/38/38	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	ATP	C5'-O5'-PA-O1A
2	B	601	ATP	C5'-O5'-PA-O3A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	601	ATP	C3'-C4'-C5'-O5'
2	B	601	ATP	PG-O3B-PB-O1B
2	B	601	ATP	O4'-C4'-C5'-O5'
2	B	602	ATP	PB-O3B-PG-O2G
2	A	601	ATP	PG-O3B-PB-O2B
2	B	601	ATP	C5'-O5'-PA-O2A
2	B	601	ATP	PG-O3B-PB-O2B
2	A	602	ATP	PB-O3A-PA-O2A
2	B	601	ATP	PB-O3A-PA-O2A
2	A	601	ATP	PG-O3B-PB-O1B
2	B	601	ATP	PB-O3A-PA-O1A
2	A	602	ATP	PB-O3A-PA-O1A
2	B	602	ATP	PA-O3A-PB-O2B


There are no ring outliers.


1 monomer is involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	ATP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	456/519 (87%)	0.83	38 (8%)	17 13	45, 69, 103, 134	0
1	B	455/519 (87%)	0.85	33 (7%)	21 17	45, 68, 101, 115	0
All	All	911/1038 (87%)	0.84	71 (7%)	19 15	45, 69, 103, 134	0

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	276	GLY	6.3
1	A	276	GLY	5.2
1	B	455	VAL	4.3
1	B	142	VAL	3.9
1	B	274	CYS	3.8
1	A	477	PRO	3.4
1	A	275	GLY	3.3
1	A	104	PHE	3.2
1	B	80	PRO	3.2
1	B	77	GLU	3.1
1	B	494	PRO	3.1
1	B	171	LEU	3.0
1	B	145	ASP	2.9
1	B	35	GLY	2.8
1	A	77	GLU	2.7
1	B	152	GLN	2.7
1	A	94	LEU	2.7
1	B	78	GLU	2.7
1	A	455	VAL	2.7
1	A	180	MET	2.6
1	A	147	VAL	2.6
1	B	23	THR	2.6
1	B	275	GLY	2.6
1	B	247	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	441	GLN	2.6
1	A	425	ILE	2.5
1	B	151	PHE	2.5
1	A	148	THR	2.5
1	A	97	LEU	2.5
1	A	478	ASP	2.5
1	A	137	TYR	2.5
1	A	78	GLU	2.4
1	B	74	VAL	2.4
1	A	197	GLU	2.4
1	A	443	VAL	2.4
1	B	467	ILE	2.4
1	B	246	ILE	2.4
1	B	176	ALA	2.4
1	A	54	LEU	2.3
1	A	149	SER	2.3
1	A	274	CYS	2.3
1	B	94	LEU	2.3
1	A	144	ILE	2.3
1	A	157	SER	2.3
1	B	334	ASP	2.3
1	A	152	GLN	2.3
1	B	25	ILE	2.2
1	A	492	GLY	2.2
1	A	123	LEU	2.2
1	B	490	ILE	2.2
1	A	95	ALA	2.2
1	A	93	ASP	2.2
1	B	75	THR	2.1
1	A	41	SER	2.1
1	A	70	PRO	2.1
1	A	396	VAL	2.1
1	A	430	ILE	2.1
1	B	93	ASP	2.1
1	B	197	GLU	2.1
1	B	477	PRO	2.1
1	A	467	ILE	2.1
1	A	271	ASP	2.1
1	A	146	SER	2.1
1	B	17	ALA	2.1
1	B	180	MET	2.1
1	B	57	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	150	VAL	2.1
1	B	68	ASP	2.0
1	A	69	GLU	2.0
1	A	331	TRP	2.0
1	B	492	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ATP	B	602	31/31	0.88	0.10	48,50,64,64	0
2	ATP	A	602	31/31	0.90	0.09	50,52,70,70	0
2	ATP	A	601	31/31	0.90	0.09	60,64,70,72	0
2	ATP	B	601	31/31	0.91	0.09	58,61,63,63	0
3	MG	A	604	1/1	0.96	0.05	38,38,38,38	0
3	MG	B	603	1/1	0.98	0.07	49,49,49,49	0
3	MG	B	604	1/1	0.98	0.05	40,40,40,40	0
3	MG	A	603	1/1	0.99	0.02	44,44,44,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.