



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 05:32 PM UTC

PDB ID : 8DYY / pdb_00008dyy
EMDB ID : EMD-27786
Title : Cryo-EM structure of 334 Fab in complex with recombinant shortened Plasmodium falciparum circumsporozoite protein (rsCSP)
Authors : Martin, G.M.; Ward, A.B.
Deposited on : 2022-08-05
Resolution : 3.62 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11773 (3.12 - 4.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	278	 21% 5% 74%
2	A	227	 26% 39% 15% 46%
2	C	227	 8% 38% 15% 46%
2	E	227	 39% 15% 46%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	227	
2	M	227	
2	O	227	
2	Q	227	
2	S	227	
2	U	227	
3	B	215	
3	D	215	
3	F	215	
3	L	215	
3	N	215	
3	P	215	
3	R	215	
3	T	215	
3	V	215	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 16499 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Circumsporozoite protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	I	72	Total	C	N	O	0	0
			506	290	106	110		

- Molecule 2 is a protein called 334 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	A	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	C	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	E	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	M	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	O	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	Q	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	S	122	Total	C	N	O	S	0	0
			949	597	169	179	4		
2	U	122	Total	C	N	O	S	0	0
			949	597	169	179	4		

- Molecule 3 is a protein called 334 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	107	Total	C	N	O	S	0	0
			828	524	134	167	3		
3	B	107	Total	C	N	O	S	0	0
			828	524	134	167	3		
3	D	107	Total	C	N	O	S	0	0
			828	524	134	167	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	F	107	Total 828	C 524	N 134	O 167	S 3	0	0
3	N	107	Total 828	C 524	N 134	O 167	S 3	0	0
3	P	107	Total 828	C 524	N 134	O 167	S 3	0	0
3	R	107	Total 828	C 524	N 134	O 167	S 3	0	0
3	T	107	Total 828	C 524	N 134	O 167	S 3	0	0
3	V	107	Total 828	C 524	N 134	O 167	S 3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Circumsporozoite protein



• Molecule 2: 334 Fab heavy chain




• Molecule 2: 334 Fab heavy chain



THR SER GLY VAL HIS THR PHE PRO ALA VAL GLN SER SER GLY THR TYR SER SER LEU LEU SER SER SER SER VAL VAL THR VAL PRO VAL SER SER SER SER GLY THR THR ILE CYS ASN VAL ASN HIS LYS PRO SER SER ASN THR THR LYS VAL ASP LYS LYS VAL VAL GLU PRO LYS SER CYS ASP


• Molecule 2: 334 Fab heavy chain

Chain O: 

GLN V2 Q3 L4 V5 V11 R16 S17 C22 F29 Y32 G33 M34 H35 R38 Q39 R38 R38 G42 K43 V48 I51 W52 Y52A D53 G54 S55 K56 F67 T68 D72 K75 N76 T77 L78 T79 Q81 M82 R83 V84 D85 D86 T87 Y91 C92 A93

SER GLY VAL HIS THR PHE PRO ALA VAL GLN SER SER GLY LEU THR TYR SER LYS LEU SER SER VAL VAL THR THR PRO THR LEU PRO ALA PRO SER SER SER SER LEU SER THR GLN THR TYR ILE CYS ASN VAL ASN HIS LYS PRO SER ASN THR THR LYS VAL ASP LYS LYS VAL VAL GLU PRO LYS TRP SER ASN GLY ALA LEU THR


• Molecule 2: 334 Fab heavy chain

Chain Q: 

GLN V2 Q13 R16 C22 F29 M34 H35 Q39 T40 P41 G42 K43 G44 L45 I51 W52 Y52A D53 G54 S55 K56 D61 R66 F67 L78 M82 N82A S82B D85 D86 A93 H97 F100F S113 ALA SER THR LYS GLY PRO SER VAL PHE

PRO LEU ALA PRO SER SER SER LYS THR GLY GLY THR ALA ALA ALA ASN ASN HIS CYS LEU VAL LYS ASP THR TYR PHE THR PRO GLU PRO VAL THR VAL VAL ASP LYS VAL THR LYS TRP ASN SER GLY ALA LEU THR SER GLY VAL S82B D85 D86 A93 H97 F100F S113 ALA SER THR LYS GLY PRO SER VAL PHE

• Molecule 2: 334 Fab heavy chain


Chain S: 


GLN V2 G10 V11 G15 R16 T19 C22 F27 T28 F29 Y32 Q33 M34 H35 W36 R38 Q39 T40 P41 G42 K43 G44 V48 I51 D53 G54 S55 D61 R66 F67 R71 K75 N76 T77 L78 T79 L80 Q81 M82 S82B L82C R83 V84 D85

D86 T87 A93 R94 H97 F100F L101 L102 L108 V109 T110 V111 S112 S113 ALA SER THR LYS VAL VAL THR THR TYR SER SER LEU SER SER VAL VAL THR THR TYR ILE CYS ASN VAL ASN HIS LYS PRO SER ASN THR THR LYS VAL ASP LYS LYS LYS PRO GLU PRO VAL VAL GLU PRO LYS SER TRP ASN



CYS ASP

• Molecule 2: 334 Fab heavy chain



Chain U: 





- Molecule 3: 334 Fab light chain




- Molecule 3: 334 Fab light chain





- Molecule 3: 334 Fab light chain







- Molecule 3: 334 Fab light chain




- Molecule 3: 334 Fab light chain



- Molecule 3: 334 Fab light chain



- Molecule 3: 334 Fab light chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	458706	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	200	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.692	Depositor
Minimum map value	-0.882	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.065	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	253.0, 253.0, 253.0	wwPDB
Map dimensions	220, 220, 220	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.15, 1.15, 1.15	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	I	1.19	4/523 (0.8%)	1.53	5/738 (0.7%)
2	A	0.22	0/972	0.34	0/1318
2	C	0.29	0/972	0.33	0/1318
2	E	0.35	0/972	0.37	0/1318
2	H	0.38	0/972	0.36	0/1318
2	M	0.37	0/972	0.36	0/1318
2	O	0.40	0/972	0.36	0/1318
2	Q	0.38	0/972	0.37	0/1318
2	S	0.34	0/972	0.37	0/1318
2	U	0.22	0/972	0.33	0/1318
3	B	0.13	0/849	0.27	0/1154
3	D	0.24	0/849	0.29	0/1154
3	F	0.29	0/849	0.29	0/1154
3	L	0.36	0/849	0.31	0/1154
3	N	0.35	0/849	0.32	0/1154
3	P	0.35	0/849	0.32	0/1154
3	R	0.37	0/849	0.32	0/1154
3	T	0.34	0/849	0.31	0/1154
3	V	0.24	0/849	0.31	0/1154
All	All	0.38	4/16912 (0.0%)	0.43	5/22986 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	3	PRO	CB-CG	19.50	2.47	1.49
1	I	3	PRO	CG-CD	-14.08	1.02	1.50
1	I	3	PRO	N-CA	-5.47	1.40	1.47
1	I	3	PRO	N-CD	5.24	1.55	1.47

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	3	PRO	CB-CG-CD	-33.14	0.04	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	3	PRO	CA-N-CD	-13.85	92.61	112.00
1	I	3	PRO	N-CA-CB	-13.59	87.77	103.26
1	I	3	PRO	CA-CB-CG	-5.66	93.75	104.50
1	I	2	ASP	C-N-CD	5.48	147.48	125.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	506	0	431	20	0
2	A	949	0	912	24	0
2	C	949	0	912	28	0
2	E	949	0	912	23	0
2	H	949	0	912	15	0
2	M	949	0	912	29	0
2	O	949	0	912	29	0
2	Q	949	0	912	14	0
2	S	949	0	912	31	0
2	U	949	0	912	31	0
3	B	828	0	789	20	0
3	D	828	0	789	17	0
3	F	828	0	789	12	0
3	L	828	0	789	13	0
3	N	828	0	789	8	0
3	P	828	0	789	6	0
3	R	828	0	789	11	0
3	T	828	0	789	11	0
3	V	828	0	789	16	0
All	All	16499	0	15740	326	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (326) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:U:80:LEU:CD2	2:U:82:MET:HE2	1.78	1.14
2:U:80:LEU:HD22	2:U:82:MET:HE2	1.42	1.00
2:U:80:LEU:HD23	2:U:82:MET:HE2	1.56	0.87
2:A:3:GLN:OE1	2:A:4:LEU:N	2.08	0.86
3:V:17:ASP:OD1	3:V:18:ARG:N	2.09	0.85
2:C:100(B):HIS:ND1	2:C:100(B):HIS:O	2.16	0.78
2:C:29:PHE:HE1	2:C:34:MET:HE2	1.51	0.75
3:N:17:ASP:OD1	3:N:18:ARG:N	2.19	0.75
2:U:13:GLN:OE1	2:U:14:PRO:HD2	1.85	0.75
2:C:13:GLN:NE2	2:C:16:ARG:HG3	2.02	0.74
1:I:52:ASN:ND2	3:R:92:ASN:O	2.20	0.73
2:U:20:LEU:HD11	2:U:82:MET:HE1	1.71	0.73
2:A:105:GLN:N	2:A:105:GLN:OE1	2.20	0.73
1:I:60:ASN:ND2	3:T:92:ASN:O	2.20	0.73
2:O:51:ILE:HD11	2:O:54:GLY:HA2	1.70	0.72
2:C:51:ILE:HD11	2:C:54:GLY:HA2	1.72	0.72
1:I:28:ASN:ND2	3:N:92:ASN:O	2.21	0.71
2:A:22:CYS:HB3	2:A:78:LEU:HB2	1.70	0.71
2:C:6:GLU:HG3	2:C:107:THR:HG23	1.71	0.71
2:H:51:ILE:HD11	2:H:54:GLY:HA2	1.71	0.71
1:I:36:ASN:ND2	3:L:92:ASN:O	2.23	0.71
2:Q:13:GLN:OE1	2:Q:13:GLN:N	2.25	0.70
3:F:17:ASP:OD2	3:F:18:ARG:N	2.25	0.70
1:I:12:ASN:ND2	3:D:92:ASN:O	2.23	0.70
2:M:51:ILE:HD11	2:M:54:GLY:HA2	1.73	0.70
2:S:29:PHE:HE1	2:S:34:MET:HE2	1.57	0.69
2:C:29:PHE:CE1	2:C:34:MET:HE2	2.27	0.69
1:I:20:ASN:ND2	3:F:95:SER:O	2.25	0.69
1:I:68:ASN:ND2	3:V:92:ASN:O	2.25	0.69
2:E:22:CYS:HB3	2:E:78:LEU:HB2	1.76	0.67
2:O:22:CYS:HB3	2:O:78:LEU:HB2	1.75	0.67
2:S:32:TYR:CE1	2:S:94:ARG:HD2	2.28	0.67
3:T:6:GLN:HE21	3:T:102:THR:HG23	1.58	0.67
2:C:101:ASP:OD1	2:C:102:LEU:N	2.28	0.67
3:L:50:GLU:N	3:L:50:GLU:OE1	2.28	0.66
2:H:22:CYS:HB3	2:H:78:LEU:HB2	1.78	0.66
3:L:2:ILE:HD12	3:L:27:GLN:HB2	1.78	0.66
3:B:29:VAL:HA	3:B:92:ASN:ND2	2.10	0.65
2:A:51:ILE:HG12	2:A:71:ARG:HD2	1.78	0.65
2:E:68:THR:HG21	3:P:70:GLU:HG2	1.78	0.65
3:B:37:GLN:HG2	3:B:39:LYS:HZ2	1.61	0.64
2:S:40:THR:HG23	2:S:43:LYS:HB3	1.78	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:92:ASN:OD1	3:B:93:SER:N	2.26	0.64
2:S:32:TYR:CD1	2:S:94:ARG:HD2	2.32	0.64
2:U:87:THR:HG22	2:U:111:VAL:H	1.63	0.64
3:T:6:GLN:NE2	3:T:102:THR:HG23	2.12	0.63
2:O:29:PHE:HE1	2:O:34:MET:HE2	1.64	0.63
2:A:51:ILE:HD11	2:A:54:GLY:HA2	1.80	0.63
3:F:6:GLN:HE21	3:F:102:THR:HG23	1.64	0.63
3:T:7:SER:HB3	3:T:24:ARG:HH22	1.64	0.63
3:B:11:LEU:HD11	3:B:19:VAL:HG13	1.81	0.62
2:E:87:THR:HG23	2:E:87:THR:O	1.99	0.62
2:Q:51:ILE:HD11	2:Q:54:GLY:HA2	1.81	0.62
2:M:22:CYS:HB3	2:M:78:LEU:HB2	1.81	0.62
3:B:29:VAL:HG12	3:B:92:ASN:HD22	1.65	0.62
2:E:101:ASP:OD1	2:E:102:LEU:N	2.33	0.62
2:U:13:GLN:HE22	2:U:113:SER:HA	1.64	0.61
2:Q:66:ARG:NH1	2:Q:82(B):SER:O	2.33	0.61
2:U:80:LEU:HD22	2:U:82:MET:CE	2.24	0.61
2:A:66:ARG:NH1	2:A:82(B):SER:O	2.34	0.61
2:C:68:THR:HG22	2:C:81:GLN:HB2	1.83	0.61
2:E:35:HIS:CE1	2:E:50:ILE:HD12	2.36	0.61
2:Q:93:ALA:HB1	2:Q:100(F):PHE:HB3	1.82	0.60
2:O:17:SER:HB2	3:V:20:THR:HG21	1.83	0.60
1:I:44:ASN:ND2	3:P:95:SER:O	2.31	0.59
2:O:67:PHE:CE1	2:O:82:MET:HG2	2.38	0.59
2:S:51:ILE:HG12	2:S:71:ARG:HD2	1.84	0.59
2:M:2:VAL:HG12	2:M:27:PHE:HB3	1.84	0.59
2:S:82:MET:HB3	2:S:82(C):LEU:HD21	1.83	0.59
2:U:29:PHE:O	2:U:71:ARG:NH2	2.36	0.59
2:M:82:MET:HE1	2:M:109:VAL:HG11	1.85	0.58
2:Q:22:CYS:HB3	2:Q:78:LEU:HB2	1.84	0.58
2:U:13:GLN:OE1	2:U:14:PRO:CD	2.50	0.58
2:A:39:GLN:OE1	2:A:45:LEU:HA	2.03	0.58
2:A:45:LEU:HB2	3:B:98:PHE:CG	2.38	0.58
2:U:51:ILE:HG21	2:U:71:ARG:HD2	1.84	0.58
2:H:29:PHE:HE1	2:H:34:MET:HE2	1.67	0.58
2:E:28:THR:HG23	2:E:31:ASN:HB2	1.84	0.58
2:E:51:ILE:HD11	2:E:54:GLY:HA2	1.85	0.58
3:B:6:GLN:O	3:B:100:GLN:NE2	2.36	0.58
2:H:83:ARG:HG3	2:H:85:ASP:H	1.68	0.58
2:S:19:THR:OG1	2:S:81:GLN:OE1	2.21	0.58
2:O:4:LEU:HD11	2:O:34:MET:HE1	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:29:PHE:HE1	2:M:34:MET:HE2	1.69	0.58
2:S:101:ASP:OD1	2:S:102:LEU:N	2.37	0.58
2:C:66:ARG:NH2	2:C:83:ARG:HH21	2.02	0.58
3:T:6:GLN:O	3:T:100:GLN:NE2	2.37	0.58
1:I:2:ASP:HA	1:I:3:PRO:HG3	1.85	0.58
2:U:6:GLU:HA	2:U:22:CYS:HA	1.87	0.57
2:M:101:ASP:OD1	2:M:101:ASP:C	2.48	0.57
3:V:81:ASP:OD1	3:V:81:ASP:C	2.48	0.57
3:L:67:SER:HB2	2:C:72:ASP:OD1	2.05	0.56
2:O:93:ALA:HB1	2:O:100(F):PHE:HB3	1.87	0.56
2:S:93:ALA:HB1	2:S:100(F):PHE:HB3	1.87	0.56
2:C:29:PHE:O	2:C:71:ARG:NH2	2.38	0.56
3:P:6:GLN:HE21	3:P:99:GLY:HA3	1.71	0.56
2:C:35:HIS:HB2	2:C:93:ALA:HB3	1.88	0.56
2:A:71:ARG:NH1	2:A:73:ASN:OD1	2.39	0.56
2:S:67:PHE:CE1	2:S:82:MET:HG2	2.41	0.56
3:L:6:GLN:HE21	3:L:102:THR:HG23	1.70	0.55
3:B:6:GLN:HE21	3:B:102:THR:HG23	1.70	0.55
2:E:47:TRP:NE1	2:E:49:ALA:O	2.39	0.55
2:E:93:ALA:HB1	2:E:100(F):PHE:HB3	1.88	0.55
2:U:52(A):TYR:CD2	2:U:53:ASP:OD2	2.60	0.55
3:D:100:GLN:N	3:D:100:GLN:OE1	2.39	0.55
2:A:45:LEU:HD12	3:B:98:PHE:CE2	2.42	0.55
3:B:70:GLU:OE2	3:B:70:GLU:HA	2.06	0.55
2:C:87:THR:HG22	2:C:111:VAL:H	1.72	0.55
3:F:54:LEU:HD12	3:F:58:VAL:HG11	1.89	0.54
2:O:72:ASP:OD2	2:O:75:LYS:NZ	2.40	0.54
2:M:13:GLN:OE1	2:M:16:ARG:NH2	2.35	0.54
3:B:37:GLN:HG2	3:B:39:LYS:NZ	2.21	0.54
2:O:87:THR:HG23	2:O:110:THR:HA	1.88	0.54
2:Q:66:ARG:NH2	2:Q:86:ASP:OD2	2.36	0.54
3:V:37:GLN:HB2	3:V:47:LEU:HD11	1.89	0.54
3:D:4:MET:HE2	3:D:90:GLN:HB3	1.91	0.53
2:A:35:HIS:HB2	2:A:93:ALA:HB3	1.90	0.53
2:H:6:GLU:OE2	2:H:104:GLY:HA3	2.09	0.53
2:Q:40:THR:HG23	2:Q:43:LYS:HB2	1.90	0.53
2:O:11:VAL:HG22	2:O:110:THR:HB	1.91	0.53
3:D:6:GLN:HE21	3:D:102:THR:HG23	1.74	0.53
3:B:35:TRP:CD2	3:B:73:LEU:HD12	2.44	0.52
2:C:6:GLU:CG	2:C:107:THR:HG23	2.40	0.52
2:S:11:VAL:HG22	2:S:110:THR:HB	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:2:ASP:O	1:I:2:ASP:CG	2.53	0.51
2:C:96:ARG:HB2	2:C:101:ASP:HB3	1.92	0.51
2:M:35:HIS:HB2	2:M:93:ALA:HB3	1.91	0.51
1:I:29:ALA:HB3	2:M:52:TRP:HZ2	1.75	0.51
1:I:29:ALA:O	1:I:31:PRO:HD3	2.11	0.51
3:D:92:ASN:HB3	3:D:95:SER:HB2	1.93	0.51
2:S:32:TYR:CE2	2:S:97:HIS:CE1	2.99	0.51
2:H:11:VAL:HG22	2:H:110:THR:HB	1.92	0.51
2:C:22:CYS:HB3	2:C:78:LEU:HB2	1.91	0.51
2:Q:67:PHE:CE1	2:Q:82:MET:HG2	2.46	0.51
3:B:19:VAL:HG21	3:B:78:LEU:HD13	1.91	0.51
2:Q:29:PHE:CE1	2:Q:34:MET:HE2	2.45	0.51
3:V:4:MET:HE1	3:V:25:ALA:HB2	1.92	0.51
2:U:37:VAL:HG11	2:U:45:LEU:HD13	1.92	0.50
2:C:13:GLN:HE21	2:C:16:ARG:HG3	1.77	0.50
2:S:29:PHE:CD2	2:S:76:ASN:HA	2.46	0.50
2:M:101:ASP:OD1	2:M:102:LEU:N	2.45	0.50
3:T:38:GLN:HB2	3:T:44:PRO:HG3	1.92	0.50
2:C:38:ARG:HG3	2:C:48:VAL:HG21	1.93	0.50
2:M:93:ALA:HB1	2:M:100(F):PHE:HB3	1.92	0.50
2:A:32:TYR:O	2:A:71:ARG:NH2	2.45	0.50
2:M:66:ARG:NH1	2:M:82(B):SER:O	2.45	0.50
3:D:55:GLU:O	3:D:58:VAL:HG22	2.12	0.49
3:V:33:LEU:HD13	3:V:71:PHE:CG	2.47	0.49
1:I:52:ASN:HD21	3:R:91:TYR:HB2	1.77	0.49
3:D:6:GLN:O	3:D:100:GLN:NE2	2.46	0.49
2:E:17:SER:HB2	3:P:20:THR:HG21	1.95	0.49
2:M:6:GLU:OE2	2:M:104:GLY:HA3	2.11	0.49
3:D:11:LEU:HD22	3:D:19:VAL:HG13	1.94	0.49
2:U:101:ASP:OD1	2:U:102:LEU:N	2.45	0.49
3:B:22:THR:HG21	3:B:24:ARG:NH1	2.28	0.49
3:B:22:THR:HG21	3:B:24:ARG:HH12	1.78	0.49
2:U:80:LEU:CD2	2:U:82:MET:CE	2.71	0.49
2:S:29:PHE:CE1	2:S:34:MET:HE2	2.42	0.49
3:R:4:MET:SD	3:R:90:GLN:HG2	2.53	0.49
2:U:72:ASP:OD1	2:U:75:LYS:NZ	2.46	0.49
2:S:32:TYR:CZ	2:S:97:HIS:CE1	3.01	0.48
2:M:85:ASP:C	2:M:85:ASP:OD2	2.56	0.48
1:I:2:ASP:CA	1:I:3:PRO:HG3	2.42	0.48
1:I:9:VAL:HG12	2:A:52(A):TYR:CE1	2.48	0.48
2:C:66:ARG:NH2	2:C:83:ARG:NH2	2.61	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:U:11:VAL:HG22	2:U:110:THR:HB	1.94	0.48
3:V:50:GLU:O	3:V:50:GLU:HG3	2.13	0.48
2:A:39:GLN:OE1	2:A:39:GLN:HA	2.13	0.48
2:E:82:MET:HE2	2:E:82(C):LEU:HD21	1.96	0.48
3:F:11:LEU:HD21	3:F:19:VAL:HG13	1.95	0.48
2:O:68:THR:HG21	3:V:70:GLU:HG2	1.96	0.48
2:O:80:LEU:HD23	2:O:82:MET:HE2	1.95	0.48
3:D:6:GLN:H	3:D:100:GLN:HE22	1.62	0.48
3:F:37:GLN:HB2	3:F:47:LEU:HD11	1.96	0.48
3:N:6:GLN:HE21	3:N:99:GLY:HA3	1.79	0.48
3:F:6:GLN:NE2	3:F:102:THR:HG23	2.29	0.48
2:E:52:TRP:C	2:E:53:ASP:H	2.22	0.47
2:S:85:ASP:OD2	2:S:85:ASP:C	2.58	0.47
3:L:17:ASP:OD1	3:L:18:ARG:N	2.44	0.47
2:U:13:GLN:NE2	2:U:112:SER:O	2.48	0.47
2:U:13:GLN:NE2	2:U:113:SER:HA	2.30	0.47
3:R:33:LEU:HB3	3:R:51:ALA:HB2	1.97	0.47
2:U:49:ALA:HB1	2:U:69:ILE:HG21	1.96	0.47
2:Q:29:PHE:HE1	2:Q:34:MET:HE2	1.79	0.46
2:C:82(C):LEU:C	2:C:83:ARG:HD3	2.40	0.46
2:E:29:PHE:CD2	2:E:76:ASN:HA	2.51	0.46
2:O:29:PHE:CD2	2:O:76:ASN:HA	2.51	0.46
3:V:42:GLN:OE1	3:V:43:GLY:N	2.32	0.46
2:H:82:MET:HE2	2:H:82(C):LEU:HD11	1.97	0.46
2:A:39:GLN:NE2	2:A:43:LYS:O	2.49	0.46
3:T:50:GLU:O	3:T:50:GLU:HG2	2.15	0.46
3:L:6:GLN:NE2	3:L:102:THR:HG23	2.31	0.46
3:B:4:MET:HE2	3:B:4:MET:HB2	1.78	0.46
2:E:98:SER:HB3	2:E:100(D):SER:HB2	1.98	0.46
2:S:83:ARG:O	2:S:111:VAL:HG21	2.15	0.46
2:S:108:LEU:HD23	2:S:108:LEU:HA	1.75	0.46
2:M:94:ARG:HH21	2:M:101:ASP:CG	2.22	0.46
3:N:61:ARG:NE	3:N:82:ASP:OD2	2.49	0.46
2:S:66:ARG:NH1	2:S:82(B):SER:O	2.48	0.46
2:O:29:PHE:CE1	2:O:34:MET:HE2	2.48	0.46
3:R:3:GLN:O	3:R:26:SER:OG	2.32	0.46
2:S:35:HIS:HB2	2:S:93:ALA:HB3	1.98	0.46
2:A:67:PHE:CZ	2:A:82:MET:HG2	2.50	0.45
2:M:17:SER:HB2	3:R:20:THR:HG21	1.98	0.45
2:Q:35:HIS:HB2	2:Q:93:ALA:HB3	1.98	0.45
2:S:87:THR:OG1	2:S:110:THR:HA	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:22:CYS:HB3	2:S:78:LEU:HB2	1.98	0.45
2:U:72:ASP:OD1	2:U:79:TYR:CE1	2.70	0.45
3:V:3:GLN:HA	3:V:3:GLN:OE1	2.17	0.45
3:F:4:MET:HE3	3:F:4:MET:HB3	1.84	0.45
2:M:68:THR:HG21	3:R:70:GLU:HG2	1.99	0.45
2:O:43:LYS:HB3	2:O:43:LYS:HE3	1.65	0.45
2:M:100(E):ALA:HB3	3:N:46:LEU:HD11	1.99	0.45
3:B:46:LEU:HD23	3:B:47:LEU:N	2.32	0.45
2:O:100(B):HIS:NE2	3:P:93:SER:HA	2.31	0.45
2:S:43:LYS:HB2	2:S:43:LYS:HE3	1.64	0.45
2:H:93:ALA:HB1	2:H:100(F):PHE:HB3	1.99	0.45
3:B:50:GLU:O	3:B:50:GLU:HG2	2.17	0.45
2:H:94:ARG:NH2	2:H:101:ASP:OD1	2.49	0.44
2:C:29:PHE:CD2	2:C:76:ASN:HA	2.53	0.44
3:T:91:TYR:HB3	3:T:96:TRP:CD1	2.53	0.44
3:L:33:LEU:HD11	3:L:88:CYS:SG	2.58	0.44
3:D:6:GLN:OE1	3:D:88:CYS:N	2.51	0.44
2:E:100(A):ARG:HH12	3:N:93:SER:CB	2.30	0.44
2:M:29:PHE:O	2:M:71:ARG:NH2	2.51	0.44
2:H:29:PHE:CE1	2:H:34:MET:HE2	2.51	0.44
3:N:39:LYS:NZ	3:N:81:ASP:OD1	2.44	0.44
3:R:61:ARG:NH2	3:R:82:ASP:OD2	2.47	0.44
2:A:82(C):LEU:HB3	2:A:111:VAL:HG21	1.98	0.44
1:I:13:ALA:O	1:I:15:PRO:HD3	2.18	0.44
2:E:72:ASP:OD1	2:E:75:LYS:HG3	2.17	0.44
2:U:29:PHE:CD2	2:U:76:ASN:HA	2.53	0.44
2:E:38:ARG:HG3	2:E:48:VAL:HG21	1.99	0.44
2:M:39:GLN:HB2	2:M:45:LEU:HD23	2.00	0.44
1:I:68:ASN:HD21	3:V:91:TYR:HB2	1.83	0.43
3:D:92:ASN:OD1	3:D:93:SER:N	2.47	0.43
2:O:38:ARG:HG3	2:O:48:VAL:HG21	1.99	0.43
2:O:39:GLN:HE21	2:O:91:TYR:HE2	1.66	0.43
2:O:52(A):TYR:CD1	2:O:52(A):TYR:O	2.71	0.43
2:O:98:SER:HB2	2:O:100(D):SER:HB2	2.00	0.43
2:S:16:ARG:HG3	2:S:16:ARG:HH11	1.83	0.43
3:L:39:LYS:HG2	3:L:84:ALA:HB2	1.99	0.43
2:O:56:LYS:HE2	2:O:56:LYS:HB3	1.81	0.43
1:I:12:ASN:HB3	3:D:93:SER:O	2.18	0.43
3:D:19:VAL:HB	3:D:75:ILE:HB	1.99	0.43
3:D:78:LEU:HD23	3:D:79:GLN:N	2.34	0.43
2:S:38:ARG:HG3	2:S:48:VAL:HG21	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:29:PHE:CD2	2:A:76:ASN:HA	2.53	0.43
2:E:82(C):LEU:HD23	2:E:82(C):LEU:HA	1.74	0.43
2:O:85:ASP:OD2	2:O:85:ASP:C	2.62	0.43
2:M:52(A):TYR:O	2:M:52(A):TYR:CD2	2.72	0.43
3:F:36:TYR:HD1	3:F:46:LEU:HA	1.84	0.42
2:S:51:ILE:HD11	2:S:54:GLY:HA2	2.01	0.42
1:I:29:ALA:HB3	2:M:52:TRP:CZ2	2.52	0.42
2:A:108:LEU:HD12	2:A:109:VAL:N	2.34	0.42
3:V:91:TYR:HB3	3:V:96:TRP:CD1	2.54	0.42
3:L:81:ASP:OD2	3:L:81:ASP:C	2.62	0.42
2:M:11:VAL:HG22	2:M:110:THR:HB	2.01	0.42
2:O:16:ARG:HD3	2:O:16:ARG:HA	1.94	0.42
2:S:53:ASP:OD1	2:S:55:SER:N	2.40	0.42
2:H:39:GLN:OE1	3:L:38:GLN:NE2	2.48	0.42
2:E:29:PHE:O	2:E:71:ARG:NH2	2.52	0.42
2:U:52:TRP:C	2:U:53:ASP:H	2.28	0.42
2:C:93:ALA:HB1	2:C:100(F):PHE:HB3	2.01	0.42
3:F:107:LYS:HA	3:F:107:LYS:HD2	1.89	0.42
2:O:32:TYR:CZ	2:O:97:HIS:HE1	2.38	0.42
3:V:19:VAL:HG21	3:V:78:LEU:HD13	2.01	0.42
2:C:11:VAL:HG22	2:C:110:THR:HB	2.01	0.42
2:M:29:PHE:CD2	2:M:76:ASN:HA	2.55	0.42
1:I:68:ASN:ND2	3:V:91:TYR:HB2	2.34	0.42
2:H:68:THR:HG21	3:T:70:GLU:HG2	2.02	0.42
2:O:4:LEU:HD21	2:O:92:CYS:HB2	2.01	0.42
2:Q:52:TRP:C	2:Q:53:ASP:H	2.28	0.42
2:S:16:ARG:HB3	2:S:16:ARG:CZ	2.49	0.42
2:A:51:ILE:HD12	2:A:57:THR:HG22	2.02	0.42
2:A:87:THR:HG23	2:A:110:THR:HA	2.01	0.42
2:O:35:HIS:HB2	2:O:93:ALA:HB3	2.01	0.42
2:U:20:LEU:HD12	2:U:20:LEU:H	1.85	0.42
3:F:91:TYR:HB3	3:F:96:TRP:CD1	2.55	0.42
3:L:33:LEU:HD13	3:L:71:PHE:CD1	2.54	0.41
3:R:61:ARG:HH21	3:R:82:ASP:CG	2.27	0.41
2:O:29:PHE:HB3	2:O:76:ASN:OD1	2.20	0.41
2:H:82(C):LEU:HD23	2:H:82(C):LEU:HA	1.80	0.41
2:E:28:THR:HG23	2:E:28:THR:O	2.20	0.41
3:T:100:GLN:HG2	3:T:101:GLY:N	2.35	0.41
2:A:98:SER:HB2	2:A:100(D):SER:HB2	2.03	0.41
2:A:101:ASP:OD2	2:A:101:ASP:C	2.64	0.41
3:N:36:TYR:HE1	3:N:46:LEU:HG	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Q:39:GLN:HB2	2:Q:45:LEU:HD23	2.01	0.41
2:U:100(E):ALA:HB3	3:V:46:LEU:HD11	2.02	0.41
2:C:52:TRP:C	2:C:53:ASP:H	2.28	0.41
2:A:13:GLN:OE1	2:A:14:PRO:HD2	2.20	0.41
2:C:83:ARG:HD3	2:C:83:ARG:N	2.36	0.41
3:F:92:ASN:OD1	3:F:93:SER:N	2.50	0.41
3:B:22:THR:CG2	3:B:24:ARG:NH1	2.84	0.41
2:M:56:LYS:HE2	2:M:56:LYS:HB3	1.81	0.41
2:O:6:GLU:N	2:O:6:GLU:OE1	2.53	0.41
3:R:6:GLN:OE1	3:R:102:THR:HG23	2.21	0.41
2:S:36:TRP:CG	2:S:80:LEU:HD12	2.56	0.41
3:T:48:ILE:HG23	3:T:53:SER:O	2.20	0.41
2:H:52:TRP:C	2:H:53:ASP:H	2.29	0.41
3:L:36:TYR:HD1	3:L:46:LEU:HA	1.85	0.41
3:B:6:GLN:H	3:B:100:GLN:HE22	1.68	0.41
3:D:46:LEU:HD23	3:D:47:LEU:N	2.36	0.41
2:E:87:THR:O	2:E:87:THR:CG2	2.68	0.41
2:M:18:LEU:HD23	2:M:19:THR:N	2.36	0.41
2:M:87:THR:HG22	2:M:111:VAL:H	1.85	0.41
2:U:82:MET:HB3	2:U:82(C):LEU:HD21	2.03	0.41
2:U:80:LEU:HD23	2:U:82:MET:CE	2.38	0.41
2:E:35:HIS:HB2	2:E:93:ALA:HB3	2.02	0.40
2:Q:52:TRP:HB2	2:Q:56:LYS:O	2.21	0.40
2:M:52:TRP:C	2:M:53:ASP:H	2.29	0.40
2:S:32:TYR:CZ	2:S:97:HIS:HE1	2.39	0.40
2:C:22:CYS:O	2:C:77:THR:HA	2.22	0.40
2:C:39:GLN:OE1	3:D:38:GLN:NE2	2.49	0.40
3:P:2:ILE:HG12	3:P:27:GLN:HB3	2.03	0.40
2:E:59:TYR:CE1	2:E:69:ILE:HG22	2.57	0.40
3:R:6:GLN:HE21	3:R:88:CYS:HB3	1.85	0.40
2:U:20:LEU:CD1	2:U:82:MET:HE1	2.45	0.40
2:U:90:TYR:O	2:U:106:GLY:HA2	2.22	0.40
2:H:64:LYS:HE3	2:H:64:LYS:HB3	1.92	0.40
2:C:101:ASP:HA	3:D:46:LEU:HD12	2.02	0.40
2:M:87:THR:CG2	2:M:111:VAL:H	2.33	0.40
2:O:32:TYR:CZ	2:O:97:HIS:CE1	3.10	0.40
2:S:27:PHE:CE2	2:S:32:TYR:HD1	2.39	0.40
2:U:20:LEU:HD12	2:U:20:LEU:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	70/278 (25%)	43 (61%)	27 (39%)	0	100	100
2	A	120/227 (53%)	117 (98%)	3 (2%)	0	100	100
2	C	120/227 (53%)	116 (97%)	4 (3%)	0	100	100
2	E	120/227 (53%)	113 (94%)	7 (6%)	0	100	100
2	H	120/227 (53%)	113 (94%)	7 (6%)	0	100	100
2	M	120/227 (53%)	112 (93%)	8 (7%)	0	100	100
2	O	120/227 (53%)	113 (94%)	7 (6%)	0	100	100
2	Q	120/227 (53%)	112 (93%)	8 (7%)	0	100	100
2	S	120/227 (53%)	110 (92%)	10 (8%)	0	100	100
2	U	120/227 (53%)	116 (97%)	4 (3%)	0	100	100
3	B	105/215 (49%)	102 (97%)	3 (3%)	0	100	100
3	D	105/215 (49%)	102 (97%)	3 (3%)	0	100	100
3	F	105/215 (49%)	102 (97%)	3 (3%)	0	100	100
3	L	105/215 (49%)	99 (94%)	6 (6%)	0	100	100
3	N	105/215 (49%)	101 (96%)	4 (4%)	0	100	100
3	P	105/215 (49%)	100 (95%)	5 (5%)	0	100	100
3	R	105/215 (49%)	101 (96%)	4 (4%)	0	100	100
3	T	105/215 (49%)	100 (95%)	5 (5%)	0	100	100
3	V	105/215 (49%)	100 (95%)	5 (5%)	0	100	100
All	All	2095/4256 (49%)	1972 (94%)	123 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	55/240 (23%)	55 (100%)	0	100	100
2	A	102/193 (53%)	102 (100%)	0	100	100
2	C	102/193 (53%)	102 (100%)	0	100	100
2	E	102/193 (53%)	101 (99%)	1 (1%)	68	72
2	H	102/193 (53%)	102 (100%)	0	100	100
2	M	102/193 (53%)	102 (100%)	0	100	100
2	O	102/193 (53%)	102 (100%)	0	100	100
2	Q	102/193 (53%)	101 (99%)	1 (1%)	68	72
2	S	102/193 (53%)	102 (100%)	0	100	100
2	U	102/193 (53%)	101 (99%)	1 (1%)	68	72
3	B	93/190 (49%)	93 (100%)	0	100	100
3	D	93/190 (49%)	93 (100%)	0	100	100
3	F	93/190 (49%)	93 (100%)	0	100	100
3	L	93/190 (49%)	93 (100%)	0	100	100
3	N	93/190 (49%)	93 (100%)	0	100	100
3	P	93/190 (49%)	93 (100%)	0	100	100
3	R	93/190 (49%)	93 (100%)	0	100	100
3	T	93/190 (49%)	93 (100%)	0	100	100
3	V	93/190 (49%)	92 (99%)	1 (1%)	65	71
All	All	1810/3687 (49%)	1806 (100%)	4 (0%)	85	84

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	E	97	HIS
2	Q	97	HIS
2	U	13	GLN
3	V	4	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	I	32	ASN
1	I	50	ASN
2	H	73	ASN
3	L	37	GLN
2	A	31	ASN
3	D	79	GLN
2	E	81	GLN
3	F	100	GLN
2	M	81	GLN
2	O	97	HIS
3	R	79	GLN
3	R	90	GLN
2	S	82(A)	ASN
3	T	79	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-27786. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 110




Y Index: 110




Z Index: 110


6.2.2 Raw map



X Index: 110



Y Index: 110




Z Index: 110


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 103




Y Index: 123




Z Index: 124


6.3.2 Raw map



X Index: 104



Y Index: 114




Z Index: 125


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 86 nm³; this corresponds to an approximate mass of 78 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.276 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.276 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.62	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.83	4.14	3.88

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-27786 and PDB model 8DYY. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 68% of all backbone atoms, 62% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6200	 0.5050
A	 0.3810	 0.4660
B	 0.1600	 0.4140
C	 0.6340	 0.5050
D	 0.4590	 0.4880
E	 0.7050	 0.5230
F	 0.6400	 0.5090
H	 0.7530	 0.5320
I	 0.7530	 0.5100
L	 0.7170	 0.5270
M	 0.7440	 0.5250
N	 0.7120	 0.5190
O	 0.7530	 0.5290
P	 0.7340	 0.5250
Q	 0.7330	 0.5260
R	 0.7260	 0.5270
S	 0.6680	 0.5050
T	 0.6830	 0.5130
U	 0.3680	 0.4610
V	 0.4970	 0.4910

