



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 4, 2026 – 08:40 PM UTC

PDB ID : 3E0V / pdb_00003e0v
Title : Crystal structure of pyruvate kinase from Leishmania mexicana in complex with sulphate ions
Authors : Tulloch, L.B.; Gillmore, L.A.; Walkinshaw, M.D.
Deposited on : 2008-08-01
Resolution : 3.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1169 (3.32-3.28)
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)
RSRZ outliers	180081	1169 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	539	 4% 63% 25% 8%
1	B	539	 3% 64% 25% 8%
1	C	539	 5% 61% 26% 5% 8%
1	D	539	 3% 68% 20% 8%
1	E	539	 3% 65% 24% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	539	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	E	508	-	-	-	X

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 23331 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	494	Total	C	N	O	S	0	2	0
			3793	2368	666	732	27			
1	B	497	Total	C	N	O	S	0	1	0
			3800	2369	668	736	27			
1	C	494	Total	C	N	O	S	0	4	0
			3812	2379	673	733	27			
1	D	495	Total	C	N	O	S	0	1	0
			3783	2357	667	732	27			
1	E	495	Total	C	N	O	S	0	3	0
			3804	2372	670	735	27			
1	F	496	Total	C	N	O	S	0	3	0
			3802	2371	667	737	27			

There are 270 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-40	MET	-	expression tag	UNP Q27686
A	-39	GLY	-	expression tag	UNP Q27686
A	-38	SER	-	expression tag	UNP Q27686
A	-37	SER	-	expression tag	UNP Q27686
A	-36	HIS	-	expression tag	UNP Q27686
A	-35	HIS	-	expression tag	UNP Q27686
A	-34	HIS	-	expression tag	UNP Q27686
A	-33	HIS	-	expression tag	UNP Q27686
A	-32	HIS	-	expression tag	UNP Q27686
A	-31	HIS	-	expression tag	UNP Q27686
A	-30	SER	-	expression tag	UNP Q27686
A	-29	SER	-	expression tag	UNP Q27686
A	-28	GLY	-	expression tag	UNP Q27686
A	-27	LEU	-	expression tag	UNP Q27686
A	-26	VAL	-	expression tag	UNP Q27686
A	-25	PRO	-	expression tag	UNP Q27686
A	-24	ARG	-	expression tag	UNP Q27686

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-23	GLY	-	expression tag	UNP Q27686
A	-22	SER	-	expression tag	UNP Q27686
A	-21	HIS	-	expression tag	UNP Q27686
A	-20	MET	-	expression tag	UNP Q27686
A	-19	GLY	-	expression tag	UNP Q27686
A	-18	SER	-	expression tag	UNP Q27686
A	-17	SER	-	expression tag	UNP Q27686
A	-16	HIS	-	expression tag	UNP Q27686
A	-15	HIS	-	expression tag	UNP Q27686
A	-14	HIS	-	expression tag	UNP Q27686
A	-13	HIS	-	expression tag	UNP Q27686
A	-12	HIS	-	expression tag	UNP Q27686
A	-11	HIS	-	expression tag	UNP Q27686
A	-10	SER	-	expression tag	UNP Q27686
A	-9	SER	-	expression tag	UNP Q27686
A	-8	GLY	-	expression tag	UNP Q27686
A	-7	LEU	-	expression tag	UNP Q27686
A	-6	VAL	-	expression tag	UNP Q27686
A	-5	PRO	-	expression tag	UNP Q27686
A	-4	ARG	-	expression tag	UNP Q27686
A	-3	GLY	-	expression tag	UNP Q27686
A	-2	SER	-	expression tag	UNP Q27686
A	-1	HIS	-	expression tag	UNP Q27686
A	382	SER	GLY	conflict	UNP Q27686
A	389	TYR	SER	conflict	UNP Q27686
A	404	ARG	ALA	conflict	UNP Q27686
A	405	SER	GLY	conflict	UNP Q27686
A	451	TRP	GLU	engineered mutation	UNP Q27686
B	-40	MET	-	expression tag	UNP Q27686
B	-39	GLY	-	expression tag	UNP Q27686
B	-38	SER	-	expression tag	UNP Q27686
B	-37	SER	-	expression tag	UNP Q27686
B	-36	HIS	-	expression tag	UNP Q27686
B	-35	HIS	-	expression tag	UNP Q27686
B	-34	HIS	-	expression tag	UNP Q27686
B	-33	HIS	-	expression tag	UNP Q27686
B	-32	HIS	-	expression tag	UNP Q27686
B	-31	HIS	-	expression tag	UNP Q27686
B	-30	SER	-	expression tag	UNP Q27686
B	-29	SER	-	expression tag	UNP Q27686
B	-28	GLY	-	expression tag	UNP Q27686
B	-27	LEU	-	expression tag	UNP Q27686

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-26	VAL	-	expression tag	UNP Q27686
B	-25	PRO	-	expression tag	UNP Q27686
B	-24	ARG	-	expression tag	UNP Q27686
B	-23	GLY	-	expression tag	UNP Q27686
B	-22	SER	-	expression tag	UNP Q27686
B	-21	HIS	-	expression tag	UNP Q27686
B	-20	MET	-	expression tag	UNP Q27686
B	-19	GLY	-	expression tag	UNP Q27686
B	-18	SER	-	expression tag	UNP Q27686
B	-17	SER	-	expression tag	UNP Q27686
B	-16	HIS	-	expression tag	UNP Q27686
B	-15	HIS	-	expression tag	UNP Q27686
B	-14	HIS	-	expression tag	UNP Q27686
B	-13	HIS	-	expression tag	UNP Q27686
B	-12	HIS	-	expression tag	UNP Q27686
B	-11	HIS	-	expression tag	UNP Q27686
B	-10	SER	-	expression tag	UNP Q27686
B	-9	SER	-	expression tag	UNP Q27686
B	-8	GLY	-	expression tag	UNP Q27686
B	-7	LEU	-	expression tag	UNP Q27686
B	-6	VAL	-	expression tag	UNP Q27686
B	-5	PRO	-	expression tag	UNP Q27686
B	-4	ARG	-	expression tag	UNP Q27686
B	-3	GLY	-	expression tag	UNP Q27686
B	-2	SER	-	expression tag	UNP Q27686
B	-1	HIS	-	expression tag	UNP Q27686
B	382	SER	GLY	conflict	UNP Q27686
B	389	TYR	SER	conflict	UNP Q27686
B	404	ARG	ALA	conflict	UNP Q27686
B	405	SER	GLY	conflict	UNP Q27686
B	451	TRP	GLU	engineered mutation	UNP Q27686
C	-40	MET	-	expression tag	UNP Q27686
C	-39	GLY	-	expression tag	UNP Q27686
C	-38	SER	-	expression tag	UNP Q27686
C	-37	SER	-	expression tag	UNP Q27686
C	-36	HIS	-	expression tag	UNP Q27686
C	-35	HIS	-	expression tag	UNP Q27686
C	-34	HIS	-	expression tag	UNP Q27686
C	-33	HIS	-	expression tag	UNP Q27686
C	-32	HIS	-	expression tag	UNP Q27686
C	-31	HIS	-	expression tag	UNP Q27686
C	-30	SER	-	expression tag	UNP Q27686

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-29	SER	-	expression tag	UNP Q27686
C	-28	GLY	-	expression tag	UNP Q27686
C	-27	LEU	-	expression tag	UNP Q27686
C	-26	VAL	-	expression tag	UNP Q27686
C	-25	PRO	-	expression tag	UNP Q27686
C	-24	ARG	-	expression tag	UNP Q27686
C	-23	GLY	-	expression tag	UNP Q27686
C	-22	SER	-	expression tag	UNP Q27686
C	-21	HIS	-	expression tag	UNP Q27686
C	-20	MET	-	expression tag	UNP Q27686
C	-19	GLY	-	expression tag	UNP Q27686
C	-18	SER	-	expression tag	UNP Q27686
C	-17	SER	-	expression tag	UNP Q27686
C	-16	HIS	-	expression tag	UNP Q27686
C	-15	HIS	-	expression tag	UNP Q27686
C	-14	HIS	-	expression tag	UNP Q27686
C	-13	HIS	-	expression tag	UNP Q27686
C	-12	HIS	-	expression tag	UNP Q27686
C	-11	HIS	-	expression tag	UNP Q27686
C	-10	SER	-	expression tag	UNP Q27686
C	-9	SER	-	expression tag	UNP Q27686
C	-8	GLY	-	expression tag	UNP Q27686
C	-7	LEU	-	expression tag	UNP Q27686
C	-6	VAL	-	expression tag	UNP Q27686
C	-5	PRO	-	expression tag	UNP Q27686
C	-4	ARG	-	expression tag	UNP Q27686
C	-3	GLY	-	expression tag	UNP Q27686
C	-2	SER	-	expression tag	UNP Q27686
C	-1	HIS	-	expression tag	UNP Q27686
C	382	SER	GLY	conflict	UNP Q27686
C	389	TYR	SER	conflict	UNP Q27686
C	404	ARG	ALA	conflict	UNP Q27686
C	405	SER	GLY	conflict	UNP Q27686
C	451	TRP	GLU	engineered mutation	UNP Q27686
D	-40	MET	-	expression tag	UNP Q27686
D	-39	GLY	-	expression tag	UNP Q27686
D	-38	SER	-	expression tag	UNP Q27686
D	-37	SER	-	expression tag	UNP Q27686
D	-36	HIS	-	expression tag	UNP Q27686
D	-35	HIS	-	expression tag	UNP Q27686
D	-34	HIS	-	expression tag	UNP Q27686
D	-33	HIS	-	expression tag	UNP Q27686

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-32	HIS	-	expression tag	UNP Q27686
D	-31	HIS	-	expression tag	UNP Q27686
D	-30	SER	-	expression tag	UNP Q27686
D	-29	SER	-	expression tag	UNP Q27686
D	-28	GLY	-	expression tag	UNP Q27686
D	-27	LEU	-	expression tag	UNP Q27686
D	-26	VAL	-	expression tag	UNP Q27686
D	-25	PRO	-	expression tag	UNP Q27686
D	-24	ARG	-	expression tag	UNP Q27686
D	-23	GLY	-	expression tag	UNP Q27686
D	-22	SER	-	expression tag	UNP Q27686
D	-21	HIS	-	expression tag	UNP Q27686
D	-20	MET	-	expression tag	UNP Q27686
D	-19	GLY	-	expression tag	UNP Q27686
D	-18	SER	-	expression tag	UNP Q27686
D	-17	SER	-	expression tag	UNP Q27686
D	-16	HIS	-	expression tag	UNP Q27686
D	-15	HIS	-	expression tag	UNP Q27686
D	-14	HIS	-	expression tag	UNP Q27686
D	-13	HIS	-	expression tag	UNP Q27686
D	-12	HIS	-	expression tag	UNP Q27686
D	-11	HIS	-	expression tag	UNP Q27686
D	-10	SER	-	expression tag	UNP Q27686
D	-9	SER	-	expression tag	UNP Q27686
D	-8	GLY	-	expression tag	UNP Q27686
D	-7	LEU	-	expression tag	UNP Q27686
D	-6	VAL	-	expression tag	UNP Q27686
D	-5	PRO	-	expression tag	UNP Q27686
D	-4	ARG	-	expression tag	UNP Q27686
D	-3	GLY	-	expression tag	UNP Q27686
D	-2	SER	-	expression tag	UNP Q27686
D	-1	HIS	-	expression tag	UNP Q27686
D	382	SER	GLY	conflict	UNP Q27686
D	389	TYR	SER	conflict	UNP Q27686
D	404	ARG	ALA	conflict	UNP Q27686
D	405	SER	GLY	conflict	UNP Q27686
D	451	TRP	GLU	engineered mutation	UNP Q27686
E	-40	MET	-	expression tag	UNP Q27686
E	-39	GLY	-	expression tag	UNP Q27686
E	-38	SER	-	expression tag	UNP Q27686
E	-37	SER	-	expression tag	UNP Q27686
E	-36	HIS	-	expression tag	UNP Q27686

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-35	HIS	-	expression tag	UNP Q27686
E	-34	HIS	-	expression tag	UNP Q27686
E	-33	HIS	-	expression tag	UNP Q27686
E	-32	HIS	-	expression tag	UNP Q27686
E	-31	HIS	-	expression tag	UNP Q27686
E	-30	SER	-	expression tag	UNP Q27686
E	-29	SER	-	expression tag	UNP Q27686
E	-28	GLY	-	expression tag	UNP Q27686
E	-27	LEU	-	expression tag	UNP Q27686
E	-26	VAL	-	expression tag	UNP Q27686
E	-25	PRO	-	expression tag	UNP Q27686
E	-24	ARG	-	expression tag	UNP Q27686
E	-23	GLY	-	expression tag	UNP Q27686
E	-22	SER	-	expression tag	UNP Q27686
E	-21	HIS	-	expression tag	UNP Q27686
E	-20	MET	-	expression tag	UNP Q27686
E	-19	GLY	-	expression tag	UNP Q27686
E	-18	SER	-	expression tag	UNP Q27686
E	-17	SER	-	expression tag	UNP Q27686
E	-16	HIS	-	expression tag	UNP Q27686
E	-15	HIS	-	expression tag	UNP Q27686
E	-14	HIS	-	expression tag	UNP Q27686
E	-13	HIS	-	expression tag	UNP Q27686
E	-12	HIS	-	expression tag	UNP Q27686
E	-11	HIS	-	expression tag	UNP Q27686
E	-10	SER	-	expression tag	UNP Q27686
E	-9	SER	-	expression tag	UNP Q27686
E	-8	GLY	-	expression tag	UNP Q27686
E	-7	LEU	-	expression tag	UNP Q27686
E	-6	VAL	-	expression tag	UNP Q27686
E	-5	PRO	-	expression tag	UNP Q27686
E	-4	ARG	-	expression tag	UNP Q27686
E	-3	GLY	-	expression tag	UNP Q27686
E	-2	SER	-	expression tag	UNP Q27686
E	-1	HIS	-	expression tag	UNP Q27686
E	382	SER	GLY	conflict	UNP Q27686
E	389	TYR	SER	conflict	UNP Q27686
E	404	ARG	ALA	conflict	UNP Q27686
E	405	SER	GLY	conflict	UNP Q27686
E	451	TRP	GLU	engineered mutation	UNP Q27686
F	-40	MET	-	expression tag	UNP Q27686
F	-39	GLY	-	expression tag	UNP Q27686

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-38	SER	-	expression tag	UNP Q27686
F	-37	SER	-	expression tag	UNP Q27686
F	-36	HIS	-	expression tag	UNP Q27686
F	-35	HIS	-	expression tag	UNP Q27686
F	-34	HIS	-	expression tag	UNP Q27686
F	-33	HIS	-	expression tag	UNP Q27686
F	-32	HIS	-	expression tag	UNP Q27686
F	-31	HIS	-	expression tag	UNP Q27686
F	-30	SER	-	expression tag	UNP Q27686
F	-29	SER	-	expression tag	UNP Q27686
F	-28	GLY	-	expression tag	UNP Q27686
F	-27	LEU	-	expression tag	UNP Q27686
F	-26	VAL	-	expression tag	UNP Q27686
F	-25	PRO	-	expression tag	UNP Q27686
F	-24	ARG	-	expression tag	UNP Q27686
F	-23	GLY	-	expression tag	UNP Q27686
F	-22	SER	-	expression tag	UNP Q27686
F	-21	HIS	-	expression tag	UNP Q27686
F	-20	MET	-	expression tag	UNP Q27686
F	-19	GLY	-	expression tag	UNP Q27686
F	-18	SER	-	expression tag	UNP Q27686
F	-17	SER	-	expression tag	UNP Q27686
F	-16	HIS	-	expression tag	UNP Q27686
F	-15	HIS	-	expression tag	UNP Q27686
F	-14	HIS	-	expression tag	UNP Q27686
F	-13	HIS	-	expression tag	UNP Q27686
F	-12	HIS	-	expression tag	UNP Q27686
F	-11	HIS	-	expression tag	UNP Q27686
F	-10	SER	-	expression tag	UNP Q27686
F	-9	SER	-	expression tag	UNP Q27686
F	-8	GLY	-	expression tag	UNP Q27686
F	-7	LEU	-	expression tag	UNP Q27686
F	-6	VAL	-	expression tag	UNP Q27686
F	-5	PRO	-	expression tag	UNP Q27686
F	-4	ARG	-	expression tag	UNP Q27686
F	-3	GLY	-	expression tag	UNP Q27686
F	-2	SER	-	expression tag	UNP Q27686
F	-1	HIS	-	expression tag	UNP Q27686
F	382	SER	GLY	conflict	UNP Q27686
F	389	TYR	SER	conflict	UNP Q27686
F	404	ARG	ALA	conflict	UNP Q27686
F	405	SER	GLY	conflict	UNP Q27686

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	451	TRP	GLU	engineered mutation	UNP Q27686

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	1
			10	8	2		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	46	Total 46	O 46	0	0
4	B	59	Total 59	O 59	0	0
4	C	49	Total 49	O 49	0	0
4	D	51	Total 51	O 51	0	0
4	E	53	Total 53	O 53	0	0
4	F	56	Total 56	O 56	0	0




• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase





4 Data and refinement statistics

Property	Value	Source
Space group	P 4 ₂ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	261.95Å 261.95Å 185.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	99.06 – 3.30 99.06 – 3.30	Depositor EDS
% Data completeness (in resolution range)	87.2 (99.06-3.30) 87.4 (99.06-3.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 3.33Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.227 , 0.290 0.220 , 0.276	Depositor DCC
R_{free} test set	4284 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	86.0	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 114.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	23331	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.91 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.2039e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/3855	0.94	1/5219 (0.0%)
1	B	0.59	0/3861	0.96	1/5226 (0.0%)
1	C	0.58	0/3877	0.96	4/5247 (0.1%)
1	D	0.59	0/3843	0.96	6/5202 (0.1%)
1	E	0.57	0/3868	0.93	1/5235 (0.0%)
1	F	0.59	0/3869	0.95	3/5237 (0.1%)
All	All	0.58	0/23173	0.95	16/31366 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	171	ILE	N-CA-C	6.57	117.58	108.12
1	E	356	ALA	N-CA-C	-5.88	107.91	114.62
1	C	171	ILE	N-CA-C	5.80	116.84	108.48
1	B	17	ASN	N-CA-C	5.71	118.58	108.24
1	C	290	LYS	CA-C-N	5.70	126.97	119.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	294	CYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3793	0	3784	102	0
1	B	3800	0	3790	98	0
1	C	3812	0	3809	116	0
1	D	3783	0	3778	91	0
1	E	3804	0	3799	90	0
1	F	3802	0	3794	106	0
2	A	30	0	0	1	0
2	B	45	0	0	0	0
2	C	35	0	0	2	0
2	D	35	0	0	0	0
2	E	30	0	0	0	0
2	F	30	0	0	0	0
3	A	12	0	16	0	0
3	E	6	0	8	1	0
4	A	46	0	0	3	0
4	B	59	0	0	8	0
4	C	49	0	0	2	0
4	D	51	0	0	5	0
4	E	53	0	0	4	0
4	F	56	0	0	4	0
All	All	23331	0	22778	579	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 579 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:338:TYR:O	1:C:342:VAL:HG23	1.47	1.12
1:C:25:CYS:HB2	1:C:45:MET:HE3	1.33	1.09
1:A:338:TYR:O	1:A:342:VAL:HG23	1.58	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:84:THR:CG2	1:E:211:SER:H	1.76	0.99
1:D:25:CYS:HB2	1:D:45:MET:HE3	1.45	0.99

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	492/539 (91%)	448 (91%)	37 (8%)	7 (1%)	9	33
1	B	494/539 (92%)	437 (88%)	51 (10%)	6 (1%)	10	37
1	C	494/539 (92%)	454 (92%)	32 (6%)	8 (2%)	7	31
1	D	492/539 (91%)	452 (92%)	33 (7%)	7 (1%)	9	33
1	E	494/539 (92%)	445 (90%)	44 (9%)	5 (1%)	12	40
1	F	495/539 (92%)	456 (92%)	36 (7%)	3 (1%)	21	52
All	All	2961/3234 (92%)	2692 (91%)	233 (8%)	36 (1%)	10	37

5 of 36 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	GLY
1	B	490	ASN
1	D	18	TYR
1	D	100	VAL
1	D	103	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	415/451 (92%)	371 (89%)	44 (11%)	6	24
1	B	416/451 (92%)	372 (89%)	44 (11%)	6	24
1	C	417/451 (92%)	376 (90%)	41 (10%)	7	28
1	D	415/451 (92%)	375 (90%)	40 (10%)	8	29
1	E	417/451 (92%)	372 (89%)	45 (11%)	6	23
1	F	417/451 (92%)	374 (90%)	43 (10%)	7	25
All	All	2497/2706 (92%)	2240 (90%)	257 (10%)	7	25

5 of 257 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	170	THR
1	F	281	LEU
1	C	164	THR
1	C	110	THR
1	F	357	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 71 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	139	ASN
1	F	155	HIS
1	F	318	ASN
1	C	242	HIS
1	C	169	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

44 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	D	502	-	4,4,4	0.32	0	6,6,6	0.30	0
2	SO4	F	501	-	4,4,4	0.29	0	6,6,6	0.24	0
2	SO4	C	507	-	4,4,4	0.23	0	6,6,6	0.09	0
2	SO4	C	505	-	4,4,4	0.23	0	6,6,6	0.14	0
2	SO4	E	502	-	4,4,4	0.23	0	6,6,6	0.25	0
2	SO4	E	503	-	4,4,4	0.23	0	6,6,6	0.09	0
3	GOL	A	509	-	5,5,5	0.44	0	5,5,5	0.32	0
2	SO4	B	501	-	4,4,4	0.25	0	6,6,6	0.17	0
2	SO4	A	507	-	4,4,4	0.27	0	6,6,6	0.17	0
2	SO4	D	503	-	4,4,4	0.24	0	6,6,6	0.14	0
2	SO4	F	508	-	4,4,4	0.23	0	6,6,6	0.09	0
2	SO4	A	506	-	4,4,4	0.25	0	6,6,6	0.14	0
2	SO4	B	504	-	4,4,4	0.21	0	6,6,6	0.23	0
2	SO4	D	505	-	4,4,4	0.25	0	6,6,6	0.16	0
2	SO4	C	506	-	4,4,4	0.26	0	6,6,6	0.10	0
3	GOL	A	510	-	5,5,5	0.37	0	5,5,5	0.38	0
2	SO4	E	507	-	4,4,4	0.26	0	6,6,6	0.14	0
2	SO4	D	507	-	4,4,4	0.26	0	6,6,6	0.30	0
2	SO4	A	501	-	4,4,4	0.28	0	6,6,6	0.31	0
2	SO4	B	503	-	4,4,4	0.22	0	6,6,6	0.17	0
2	SO4	D	504	-	4,4,4	0.29	0	6,6,6	0.16	0
2	SO4	D	506	-	4,4,4	0.26	0	6,6,6	0.25	0
2	SO4	E	506	-	4,4,4	0.27	0	6,6,6	0.09	0
2	SO4	F	502	-	4,4,4	0.27	0	6,6,6	0.31	0
2	SO4	E	504	-	4,4,4	0.25	0	6,6,6	0.16	0
2	SO4	B	507	-	4,4,4	0.22	0	6,6,6	0.17	0
2	SO4	A	502	-	4,4,4	0.21	0	6,6,6	0.30	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	F	507	-	4,4,4	0.26	0	6,6,6	0.12	0
2	SO4	F	506	-	4,4,4	0.25	0	6,6,6	0.30	0
3	GOL	E	508	-	5,5,5	0.45	0	5,5,5	0.46	0
2	SO4	B	508	-	4,4,4	0.24	0	6,6,6	0.15	0
2	SO4	C	508	-	4,4,4	0.26	0	6,6,6	0.08	0
2	SO4	B	506[B]	-	4,4,4	0.23	0	6,6,6	0.12	0
2	SO4	A	503	-	4,4,4	0.25	0	6,6,6	0.19	0
2	SO4	C	501	-	4,4,4	0.28	0	6,6,6	0.24	0
2	SO4	A	508	-	4,4,4	0.25	0	6,6,6	0.07	0
2	SO4	B	506[A]	-	4,4,4	0.26	0	6,6,6	0.29	0
2	SO4	F	503	-	4,4,4	0.21	0	6,6,6	0.15	0
2	SO4	D	501	-	4,4,4	0.29	0	6,6,6	0.13	0
2	SO4	B	502	-	4,4,4	0.26	0	6,6,6	0.21	0
2	SO4	C	502	-	4,4,4	0.26	0	6,6,6	0.32	0
2	SO4	C	503	-	4,4,4	0.22	0	6,6,6	0.26	0
2	SO4	B	505	-	4,4,4	0.25	0	6,6,6	0.16	0
2	SO4	E	501	-	4,4,4	0.26	0	6,6,6	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	510	-	-	4/4/4/4	-
3	GOL	A	509	-	-	0/4/4/4	-
3	GOL	E	508	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	510	GOL	C1-C2-C3-O3
3	E	508	GOL	C1-C2-C3-O3
3	E	508	GOL	O2-C2-C3-O3
3	E	508	GOL	O1-C1-C2-O2
3	A	510	GOL	O1-C1-C2-C3

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	505	SO4	1	0
3	E	508	GOL	1	0
2	A	503	SO4	1	0
2	C	503	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	494/539 (91%)	0.22	21 (4%)	40	25	36, 73, 83, 92	13 (2%)
1	B	497/539 (92%)	0.22	18 (3%)	46	31	47, 74, 82, 97	9 (1%)
1	C	494/539 (91%)	0.29	26 (5%)	32	22	36, 73, 82, 90	20 (4%)
1	D	495/539 (91%)	0.14	14 (2%)	55	36	43, 73, 83, 96	12 (2%)
1	E	495/539 (91%)	0.16	16 (3%)	50	34	36, 74, 83, 95	16 (3%)
1	F	496/539 (92%)	0.20	17 (3%)	48	32	40, 74, 84, 93	19 (3%)
All	All	2971/3234 (91%)	0.21	112 (3%)	44	30	36, 74, 83, 97	89 (2%)

The worst 5 of 112 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	304[A]	TYR	6.9
1	F	451	TRP	5.6
1	D	449	HIS	5.3
1	B	368	LYS	5.1
1	A	368	LYS	4.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	E	508	6/6	0.58	0.70	81,84,85,85	0
2	SO4	B	508	5/5	0.65	0.24	147,147,147,148	0
2	SO4	D	505	5/5	0.68	0.15	150,151,152,152	0
2	SO4	C	503	5/5	0.70	0.18	125,125,125,126	0
2	SO4	D	504	5/5	0.72	0.19	128,128,129,129	0
2	SO4	E	506	5/5	0.74	0.18	117,117,118,118	0
3	GOL	A	509	6/6	0.76	0.18	83,87,89,89	0
2	SO4	C	508	5/5	0.76	0.12	142,143,143,143	0
2	SO4	D	506	5/5	0.80	0.13	105,105,105,105	0
2	SO4	E	504	5/5	0.80	0.17	112,112,113,113	0
2	SO4	A	506	5/5	0.80	0.12	110,111,111,111	0
2	SO4	A	508	5/5	0.80	0.11	129,130,130,130	0
2	SO4	C	505	5/5	0.80	0.21	137,137,138,138	0
2	SO4	A	503	5/5	0.81	0.15	123,123,123,124	0
2	SO4	B	504	5/5	0.82	0.15	123,123,124,125	0
2	SO4	D	503	5/5	0.82	0.11	135,136,137,137	0
2	SO4	F	508	5/5	0.83	0.14	153,153,154,154	0
2	SO4	C	506	5/5	0.83	0.14	102,103,103,103	0
2	SO4	F	506	5/5	0.83	0.14	100,101,102,102	0
2	SO4	F	503	5/5	0.85	0.13	146,147,147,147	0
2	SO4	B	505	5/5	0.87	0.16	140,141,141,141	0
2	SO4	E	503	5/5	0.88	0.12	151,152,152,152	0
2	SO4	B	503	5/5	0.88	0.11	140,140,140,141	0
3	GOL	A	510	6/6	0.89	0.16	76,78,81,81	0
2	SO4	C	501	5/5	0.89	0.10	105,105,106,106	0
2	SO4	B	506[B]	5/5	0.90	0.13	80,81,81,81	5
2	SO4	B	506[A]	5/5	0.90	0.13	63,63,64,64	5
2	SO4	E	502	5/5	0.91	0.10	87,87,87,88	0
2	SO4	F	507	5/5	0.92	0.10	78,78,79,79	0
2	SO4	C	502	5/5	0.92	0.10	85,87,89,89	0
2	SO4	F	501	5/5	0.92	0.11	101,101,102,103	0
2	SO4	A	501	5/5	0.92	0.07	99,100,100,100	0
2	SO4	B	501	5/5	0.92	0.08	102,103,103,104	0
2	SO4	D	501	5/5	0.93	0.08	104,105,105,106	0
2	SO4	A	507	5/5	0.94	0.09	77,78,78,79	0
2	SO4	B	507	5/5	0.94	0.10	84,84,85,85	0
2	SO4	D	502	5/5	0.95	0.08	80,81,81,82	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	C	507	5/5	0.95	0.10	77,77,78,79	0
2	SO4	E	501	5/5	0.95	0.08	98,99,99,100	0
2	SO4	A	502	5/5	0.96	0.06	77,78,78,79	0
2	SO4	F	502	5/5	0.96	0.09	83,84,85,85	0
2	SO4	E	507	5/5	0.96	0.09	77,78,79,80	0
2	SO4	D	507	5/5	0.97	0.09	68,68,68,70	0
2	SO4	B	502	5/5	0.97	0.07	82,83,83,84	0

6.5 Other polymers [i](#)

There are no such residues in this entry.