



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:21 AM UTC

PDB ID : 1E2I / pdb_00001e2i
Title : The nucleoside binding site of Herpes simplex type 1 thymidine kinase analyzed by X-ray crystallography
Authors : Vogt, J.; Scapozza, L.; Schulz, G.E.
Deposited on : 2000-05-23
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	5% 64% 24% 9%
1	B	331	17% 65% 25% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	400	-	-	X	-
3	APS	A	500[A]	-	X	-	-
4	ARP	A	502[B]	-	-	X	-
4	ARP	B	511[A]	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5025 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THYMIDINE KINASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	300	Total	C	N	O	S	0	0	0
			2292	1461	401	414	16			
1	B	313	Total	C	N	O	S	0	0	0
			2390	1522	418	434	16			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 9-HYDROXYPROPYLADENINE, S-ISOMER (CCD ID: APS) (formula: C₈H₁₁N₅O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			28	16	10	2		
3	B	1	Total	C	N	O	0	1
			28	16	10	2		

- Molecule 4 is 9-HYDROXYPROPYLADENINE, R-ISOMER (CCD ID: ARP) (formula: $C_8H_{11}N_5O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			28	16	10	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	1
			28	16	10	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	123	Total	O	0	0
			123	123		
5	B	98	Total	O	0	0
			98	98		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: THYMIDINE KINASE



• Molecule 1: THYMIDINE KINASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	113.00Å 116.90Å 108.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	96.0 (20.00-1.90) 95.8 (20.00-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 1.90Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.222 , 0.273 0.215 , 0.262	Depositor DCC
R_{free} test set	2764 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	30.2	Xtriage
Anisotropy	0.434	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.028 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5025	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: APS, ARP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	0/2346	1.57	28/3198 (0.9%)
1	B	0.87	2/2445 (0.1%)	1.55	32/3336 (1.0%)
All	All	0.87	2/4791 (0.0%)	1.56	60/6534 (0.9%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	95	GLU	C-N	-7.50	1.24	1.33
1	B	328	ASP	N-CA	6.39	1.54	1.46

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	320	ARG	CD-NE-CZ	21.28	154.19	124.40
1	A	222	ARG	CD-NE-CZ	12.18	141.45	124.40
1	A	51	ARG	CD-NE-CZ	11.36	140.31	124.40
1	B	247	ARG	CA-CB-CG	10.77	135.65	114.10
1	A	116	ASP	CA-CB-CG	7.87	120.47	112.60
1	A	368	PHE	CA-CB-CG	7.66	121.46	113.80
1	B	87	TYR	N-CA-C	-7.30	103.25	111.07
1	A	293	ARG	N-CA-C	-7.09	105.45	112.97
1	B	237	ARG	CD-NE-CZ	7.01	134.22	124.40
1	A	292	PHE	CA-CB-CG	-6.68	107.12	113.80
1	A	352	VAL	CA-C-O	-6.67	116.41	121.68
1	B	372	MET	N-CA-C	6.56	120.68	111.30
1	B	91	LEU	N-CA-C	6.54	118.96	111.11
1	A	325	PHE	CA-CB-CG	-6.32	107.48	113.80
1	B	247	ARG	CG-CD-NE	6.31	125.88	112.00
1	A	361	ILE	CA-C-O	6.26	127.46	120.95
1	B	331	GLN	N-CA-CB	-6.16	101.98	111.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	246	VAL	O-C-N	6.01	127.70	121.87
1	B	247	ARG	CB-CA-C	-5.97	101.50	110.88
1	A	91	LEU	N-CA-C	5.82	117.30	111.07
1	A	147	ALA	N-CA-C	-5.75	106.19	113.43
1	A	47	PRO	N-CA-C	5.64	119.39	111.33
1	B	364	LEU	CA-C-O	5.61	126.70	120.82
1	A	256	ARG	NE-CZ-NH2	5.58	124.22	119.20
1	B	305	TYR	N-CA-C	-5.53	102.71	110.50
1	A	90	VAL	CB-CA-C	-5.44	102.37	111.29
1	B	171	CYS	N-CA-C	5.43	117.05	111.03
1	B	348	VAL	N-CA-C	5.42	116.39	108.58
1	A	162	ASP	CA-C-O	5.41	126.55	120.92
1	B	247	ARG	CD-NE-CZ	5.41	131.98	124.40
1	A	220	ARG	CA-C-O	-5.40	114.01	120.55
1	B	87	TYR	N-CA-CB	5.38	117.81	110.01
1	A	96	THR	CA-C-O	-5.38	114.85	120.55
1	B	161	PHE	CA-CB-CG	5.37	119.17	113.80
1	B	327	LEU	CA-C-N	-5.35	115.08	122.30
1	B	327	LEU	C-N-CA	-5.35	115.08	122.30
1	B	328	ASP	CA-CB-CG	5.35	117.95	112.60
1	B	95	GLU	O-C-N	-5.35	115.92	122.55
1	A	231	MET	O-C-N	-5.34	116.06	122.15
1	A	352	VAL	N-CA-CB	5.31	118.13	112.07
1	B	46	MET	CA-CB-CG	5.30	124.70	114.10
1	A	244	ASN	O-C-N	5.28	127.72	122.12
1	B	324	VAL	N-CA-C	5.27	116.57	108.71
1	B	320	ARG	NE-CZ-NH2	5.25	123.93	119.20
1	B	303	ASP	CA-CB-CG	5.18	117.78	112.60
1	A	77	ASP	CA-C-O	5.17	126.81	120.55
1	B	143	ILE	N-CA-C	5.17	115.80	107.73
1	B	76	ASP	N-CA-C	5.16	119.56	113.16
1	B	205	LEU	CA-C-N	-5.14	117.63	122.66
1	B	205	LEU	C-N-CA	-5.14	117.63	122.66
1	B	364	LEU	N-CA-CB	-5.14	102.56	110.01
1	A	293	ARG	CA-C-N	5.13	127.54	120.67
1	A	293	ARG	C-N-CA	5.13	127.54	120.67
1	A	121	MET	CB-CA-C	-5.11	102.86	110.88
1	A	171	CYS	N-CA-C	5.07	116.62	111.14
1	A	203	ILE	N-CA-C	5.05	114.84	107.37
1	B	351	HIS	N-CA-C	-5.04	103.74	110.55
1	A	319	LEU	N-CA-C	5.03	116.84	111.36
1	B	100	ILE	N-CA-C	5.02	115.17	110.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	320	ARG	N-CA-C	5.01	117.40	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2292	0	2298	60	0
1	B	2390	0	2403	77	0
2	A	5	0	0	2	0
2	B	5	0	0	0	0
3	A	28	0	15	10	0
3	B	28	0	20	8	0
4	A	28	0	16	12	0
4	B	28	0	20	12	0
5	A	123	0	0	5	0
5	B	98	0	0	6	0
All	All	5025	0	4772	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:500[B]:APS:H92	4:A:502[B]:ARP:C6	1.81	1.10
3:A:500[B]:APS:H92	4:A:502[B]:ARP:H6	1.36	1.01
1:A:125:GLN:HE22	3:A:500[B]:APS:H51	1.10	0.99
4:B:511[B]:ARP:N1	4:B:511[B]:ARP:H91	1.78	0.98
3:B:510[B]:APS:N1	4:B:511[B]:ARP:H91	1.79	0.96
1:B:125:GLN:HE22	4:B:511[A]:ARP:H51	0.91	0.90
1:B:125:GLN:NE2	4:B:511[A]:ARP:H51	1.69	0.90
1:B:225:GLU:OE2	3:B:510[B]:APS:H91	1.71	0.89
1:B:299:ALA:HB1	1:B:300:PRO:HD2	1.56	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:GLN:NE2	4:A:502[B]:ARP:H51	1.71	0.87
1:A:125:GLN:HE22	4:A:502[B]:ARP:H51	0.90	0.85
1:B:125:GLN:HE22	3:B:510[A]:APS:H51	1.19	0.82
1:B:276:SER:HB2	1:B:324:VAL:HB	1.62	0.81
1:A:354:THR:HB	1:A:355:PRO:HD2	1.63	0.78
1:A:79:VAL:HG11	1:A:365:ALA:HB1	1.68	0.74
1:A:173:PRO:HB3	1:A:182:MET:HE1	1.69	0.73
1:B:246:VAL:HG21	1:B:324:VAL:HG21	1.71	0.73
1:B:246:VAL:HG11	1:B:324:VAL:HG23	1.72	0.72
1:B:152:ALA:HB1	1:B:153:PRO:HD2	1.71	0.72
1:B:354:THR:HB	1:B:355:PRO:HD2	1.72	0.72
1:A:62:LYS:HB2	2:A:400:SO4:O2	1.89	0.71
1:B:84:PRO:HA	1:B:372:MET:O	1.93	0.69
1:A:79:VAL:HG11	1:A:365:ALA:CB	2.22	0.69
1:A:222:ARG:HG3	4:A:502[A]:ARP:C9	2.23	0.68
3:A:500[A]:APS:O1	4:A:502[A]:ARP:H6	1.96	0.65
1:B:75:ARG:HD2	1:B:75:ARG:H	1.60	0.65
1:A:63:THR:HG23	2:A:400:SO4:O1	1.98	0.64
1:A:164:HIS:ND1	1:A:166:ILE:HG12	2.12	0.64
1:B:320:ARG:HD3	5:B:2078:HOH:O	1.97	0.64
3:A:500[A]:APS:O1	4:A:502[A]:ARP:C6	2.45	0.64
1:A:310:TRP:CZ2	1:B:364:LEU:HD13	2.33	0.63
1:A:46:MET:HE2	1:A:46:MET:N	2.13	0.62
1:B:225:GLU:OE2	3:B:510[B]:APS:C9	2.47	0.62
3:A:500[B]:APS:C9	4:A:502[B]:ARP:C6	2.62	0.61
1:B:247:ARG:HH11	1:B:247:ARG:HA	1.65	0.61
1:A:310:TRP:HE3	1:A:310:TRP:HA	1.66	0.61
1:B:130:MET:HG3	5:B:2014:HOH:O	2.01	0.61
1:B:247:ARG:HA	1:B:247:ARG:NH1	2.14	0.61
1:A:279:GLY:N	1:A:281:ARG:NH1	2.49	0.61
1:B:320:ARG:HG3	1:B:321:SER:N	2.16	0.60
1:B:262:LEU:HB3	1:B:293:ARG:HD2	1.84	0.59
1:A:310:TRP:HA	1:A:310:TRP:CE3	2.37	0.59
1:A:126:ILE:HD11	1:B:126:ILE:HD13	1.83	0.59
1:A:341:LEU:O	1:A:344:THR:HG22	2.02	0.59
1:B:86:THR:O	1:B:91:LEU:HG	2.03	0.59
1:B:62:LYS:O	1:B:66:THR:HG23	2.04	0.58
1:A:97:ILE:HD11	3:A:500[A]:APS:C9	2.33	0.58
4:B:511[A]:ARP:H91	4:B:511[A]:ARP:N1	2.19	0.58
1:B:247:ARG:HG3	5:B:2054:HOH:O	2.03	0.57
3:B:510[A]:APS:N1	4:B:511[A]:ARP:H91	2.19	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:THR:HB	1:A:355:PRO:CD	2.32	0.56
1:A:79:VAL:CG1	1:A:365:ALA:HB1	2.35	0.56
1:B:299:ALA:HB3	1:B:301:ASN:OD1	2.06	0.56
1:B:246:VAL:HG21	1:B:324:VAL:CG2	2.36	0.55
1:B:198:LEU:HD22	5:B:2031:HOH:O	2.07	0.55
1:A:126:ILE:HD11	1:B:126:ILE:CD1	2.37	0.54
1:B:164:HIS:CG	1:B:165:PRO:HD2	2.42	0.53
1:A:247:ARG:HB3	1:A:247:ARG:HH11	1.74	0.53
1:B:298:LEU:HD12	1:B:304:LEU:HD23	1.91	0.53
1:A:54:ILE:HG22	1:A:62:LYS:HG2	1.91	0.52
1:A:54:ILE:HD11	1:A:340:LEU:HD21	1.89	0.52
1:A:327:LEU:HD23	1:A:329:TYR:CZ	2.44	0.52
1:A:61:GLY:HA2	1:A:220:ARG:NH1	2.25	0.52
1:B:325:PHE:CE1	1:B:347:MET:HG2	2.45	0.52
1:B:102:THR:O	1:B:106:ARG:HG3	2.10	0.52
1:A:338:ASP:O	1:A:342:GLN:HG2	2.11	0.51
1:B:183:THR:HA	5:B:2040:HOH:O	2.10	0.51
1:A:121:MET:O	1:A:125:GLN:HG2	2.11	0.51
1:B:354:THR:HB	1:B:355:PRO:CD	2.39	0.51
1:B:163:ARG:HD2	3:B:510[A]:APS:H6	1.92	0.50
1:B:163:ARG:HD2	4:B:511[A]:ARP:H6	1.92	0.50
1:B:125:GLN:HE22	4:B:511[B]:ARP:H52	1.57	0.50
1:A:358:ILE:HB	1:A:359:PRO:HD3	1.94	0.50
1:A:364:LEU:HD22	1:B:310:TRP:CZ2	2.46	0.50
1:B:66:THR:HG21	5:B:2010:HOH:O	2.11	0.50
1:A:166:ILE:HD11	1:A:203:ILE:HD13	1.94	0.50
1:B:299:ALA:HB1	1:B:300:PRO:CD	2.37	0.50
1:B:86:THR:HG22	1:B:91:LEU:HD11	1.94	0.50
1:A:247:ARG:HB3	1:A:247:ARG:NH1	2.26	0.49
4:A:502[A]:ARP:H1C1	5:A:2023:HOH:O	2.12	0.49
1:A:281:ARG:HB2	1:A:282:PRO:HD2	1.95	0.49
1:A:287:THR:O	1:A:290:THR:HG22	2.13	0.49
1:B:247:ARG:NE	1:B:278:ALA:O	2.46	0.48
1:B:287:THR:O	1:B:290:THR:HG22	2.12	0.48
1:B:220:ARG:HD2	1:B:220:ARG:C	2.38	0.48
3:A:500[B]:APS:C9	4:A:502[B]:ARP:H6	2.21	0.48
1:B:106:ARG:HD2	1:B:111:GLU:OE1	2.14	0.48
1:B:70:VAL:HG21	1:B:80:TYR:HB2	1.95	0.48
1:A:164:HIS:CG	1:A:165:PRO:HD2	2.49	0.47
1:B:87:TYR:CE2	1:B:92:GLY:HA3	2.49	0.47
1:B:276:SER:CB	1:B:324:VAL:HB	2.39	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:212:ARG:HD2	1:B:330:ASP:OD1	2.14	0.47
1:B:118:ALA:HA	1:B:181:SER:O	2.14	0.47
1:B:140:ALA:HB3	1:B:141:PRO:HD3	1.96	0.47
1:A:264:GLY:O	1:A:265:THR:C	2.57	0.47
1:B:75:ARG:H	1:B:75:ARG:CD	2.27	0.47
4:B:511[B]:ARP:N1	4:B:511[B]:ARP:C9	2.65	0.47
3:A:500[A]:APS:H1C1	5:A:2023:HOH:O	2.12	0.47
1:A:213:HIS:CE1	1:A:232:LEU:HD11	2.48	0.47
1:B:125:GLN:HE22	3:B:510[B]:APS:H52	1.61	0.47
1:A:140:ALA:HB3	1:A:141:PRO:HD3	1.97	0.47
1:B:69:LEU:C	1:B:69:LEU:HD13	2.40	0.47
1:A:78:ILE:HA	1:A:158:THR:O	2.16	0.46
1:A:178:LEU:HD21	1:A:291:LEU:HD22	1.97	0.46
1:A:54:ILE:CD1	1:A:340:LEU:HD21	2.46	0.46
1:A:88:TRP:CH2	4:A:502[B]:ARP:H8	2.50	0.46
1:B:168:ALA:HB2	3:B:510[A]:APS:H52	1.81	0.46
1:B:168:ALA:HB2	4:B:511[A]:ARP:H52	1.81	0.46
4:A:502[B]:ARP:C6	4:A:502[B]:ARP:H91	2.46	0.45
1:B:216:ARG:O	1:B:219:LYS:HG3	2.16	0.45
1:A:97:ILE:CD1	3:A:500[A]:APS:C9	2.95	0.45
1:B:101:TYR:CE1	1:B:225:GLU:HG2	2.52	0.45
1:B:56:GLY:HA2	1:B:239:TYR:CD1	2.52	0.44
1:A:57:PRO:O	1:A:62:LYS:HE3	2.17	0.44
1:A:172:TYR:N	1:A:173:PRO:CD	2.80	0.44
1:B:179:MET:HE1	1:B:230:ALA:HB3	1.99	0.44
1:B:213:HIS:CE1	1:B:232:LEU:HD11	2.53	0.43
1:A:251:CYS:O	1:A:279:GLY:N	2.52	0.43
1:B:109:GLN:HB2	1:B:111:GLU:HG3	2.00	0.43
1:B:172:TYR:N	1:B:173:PRO:CD	2.82	0.43
1:A:279:GLY:HA2	5:A:2090:HOH:O	2.18	0.42
1:B:142:HIS:CB	1:B:361:ILE:HD11	2.49	0.42
1:B:212:ARG:NH1	1:B:330:ASP:OD1	2.52	0.42
1:A:85:MET:HE1	1:A:222:ARG:HD2	2.01	0.42
1:B:168:ALA:HB2	4:B:511[B]:ARP:H51	1.84	0.42
1:B:142:HIS:HB3	1:B:361:ILE:HD11	2.01	0.42
1:B:173:PRO:HB3	1:B:182:MET:HE1	2.01	0.42
1:B:371:GLU:HG2	1:B:372:MET:HG3	2.00	0.42
1:B:146:GLU:HG2	1:B:348:VAL:HG11	2.01	0.42
1:B:294:ALA:HB1	1:B:296:GLU:OE1	2.19	0.42
1:A:212:ARG:HD2	5:A:2061:HOH:O	2.21	0.41
1:A:79:VAL:HG11	1:A:365:ALA:HB3	2.00	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:ALA:HB2	1:A:224:GLY:HA3	2.01	0.41
1:A:352:VAL:HG21	1:A:357:SER:HB2	2.02	0.41
1:A:130:MET:HB3	1:A:131:PRO:HD3	2.02	0.41
1:B:74:SER:HB3	1:B:77:ASP:OD1	2.20	0.41
1:B:87:TYR:HA	1:B:91:LEU:HB2	2.03	0.41
1:A:180:GLY:HA2	5:A:2046:HOH:O	2.20	0.41
1:A:203:ILE:HD12	1:A:322:MET:SD	2.60	0.41
1:B:163:ARG:CD	4:B:511[A]:ARP:H6	2.50	0.41
1:B:176:ARG:HD3	1:B:176:ARG:HA	1.93	0.41
1:A:51:ARG:NH2	1:A:199:PRO:O	2.54	0.40
1:B:86:THR:HB	1:B:372:MET:HA	2.02	0.40
1:A:281:ARG:HB2	1:A:282:PRO:CD	2.51	0.40
1:A:58:HIS:HB3	1:A:163:ARG:NH2	2.36	0.40
1:A:62:LYS:O	1:A:63:THR:C	2.63	0.40
1:B:105:HIS:O	1:B:109:GLN:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/331 (88%)	282 (97%)	10 (3%)	0	100	100
1	B	305/331 (92%)	291 (95%)	12 (4%)	2 (1%)	18	10
All	All	597/662 (90%)	573 (96%)	22 (4%)	2 (0%)	36	29

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	146	GLU
1	B	218	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/264 (91%)	231 (96%)	9 (4%)	29	21
1	B	252/264 (96%)	242 (96%)	10 (4%)	28	20
All	All	492/528 (93%)	473 (96%)	19 (4%)	28	21

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	MET
1	A	78	ILE
1	A	159	LEU
1	A	198	LEU
1	A	222	ARG
1	A	229	LEU
1	A	310	TRP
1	A	362	CYS
1	A	364	LEU
1	B	51	ARG
1	B	66	THR
1	B	75	ARG
1	B	134	VAL
1	B	198	LEU
1	B	220	ARG
1	B	247	ARG
1	B	298	LEU
1	B	342	GLN
1	B	364	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	HIS
1	A	125	GLN
1	A	221	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	105	HIS
1	B	125	GLN
1	B	261	GLN
1	B	331	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	APS	B	510[A]	-	15,15,15	1.97	6 (40%)	21,21,21	2.29	6 (28%)
3	APS	B	510[B]	-	15,15,15	1.96	6 (40%)	21,21,21	2.31	6 (28%)
4	ARP	A	502[A]	-	15,15,15	1.76	5 (33%)	21,21,21	1.91	5 (23%)
4	ARP	A	502[B]	-	15,15,15	1.74	4 (26%)	21,21,21	1.78	5 (23%)
2	SO4	B	400	-	4,4,4	1.01	0	6,6,6	0.82	0
2	SO4	A	400	-	4,4,4	0.62	0	6,6,6	0.50	0
4	ARP	B	511[A]	-	15,15,15	1.76	5 (33%)	21,21,21	1.75	5 (23%)
4	ARP	B	511[B]	-	15,15,15	1.74	5 (33%)	21,21,21	1.77	5 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	APS	A	500[A]	-	15,15,15	1.99	6 (40%)	21,21,21	2.56	10 (47%)
3	APS	A	500[B]	-	15,15,15	1.95	6 (40%)	21,21,21	2.12	6 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	APS	B	510[A]	-	-	4/4/4/4	0/2/2/2
3	APS	B	510[B]	-	-	2/4/4/4	0/2/2/2
4	ARP	A	502[A]	-	-	2/4/4/4	0/2/2/2
4	ARP	A	502[B]	-	-	1/4/4/4	0/2/2/2
4	ARP	B	511[A]	-	-	3/4/4/4	0/2/2/2
4	ARP	B	511[B]	-	-	2/4/4/4	0/2/2/2
3	APS	A	500[A]	-	-	1/4/4/4	0/2/2/2
3	APS	A	500[B]	-	-	2/4/4/4	0/2/2/2

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	510[A]	APS	C6-N4	3.90	1.43	1.36
3	B	510[B]	APS	C6-N4	3.87	1.43	1.36
3	A	500[A]	APS	C6-N4	3.83	1.42	1.36
3	A	500[B]	APS	C6-N4	3.76	1.42	1.36
4	A	502[A]	ARP	C6-N4	3.75	1.42	1.36
4	B	511[A]	ARP	C6-N4	3.65	1.42	1.36
4	A	502[B]	ARP	C6-N4	3.65	1.42	1.36
4	B	511[B]	ARP	C6-N4	3.64	1.42	1.36
4	B	511[A]	ARP	C4-N4	3.23	1.41	1.37
4	B	511[B]	ARP	C4-N4	3.19	1.41	1.37
4	A	502[B]	ARP	C4-N4	3.12	1.41	1.37
3	A	500[B]	APS	C4-N4	3.02	1.41	1.37
4	A	502[A]	ARP	C4-N4	2.92	1.40	1.37
3	B	510[A]	APS	C4-N4	2.80	1.40	1.37
3	B	510[B]	APS	C4-N4	2.76	1.40	1.37
3	A	500[A]	APS	C4-N4	2.68	1.40	1.37
3	B	510[B]	APS	O1-C8	2.43	1.53	1.43
3	A	500[A]	APS	C9-C8	-2.42	1.41	1.51
3	B	510[A]	APS	O1-C8	2.40	1.53	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500[A]	APS	O1-C8	2.37	1.52	1.43
3	B	510[A]	APS	C9-C8	-2.37	1.41	1.51
3	A	500[A]	APS	C1-N2	2.37	1.38	1.33
3	A	500[B]	APS	O1-C8	2.36	1.52	1.43
3	A	500[B]	APS	C9-C8	-2.36	1.41	1.51
4	A	502[B]	ARP	C2-N5	2.35	1.40	1.34
3	B	510[B]	APS	C9-C8	-2.35	1.41	1.51
3	B	510[A]	APS	C1-N2	2.33	1.38	1.33
3	B	510[B]	APS	C1-N2	2.29	1.38	1.33
4	B	511[A]	ARP	C2-N5	2.25	1.40	1.34
4	A	502[A]	ARP	C1-N2	2.22	1.37	1.33
4	A	502[A]	ARP	C2-N5	2.21	1.39	1.34
4	B	511[B]	ARP	C1-N2	2.18	1.37	1.33
4	B	511[B]	ARP	C4-N1	2.15	1.38	1.34
4	B	511[A]	ARP	C1-N2	2.14	1.37	1.33
4	B	511[B]	ARP	C2-N5	2.13	1.39	1.34
3	B	510[B]	APS	C6-N3	2.12	1.35	1.31
3	A	500[B]	APS	C1-N2	2.10	1.37	1.33
4	A	502[A]	ARP	C4-N1	2.10	1.38	1.34
4	A	502[B]	ARP	C4-N1	2.10	1.38	1.34
3	A	500[B]	APS	C6-N3	2.06	1.35	1.31
4	B	511[A]	ARP	C4-N1	2.05	1.38	1.34
3	A	500[A]	APS	C6-N3	2.04	1.35	1.31
3	B	510[A]	APS	C6-N3	2.01	1.35	1.31

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500[A]	APS	N1-C4-N4	5.46	133.63	126.87
3	B	510[A]	APS	N1-C4-N4	4.96	133.01	126.87
3	B	510[B]	APS	N1-C4-N4	4.91	132.95	126.87
3	B	510[B]	APS	N4-C6-N3	-4.86	109.67	114.16
3	A	500[A]	APS	N4-C6-N3	-4.84	109.69	114.16
3	A	500[B]	APS	N1-C4-N4	4.79	132.80	126.87
3	B	510[A]	APS	N4-C6-N3	-4.68	109.83	114.16
3	A	500[B]	APS	N4-C6-N3	-4.54	109.96	114.16
4	A	502[A]	ARP	N4-C6-N3	-4.47	110.03	114.16
4	B	511[B]	ARP	N4-C6-N3	-4.44	110.05	114.16
4	B	511[A]	ARP	N4-C6-N3	-4.24	110.24	114.16
4	A	502[A]	ARP	N1-C4-N4	4.16	132.01	126.87
4	A	502[B]	ARP	N4-C6-N3	-4.15	110.32	114.16
3	A	500[A]	APS	C3-C4-N1	-4.04	121.15	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	510[A]	APS	C3-C4-N1	-3.74	121.57	126.72
3	B	510[B]	APS	C3-C4-N1	-3.70	121.62	126.72
4	A	502[B]	ARP	N1-C4-N4	3.68	131.42	126.87
3	A	500[B]	APS	C3-C4-N1	-3.62	121.74	126.72
4	B	511[A]	ARP	N1-C4-N4	3.58	131.30	126.87
3	A	500[A]	APS	N5-C2-N2	3.51	126.19	118.38
4	B	511[B]	ARP	N1-C4-N4	3.48	131.18	126.87
3	A	500[A]	APS	C8-C7-N4	-3.30	109.25	113.12
4	A	502[A]	ARP	C3-C4-N1	-3.29	122.19	126.72
3	B	510[B]	APS	N5-C2-N2	3.17	125.44	118.38
3	A	500[A]	APS	C3-C2-N5	-3.13	115.54	123.29
3	A	500[A]	APS	C4-N4-C6	3.09	107.97	105.75
3	B	510[A]	APS	N5-C2-N2	3.04	125.15	118.38
4	B	511[A]	ARP	C3-C4-N1	-2.94	122.67	126.72
4	A	502[B]	ARP	C3-C4-N1	-2.93	122.68	126.72
3	B	510[B]	APS	C4-N4-C6	2.87	107.81	105.75
4	B	511[B]	ARP	C3-C4-N1	-2.84	122.81	126.72
3	B	510[B]	APS	C3-C2-N5	-2.77	116.42	123.29
4	B	511[B]	ARP	C3-N3-C6	2.75	107.77	103.45
3	A	500[B]	APS	N5-C2-N2	2.75	124.49	118.38
4	B	511[A]	ARP	C3-N3-C6	2.72	107.72	103.45
3	B	510[A]	APS	C3-C2-N5	-2.71	116.57	123.29
3	B	510[A]	APS	C4-N4-C6	2.71	107.69	105.75
4	A	502[A]	ARP	C3-N3-C6	2.69	107.67	103.45
4	A	502[B]	ARP	C3-N3-C6	2.65	107.62	103.45
3	A	500[B]	APS	C4-N4-C6	2.47	107.53	105.75
4	A	502[B]	ARP	N1-C1-N2	-2.47	124.85	128.58
4	A	502[A]	ARP	C4-N4-C6	2.39	107.46	105.75
3	A	500[B]	APS	C3-C2-N5	-2.32	117.55	123.29
3	A	500[A]	APS	C2-C3-C4	2.18	120.16	117.18
4	B	511[A]	ARP	N1-C1-N2	-2.11	125.39	128.58
4	B	511[B]	ARP	C4-N4-C6	2.10	107.26	105.75
3	A	500[A]	APS	C7-N4-C6	-2.08	123.31	126.63
3	A	500[A]	APS	C7-N4-C4	2.00	128.73	126.41

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	510[A]	APS	N4-C7-C8-C9
3	B	510[A]	APS	C8-C7-N4-C4
3	B	510[A]	APS	C8-C7-N4-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	510[B]	APS	C8-C7-N4-C4
3	B	510[B]	APS	C8-C7-N4-C6
4	A	502[A]	ARP	N4-C7-C8-C9
4	B	511[A]	ARP	C8-C7-N4-C4
4	B	511[A]	ARP	C8-C7-N4-C6
4	B	511[B]	ARP	C8-C7-N4-C4
4	B	511[B]	ARP	C8-C7-N4-C6
3	A	500[B]	APS	C8-C7-N4-C6
3	A	500[A]	APS	N4-C7-C8-O1
3	B	510[A]	APS	N4-C7-C8-O1
4	A	502[A]	ARP	N4-C7-C8-O1
4	A	502[B]	ARP	N4-C7-C8-C9
3	A	500[B]	APS	C8-C7-N4-C4
4	B	511[A]	ARP	N4-C7-C8-C9

There are no ring outliers.

9 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	510[A]	APS	4	0
3	B	510[B]	APS	4	0
4	A	502[A]	ARP	4	0
4	A	502[B]	ARP	8	0
2	A	400	SO4	2	0
4	B	511[A]	ARP	7	0
4	B	511[B]	ARP	5	0
3	A	500[A]	APS	5	0
3	A	500[B]	APS	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	300/331 (90%)	0.29	17 (5%) 29 31	20, 32, 66, 107	0
1	B	313/331 (94%)	0.86	55 (17%) 4 4	20, 35, 101, 152	0
All	All	613/662 (92%)	0.58	72 (11%) 9 10	20, 33, 86, 152	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	96	THR	7.1
1	B	92	GLY	6.6
1	B	373	GLY	6.5
1	A	63	THR	6.4
1	B	112	ILE	6.3
1	B	107	LEU	6.1
1	B	217	LEU	6.1
1	B	91	LEU	5.6
1	B	218	ALA	5.2
1	B	100	ILE	5.0
1	A	148	GLY	4.9
1	A	62	LYS	4.8
1	B	98	ALA	4.7
1	A	61	GLY	4.5
1	B	220	ARG	4.4
1	B	97	ILE	4.3
1	A	46	MET	4.3
1	B	219	LYS	4.2
1	B	227	LEU	4.2
1	A	263	SER	4.1
1	B	152	ALA	4.1
1	B	372	MET	4.1
1	B	86	THR	4.0
1	B	374	GLU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	275	GLN	3.9
1	A	153	PRO	3.8
1	B	301	ASN	3.8
1	B	106	ARG	3.8
1	A	279	GLY	3.7
1	B	300	PRO	3.6
1	B	88	TRP	3.6
1	B	147	ALA	3.3
1	B	274	PRO	3.2
1	B	153	PRO	3.2
1	B	87	TYR	3.1
1	B	101	TYR	3.1
1	B	90	VAL	3.0
1	B	364	LEU	3.0
1	B	103	THR	3.0
1	B	108	ASP	3.0
1	B	151	HIS	2.9
1	A	212	ARG	2.9
1	B	110	GLY	2.9
1	B	113	SER	2.9
1	B	247	ARG	2.8
1	A	76	ASP	2.8
1	B	85	MET	2.8
1	A	154	PRO	2.8
1	B	93	ALA	2.7
1	B	114	ALA	2.7
1	B	111	GLU	2.7
1	B	216	ARG	2.6
1	A	334	ALA	2.6
1	A	310	TRP	2.6
1	A	80	TYR	2.5
1	B	105	HIS	2.5
1	B	276	SER	2.5
1	A	265	THR	2.4
1	B	75	ARG	2.4
1	B	355	PRO	2.4
1	B	102	THR	2.3
1	B	74	SER	2.3
1	B	120	VAL	2.3
1	A	147	ALA	2.3
1	B	212	ARG	2.2
1	B	146	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	116	ASP	2.2
1	B	320	ARG	2.2
1	B	117	ALA	2.2
1	B	370	ARG	2.1
1	B	264	GLY	2.1
1	A	264	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ARP	B	511[A]	14/14	0.71	0.29	40,41,42,42	14
4	ARP	B	511[B]	14/14	0.71	0.29	42,42,43,43	14
4	ARP	A	502[A]	14/14	0.74	0.23	37,39,41,43	14
4	ARP	A	502[B]	14/14	0.74	0.23	37,39,41,41	14
3	APS	B	510[A]	14/14	0.74	0.30	38,41,42,42	14
3	APS	B	510[B]	14/14	0.74	0.30	41,42,43,43	14
2	SO4	A	400	5/5	0.82	0.16	53,57,58,64	0
3	APS	A	500[A]	14/14	0.87	0.17	37,39,40,41	14
3	APS	A	500[B]	14/14	0.87	0.17	37,39,40,41	14
2	SO4	B	400	5/5	0.96	0.07	35,35,47,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.