



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:56 PM UTC

PDB ID : 1E2M / pdb_00001e2m
Title : HPT + HMTT
Authors : Vogt, J.; Scapozza, L.; Schulz, G.E.
Deposited on : 2000-05-23
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	
1	B	331	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4965 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THYMIDINE KINASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	305	Total	C	N	O	S	0	0	0
			2341	1490	410	425	16			
1	B	310	Total	C	N	O	S	0	0	0
			2359	1502	410	431	16			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 6-HYDROXYPROPYLTHYMINE (CCD ID: HPT) (formula: C₈H₁₂N₂O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			13	8	2	3		
3	B	1	Total	C	N	O	0	0
			13	8	2	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	118	Total	O	0	0
			118	118		
4	B	111	Total	O	0	0
			111	111		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: THYMIDINE KINASE



• Molecule 1: THYMIDINE KINASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	113.70Å 117.20Å 108.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 20.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.0 (20.00-2.20) 98.4 (20.00-2.20)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.19Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.217 , 0.262 0.208 , 0.253	Depositor DCC
R_{free} test set	1854 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	24.5	Xtriage
Anisotropy	0.614	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.034 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4965	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, HPT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/2394	1.18	11/3261 (0.3%)
1	B	0.51	0/2412	1.15	11/3288 (0.3%)
All	All	0.51	0/4806	1.16	22/6549 (0.3%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	307	VAL	CB-CA-C	-8.18	101.40	111.88
1	B	307	VAL	CB-CA-C	-7.62	102.13	111.88
1	A	320	ARG	CD-NE-CZ	6.89	134.05	124.40
1	A	51	ARG	CD-NE-CZ	6.75	133.85	124.40
1	A	95	GLU	CA-C-N	6.62	129.69	120.29
1	A	95	GLU	C-N-CA	6.62	129.69	120.29
1	B	51	ARG	CD-NE-CZ	6.59	133.63	124.40
1	B	91	LEU	N-CA-C	6.52	118.05	111.07
1	B	307	VAL	N-CA-CB	6.06	117.24	110.51
1	A	352	VAL	CA-C-O	-5.92	117.00	121.68
1	B	171	CYS	N-CA-C	5.73	117.22	110.97
1	B	76	ASP	N-CA-C	5.69	119.53	112.59
1	B	292	PHE	CA-CB-CG	-5.57	108.23	113.80
1	B	237	ARG	CD-NE-CZ	5.50	132.10	124.40
1	A	171	CYS	N-CA-C	5.47	116.93	111.07
1	B	161	PHE	CA-CB-CG	5.44	119.24	113.80
1	A	292	PHE	CA-CB-CG	-5.37	108.44	113.80
1	A	293	ARG	N-CA-C	-5.28	106.42	112.92
1	B	96	THR	N-CA-C	5.22	117.05	111.36
1	B	290	THR	CB-CA-C	-5.15	100.78	110.67
1	A	91	LEU	N-CA-C	5.15	117.30	111.02
1	A	222	ARG	CD-NE-CZ	5.10	131.54	124.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2341	0	2357	55	0
1	B	2359	0	2374	53	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	13	0	12	0	0
3	B	13	0	12	0	0
4	A	118	0	0	7	0
4	B	111	0	0	2	0
All	All	4965	0	4755	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:MET:HE1	1:A:206:GLY:HA3	1.35	1.08
1:A:119:VAL:HG12	1:B:119:VAL:HG12	1.56	0.87
1:A:130:MET:HB3	1:A:131:PRO:HD3	1.58	0.86
1:A:358:ILE:HB	1:A:359:PRO:HD3	1.61	0.82
1:B:130:MET:HB3	1:B:131:PRO:HD3	1.62	0.81
1:A:126:ILE:HD11	1:B:126:ILE:HD11	1.64	0.78
1:B:358:ILE:HB	1:B:359:PRO:HD3	1.67	0.77
1:B:75:ARG:HE	1:B:75:ARG:H	1.34	0.75
1:A:60:MET:HE2	4:A:2004:HOH:O	1.86	0.74
1:A:60:MET:HE1	1:A:206:GLY:CA	2.17	0.72
1:A:61:GLY:HA2	1:A:220:ARG:NH1	2.05	0.72
1:B:276:SER:HB2	1:B:324:VAL:HB	1.73	0.70
1:A:140:ALA:HB3	1:A:141:PRO:HD3	1.73	0.69
1:A:54:ILE:HD12	1:A:66:THR:HG22	1.75	0.68
1:B:46:MET:HA	1:B:46:MET:HE2	1.76	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:GLY:HA2	1:B:290:THR:HG23	1.75	0.68
1:A:354:THR:HB	1:A:355:PRO:HD2	1.74	0.67
1:B:262:LEU:O	1:B:263:SER:HB2	1.95	0.67
1:A:154:PRO:HB2	1:A:155:PRO:HD2	1.77	0.66
1:A:60:MET:CE	1:A:206:GLY:HA3	2.21	0.66
1:B:75:ARG:H	1:B:75:ARG:NE	1.93	0.66
1:B:217:LEU:HD22	1:B:232:LEU:HD13	1.78	0.66
1:B:66:THR:HG23	1:B:160:ILE:HG21	1.78	0.65
1:B:66:THR:HG21	1:B:80:TYR:CE1	2.32	0.65
1:A:211:ASP:HB2	4:A:2072:HOH:O	1.97	0.65
1:A:62:LYS:HE2	4:A:2004:HOH:O	1.97	0.64
1:B:354:THR:HB	1:B:355:PRO:HD2	1.78	0.63
1:A:285:GLY:HA2	1:A:290:THR:HG23	1.80	0.63
1:A:285:GLY:HA2	1:A:290:THR:CG2	2.29	0.62
1:B:246:VAL:HG21	1:B:324:VAL:HG21	1.81	0.61
1:A:154:PRO:HB2	1:A:155:PRO:CD	2.31	0.59
1:A:54:ILE:CD1	1:A:66:THR:HG22	2.32	0.59
1:A:262:LEU:HD22	1:A:290:THR:HG22	1.85	0.58
1:A:78:ILE:HG12	1:A:158:THR:HB	1.85	0.58
1:A:60:MET:HE3	1:A:329:TYR:CD2	2.38	0.58
1:A:85:MET:HE1	1:A:222:ARG:HD3	1.84	0.57
1:B:373:GLY:O	1:B:374:GLU:HB2	2.05	0.56
1:A:130:MET:HB3	1:A:131:PRO:CD	2.35	0.56
1:B:70:VAL:HA	1:B:78:ILE:HD13	1.88	0.56
1:B:247:ARG:HH21	1:B:280:PRO:HD2	1.70	0.56
1:B:212:ARG:HD3	4:B:2057:HOH:O	2.05	0.56
1:B:212:ARG:HA	1:B:212:ARG:HE	1.70	0.55
1:B:164:HIS:CG	1:B:165:PRO:HD2	2.41	0.55
1:B:285:GLY:HA2	1:B:290:THR:CG2	2.35	0.55
1:A:62:LYS:HE3	4:A:2008:HOH:O	2.07	0.55
1:B:212:ARG:HH21	1:B:215:ASP:HB3	1.73	0.54
1:A:62:LYS:NZ	1:A:163:ARG:NH2	2.56	0.54
1:B:262:LEU:HD22	1:B:290:THR:HG23	1.91	0.53
1:A:164:HIS:CG	1:A:165:PRO:HD2	2.44	0.53
1:A:87:TYR:HA	1:A:91:LEU:HB2	1.90	0.53
1:A:62:LYS:HG3	4:A:2008:HOH:O	2.08	0.52
1:A:75:ARG:HB2	4:A:2014:HOH:O	2.09	0.52
1:A:62:LYS:O	1:A:66:THR:HG23	2.10	0.52
1:B:70:VAL:HG21	1:B:80:TYR:HB2	1.92	0.51
1:B:325:PHE:CE1	1:B:347:MET:HG2	2.45	0.51
1:B:218:ALA:O	1:B:219:LYS:HB2	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373:GLY:O	1:A:374:GLU:HB2	2.11	0.51
1:A:46:MET:HE2	1:A:46:MET:HA	1.93	0.50
1:B:262:LEU:HD22	1:B:290:THR:CG2	2.42	0.50
1:B:87:TYR:HA	1:B:91:LEU:HB2	1.94	0.50
1:B:246:VAL:HG11	1:B:324:VAL:HG23	1.95	0.49
1:B:115:GLY:O	1:B:119:VAL:HG23	2.13	0.48
1:A:62:LYS:HZ2	1:A:163:ARG:NH2	2.11	0.48
1:B:74:SER:HB3	1:B:77:ASP:CG	2.38	0.48
1:B:208:LEU:HD12	1:B:209:PRO:HD2	1.95	0.48
1:A:358:ILE:HB	1:A:359:PRO:CD	2.38	0.48
1:A:61:GLY:HA2	1:A:220:ARG:HH11	1.79	0.48
1:A:140:ALA:HA	1:A:198:LEU:HD11	1.96	0.47
1:B:74:SER:HB3	1:B:77:ASP:OD2	2.13	0.47
1:A:85:MET:CE	1:A:222:ARG:HD3	2.44	0.47
1:B:140:ALA:HB3	1:B:141:PRO:CD	2.44	0.47
1:A:67:GLN:O	1:A:69:LEU:N	2.48	0.46
1:B:172:TYR:N	1:B:173:PRO:CD	2.79	0.46
1:A:299:ALA:HB1	1:A:300:PRO:HD2	1.98	0.46
1:A:58:HIS:HB3	1:A:163:ARG:NH2	2.32	0.45
1:B:74:SER:HA	1:B:75:ARG:HH21	1.81	0.45
1:A:94:SER:O	1:A:95:GLU:C	2.60	0.44
1:A:178:LEU:HD21	1:A:291:LEU:HD22	1.98	0.44
1:A:247:ARG:HD3	4:A:2086:HOH:O	2.17	0.44
1:A:63:THR:O	1:A:67:GLN:HG3	2.18	0.44
1:B:75:ARG:HE	1:B:75:ARG:N	2.08	0.43
1:B:140:ALA:HB3	1:B:141:PRO:HD3	1.99	0.43
1:A:103:THR:OG1	1:A:120:VAL:HG11	2.18	0.43
1:A:155:PRO:HB3	1:A:349:GLN:NE2	2.33	0.43
1:A:60:MET:HE3	1:A:329:TYR:CE2	2.54	0.43
1:B:294:ALA:O	1:B:298:LEU:HD13	2.18	0.43
1:A:293:ARG:NH1	1:A:293:ARG:HB3	2.34	0.43
1:A:80:TYR:O	1:A:82:PRO:HD3	2.18	0.43
1:B:155:PRO:HB3	1:B:349:GLN:NE2	2.34	0.43
1:A:364:LEU:C	1:A:364:LEU:HD13	2.45	0.42
1:B:293:ARG:HB3	1:B:293:ARG:NH1	2.35	0.42
1:B:203:ILE:CG2	1:B:324:VAL:HG22	2.49	0.42
1:B:247:ARG:HG2	1:B:247:ARG:NH1	2.34	0.42
1:A:172:TYR:N	1:A:173:PRO:CD	2.83	0.41
1:A:213:HIS:CE1	1:A:232:LEU:HD11	2.56	0.41
1:B:182:MET:HG3	4:B:2030:HOH:O	2.20	0.41
1:A:98:ALA:HB2	1:A:224:GLY:HA3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:TYR:OH	1:B:130:MET:HG3	2.21	0.41
1:B:130:MET:HB3	1:B:131:PRO:CD	2.41	0.41
1:B:262:LEU:O	1:B:263:SER:CB	2.66	0.41
1:B:299:ALA:HB1	1:B:300:PRO:CD	2.51	0.41
1:B:56:GLY:HA2	1:B:239:TYR:CD1	2.56	0.40
1:B:182:MET:HE3	1:B:182:MET:HB2	1.97	0.40
1:A:162:ASP:O	1:A:163:ARG:HB2	2.21	0.40
1:B:68:LEU:HB3	1:B:337:ARG:HD3	2.04	0.40
1:B:218:ALA:O	1:B:219:LYS:CB	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/331 (90%)	284 (96%)	11 (4%)	2 (1%)	18	19
1	B	302/331 (91%)	291 (96%)	9 (3%)	2 (1%)	18	19
All	All	599/662 (90%)	575 (96%)	20 (3%)	4 (1%)	18	19

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	68	LEU
1	B	263	SER
1	A	95	GLU
1	B	95	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/264 (94%)	234 (95%)	13 (5%)	20	26
1	B	249/264 (94%)	241 (97%)	8 (3%)	34	47
All	All	496/528 (94%)	475 (96%)	21 (4%)	26	36

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	MET
1	A	75	ARG
1	A	130	MET
1	A	159	LEU
1	A	212	ARG
1	A	215	ASP
1	A	219	LYS
1	A	247	ARG
1	A	304	LEU
1	A	307	VAL
1	A	343	LEU
1	A	364	LEU
1	A	374	GLU
1	B	62	LYS
1	B	75	ARG
1	B	130	MET
1	B	134	VAL
1	B	212	ARG
1	B	290	THR
1	B	307	VAL
1	B	374	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	349	GLN
1	B	349	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	400	-	4,4,4	0.74	0	6,6,6	0.33	0
3	HPT	B	500	-	13,13,13	1.52	4 (30%)	12,17,17	1.95	4 (33%)
2	SO4	A	400	-	4,4,4	0.70	0	6,6,6	0.16	0
3	HPT	A	500	-	13,13,13	1.55	4 (30%)	12,17,17	2.06	4 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HPT	B	500	-	-	2/4/4/4	0/1/1/1
3	HPT	A	500	-	-	1/4/4/4	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	HPT	C1-N2	3.16	1.42	1.37
3	B	500	HPT	C1-N2	2.71	1.41	1.37
3	A	500	HPT	C2-N2	2.68	1.43	1.38
3	A	500	HPT	C1-N1	2.64	1.41	1.37
3	B	500	HPT	C1-N1	2.55	1.41	1.37
3	B	500	HPT	C2-N2	2.39	1.43	1.38
3	B	500	HPT	C5-N1	2.26	1.41	1.37
3	A	500	HPT	C5-N1	2.05	1.40	1.37

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	HPT	C2-N2-C1	-4.19	120.60	126.37
3	B	500	HPT	C2-N2-C1	-3.84	121.08	126.37
3	A	500	HPT	O2-C2-N2	-3.57	113.41	120.11
3	B	500	HPT	O2-C2-N2	-2.98	114.52	120.11
3	A	500	HPT	C3-C2-N2	2.62	117.67	115.80
3	B	500	HPT	C3-C2-N2	2.51	117.59	115.80
3	A	500	HPT	C12-C11-C5	2.37	118.67	113.79
3	B	500	HPT	O2-C2-C3	2.33	127.85	124.41

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	500	HPT	C5-C11-C12-C13
3	A	500	HPT	C11-C12-C13-O3
3	B	500	HPT	C11-C12-C13-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	305/331 (92%)	0.14	25 (8%) 17 15	12, 24, 57, 91	0
1	B	310/331 (93%)	0.08	24 (7%) 19 17	11, 24, 55, 73	0
All	All	615/662 (92%)	0.11	49 (7%) 18 16	11, 24, 57, 91	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	65	THR	7.3
1	A	61	GLY	5.6
1	A	148	GLY	5.5
1	B	374	GLU	5.3
1	A	62	LYS	5.2
1	A	75	ARG	4.9
1	B	373	GLY	4.8
1	A	149	SER	4.5
1	B	217	LEU	4.3
1	B	227	LEU	4.2
1	A	63	THR	4.2
1	A	66	THR	4.0
1	A	64	THR	3.9
1	A	264	GLY	3.8
1	A	373	GLY	3.8
1	B	148	GLY	3.8
1	A	68	LEU	3.8
1	A	69	LEU	3.8
1	B	75	ARG	3.7
1	B	154	PRO	3.7
1	A	154	PRO	3.4
1	B	218	ALA	3.3
1	B	301	ASN	3.1
1	A	374	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	226	ARG	3.0
1	A	76	ASP	2.9
1	A	342	GLN	2.8
1	B	247	ARG	2.8
1	B	149	SER	2.7
1	B	147	ALA	2.7
1	A	67	GLN	2.7
1	B	264	GLY	2.7
1	B	215	ASP	2.6
1	A	247	ARG	2.6
1	B	74	SER	2.6
1	B	46	MET	2.6
1	A	46	MET	2.6
1	B	155	PRO	2.5
1	A	334	ALA	2.5
1	B	263	SER	2.5
1	B	219	LYS	2.5
1	B	216	ARG	2.4
1	A	220	ARG	2.3
1	A	77	ASP	2.3
1	B	146	GLU	2.3
1	B	211	ASP	2.2
1	A	293	ARG	2.1
1	A	366	ARG	2.1
1	B	73	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	400	5/5	0.91	0.12	42,42,44,46	0
3	HPT	A	500	13/13	0.93	0.09	11,18,29,33	0
3	HPT	B	500	13/13	0.93	0.08	18,21,30,33	0
2	SO4	B	400	5/5	0.97	0.07	26,27,29,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.