



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 10:09 AM UTC

PDB ID : 5E2M / pdb_00005e2m
Title : Crystal structure of human carbonic anhydrase isozyme I with 3-(cyclooctylamino)-2,5,6-trifluoro-4-[(2-hydroxyethyl)sulfonyl]benzenesulfonamide
Authors : Manakova, E.; Smirnov, A.; Grazulis, S.
Deposited on : 2015-10-01
Resolution : 1.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4041 (1.44-1.40)
Clashscore	190562	4154 (1.44-1.40)
Ramachandran outliers	187476	4083 (1.44-1.40)
Sidechain outliers	187428	4082 (1.44-1.40)
RSRZ outliers	180081	4039 (1.44-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	4% 79% 18% • •
1	B	260	3% 71% 23% 5% •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	V14	A	302[A]	-	-	X	-
5	PEG	B	304	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4745 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	4	6	0
			2039	1286	352	398	3			
1	B	257	Total	C	N	O	S	0	9	0
			2067	1303	359	402	3			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP P00915
B	1	MET	-	initiating methionine	UNP P00915

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 3-(cyclooctylamino)-2,5,6-trifluoro-4-[(2-hydroxyethyl)sulfonyl]benzenesulfonamide (CCD ID: V14) (formula: C₁₆H₂₃F₃N₂O₅S₂).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	1
			56	32	6	4	10	4		
3	B	1	Total	C	F	N	O	S	0	0
			28	16	3	2	5	2		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	0
			4	2 2		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	266	Total	O	0	0
			266	266		
6	B	269	Total	O	0	0
			269	269		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Carbonic anhydrase 1



• Molecule 1: Carbonic anhydrase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.26Å 71.71Å 119.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	61.52 – 1.41 61.52 – 1.41	Depositor EDS
% Data completeness (in resolution range)	98.0 (61.52-1.41) 98.0 (61.52-1.41)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.70 (at 1.41Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.182 , 0.207 0.177 , 0.202	Depositor DCC
R_{free} test set	10389 reflections (9.85%)	wwPDB-VP
Wilson B-factor (Å ²)	16.6	Xtriage
Anisotropy	0.588	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 31.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4745	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.8265e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: V14, PEG, ACT, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.82	35/2094 (1.7%)	1.53	12/2847 (0.4%)
1	B	1.84	39/2129 (1.8%)	1.57	25/2894 (0.9%)
All	All	1.83	74/4223 (1.8%)	1.55	37/5741 (0.6%)

All (74) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	200	HIS	ND1-CE1	8.02	1.40	1.32
1	B	145	GLY	CA-C	-7.60	1.46	1.52
1	A	200	HIS	CG-CD2	7.41	1.44	1.35
1	B	59	ILE	C-O	7.32	1.31	1.24
1	B	64	HIS	CE1-NE2	7.29	1.39	1.32
1	A	168	LYS	CA-C	-7.01	1.43	1.52
1	B	94	HIS	C-O	6.86	1.31	1.23
1	A	95	PHE	CA-C	-6.77	1.44	1.52
1	B	76	ARG	CA-C	6.75	1.61	1.52
1	A	67	HIS	CA-C	-6.68	1.44	1.52
1	B	234	GLU	CA-CB	-6.64	1.43	1.53
1	B	96	HIS	ND1-CE1	6.54	1.39	1.32
1	B	243	HIS	ND1-CE1	6.50	1.39	1.32
1	A	196	GLY	N-CA	-6.48	1.40	1.46
1	B	224	ALA	C-O	6.38	1.32	1.24
1	B	169	THR	CA-C	6.27	1.60	1.52
1	A	174	ALA	N-CA	-6.18	1.38	1.46
1	B	67	HIS	CA-C	-6.17	1.44	1.52
1	A	226	PHE	C-O	6.12	1.31	1.24
1	B	203	LEU	N-CA	6.11	1.54	1.46
1	B	61	ASN	N-CA	-6.10	1.38	1.46
1	A	247	PRO	C-O	6.02	1.30	1.23
1	A	119	HIS	CG-CD2	5.98	1.42	1.35
1	A	239	VAL	CA-C	5.93	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	258	ALA	C-O	5.92	1.31	1.24
1	A	243	HIS	CA-C	-5.88	1.45	1.52
1	A	166	ALA	CA-C	-5.85	1.44	1.52
1	A	64	HIS	ND1-CE1	5.82	1.38	1.32
1	A	200	HIS	CB-CG	5.81	1.58	1.50
1	A	145	GLY	CA-C	-5.80	1.48	1.52
1	A	146	VAL	CA-CB	-5.79	1.46	1.54
1	B	20	TYR	CA-CB	5.76	1.61	1.53
1	A	200	HIS	ND1-CE1	5.75	1.38	1.32
1	B	160	VAL	N-CA	-5.71	1.39	1.46
1	B	143	VAL	C-O	5.71	1.30	1.24
1	B	44	LEU	N-CA	5.69	1.52	1.46
1	B	256	VAL	C-O	5.67	1.30	1.24
1	B	250	PRO	C-O	5.67	1.30	1.23
1	B	119	HIS	CG-CD2	5.61	1.42	1.35
1	A	133	GLU	N-CA	5.58	1.53	1.46
1	B	232	ASN	CA-C	-5.55	1.45	1.53
1	B	64	HIS	CD2-NE2	-5.52	1.31	1.37
1	A	173	ARG	C-O	5.50	1.30	1.23
1	A	94	HIS	C-O	5.48	1.29	1.23
1	B	76	ARG	C-N	5.47	1.41	1.33
1	A	103	HIS	ND1-CE1	5.46	1.38	1.32
1	A	144	ILE	CA-CB	-5.46	1.47	1.54
1	A	119	HIS	ND1-CE1	5.43	1.38	1.32
1	A	191	PHE	C-O	5.43	1.30	1.23
1	B	67	HIS	C-O	5.43	1.30	1.23
1	A	64	HIS	CG-CD2	5.37	1.41	1.35
1	A	144	ILE	N-CA	5.35	1.52	1.46
1	A	169	THR	C-N	-5.35	1.26	1.33
1	B	172	LYS	N-CA	-5.33	1.39	1.45
1	B	44	LEU	C-O	5.31	1.30	1.23
1	A	146	VAL	C-O	5.30	1.30	1.24
1	B	171	GLY	C-N	5.28	1.40	1.33
1	B	119	HIS	CA-C	-5.28	1.46	1.52
1	A	209	TRP	CA-CB	-5.27	1.45	1.53
1	B	82	GLY	C-N	-5.26	1.29	1.33
1	B	59	ILE	C-N	-5.23	1.27	1.33
1	A	146	VAL	N-CA	5.22	1.53	1.46
1	A	235	GLY	N-CA	5.21	1.53	1.44
1	B	193	THR	C-O	5.19	1.30	1.23
1	B	109	VAL	N-CA	5.19	1.52	1.46
1	B	192	TRP	C-O	5.18	1.29	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	23	ALA	N-CA	5.14	1.52	1.46
1	A	140	GLY	CA-C	5.13	1.59	1.51
1	B	104	GLY	C-O	-5.13	1.17	1.23
1	A	173	ARG	CA-C	-5.12	1.46	1.52
1	B	122	HIS	CG-ND1	5.07	1.43	1.38
1	A	172	LYS	C-O	5.03	1.30	1.23
1	A	222	GLN	C-O	5.03	1.29	1.24
1	B	260	PHE	N-CA	5.03	1.55	1.46

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	168	LYS	N-CA-C	10.42	123.70	111.71
1	B	168	LYS	N-CA-C	9.01	122.07	111.71
1	B	113[A]	LYS	CD-CE-NZ	-7.35	88.37	111.90
1	B	113[B]	LYS	CD-CE-NZ	-7.35	88.37	111.90
1	A	146	VAL	O-C-N	-7.17	115.60	123.20
1	B	168	LYS	CA-C-O	7.15	128.18	120.10
1	B	191	PHE	N-CA-C	6.41	118.82	109.07
1	A	10	LYS	N-CA-C	6.35	121.97	113.72
1	B	89	ARG	O-C-N	6.04	130.11	123.22
1	B	48	SER	CA-C-N	-5.91	114.91	123.06
1	B	48	SER	C-N-CA	-5.91	114.91	123.06
1	B	224	ALA	N-CA-C	-5.87	105.02	111.82
1	B	39	LYS	O-C-N	-5.83	116.16	123.27
1	A	218	VAL	N-CA-C	-5.80	99.86	108.15
1	B	103	HIS	O-C-N	-5.80	117.72	123.46
1	B	158	GLN	N-CA-C	5.79	117.60	111.28
1	A	241	MET	CB-CA-C	-5.75	102.02	111.68
1	A	168	LYS	CA-C-O	5.75	126.59	120.10
1	B	149	LYS	O-C-N	5.73	129.75	123.22
1	B	167	ILE	CA-C-O	5.69	127.89	120.78
1	B	257	ARG	O-C-N	-5.63	116.63	123.16
1	B	125	SER	N-CA-C	-5.60	106.45	113.28
1	B	232	ASN	CA-C-O	5.45	128.21	121.94
1	B	236	ASP	CA-C-O	-5.38	115.63	121.87
1	B	195	PRO	CA-C-N	-5.35	118.04	122.16
1	B	195	PRO	C-N-CA	-5.35	118.04	122.16
1	B	50	SER	O-C-N	5.34	130.29	123.24
1	B	49	VAL	CA-C-O	5.33	126.91	120.67
1	B	78	VAL	O-C-N	5.32	129.06	123.00
1	A	224	ALA	N-CA-C	-5.32	105.65	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	191	PHE	N-CA-C	5.30	117.13	109.07
1	A	232	ASN	CA-C-O	5.28	127.95	121.72
1	B	156	LYS	CA-CB-CG	-5.13	103.84	114.10
1	B	76	ARG	N-CA-C	5.12	116.86	111.28
1	A	18	LYS	N-CA-C	5.09	116.51	111.07
1	A	149	LYS	O-C-N	5.06	128.98	123.27
1	A	226	PHE	O-C-N	-5.04	116.40	122.15

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2039	0	1942	12	0
1	B	2067	0	1958	30	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	56	0	45	14	0
3	B	28	0	23	7	0
4	A	4	0	3	0	0
5	B	14	0	20	5	0
6	A	266	0	0	1	0
6	B	269	0	0	8	0
All	All	4745	0	3991	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:302[A]:V14:H13	3:A:302[A]:V14:C23	1.49	1.34
3:A:302[B]:V14:H13	3:A:302[B]:V14:C23	1.51	1.28
3:A:302[B]:V14:H21	3:A:302[B]:V14:C27	1.50	1.21

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:302[A]:V14:H21	3:A:302[A]:V14:C27	1.60	1.21
3:B:302:V14:H21	3:B:302:V14:H13	1.40	1.03
1:B:200:HIS:HE1	3:B:302:V14:H6	1.34	0.92
1:B:158:GLN:HE21	5:B:304:PEG:H22	1.44	0.83
3:A:302[B]:V14:O17	3:A:302[B]:V14:H18	1.78	0.82
1:B:200:HIS:CE1	3:B:302:V14:H6	2.18	0.79
1:B:11:ASN:HA	1:B:15[B]:GLN:HE21	1.48	0.78
1:B:158:GLN:NE2	5:B:304:PEG:H22	2.02	0.73
1:A:58[B]:GLU:HG2	1:A:69:ASN:HB2	1.71	0.70
1:B:243:HIS:HD2	6:B:489:HOH:O	1.75	0.68
3:B:302:V14:H21	3:B:302:V14:C27	2.21	0.68
3:B:302:V14:H13	3:B:302:V14:C23	2.22	0.67
5:B:304:PEG:H32	6:B:602:HOH:O	1.95	0.66
1:B:214:GLU:HG3	6:B:606:HOH:O	1.95	0.65
1:B:135:ALA:HB1	3:B:302:V14:H15	1.80	0.63
1:B:155:PRO:HA	5:B:304:PEG:H21	1.81	0.62
1:A:200:HIS:CD2	3:A:302[A]:V14:H4	2.34	0.62
1:A:201:PRO:O	3:A:302[A]:V14:H6	2.04	0.57
1:A:80:LYS:HG2	1:A:87[B]:SER:OG	2.03	0.57
1:B:227[A]:ARG:NH2	6:B:404:HOH:O	2.38	0.56
1:A:6:GLY:O	1:A:12:GLY:HA2	2.06	0.55
1:B:243:HIS:HE1	6:B:572:HOH:O	1.89	0.55
1:B:105:SER:O	1:B:113[B]:LYS:HE3	2.07	0.54
3:B:302:V14:C27	3:B:302:V14:C23	2.83	0.54
1:A:131:LEU:HD21	3:A:302[A]:V14:H20	1.91	0.53
1:B:80:LYS:HG2	1:B:87:SER:OG	2.08	0.53
1:B:245:ASN:HD22	1:B:245:ASN:H	1.57	0.53
3:A:302[A]:V14:H13	3:A:302[A]:V14:H21	0.64	0.52
1:B:72[A]:ASP:HB2	1:B:89:ARG:HD2	1.92	0.52
1:B:103:HIS:HB2	1:B:113[B]:LYS:HD3	1.94	0.50
1:B:158:GLN:HE21	5:B:304:PEG:C2	2.21	0.50
1:B:101:ASN:HD22	1:B:227[B]:ARG:HH22	1.62	0.47
1:A:200:HIS:HB3	3:A:302[B]:V14:F13	2.06	0.46
3:A:302[A]:V14:H3	6:A:518:HOH:O	2.16	0.46
1:B:160:VAL:HG23	6:B:461:HOH:O	2.16	0.46
1:B:243:HIS:CE1	6:B:572:HOH:O	2.67	0.45
1:B:103:HIS:HD2	6:B:638:HOH:O	2.00	0.45
1:A:45:LYS:O	1:A:82:GLY:HA2	2.17	0.45
1:B:27:ASN:HD22	1:B:254:ARG:HD3	1.82	0.44
3:A:302[B]:V14:O17	3:A:302[B]:V14:H23	2.18	0.43
1:B:72[A]:ASP:HB2	1:B:89:ARG:CD	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LYS:HB2	1:A:80:LYS:HE2	1.72	0.43
1:B:13:PRO:HA	1:B:16:TRP:CD2	2.54	0.43
3:A:302[A]:V14:O21	3:A:302[A]:V14:H10	2.19	0.42
1:A:67:HIS:CE1	3:A:302[A]:V14:O17	2.72	0.42
1:A:134:ALA:O	1:A:140:GLY:HA3	2.19	0.42
1:B:39:LYS:HA	1:B:39:LYS:HD3	1.85	0.42
1:A:57:LYS:HG2	1:A:58[B]:GLU:HB3	2.01	0.42
1:B:200:HIS:HB2	1:B:201:PRO:HD2	2.02	0.41
1:B:45:LYS:O	1:B:82:GLY:HA2	2.19	0.41
1:B:57:LYS:NZ	1:B:58[B]:GLU:HG2	2.35	0.41
1:B:41:ASP:OD1	1:B:41:ASP:C	2.63	0.41
1:B:80:LYS:HE2	1:B:80:LYS:HB2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/260 (100%)	253 (97%)	7 (3%)	0	100	100
1	B	264/260 (102%)	251 (95%)	13 (5%)	0	100	100
All	All	524/520 (101%)	504 (96%)	20 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	225/226 (100%)	219 (97%)	6 (3%)	39 9
1	B	227/226 (100%)	223 (98%)	4 (2%)	51 18
All	All	452/452 (100%)	442 (98%)	10 (2%)	47 13

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	TRP
1	A	9	ASP
1	A	13	PRO
1	A	19	LEU
1	A	129	SER
1	A	201	PRO
1	B	15[A]	GLN
1	B	15[B]	GLN
1	B	48	SER
1	B	245	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	40	HIS
1	A	73	ASN
1	A	249	GLN
1	B	24	ASN
1	B	27	ASN
1	B	101	ASN
1	B	103	HIS
1	B	158	GLN
1	B	200	HIS
1	B	243	HIS
1	B	245	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	PEG	B	304	-	6,6,6	0.99	0	5,5,5	1.21	0
4	ACT	A	303	-	3,3,3	1.42	0	3,3,3	1.03	0
5	PEG	B	303	-	6,6,6	0.74	0	5,5,5	0.43	0
3	V14	A	302[B]	2	29,29,29	2.78	7 (24%)	37,43,43	3.73	13 (35%)
3	V14	B	302	2	29,29,29	3.22	7 (24%)	37,43,43	2.76	10 (27%)
3	V14	A	302[A]	2	29,29,29	2.40	8 (27%)	37,43,43	2.04	9 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	B	304	-	-	3/4/4/4	-
5	PEG	B	303	-	-	3/4/4/4	-
3	V14	A	302[B]	2	-	12/20/30/30	0/2/2/2
3	V14	B	302	2	-	9/20/30/30	0/2/2/2
3	V14	A	302[A]	2	-	7/20/30/30	0/2/2/2

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	V14	O17-S11	13.83	1.62	1.44
3	A	302[B]	V14	O17-S11	8.91	1.56	1.44
3	A	302[A]	V14	O16-S11	7.50	1.54	1.44
3	A	302[B]	V14	O16-S11	7.13	1.53	1.44
3	B	302	V14	O16-S11	6.93	1.53	1.44
3	A	302[A]	V14	O17-S11	6.63	1.53	1.44
3	A	302[A]	V14	O8-S7	5.27	1.53	1.43
3	A	302[B]	V14	O9-S7	4.87	1.52	1.43
3	A	302[B]	V14	O8-S7	4.55	1.51	1.43
3	A	302[B]	V14	S7-N10	4.32	1.68	1.60
3	B	302	V14	O8-S7	4.00	1.50	1.43
3	B	302	V14	C15-S11	3.34	1.84	1.77
3	A	302[B]	V14	C28-C14	2.88	1.56	1.52
3	A	302[A]	V14	C15-S11	2.80	1.83	1.77
3	B	302	V14	C22-C14	2.66	1.56	1.52
3	A	302[B]	V14	C15-S11	2.41	1.82	1.77
3	B	302	V14	C28-C14	2.33	1.55	1.52
3	B	302	V14	C4-S7	2.23	1.82	1.78
3	A	302[A]	V14	C5-C4	2.21	1.43	1.39
3	A	302[A]	V14	S7-N10	2.19	1.64	1.60
3	A	302[A]	V14	C22-C14	2.18	1.55	1.52
3	A	302[A]	V14	C28-C14	2.08	1.55	1.52

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302[B]	V14	O17-S11-O16	-17.07	100.15	118.45
3	B	302	V14	O17-S11-C15	-10.29	91.33	108.18
3	A	302[B]	V14	O8-S7-O9	-9.40	104.33	118.80
3	B	302	V14	O16-S11-C15	7.82	121.00	108.18
3	A	302[A]	V14	O17-S11-O16	-7.46	110.46	118.45
3	B	302	V14	C18-C15-S11	-6.73	95.59	114.27
3	A	302[B]	V14	O8-S7-C4	5.78	115.77	107.28
3	A	302[A]	V14	O9-S7-N10	4.37	113.66	107.35
3	A	302[B]	V14	C3-C4-C5	3.89	119.32	116.65
3	A	302[B]	V14	C15-S11-C1	3.49	122.62	108.15
3	A	302[B]	V14	F20-C5-C6	-3.25	114.72	119.54
3	A	302[A]	V14	C3-C4-C5	-3.01	114.59	116.65
3	B	302	V14	O8-S7-N10	2.99	111.66	107.35
3	A	302[A]	V14	F12-C3-C2	-2.90	113.50	119.27
3	A	302[A]	V14	F20-C5-C4	-2.65	115.99	120.76
3	B	302	V14	C5-C4-S7	2.65	127.79	121.34
3	B	302	V14	O21-C18-C15	-2.53	103.73	109.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302[B]	V14	O9-S7-C4	2.50	110.95	107.28
3	A	302[B]	V14	O17-S11-C15	-2.46	104.15	108.18
3	B	302	V14	C3-C4-S7	-2.41	115.48	121.34
3	B	302	V14	C2-C1-S11	-2.40	114.97	120.87
3	A	302[A]	V14	O8-S7-N10	-2.33	103.99	107.35
3	A	302[B]	V14	O9-S7-N10	-2.28	104.07	107.35
3	B	302	V14	O8-S7-C4	-2.25	103.97	107.28
3	A	302[A]	V14	C24-C23-C22	-2.25	107.85	117.37
3	A	302[A]	V14	C5-C6-C1	2.24	119.93	115.97
3	A	302[B]	V14	F13-C2-C3	-2.11	115.06	119.27
3	A	302[B]	V14	O17-S11-C1	2.09	111.90	106.59
3	B	302	V14	C26-C27-C28	-2.08	108.56	117.37
3	A	302[B]	V14	C18-C15-S11	-2.02	108.66	114.27
3	A	302[A]	V14	C27-C28-C14	-2.01	108.39	116.21
3	A	302[B]	V14	C3-C4-S7	-2.00	116.48	121.34

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302[A]	V14	C6-C1-S11-O17
3	A	302[B]	V14	C1-C6-N19-C14
3	A	302[B]	V14	C2-C1-S11-C15
3	A	302[B]	V14	C6-C1-S11-O16
3	A	302[B]	V14	C6-C1-S11-C15
3	A	302[B]	V14	C18-C15-S11-O17
3	A	302[B]	V14	C28-C14-N19-C6
3	B	302	V14	C1-C6-N19-C14
3	B	302	V14	C6-C1-S11-O16
3	B	302	V14	C6-C1-S11-C15
3	B	302	V14	S11-C15-C18-O21
3	B	302	V14	C28-C14-N19-C6
3	A	302[A]	V14	C3-C4-S7-N10
3	A	302[A]	V14	S11-C15-C18-O21
5	B	303	PEG	O1-C1-C2-O2
5	B	304	PEG	O2-C3-C4-O4
3	A	302[B]	V14	C3-C4-S7-O8
5	B	304	PEG	O1-C1-C2-O2
3	A	302[B]	V14	C18-C15-S11-C1
3	A	302[A]	V14	C5-C4-S7-N10
5	B	304	PEG	C1-C2-O2-C3
5	B	303	PEG	O2-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	302[B]	V14	C5-C4-S7-N10
3	A	302[A]	V14	C28-C14-N19-C6
3	B	302	V14	C2-C1-S11-C15
3	A	302[B]	V14	C5-C6-N19-C14
3	B	302	V14	C5-C6-N19-C14
3	B	302	V14	C2-C1-S11-O16
5	B	303	PEG	C1-C2-O2-C3
3	A	302[A]	V14	C5-C4-S7-O8
3	A	302[A]	V14	C3-C4-S7-O8
3	A	302[B]	V14	C5-C4-S7-O8
3	B	302	V14	C5-C4-S7-N10
3	A	302[B]	V14	S11-C15-C18-O21


There are no ring outliers.

4 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	304	PEG	5	0
3	A	302[B]	V14	5	0
3	B	302	V14	7	0
3	A	302[A]	V14	9	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand V14 A 302 (B)



Ligand V14 B 302





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/260 (98%)	0.16	11 (4%) 40 42	7, 18, 33, 63	8 (3%)
1	B	257/260 (98%)	-0.00	7 (2%) 56 59	6, 17, 31, 47	9 (3%)
All	All	513/520 (98%)	0.08	18 (3%) 47 49	6, 17, 32, 63	17 (3%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	5	TRP	10.0
1	B	4	ASP	4.1
1	A	40	HIS	4.1
1	A	42	THR	3.8
1	A	15	GLN	3.8
1	B	5	TRP	3.4
1	A	19	LEU	3.2
1	A	9	ASP	2.5
1	B	9	ASP	2.5
1	B	103	HIS	2.5
1	A	237	ASN	2.4
1	B	129	SER	2.3
1	A	238	ALA	2.2
1	B	102	GLU	2.1
1	A	20	TYR	2.1
1	A	16	TRP	2.0
1	B	19	LEU	2.0
1	A	43	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	PEG	B	303	7/7	0.70	0.19	36,41,56,59	0
4	ACT	A	303	4/4	0.72	0.16	29,29,32,36	0
5	PEG	B	304	7/7	0.82	0.15	25,28,43,46	0
3	V14	B	302	28/28	0.91	0.15	15,32,41,45	0
3	V14	A	302[A]	28/28	0.95	0.09	14,21,29,45	28
3	V14	A	302[B]	28/28	0.95	0.09	17,28,39,55	28
2	ZN	A	301	1/1	1.00	0.02	12,12,12,12	0
2	ZN	B	301	1/1	1.00	0.01	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around V14 B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V14 A 302 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around V14 A 302 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.