



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:03 AM UTC

PDB ID : 4E3R / pdb_00004e3r
Title : PLP-bound aminotransferase mutant crystal structure from *Vibrio fluvialis*
Authors : Midelfort, K.S.; Kumar, R.; Han, S.; Karmilowicz, M.J.; McConnell, K.; Gehlhaar, D.K.; Mistry, A.; Chang, J.S.; Anderson, M.; Vilalobos, A.; Minshull, J.; Govindarajan, S.; Wong, J.W.
Deposited on : 2012-03-10
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	473	% 85% 10% • •
1	B	473	85% 9% • •
1	C	473	% 84% 10% • 5%
1	D	473	86% 9% • 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	501	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15618 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate transaminase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	452	Total	C	N	O	P	S	0	0	0
			3528	2257	594	656	1	20			
1	B	452	Total	C	N	O	P	S	0	0	0
			3528	2257	594	656	1	20			
1	C	451	Total	C	N	O	P	S	0	0	0
			3523	2254	593	655	1	20			
1	D	451	Total	C	N	O	P	S	0	0	0
			3523	2254	593	655	1	20			

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP F2XBU9
A	-18	GLY	-	expression tag	UNP F2XBU9
A	-17	SER	-	expression tag	UNP F2XBU9
A	-16	SER	-	expression tag	UNP F2XBU9
A	-15	HIS	-	expression tag	UNP F2XBU9
A	-14	HIS	-	expression tag	UNP F2XBU9
A	-13	HIS	-	expression tag	UNP F2XBU9
A	-12	HIS	-	expression tag	UNP F2XBU9
A	-11	HIS	-	expression tag	UNP F2XBU9
A	-10	HIS	-	expression tag	UNP F2XBU9
A	-9	SER	-	expression tag	UNP F2XBU9
A	-8	SER	-	expression tag	UNP F2XBU9
A	-7	GLY	-	expression tag	UNP F2XBU9
A	-6	LEU	-	expression tag	UNP F2XBU9
A	-5	VAL	-	expression tag	UNP F2XBU9
A	-4	PRO	-	expression tag	UNP F2XBU9
A	-3	ARG	-	expression tag	UNP F2XBU9
A	-2	GLY	-	expression tag	UNP F2XBU9
A	-1	SER	-	expression tag	UNP F2XBU9
A	0	HIS	-	expression tag	UNP F2XBU9
A	19	TRP	PHE	engineered mutation	UNP F2XBU9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	57	PHE	TRP	engineered mutation	UNP F2XBU9
A	85	ALA	PHE	engineered mutation	UNP F2XBU9
A	88	LYS	ARG	engineered mutation	UNP F2XBU9
A	153	ALA	VAL	engineered mutation	UNP F2XBU9
A	163	PHE	LYS	engineered mutation	UNP F2XBU9
A	259	VAL	ILE	engineered mutation	UNP F2XBU9
A	415	PHE	ARG	engineered mutation	UNP F2XBU9
B	-19	MET	-	expression tag	UNP F2XBU9
B	-18	GLY	-	expression tag	UNP F2XBU9
B	-17	SER	-	expression tag	UNP F2XBU9
B	-16	SER	-	expression tag	UNP F2XBU9
B	-15	HIS	-	expression tag	UNP F2XBU9
B	-14	HIS	-	expression tag	UNP F2XBU9
B	-13	HIS	-	expression tag	UNP F2XBU9
B	-12	HIS	-	expression tag	UNP F2XBU9
B	-11	HIS	-	expression tag	UNP F2XBU9
B	-10	HIS	-	expression tag	UNP F2XBU9
B	-9	SER	-	expression tag	UNP F2XBU9
B	-8	SER	-	expression tag	UNP F2XBU9
B	-7	GLY	-	expression tag	UNP F2XBU9
B	-6	LEU	-	expression tag	UNP F2XBU9
B	-5	VAL	-	expression tag	UNP F2XBU9
B	-4	PRO	-	expression tag	UNP F2XBU9
B	-3	ARG	-	expression tag	UNP F2XBU9
B	-2	GLY	-	expression tag	UNP F2XBU9
B	-1	SER	-	expression tag	UNP F2XBU9
B	0	HIS	-	expression tag	UNP F2XBU9
B	19	TRP	PHE	engineered mutation	UNP F2XBU9
B	57	PHE	TRP	engineered mutation	UNP F2XBU9
B	85	ALA	PHE	engineered mutation	UNP F2XBU9
B	88	LYS	ARG	engineered mutation	UNP F2XBU9
B	153	ALA	VAL	engineered mutation	UNP F2XBU9
B	163	PHE	LYS	engineered mutation	UNP F2XBU9
B	259	VAL	ILE	engineered mutation	UNP F2XBU9
B	415	PHE	ARG	engineered mutation	UNP F2XBU9
C	-19	MET	-	expression tag	UNP F2XBU9
C	-18	GLY	-	expression tag	UNP F2XBU9
C	-17	SER	-	expression tag	UNP F2XBU9
C	-16	SER	-	expression tag	UNP F2XBU9
C	-15	HIS	-	expression tag	UNP F2XBU9
C	-14	HIS	-	expression tag	UNP F2XBU9
C	-13	HIS	-	expression tag	UNP F2XBU9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-12	HIS	-	expression tag	UNP F2XBU9
C	-11	HIS	-	expression tag	UNP F2XBU9
C	-10	HIS	-	expression tag	UNP F2XBU9
C	-9	SER	-	expression tag	UNP F2XBU9
C	-8	SER	-	expression tag	UNP F2XBU9
C	-7	GLY	-	expression tag	UNP F2XBU9
C	-6	LEU	-	expression tag	UNP F2XBU9
C	-5	VAL	-	expression tag	UNP F2XBU9
C	-4	PRO	-	expression tag	UNP F2XBU9
C	-3	ARG	-	expression tag	UNP F2XBU9
C	-2	GLY	-	expression tag	UNP F2XBU9
C	-1	SER	-	expression tag	UNP F2XBU9
C	0	HIS	-	expression tag	UNP F2XBU9
C	19	TRP	PHE	engineered mutation	UNP F2XBU9
C	57	PHE	TRP	engineered mutation	UNP F2XBU9
C	85	ALA	PHE	engineered mutation	UNP F2XBU9
C	88	LYS	ARG	engineered mutation	UNP F2XBU9
C	153	ALA	VAL	engineered mutation	UNP F2XBU9
C	163	PHE	LYS	engineered mutation	UNP F2XBU9
C	259	VAL	ILE	engineered mutation	UNP F2XBU9
C	415	PHE	ARG	engineered mutation	UNP F2XBU9
D	-19	MET	-	expression tag	UNP F2XBU9
D	-18	GLY	-	expression tag	UNP F2XBU9
D	-17	SER	-	expression tag	UNP F2XBU9
D	-16	SER	-	expression tag	UNP F2XBU9
D	-15	HIS	-	expression tag	UNP F2XBU9
D	-14	HIS	-	expression tag	UNP F2XBU9
D	-13	HIS	-	expression tag	UNP F2XBU9
D	-12	HIS	-	expression tag	UNP F2XBU9
D	-11	HIS	-	expression tag	UNP F2XBU9
D	-10	HIS	-	expression tag	UNP F2XBU9
D	-9	SER	-	expression tag	UNP F2XBU9
D	-8	SER	-	expression tag	UNP F2XBU9
D	-7	GLY	-	expression tag	UNP F2XBU9
D	-6	LEU	-	expression tag	UNP F2XBU9
D	-5	VAL	-	expression tag	UNP F2XBU9
D	-4	PRO	-	expression tag	UNP F2XBU9
D	-3	ARG	-	expression tag	UNP F2XBU9
D	-2	GLY	-	expression tag	UNP F2XBU9
D	-1	SER	-	expression tag	UNP F2XBU9
D	0	HIS	-	expression tag	UNP F2XBU9
D	19	TRP	PHE	engineered mutation	UNP F2XBU9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	57	PHE	TRP	engineered mutation	UNP F2XBU9
D	85	ALA	PHE	engineered mutation	UNP F2XBU9
D	88	LYS	ARG	engineered mutation	UNP F2XBU9
D	153	ALA	VAL	engineered mutation	UNP F2XBU9
D	163	PHE	LYS	engineered mutation	UNP F2XBU9
D	259	VAL	ILE	engineered mutation	UNP F2XBU9
D	415	PHE	ARG	engineered mutation	UNP F2XBU9

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total 1	Na 1	0	0
3	D	1	Total 1	Na 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	379	Total 379	O 379	0	0
4	B	405	Total 405	O 405	0	0
4	C	371	Total 371	O 371	0	0
4	D	342	Total 342	O 342	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate transaminase



• Molecule 1: Pyruvate transaminase



• Molecule 1: Pyruvate transaminase




● Molecule 1: Pyruvate transaminase

Chain D:

86%

9%

5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.98Å 161.94Å 179.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.88 – 1.90 29.88 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.7 (29.88-1.90) 98.7 (29.88-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 1.91Å)	Xtriage
Refinement program	BUSTER 2.9.3	Depositor
R, R_{free}	0.157 , 0.190 0.156 , 0.187	Depositor DCC
R_{free} test set	7175 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	22.6	Xtriage
Anisotropy	0.296	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 49.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15618	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.74 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.7728e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LLP, SO4, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	2/3595 (0.1%)	1.14	10/4876 (0.2%)
1	B	0.88	4/3595 (0.1%)	1.13	6/4876 (0.1%)
1	C	0.83	4/3590 (0.1%)	1.16	10/4869 (0.2%)
1	D	0.82	2/3590 (0.1%)	1.16	9/4869 (0.2%)
All	All	0.84	12/14370 (0.1%)	1.15	35/19490 (0.2%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	378	MET	SD-CE	-12.70	1.47	1.79
1	B	378	MET	SD-CE	-12.66	1.47	1.79
1	B	341	MET	SD-CE	-11.99	1.49	1.79
1	B	95	MET	SD-CE	-9.09	1.56	1.79
1	C	124	MET	SD-CE	-8.97	1.57	1.79
1	D	124	MET	SD-CE	-8.79	1.57	1.79
1	C	298	ILE	C-N	-8.68	1.21	1.33
1	C	341	MET	SD-CE	-7.02	1.62	1.79
1	A	298	ILE	C-N	-6.29	1.24	1.33
1	C	95	MET	SD-CE	-6.05	1.64	1.79
1	B	124	MET	SD-CE	-5.33	1.66	1.79
1	D	226	MET	SD-CE	-5.09	1.66	1.79

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	263	GLY	N-CA-C	10.41	127.07	114.69
1	B	263	GLY	N-CA-C	9.53	126.37	114.37
1	A	263	GLY	N-CA-C	9.36	126.17	114.37
1	C	263	GLY	N-CA-C	8.88	126.47	114.92
1	C	298	ILE	O-C-N	-8.37	111.91	122.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	223	GLU	N-CA-C	-7.27	100.49	109.65
1	A	298	ILE	O-C-N	-7.02	113.69	122.88
1	C	223	GLU	N-CA-C	-6.76	101.14	109.65
1	A	349	VAL	N-CA-CB	6.71	119.67	110.54
1	D	298	ILE	O-C-N	-6.48	113.54	122.62
1	C	286	ASN	CA-CB-CG	6.47	119.07	112.60
1	C	43	ASP	CA-CB-CG	6.40	119.00	112.60
1	B	223	GLU	N-CA-C	-6.39	101.59	109.65
1	B	43	ASP	CA-CB-CG	6.32	118.92	112.60
1	D	349	VAL	N-CA-CB	6.24	117.85	110.55
1	A	446	ASP	CA-CB-CG	6.11	118.71	112.60
1	D	57	PHE	CA-CB-CG	5.86	119.66	113.80
1	B	446	ASP	CA-CB-CG	5.74	118.33	112.60
1	B	399	VAL	N-CA-C	5.66	116.31	110.36
1	B	57	PHE	CA-CB-CG	5.60	119.40	113.80
1	D	242	ILE	N-CA-C	5.58	117.08	111.00
1	D	427	PHE	CA-CB-CG	5.55	119.35	113.80
1	D	223	GLU	N-CA-C	-5.50	102.72	109.65
1	A	286	ASN	CA-CB-CG	5.41	118.01	112.60
1	A	264	ARG	N-CA-C	5.39	117.91	111.71
1	D	154	THR	N-CA-C	-5.36	103.82	110.41
1	A	57	PHE	CA-CB-CG	5.30	119.10	113.80
1	C	63	PHE	N-CA-C	5.28	119.82	113.17
1	A	154	THR	N-CA-C	-5.16	104.07	110.41
1	C	372	TYR	N-CA-C	-5.09	101.57	109.72
1	A	427	PHE	CA-CB-CG	5.06	118.86	113.80
1	D	286	ASN	CA-CB-CG	5.04	117.64	112.60
1	C	247	ARG	CA-C-N	5.03	127.03	120.28
1	C	247	ARG	C-N-CA	5.03	127.03	120.28
1	C	242	ILE	N-CA-C	5.02	116.47	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3528	0	3432	28	0
1	B	3528	0	3432	32	0
1	C	3523	0	3427	32	0
1	D	3523	0	3427	23	0
2	A	5	0	0	2	0
2	B	5	0	0	1	0
2	D	5	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	379	0	0	1	0
4	B	405	0	0	1	0
4	C	371	0	0	0	0
4	D	342	0	0	2	0
All	All	15618	0	13718	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:HIS:HD2	1:A:85:ALA:H	1.30	0.79
1:D:83:HIS:HD2	1:D:85:ALA:H	1.30	0.77
1:B:4:PRO:HA	2:B:501:SO4:O4	1.83	0.77
1:A:65:HIS:HD2	1:A:68:LEU:H	1.32	0.76
1:B:83:HIS:HD2	1:B:85:ALA:H	1.34	0.75
1:C:65:HIS:HD2	1:C:68:LEU:H	1.34	0.74
1:B:65:HIS:HD2	1:B:68:LEU:H	1.36	0.72
1:C:83:HIS:HD2	1:C:85:ALA:H	1.37	0.72
1:C:115:ASN:HD21	1:C:323:ALA:HB3	1.60	0.66
1:B:124:MET:CE	1:B:297:VAL:HG13	2.26	0.66
1:C:124:MET:HE1	1:C:280:ALA:HB1	1.77	0.66
1:C:126:LYS:NZ	1:C:319:HIS:HD2	1.95	0.65
1:B:126:LYS:NZ	1:B:319:HIS:HD2	1.96	0.64
1:B:268:THR:HG23	1:B:341:MET:HE2	1.80	0.63
1:A:5:GLN:HB3	2:A:501:SO4:O4	2.00	0.62
1:B:124:MET:HE2	1:B:297:VAL:HG13	1.81	0.61
1:A:83:HIS:CD2	1:A:85:ALA:H	2.17	0.60
1:C:268:THR:HG23	1:C:341:MET:HE2	1.83	0.60
1:A:314:ILE:HD13	1:B:168:VAL:HG11	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:126:LYS:NZ	1:D:319:HIS:HD2	2.00	0.59
1:A:115:ASN:HD21	1:A:323:ALA:HB3	1.68	0.59
1:A:326:HIS:HD2	1:A:328:VAL:H	1.51	0.58
1:B:132:HIS:HE1	1:B:218:ALA:O	1.88	0.57
1:B:115:ASN:HD21	1:B:323:ALA:HB3	1.71	0.56
1:D:124:MET:HE1	1:D:280:ALA:HB1	1.88	0.55
1:A:126:LYS:NZ	1:A:319:HIS:HD2	2.05	0.54
1:B:326:HIS:HD2	1:B:328:VAL:H	1.56	0.54
1:C:131:LEU:HD11	1:C:306:ARG:HB3	1.89	0.54
1:A:132:HIS:HD2	4:A:641:HOH:O	1.92	0.53
1:C:326:HIS:HD2	1:C:328:VAL:H	1.57	0.53
1:C:88:LYS:HG2	1:D:31:VAL:HB	1.89	0.53
1:B:132:HIS:HD2	4:B:704:HOH:O	1.91	0.53
1:C:124:MET:HE1	1:C:280:ALA:CB	2.38	0.52
1:C:132:HIS:HE1	1:C:218:ALA:O	1.92	0.52
1:A:180:THR:HB	1:A:201:LEU:HD22	1.93	0.51
1:C:76:TYR:CE2	1:C:328:VAL:HG11	2.46	0.51
1:D:115:ASN:HD21	1:D:323:ALA:HB3	1.75	0.51
1:A:265:THR:HG22	1:A:378:MET:HE3	1.91	0.50
1:B:126:LYS:HZ3	1:B:319:HIS:HD2	1.57	0.50
1:D:76:TYR:CE2	1:D:328:VAL:HG11	2.46	0.50
1:C:126:LYS:HZ3	1:C:319:HIS:HD2	1.58	0.50
1:B:126:LYS:NZ	1:B:319:HIS:CD2	2.78	0.49
1:C:394:ASP:HB2	1:C:397:LEU:HD22	1.95	0.49
1:B:124:MET:HE1	1:B:280:ALA:HB1	1.95	0.48
1:D:83:HIS:CD2	1:D:85:ALA:H	2.21	0.48
1:C:168:VAL:HG11	1:D:314:ILE:HD13	1.95	0.48
1:C:268:THR:CG2	1:C:341:MET:HE2	2.44	0.48
1:D:126:LYS:HZ3	1:D:319:HIS:HD2	1.61	0.48
1:A:290:GLY:O	1:B:326:HIS:HE1	1.98	0.47
1:C:163:PHE:HZ	1:C:229:GLY:HA2	1.78	0.47
1:D:132:HIS:HD2	4:D:620:HOH:O	1.96	0.47
1:A:132:HIS:HE1	1:A:218:ALA:O	1.96	0.47
1:A:76:TYR:CE2	1:A:328:VAL:HG11	2.49	0.47
1:C:96:LEU:HD22	1:C:330:CYS:HA	1.96	0.47
1:B:92:GLN:HA	1:B:95:MET:HE3	1.96	0.47
1:C:126:LYS:NZ	1:C:319:HIS:CD2	2.79	0.47
1:D:123:THR:OG1	1:D:319:HIS:HE1	1.98	0.46
1:C:262:PHE:CD2	1:C:341:MET:HE3	2.49	0.46
1:C:326:HIS:CD2	1:C:328:VAL:H	2.33	0.46
1:B:76:TYR:CE2	1:B:328:VAL:HG11	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:163:PHE:HZ	1:D:229:GLY:HA2	1.80	0.46
1:B:264:ARG:CG	1:B:378:MET:HE2	2.46	0.46
1:B:83:HIS:CD2	1:B:85:ALA:H	2.23	0.46
1:A:326:HIS:HE1	1:B:290:GLY:O	1.98	0.45
1:B:124:MET:HE1	1:B:297:VAL:HG13	1.97	0.45
1:C:326:HIS:HE1	1:D:290:GLY:O	1.99	0.45
1:D:243:LEU:HD22	1:D:276:PHE:HB2	1.99	0.45
1:D:285:LLP:NZ	1:D:285:LLP:O3	2.49	0.45
1:D:394:ASP:HB2	1:D:397:LEU:HD23	1.98	0.45
1:C:83:HIS:CD2	1:C:85:ALA:H	2.26	0.45
1:D:132:HIS:HE1	1:D:218:ALA:O	2.00	0.45
1:C:262:PHE:HD2	1:C:341:MET:HE3	1.82	0.45
1:C:126:LYS:HZ2	1:C:319:HIS:HD2	1.64	0.44
1:C:92:GLN:HA	1:C:95:MET:HE3	1.99	0.44
1:A:88:LYS:HG2	1:B:31:VAL:HB	2.00	0.44
1:B:268:THR:CG2	1:B:341:MET:HE2	2.45	0.44
1:D:126:LYS:NZ	1:D:319:HIS:CD2	2.83	0.44
1:A:326:HIS:CD2	1:A:328:VAL:H	2.33	0.44
1:A:131:LEU:HD11	1:A:306:ARG:HB3	2.00	0.44
1:C:293:PRO:HD3	1:D:292:PHE:CZ	2.53	0.44
1:A:264:ARG:CG	1:A:378:MET:HE2	2.48	0.43
1:A:293:PRO:HD3	1:B:292:PHE:CZ	2.52	0.43
1:C:124:MET:CE	1:C:280:ALA:CB	2.97	0.43
1:A:292:PHE:CZ	1:B:293:PRO:HD3	2.54	0.43
1:C:359:ARG:HG2	1:C:438:PHE:CG	2.54	0.43
1:B:397:LEU:HD13	1:B:452:VAL:HG22	2.00	0.42
1:C:292:PHE:CZ	1:D:293:PRO:HD3	2.53	0.42
1:B:326:HIS:CD2	1:B:328:VAL:H	2.36	0.42
1:A:31:VAL:HB	1:B:88:LYS:HG2	2.00	0.42
1:A:264:ARG:HB3	1:A:378:MET:HE2	2.02	0.42
1:B:211:ARG:HD2	1:C:147:TRP:CE2	2.55	0.42
1:A:359:ARG:HG2	1:A:438:PHE:CG	2.55	0.42
1:D:131:LEU:HD11	1:D:306:ARG:HB3	2.02	0.42
1:A:126:LYS:HZ2	1:A:319:HIS:HD2	1.67	0.42
1:D:355:ARG:HB2	4:D:719:HOH:O	2.20	0.41
1:A:5:GLN:N	2:A:501:SO4:O3	2.40	0.41
1:C:59:MET:HE2	1:C:290:GLY:HA3	2.01	0.41
1:B:264:ARG:HG2	1:B:378:MET:HE2	2.02	0.41
1:D:96:LEU:HD22	1:D:330:CYS:HA	2.01	0.41
1:A:243:LEU:CD2	1:A:276:PHE:HB2	2.51	0.41
1:B:262:PHE:CD2	1:B:341:MET:HE3	2.55	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:ASN:ND2	1:A:282:ILE:HG13	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	449/473 (95%)	436 (97%)	12 (3%)	1 (0%)	43	36
1	B	449/473 (95%)	435 (97%)	13 (3%)	1 (0%)	43	36
1	C	448/473 (95%)	432 (96%)	14 (3%)	2 (0%)	30	22
1	D	448/473 (95%)	434 (97%)	13 (3%)	1 (0%)	43	36
All	All	1794/1892 (95%)	1737 (97%)	52 (3%)	5 (0%)	36	29

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	3	LYS
1	A	231	VAL
1	B	231	VAL
1	C	231	VAL
1	D	231	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/383 (95%)	355 (97%)	10 (3%)	39	34
1	B	365/383 (95%)	357 (98%)	8 (2%)	45	42
1	C	365/383 (95%)	354 (97%)	11 (3%)	36	30
1	D	365/383 (95%)	358 (98%)	7 (2%)	50	47
All	All	1460/1532 (95%)	1424 (98%)	36 (2%)	42	37

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	27	GLN
1	A	190	GLU
1	A	206	GLU
1	A	211	ARG
1	A	286	ASN
1	A	314	ILE
1	A	349	VAL
1	A	396	ASN
1	A	441	LEU
1	B	3	LYS
1	B	190	GLU
1	B	286	ASN
1	B	396	ASN
1	B	401	GLU
1	B	417	LEU
1	B	441	LEU
1	B	452	VAL
1	C	3	LYS
1	C	24	SER
1	C	27	GLN
1	C	59	MET
1	C	190	GLU
1	C	286	ASN
1	C	351	ARG
1	C	397	LEU
1	C	401	GLU
1	C	417	LEU
1	C	441	LEU
1	D	27	GLN
1	D	59	MET
1	D	286	ASN
1	D	349	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	396	ASN
1	D	417	LEU
1	D	441	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	65	HIS
1	A	83	HIS
1	A	92	GLN
1	A	115	ASN
1	A	121	ASN
1	A	132	HIS
1	A	319	HIS
1	A	326	HIS
1	A	342	ASN
1	B	2	ASN
1	B	45	ASN
1	B	65	HIS
1	B	83	HIS
1	B	92	GLN
1	B	115	ASN
1	B	121	ASN
1	B	132	HIS
1	B	148	ASN
1	B	319	HIS
1	B	326	HIS
1	B	342	ASN
1	C	26	HIS
1	C	45	ASN
1	C	65	HIS
1	C	83	HIS
1	C	92	GLN
1	C	115	ASN
1	C	121	ASN
1	C	132	HIS
1	C	319	HIS
1	C	326	HIS
1	C	342	ASN
1	C	348	ASN
1	C	368	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	2	ASN
1	D	83	HIS
1	D	92	GLN
1	D	115	ASN
1	D	121	ASN
1	D	132	HIS
1	D	148	ASN
1	D	267	ASN
1	D	319	HIS
1	D	368	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	LLP	B	285	1	23,24,25	2.70	8 (34%)	25,32,34	2.22	9 (36%)
1	LLP	D	285	1	23,24,25	2.54	9 (39%)	25,32,34	1.88	4 (16%)
1	LLP	C	285	1	23,24,25	2.61	7 (30%)	25,32,34	2.00	5 (20%)
1	LLP	A	285	1	23,24,25	2.79	8 (34%)	25,32,34	1.94	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	B	285	1	-	4/16/17/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	D	285	1	-	5/16/17/19	0/1/1/1
1	LLP	C	285	1	-	5/16/17/19	0/1/1/1
1	LLP	A	285	1	-	5/16/17/19	0/1/1/1

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	285	LLP	C4'-NZ	8.50	1.55	1.27
1	D	285	LLP	C4'-NZ	8.24	1.54	1.27
1	C	285	LLP	C4'-NZ	8.06	1.54	1.27
1	B	285	LLP	C4'-NZ	7.90	1.53	1.27
1	A	285	LLP	C4-C4'	6.44	1.60	1.46
1	C	285	LLP	C4-C4'	5.89	1.59	1.46
1	B	285	LLP	C4-C4'	5.40	1.58	1.46
1	D	285	LLP	C4-C4'	4.61	1.56	1.46
1	B	285	LLP	C6-N1	4.46	1.43	1.34
1	A	285	LLP	C4-C5	3.79	1.47	1.42
1	D	285	LLP	CB-CA	3.69	1.59	1.53
1	B	285	LLP	C4-C5	3.34	1.46	1.42
1	B	285	LLP	CE-NZ	3.22	1.54	1.46
1	A	285	LLP	C2'-C2	2.97	1.55	1.50
1	C	285	LLP	C4-C5	2.89	1.46	1.42
1	C	285	LLP	CE-NZ	2.85	1.53	1.46
1	D	285	LLP	C6-N1	2.63	1.39	1.34
1	C	285	LLP	C6-N1	2.62	1.39	1.34
1	B	285	LLP	C4-C3	2.52	1.45	1.41
1	C	285	LLP	O3-C3	-2.44	1.31	1.36
1	A	285	LLP	C6-N1	2.43	1.39	1.34
1	B	285	LLP	P-OP2	-2.37	1.46	1.54
1	D	285	LLP	C2'-C2	2.31	1.54	1.50
1	D	285	LLP	C4-C5	2.24	1.45	1.42
1	A	285	LLP	P-OP4	-2.15	1.53	1.60
1	C	285	LLP	C4-C3	2.14	1.44	1.41
1	A	285	LLP	CD-CE	2.13	1.58	1.51
1	A	285	LLP	CB-CA	2.11	1.56	1.53
1	D	285	LLP	CD-CE	2.08	1.58	1.51
1	D	285	LLP	P-OP3	-2.04	1.47	1.54
1	B	285	LLP	CB-CA	2.03	1.56	1.53
1	D	285	LLP	O3-C3	-2.01	1.32	1.36

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	285	LLP	C4-C3-C2	5.30	123.13	120.14
1	C	285	LLP	C4-C3-C2	4.97	122.94	120.14
1	A	285	LLP	C3-C4-C5	-4.89	114.35	118.28
1	B	285	LLP	C4-C3-C2	4.68	122.78	120.14
1	B	285	LLP	C4-C4'-NZ	-4.42	103.65	124.04
1	C	285	LLP	C4-C4'-NZ	-4.32	104.12	124.04
1	C	285	LLP	C3-C4-C5	-4.26	114.86	118.28
1	A	285	LLP	C4-C4'-NZ	-4.07	105.26	124.04
1	A	285	LLP	C4-C3-C2	4.07	122.43	120.14
1	D	285	LLP	C3-C4-C5	-3.87	115.17	118.28
1	B	285	LLP	C3-C4-C5	-3.87	115.17	118.28
1	B	285	LLP	C2'-C2-C3	-3.85	116.30	120.80
1	C	285	LLP	C2'-C2-C3	-3.62	116.56	120.80
1	D	285	LLP	C4-C4'-NZ	-3.35	108.57	124.04
1	B	285	LLP	C2'-C2-N1	3.24	123.74	117.64
1	C	285	LLP	C2'-C2-N1	3.13	123.54	117.64
1	B	285	LLP	CD-CE-NZ	-2.92	103.10	110.83
1	B	285	LLP	C5-C6-N1	-2.63	119.55	123.83
1	A	285	LLP	C5-C4-C4'	2.35	125.10	121.47
1	A	285	LLP	C2'-C2-C3	-2.30	118.11	120.80
1	D	285	LLP	C2'-C2-N1	2.14	121.68	117.64
1	B	285	LLP	C5-C4-C4'	2.11	124.72	121.47
1	A	285	LLP	C2'-C2-N1	2.05	121.50	117.64
1	B	285	LLP	OP4-C5'-C5	2.04	113.17	109.36

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	285	LLP	C-CA-CB-CG
1	A	285	LLP	O-C-CA-CB
1	A	285	LLP	CG-CD-CE-NZ
1	B	285	LLP	O-C-CA-CB
1	C	285	LLP	O-C-CA-CB
1	C	285	LLP	CG-CD-CE-NZ
1	D	285	LLP	O-C-CA-CB
1	D	285	LLP	CG-CD-CE-NZ
1	C	285	LLP	C4-C4'-NZ-CE
1	D	285	LLP	C4-C4'-NZ-CE
1	A	285	LLP	C4-C4'-NZ-CE
1	C	285	LLP	C-CA-CB-CG
1	B	285	LLP	CG-CD-CE-NZ
1	B	285	LLP	C3-C4-C4'-NZ

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A	285	LLP	C3-C4-C4'-NZ
1	C	285	LLP	C3-C4-C4'-NZ
1	B	285	LLP	C-CA-CB-CG
1	D	285	LLP	C-CA-CB-CG
1	D	285	LLP	C3-C4-C4'-NZ

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	285	LLP	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	501	-	4,4,4	0.42	0	6,6,6	0.18	0
2	SO4	D	501	-	4,4,4	0.13	0	6,6,6	0.25	0
2	SO4	A	501	-	4,4,4	0.67	0	6,6,6	0.32	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	SO4	1	0
2	A	501	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	451/473 (95%)	-0.53	4 (0%) 81 83	13, 21, 43, 80	0
1	B	451/473 (95%)	-0.51	2 (0%) 88 90	14, 22, 45, 82	0
1	C	450/473 (95%)	-0.39	3 (0%) 84 86	15, 24, 46, 63	0
1	D	450/473 (95%)	-0.30	1 (0%) 91 92	14, 26, 49, 72	0
All	All	1802/1892 (95%)	-0.43	10 (0%) 85 87	13, 23, 46, 82	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	452	VAL	5.0
1	D	452	VAL	4.9
1	B	453	ALA	3.4
1	C	147	TRP	3.0
1	A	453	ALA	2.9
1	C	2	ASN	2.6
1	B	147	TRP	2.2
1	A	207	GLU	2.0
1	A	396	ASN	2.0
1	A	211	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	LLP	B	285	24/25	0.95	0.08	17,22,27,30	0
1	LLP	C	285	24/25	0.95	0.08	18,21,25,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	LLP	A	285	24/25	0.96	0.08	16,23,28,31	0
1	LLP	D	285	24/25	0.96	0.07	19,25,28,32	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	501	5/5	0.81	0.23	76,80,83,83	0
2	SO4	B	501	5/5	0.86	0.23	180,184,185,185	0
3	NA	C	501	1/1	0.95	0.04	29,29,29,29	0
2	SO4	D	501	5/5	0.96	0.10	40,42,46,46	0
3	NA	A	502	1/1	0.97	0.05	24,24,24,24	0
3	NA	D	502	1/1	0.98	0.06	30,30,30,30	0
3	NA	B	502	1/1	1.00	0.03	25,25,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.