



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 09:07 PM EDT

PDB ID : 7E3V / pdb_00007e3v
Title : Metallo beta-lactamase fold protein (cAMP free)
Authors : Lee, K.-Y.; Kim, D.-G.; Lee, B.-J.
Deposited on : 2021-02-09
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	246	8% 85%7%7%
1	B	246	7% 87%7%
1	C	246	14% 85%7%7%
1	D	246	8% 81%11%7%
1	E	246	5% 83%9%7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	246	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	D	302	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11016 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UPF0173 metal-dependent hydrolase C7P97_11315.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	230	Total	C	N	O	S	0	0	0
			1788	1149	289	340	10			
1	B	230	Total	C	N	O	S	0	0	0
			1788	1149	289	340	10			
1	C	230	Total	C	N	O	S	0	0	0
			1788	1149	289	340	10			
1	D	230	Total	C	N	O	S	0	0	0
			1788	1149	289	340	10			
1	E	230	Total	C	N	O	S	0	0	0
			1788	1149	289	340	10			
1	F	230	Total	C	N	O	S	0	0	0
			1788	1149	289	340	10			

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-16	HIS	-	expression tag	UNP W8UA39
A	-15	HIS	-	expression tag	UNP W8UA39
A	-14	HIS	-	expression tag	UNP W8UA39
A	-13	HIS	-	expression tag	UNP W8UA39
A	-12	HIS	-	expression tag	UNP W8UA39
A	-11	HIS	-	expression tag	UNP W8UA39
A	-10	SER	-	expression tag	UNP W8UA39
A	-9	SER	-	expression tag	UNP W8UA39
A	-8	GLY	-	expression tag	UNP W8UA39
A	-7	LEU	-	expression tag	UNP W8UA39
A	-6	VAL	-	expression tag	UNP W8UA39
A	-5	PRO	-	expression tag	UNP W8UA39
A	-4	ARG	-	expression tag	UNP W8UA39
A	-3	GLY	-	expression tag	UNP W8UA39
A	-2	SER	-	expression tag	UNP W8UA39
A	-1	HIS	-	expression tag	UNP W8UA39
A	0	MET	-	expression tag	UNP W8UA39

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	HIS	-	expression tag	UNP W8UA39
B	-15	HIS	-	expression tag	UNP W8UA39
B	-14	HIS	-	expression tag	UNP W8UA39
B	-13	HIS	-	expression tag	UNP W8UA39
B	-12	HIS	-	expression tag	UNP W8UA39
B	-11	HIS	-	expression tag	UNP W8UA39
B	-10	SER	-	expression tag	UNP W8UA39
B	-9	SER	-	expression tag	UNP W8UA39
B	-8	GLY	-	expression tag	UNP W8UA39
B	-7	LEU	-	expression tag	UNP W8UA39
B	-6	VAL	-	expression tag	UNP W8UA39
B	-5	PRO	-	expression tag	UNP W8UA39
B	-4	ARG	-	expression tag	UNP W8UA39
B	-3	GLY	-	expression tag	UNP W8UA39
B	-2	SER	-	expression tag	UNP W8UA39
B	-1	HIS	-	expression tag	UNP W8UA39
B	0	MET	-	expression tag	UNP W8UA39
C	-16	HIS	-	expression tag	UNP W8UA39
C	-15	HIS	-	expression tag	UNP W8UA39
C	-14	HIS	-	expression tag	UNP W8UA39
C	-13	HIS	-	expression tag	UNP W8UA39
C	-12	HIS	-	expression tag	UNP W8UA39
C	-11	HIS	-	expression tag	UNP W8UA39
C	-10	SER	-	expression tag	UNP W8UA39
C	-9	SER	-	expression tag	UNP W8UA39
C	-8	GLY	-	expression tag	UNP W8UA39
C	-7	LEU	-	expression tag	UNP W8UA39
C	-6	VAL	-	expression tag	UNP W8UA39
C	-5	PRO	-	expression tag	UNP W8UA39
C	-4	ARG	-	expression tag	UNP W8UA39
C	-3	GLY	-	expression tag	UNP W8UA39
C	-2	SER	-	expression tag	UNP W8UA39
C	-1	HIS	-	expression tag	UNP W8UA39
C	0	MET	-	expression tag	UNP W8UA39
D	-16	HIS	-	expression tag	UNP W8UA39
D	-15	HIS	-	expression tag	UNP W8UA39
D	-14	HIS	-	expression tag	UNP W8UA39
D	-13	HIS	-	expression tag	UNP W8UA39
D	-12	HIS	-	expression tag	UNP W8UA39
D	-11	HIS	-	expression tag	UNP W8UA39
D	-10	SER	-	expression tag	UNP W8UA39
D	-9	SER	-	expression tag	UNP W8UA39

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-8	GLY	-	expression tag	UNP W8UA39
D	-7	LEU	-	expression tag	UNP W8UA39
D	-6	VAL	-	expression tag	UNP W8UA39
D	-5	PRO	-	expression tag	UNP W8UA39
D	-4	ARG	-	expression tag	UNP W8UA39
D	-3	GLY	-	expression tag	UNP W8UA39
D	-2	SER	-	expression tag	UNP W8UA39
D	-1	HIS	-	expression tag	UNP W8UA39
D	0	MET	-	expression tag	UNP W8UA39
E	-16	HIS	-	expression tag	UNP W8UA39
E	-15	HIS	-	expression tag	UNP W8UA39
E	-14	HIS	-	expression tag	UNP W8UA39
E	-13	HIS	-	expression tag	UNP W8UA39
E	-12	HIS	-	expression tag	UNP W8UA39
E	-11	HIS	-	expression tag	UNP W8UA39
E	-10	SER	-	expression tag	UNP W8UA39
E	-9	SER	-	expression tag	UNP W8UA39
E	-8	GLY	-	expression tag	UNP W8UA39
E	-7	LEU	-	expression tag	UNP W8UA39
E	-6	VAL	-	expression tag	UNP W8UA39
E	-5	PRO	-	expression tag	UNP W8UA39
E	-4	ARG	-	expression tag	UNP W8UA39
E	-3	GLY	-	expression tag	UNP W8UA39
E	-2	SER	-	expression tag	UNP W8UA39
E	-1	HIS	-	expression tag	UNP W8UA39
E	0	MET	-	expression tag	UNP W8UA39
F	-16	HIS	-	expression tag	UNP W8UA39
F	-15	HIS	-	expression tag	UNP W8UA39
F	-14	HIS	-	expression tag	UNP W8UA39
F	-13	HIS	-	expression tag	UNP W8UA39
F	-12	HIS	-	expression tag	UNP W8UA39
F	-11	HIS	-	expression tag	UNP W8UA39
F	-10	SER	-	expression tag	UNP W8UA39
F	-9	SER	-	expression tag	UNP W8UA39
F	-8	GLY	-	expression tag	UNP W8UA39
F	-7	LEU	-	expression tag	UNP W8UA39
F	-6	VAL	-	expression tag	UNP W8UA39
F	-5	PRO	-	expression tag	UNP W8UA39
F	-4	ARG	-	expression tag	UNP W8UA39
F	-3	GLY	-	expression tag	UNP W8UA39
F	-2	SER	-	expression tag	UNP W8UA39
F	-1	HIS	-	expression tag	UNP W8UA39

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	0	MET	-	expression tag	UNP W8UA39

- Molecule 2 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			8	4	1	3		
2	D	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		
3	D	1	Total	Cl	0	0
			1	1		

- Molecule 4 is NICKEL (II) ION (CCD ID: NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ni	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total 2	Ni 2	0	0
4	C	2	Total 2	Ni 2	0	0
4	D	2	Total 2	Ni 2	0	0
4	E	2	Total 2	Ni 2	0	0
4	F	2	Total 2	Ni 2	0	0

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total 2	Zn 2	0	0
5	B	2	Total 2	Zn 2	0	0
5	C	2	Total 2	Zn 2	0	0
5	D	2	Total 2	Zn 2	0	0
5	E	2	Total 2	Zn 2	0	0
5	F	2	Total 2	Zn 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	48	Total 48	O 48	0	0
6	B	35	Total 35	O 35	0	0
6	C	40	Total 40	O 40	0	0
6	D	43	Total 43	O 43	0	0
6	E	44	Total 44	O 44	0	0
6	F	36	Total 36	O 36	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UPF0173 metal-dependent hydrolase C7P97_11315




- Molecule 1: UPF0173 metal-dependent hydrolase C7P97_11315




- Molecule 1: UPF0173 metal-dependent hydrolase C7P97_11315





- Molecule 1: UPF0173 metal-dependent hydrolase C7P97_11315







- Molecule 1: UPF0173 metal-dependent hydrolase C7P97_11315



- Molecule 1: UPF0173 metal-dependent hydrolase C7P97_11315



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.95Å 120.81Å 186.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.83 – 2.05 29.83 – 2.05	Depositor EDS
% Data completeness (in resolution range)	93.7 (29.83-2.05) 93.7 (29.83-2.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.62 (at 2.04Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.238 , 0.277 0.244 , 0.278	Depositor DCC
R_{free} test set	4636 reflections (4.64%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 28.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11016	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3729e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NI, ZN, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.03	1/1834 (0.1%)	1.33	1/2486 (0.0%)
1	B	1.00	0/1834	1.30	1/2486 (0.0%)
1	C	1.01	0/1834	1.30	0/2486
1	D	1.01	0/1834	1.32	0/2486
1	E	1.02	0/1834	1.30	0/2486
1	F	1.00	0/1834	1.31	2/2486 (0.1%)
All	All	1.01	1/11004 (0.0%)	1.31	4/14916 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	192	VAL	N-CA	5.49	1.50	1.45

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	7	GLY	CA-C-O	-5.64	118.34	122.23
1	F	205	ASP	CB-CA-C	5.57	115.69	110.17
1	F	7	GLY	CA-C-O	-5.52	118.42	122.23
1	B	7	GLY	CA-C-O	-5.03	118.21	122.29

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1788	0	1730	11	0
1	B	1788	0	1730	11	0
1	C	1788	0	1730	19	0
1	D	1788	0	1730	17	0
1	E	1788	0	1730	18	0
1	F	1788	0	1730	15	0
2	A	8	0	12	1	0
2	D	8	0	12	1	0
3	A	1	0	0	1	0
3	D	1	0	0	2	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	2	0	0	0	0
5	E	2	0	0	0	0
5	F	2	0	0	0	0
6	A	48	0	0	1	0
6	B	35	0	0	1	0
6	C	40	0	0	1	0
6	D	43	0	0	0	0
6	E	44	0	0	0	0
6	F	36	0	0	0	0
All	All	11016	0	10404	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:8:GLN:HA	1:E:8:GLN:HE21	1.24	1.03
2:A:301:TRS:N	3:A:302:CL:CL	2.33	0.97
2:D:301:TRS:N	3:D:302:CL:CL	2.38	0.93
1:B:107:GLN:HE21	1:B:107:GLN:H	1.17	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:8:GLN:HE21	1:D:8:GLN:HA	1.36	0.89
1:A:8:GLN:HE21	1:A:8:GLN:HA	1.39	0.87
1:F:8:GLN:HE21	1:F:8:GLN:HA	1.44	0.82
1:B:183:ASN:HD21	1:B:214:ASN:H	1.27	0.81
1:A:183:ASN:HD21	1:A:214:ASN:H	1.29	0.79
1:C:8:GLN:HE21	1:C:8:GLN:HA	1.49	0.78
1:B:8:GLN:HE21	1:B:8:GLN:HA	1.48	0.77
1:F:183:ASN:HD21	1:F:214:ASN:H	1.36	0.74
1:F:107:GLN:HE21	1:F:107:GLN:H	1.36	0.73
1:E:183:ASN:HD21	1:E:214:ASN:H	1.35	0.72
1:E:8:GLN:HA	1:E:8:GLN:NE2	2.00	0.70
1:C:183:ASN:HD21	1:C:214:ASN:H	1.39	0.70
1:D:183:ASN:HD21	1:D:214:ASN:H	1.41	0.68
1:D:8:GLN:HA	1:D:8:GLN:NE2	2.13	0.62
1:B:183:ASN:ND2	1:B:214:ASN:H	1.98	0.61
1:B:8:GLN:HA	1:B:8:GLN:NE2	2.16	0.60
1:E:8:GLN:HE21	1:E:8:GLN:CA	2.03	0.60
1:A:8:GLN:HA	1:A:8:GLN:NE2	2.13	0.59
1:E:110:HIS:CE1	1:E:144:ASP:HB3	2.38	0.59
1:F:8:GLN:HA	1:F:8:GLN:NE2	2.17	0.57
1:C:201:LEU:HB2	6:C:435:HOH:O	2.05	0.56
1:B:68:VAL:HG11	1:B:78:LEU:CD1	2.36	0.56
1:F:183:ASN:ND2	1:F:214:ASN:H	2.03	0.54
1:A:183:ASN:ND2	1:A:214:ASN:H	2.02	0.54
1:C:183:ASN:ND2	1:C:214:ASN:H	2.04	0.54
1:E:183:ASN:ND2	1:E:214:ASN:H	2.07	0.53
1:E:68:VAL:HG11	1:E:78:LEU:CD1	2.40	0.52
1:F:68:VAL:HG11	1:F:78:LEU:HD13	1.91	0.51
1:C:118:ASN:H	1:C:118:ASN:HD22	1.59	0.51
1:E:4:SER:OG	1:E:6:HIS:HE1	1.92	0.51
1:B:13:LEU:C	1:B:13:LEU:HD12	2.36	0.50
1:B:77:TYR:OH	1:B:116:HIS:HE1	1.94	0.50
1:F:27:SER:HB3	1:F:36:ILE:CD1	2.41	0.50
1:D:6:HIS:HD2	1:D:33:ASP:OD1	1.95	0.50
1:C:8:GLN:HA	1:C:8:GLN:NE2	2.23	0.50
1:D:177:ASP:OD2	1:F:104:LYS:NZ	2.44	0.49
1:E:6:HIS:HD2	1:E:33:ASP:OD1	1.96	0.49
1:D:183:ASN:ND2	1:D:214:ASN:H	2.08	0.49
1:C:118:ASN:HD22	1:C:118:ASN:N	2.11	0.49
1:C:26:ILE:HB	1:C:36:ILE:HD11	1.95	0.48
1:D:31:LYS:HE3	1:D:197:ASP:O	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:5:PHE:CE1	1:D:194:ILE:HG22	2.48	0.48
1:F:8:GLN:HE21	1:F:8:GLN:CA	2.20	0.48
1:A:110:HIS:CE1	1:A:144:ASP:HB3	2.50	0.47
1:C:13:LEU:C	1:C:13:LEU:HD12	2.39	0.47
1:A:68:VAL:HG11	1:A:78:LEU:CD1	2.44	0.47
1:D:26:ILE:HB	1:D:36:ILE:HD11	1.97	0.47
1:C:183:ASN:HD22	1:C:215:VAL:HG12	1.79	0.47
1:E:4:SER:OG	1:E:6:HIS:CE1	2.68	0.47
1:B:60:LEU:HD23	1:B:60:LEU:HA	1.83	0.47
1:E:102:SER:OG	1:E:133:GLU:HB2	2.14	0.46
1:C:110:HIS:CE1	1:C:144:ASP:HB3	2.50	0.46
1:D:49:GLY:HA3	1:D:124:LEU:HD12	1.98	0.45
1:A:13:LEU:C	1:A:13:LEU:HD12	2.41	0.45
1:C:113:SER:HA	1:C:122:VAL:O	2.17	0.45
1:D:183:ASN:HD22	1:D:215:VAL:HG12	1.81	0.45
1:E:77:TYR:OH	1:E:116:HIS:HE1	2.00	0.45
1:A:62:LYS:NZ	6:A:402:HOH:O	2.47	0.44
1:C:56:ASP:O	1:C:60:LEU:HB2	2.17	0.44
1:F:27:SER:HB3	1:F:36:ILE:HD11	1.99	0.44
1:F:110:HIS:CE1	1:F:144:ASP:HB3	2.53	0.44
1:C:6:HIS:CE1	1:C:12:TYR:HB3	2.53	0.44
1:E:35:ASN:O	1:E:39:VAL:HG23	2.17	0.44
1:E:10:THR:HA	1:E:22:VAL:O	2.17	0.43
1:F:115:THR:HG22	1:F:116:HIS:O	2.18	0.43
1:D:113:SER:HA	1:D:122:VAL:O	2.18	0.43
1:D:102:SER:OG	1:D:133:GLU:HB2	2.17	0.43
1:D:56:ASP:O	1:D:60:LEU:HB2	2.19	0.43
1:E:13:LEU:C	1:E:13:LEU:HD12	2.44	0.43
1:F:68:VAL:HG11	1:F:78:LEU:CD1	2.48	0.43
1:A:2:LYS:NZ	1:A:226:SER:OG	2.52	0.43
1:C:2:LYS:NZ	1:C:226:SER:OG	2.52	0.42
1:A:26:ILE:HB	1:A:36:ILE:HD11	2.01	0.42
3:D:302:CL:CL	1:E:149:SER:OG	2.74	0.42
1:C:190:ILE:HA	1:C:217:ASP:O	2.19	0.42
1:B:201:LEU:HB2	6:B:427:HOH:O	2.19	0.42
1:C:6:HIS:HE1	1:C:12:TYR:HB3	1.85	0.41
1:F:36:ILE:HD11	1:F:56:ASP:CG	2.45	0.41
1:F:10:THR:HA	1:F:22:VAL:O	2.20	0.41
1:C:201:LEU:HD12	1:C:201:LEU:HA	1.89	0.41
1:E:140:TYR:O	1:E:163:CYS:HA	2.20	0.41
1:D:110:HIS:CE1	1:D:144:ASP:HB3	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:183:ASN:HD22	1:E:215:VAL:HG12	1.86	0.41
1:A:94:GLY:HA3	1:B:170:ASN:O	2.21	0.40
1:C:118:ASN:H	1:C:118:ASN:ND2	2.16	0.40
1:D:47:THR:HB	1:D:128:MET:O	2.22	0.40
1:D:201:LEU:HD12	1:D:201:LEU:HA	1.91	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	228/246 (93%)	218 (96%)	9 (4%)	1 (0%)	30	22
1	B	228/246 (93%)	219 (96%)	8 (4%)	1 (0%)	30	22
1	C	228/246 (93%)	218 (96%)	9 (4%)	1 (0%)	30	22
1	D	228/246 (93%)	219 (96%)	8 (4%)	1 (0%)	30	22
1	E	228/246 (93%)	219 (96%)	8 (4%)	1 (0%)	30	22
1	F	228/246 (93%)	218 (96%)	9 (4%)	1 (0%)	30	22
All	All	1368/1476 (93%)	1311 (96%)	51 (4%)	6 (0%)	30	22

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	110	HIS
1	A	110	HIS
1	C	110	HIS
1	B	110	HIS
1	E	110	HIS
1	F	110	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/213 (93%)	194 (98%)	5 (2%)	42	39
1	B	199/213 (93%)	194 (98%)	5 (2%)	42	39
1	C	199/213 (93%)	195 (98%)	4 (2%)	48	48
1	D	199/213 (93%)	193 (97%)	6 (3%)	36	32
1	E	199/213 (93%)	196 (98%)	3 (2%)	57	58
1	F	199/213 (93%)	193 (97%)	6 (3%)	36	32
All	All	1194/1278 (93%)	1165 (98%)	29 (2%)	43	40

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	8	GLN
1	A	40	GLN
1	A	60	LEU
1	A	201	LEU
1	B	8	GLN
1	B	60	LEU
1	B	107	GLN
1	B	156	LYS
1	B	201	LEU
1	C	1	MET
1	C	8	GLN
1	C	60	LEU
1	C	118	ASN
1	D	1	MET
1	D	8	GLN
1	D	60	LEU
1	D	103	VAL
1	D	117	GLU
1	D	187	LYS
1	E	8	GLN
1	E	36	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	60	LEU
1	F	8	GLN
1	F	37	GLU
1	F	39	VAL
1	F	62	LYS
1	F	107	GLN
1	F	117	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (49) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	29	ASN
1	A	170	ASN
1	A	183	ASN
1	A	204	GLN
1	A	207	GLN
1	B	6	HIS
1	B	8	GLN
1	B	86	ASN
1	B	97	ASN
1	B	107	GLN
1	B	116	HIS
1	B	183	ASN
1	B	204	GLN
1	B	207	GLN
1	C	6	HIS
1	C	8	GLN
1	C	40	GLN
1	C	118	ASN
1	C	183	ASN
1	C	204	GLN
1	C	228	GLN
1	D	6	HIS
1	D	8	GLN
1	D	16	ASN
1	D	86	ASN
1	D	97	ASN
1	D	183	ASN
1	D	204	GLN
1	D	214	ASN
1	E	6	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	8	GLN
1	E	17	ASN
1	E	40	GLN
1	E	86	ASN
1	E	97	ASN
1	E	116	HIS
1	E	183	ASN
1	E	204	GLN
1	F	6	HIS
1	F	8	GLN
1	F	28	ASN
1	F	35	ASN
1	F	86	ASN
1	F	97	ASN
1	F	107	GLN
1	F	183	ASN
1	F	204	GLN
1	F	207	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 26 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TRS	D	301	-	7,7,7	0.20	0	9,9,9	0.22	0
2	TRS	A	301	-	7,7,7	0.22	0	9,9,9	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TRS	D	301	-	-	6/9/9/9	-
2	TRS	A	301	-	-	5/9/9/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	301	TRS	N-C-C2-O2
2	D	301	TRS	N-C-C3-O3
2	A	301	TRS	C2-C-C1-O1
2	A	301	TRS	C3-C-C1-O1
2	D	301	TRS	C1-C-C2-O2
2	D	301	TRS	C3-C-C2-O2
2	D	301	TRS	C1-C-C3-O3
2	D	301	TRS	C2-C-C3-O3
2	A	301	TRS	N-C-C1-O1
2	A	301	TRS	C3-C-C2-O2
2	A	301	TRS	N-C-C2-O2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	301	TRS	1	0
2	A	301	TRS	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	230/246 (93%)	0.74	19 (8%) 17 17	21, 31, 45, 62	0
1	B	230/246 (93%)	0.87	17 (7%) 20 21	21, 34, 53, 63	0
1	C	230/246 (93%)	0.97	35 (15%) 5 5	22, 34, 51, 64	0
1	D	230/246 (93%)	0.73	20 (8%) 16 16	20, 32, 49, 69	0
1	E	230/246 (93%)	0.71	13 (5%) 29 29	21, 30, 45, 58	0
1	F	230/246 (93%)	0.83	16 (6%) 22 22	21, 34, 51, 67	0
All	All	1380/1476 (93%)	0.81	120 (8%) 16 16	20, 32, 50, 69	0

All (120) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	117	GLU	5.4
1	F	54	PHE	5.4
1	E	30	PRO	4.7
1	F	62	LYS	4.6
1	E	76	ASP	4.3
1	A	211	ASP	4.2
1	B	75	ALA	3.9
1	F	36	ILE	3.9
1	A	36	ILE	3.9
1	E	117	GLU	3.8
1	B	25	PHE	3.8
1	A	29	ASN	3.8
1	E	39	VAL	3.8
1	B	36	ILE	3.6
1	F	17	ASN	3.6
1	B	39	VAL	3.5
1	A	62	LYS	3.5
1	A	39	VAL	3.4
1	B	208	GLN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	19	LYS	3.2
1	F	39	VAL	3.2
1	A	26	ILE	3.1
1	A	220	ILE	3.1
1	F	49	GLY	3.1
1	C	13	LEU	3.1
1	A	206	PRO	3.1
1	A	76	ASP	3.1
1	D	79	SER	3.1
1	C	12	TYR	3.0
1	B	114	PHE	3.0
1	D	39	VAL	3.0
1	C	39	VAL	2.9
1	C	40	GLN	2.9
1	D	117	GLU	2.9
1	F	35	ASN	2.9
1	C	119	GLY	2.9
1	B	134	VAL	2.9
1	B	0	MET	2.9
1	C	132	PHE	2.9
1	B	35	ASN	2.8
1	C	229	PHE	2.8
1	E	36	ILE	2.8
1	B	17	ASN	2.7
1	A	117	GLU	2.7
1	A	25	PHE	2.7
1	E	38	THR	2.7
1	B	59	GLU	2.7
1	C	4	SER	2.7
1	D	51	PHE	2.6
1	D	16	ASN	2.6
1	B	12	TYR	2.6
1	F	208	GLN	2.6
1	E	229	PHE	2.6
1	C	134	VAL	2.6
1	E	40	GLN	2.6
1	D	199	PHE	2.5
1	C	16	ASN	2.5
1	C	36	ILE	2.5
1	C	17	ASN	2.5
1	C	152	SER	2.5
1	C	156	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	15	GLY	2.5
1	C	77	TYR	2.5
1	A	205	ASP	2.4
1	C	79	SER	2.4
1	F	96	ALA	2.4
1	C	21	ILE	2.4
1	C	98	PHE	2.4
1	B	18	LYS	2.4
1	C	51	PHE	2.4
1	B	213	VAL	2.4
1	D	223	PRO	2.4
1	F	0	MET	2.3
1	E	0	MET	2.3
1	B	117	GLU	2.3
1	C	34	LEU	2.3
1	B	98	PHE	2.3
1	C	162	VAL	2.3
1	A	124	LEU	2.3
1	C	53	HIS	2.2
1	C	9	SER	2.2
1	F	79	SER	2.2
1	D	114	PHE	2.2
1	C	216	GLY	2.2
1	C	117	GLU	2.2
1	C	25	PHE	2.2
1	C	199	PHE	2.2
1	E	59	GLU	2.2
1	D	36	ILE	2.2
1	D	60	LEU	2.2
1	C	62	LYS	2.2
1	D	62	LYS	2.2
1	D	17	ASN	2.2
1	F	98	PHE	2.1
1	D	155	ALA	2.1
1	F	75	ALA	2.1
1	A	200	PRO	2.1
1	A	41	VAL	2.1
1	D	40	GLN	2.1
1	C	61	ALA	2.1
1	A	201	LEU	2.1
1	D	221	LEU	2.1
1	F	201	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	0	MET	2.1
1	A	16	ASN	2.1
1	E	17	ASN	2.1
1	C	20	VAL	2.1
1	C	64	THR	2.0
1	F	30	PRO	2.0
1	D	93	GLY	2.0
1	E	101	GLY	2.0
1	C	139	ILE	2.0
1	A	87	VAL	2.0
1	E	66	ALA	2.0
1	B	34	LEU	2.0
1	C	228	GLN	2.0
1	C	76	ASP	2.0
1	A	30	PRO	2.0
1	D	30	PRO	2.0
1	D	64	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	TRS	A	301	8/8	0.87	0.11	32,34,38,41	0
2	TRS	D	301	8/8	0.92	0.08	32,34,36,36	0
4	NI	B	302	1/1	0.93	0.09	50,50,50,50	1
4	NI	A	304	1/1	0.95	0.07	41,41,41,41	1
3	CL	A	302	1/1	0.96	0.06	27,27,27,27	0
4	NI	C	302	1/1	0.96	0.11	47,47,47,47	1

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NI	A	303	1/1	0.97	0.03	33,33,33,33	1
4	NI	D	304	1/1	0.97	0.08	44,44,44,44	1
4	NI	E	302	1/1	0.97	0.05	38,38,38,38	1
5	ZN	C	304	1/1	0.97	0.11	44,44,44,44	1
4	NI	D	303	1/1	0.98	0.02	33,33,33,33	1
3	CL	D	302	1/1	0.98	0.12	30,30,30,30	0
4	NI	C	301	1/1	0.98	0.03	35,35,35,35	1
4	NI	F	302	1/1	0.98	0.09	49,49,49,49	1
5	ZN	A	306	1/1	0.98	0.05	39,39,39,39	1
5	ZN	B	304	1/1	0.98	0.10	44,44,44,44	1
4	NI	B	301	1/1	0.98	0.03	35,35,35,35	1
5	ZN	D	306	1/1	0.98	0.07	42,42,42,42	1
5	ZN	B	303	1/1	0.99	0.02	34,34,34,34	1
4	NI	E	301	1/1	0.99	0.03	34,34,34,34	1
5	ZN	C	303	1/1	0.99	0.03	34,34,34,34	1
5	ZN	A	305	1/1	0.99	0.02	33,33,33,33	1
5	ZN	D	305	1/1	0.99	0.02	32,32,32,32	1
4	NI	F	301	1/1	0.99	0.02	36,36,36,36	1
5	ZN	E	303	1/1	0.99	0.03	33,33,33,33	1
5	ZN	E	304	1/1	0.99	0.04	36,36,36,36	1
5	ZN	F	304	1/1	0.99	0.09	45,45,45,45	1
5	ZN	F	303	1/1	1.00	0.02	35,35,35,35	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NI B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI A 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI D 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI D 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN E 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN E 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN F 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN F 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.