



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 09:24 AM UTC

PDB ID : 5E4L / pdb_00005e4l
Title : Structure of ligand binding region of uPARAP at pH 5.3
Authors : Yuan, C.; Huang, M.
Deposited on : 2015-10-06
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	492	11% 68% 17% • 13%
1	B	492	16% 60% 17% • 22%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6747 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called C-type mannose receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	0	0	0
			3426	2146	596	660	24			
1	B	386	Total	C	N	O	S	0	0	0
			3085	1930	535	598	22			

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	29	ARG	-	expression tag	UNP Q9UBG0
A	30	SER	-	expression tag	UNP Q9UBG0
A	43	ILE	VAL	variant	UNP Q9UBG0
A	511	THR	-	expression tag	UNP Q9UBG0
A	512	ARG	-	expression tag	UNP Q9UBG0
A	513	THR	-	expression tag	UNP Q9UBG0
A	514	GLY	-	expression tag	UNP Q9UBG0
A	515	HIS	-	expression tag	UNP Q9UBG0
A	516	HIS	-	expression tag	UNP Q9UBG0
A	517	HIS	-	expression tag	UNP Q9UBG0
A	518	HIS	-	expression tag	UNP Q9UBG0
A	519	HIS	-	expression tag	UNP Q9UBG0
A	520	HIS	-	expression tag	UNP Q9UBG0
B	29	ARG	-	expression tag	UNP Q9UBG0
B	30	SER	-	expression tag	UNP Q9UBG0
B	43	ILE	VAL	variant	UNP Q9UBG0
B	511	THR	-	expression tag	UNP Q9UBG0
B	512	ARG	-	expression tag	UNP Q9UBG0
B	513	THR	-	expression tag	UNP Q9UBG0
B	514	GLY	-	expression tag	UNP Q9UBG0
B	515	HIS	-	expression tag	UNP Q9UBG0
B	516	HIS	-	expression tag	UNP Q9UBG0
B	517	HIS	-	expression tag	UNP Q9UBG0
B	518	HIS	-	expression tag	UNP Q9UBG0
B	519	HIS	-	expression tag	UNP Q9UBG0

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	520	HIS	-	expression tag	UNP Q9UBG0

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Ca 3 3	0	0
2	B	3	Total Ca 3 3	0	0


- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 14 8 1 5	0	0
3	B	1	Total C N O 14 8 1 5	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	121	Total O 121 121	0	0
4	B	81	Total O 81 81	0	0



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.27Å 102.70Å 87.76Å 90.00° 94.54° 90.00°	Depositor
Resolution (Å)	54.43 – 2.44 54.43 – 2.44	Depositor EDS
% Data completeness (in resolution range)	99.9 (54.43-2.44) 96.1 (54.43-2.44)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.45Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.217 , 0.259 0.221 , 0.262	Depositor DCC
R_{free} test set	2441 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	41.2	Xtriage
Anisotropy	0.350	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6747	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/3520	0.61	0/4779
1	B	0.34	0/3173	0.58	2/4317 (0.0%)
All	All	0.36	0/6693	0.60	2/9096 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	179	GLN	CA-C-N	-5.93	110.70	121.32
1	B	179	GLN	C-N-CA	-5.93	110.70	121.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	405	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3426	0	3186	65	0
1	B	3085	0	2839	61	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	14	0	13	0	0
3	B	14	0	13	0	0
4	A	121	0	0	4	0
4	B	81	0	0	3	0
All	All	6747	0	6051	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:THR:HG23	1:A:247:SER:H	1.42	0.84
1:A:221:LYS:NZ	4:A:701:HOH:O	2.23	0.70
1:B:488:GLU:O	1:B:490:ARG:N	2.25	0.70
1:A:339:ARG:HD3	1:A:341:GLU:HB3	1.72	0.69
1:B:49:HIS:NE2	1:B:164:GLU:OE2	2.24	0.69
1:A:399:GLU:OE2	1:A:401:ARG:NH1	2.19	0.66
1:A:397:GLN:NE2	1:A:502:SER:OG	2.28	0.65
1:A:236:GLU:HG2	1:A:237:THR:HG23	1.79	0.64
1:A:343:SER:HB3	1:B:243:GLN:HG3	1.80	0.64
1:A:408:LYS:NZ	4:A:708:HOH:O	2.30	0.64
1:A:90:THR:HG21	1:A:109:MET:HE2	1.79	0.63
1:B:90:THR:HG21	1:B:109:MET:HE2	1.81	0.62
1:A:472:ASN:OD1	1:A:473:ASN:N	2.34	0.61
1:B:87:ASN:HB3	1:B:90:THR:HG22	1.82	0.61
1:A:87:ASN:HB3	1:A:90:THR:HG22	1.81	0.61
1:A:450:GLN:NE2	1:A:480:ASP:OD1	2.35	0.60
1:B:444:LEU:HB3	1:B:482:VAL:HB	1.83	0.59
1:B:485:TRP:HE3	1:B:490:ARG:HE	1.50	0.59
1:A:83:ASN:HB2	1:A:120:ARG:HG3	1.83	0.59
1:A:287:GLY:O	1:A:290:THR:OG1	2.22	0.57
1:A:339:ARG:HE	1:A:347:GLN:NE2	2.01	0.56
1:A:467:HIS:HB3	1:A:470:GLU:HG3	1.88	0.56
1:B:483:THR:O	1:B:491:TRP:HA	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:347:GLN:OE1	1:A:349:ARG:NH1	2.40	0.55
1:A:466:TRP:CH2	1:A:471:PRO:HG3	2.43	0.54
1:A:281:GLU:O	1:A:285:ILE:HG12	2.08	0.54
1:A:405:GLU:HB3	1:A:408:LYS:HB2	1.90	0.53
1:B:326:GLN:HG3	1:B:347:GLN:HG2	1.90	0.53
1:A:329:ASN:HB3	1:A:332:GLU:HB2	1.90	0.52
1:A:177:THR:HB	1:A:226:GLY:HA3	1.90	0.52
1:A:318:LYS:HD2	1:A:461:VAL:HB	1.89	0.52
1:B:297:TRP:CE2	1:B:355:LEU:HD12	2.45	0.52
1:B:449:LEU:HG	1:B:452:ASN:HB3	1.91	0.52
1:B:148:GLU:HG2	1:B:149:ARG:N	2.23	0.51
1:B:467:HIS:HB2	1:B:490:ARG:HA	1.92	0.51
1:A:484:ILE:HG22	1:A:484:ILE:O	2.11	0.51
1:B:281:GLU:O	1:B:285:ILE:HG12	2.11	0.51
1:B:472:ASN:OD1	1:B:473:ASN:N	2.44	0.51
1:A:296:LEU:HD23	1:A:356:PRO:HB2	1.93	0.51
1:A:485:TRP:C	1:A:485:TRP:CD1	2.89	0.50
1:B:503:ILE:HG22	1:B:504:CYS:H	1.76	0.50
1:A:397:GLN:HE21	1:A:502:SER:HG	1.56	0.50
1:B:320:LEU:HD23	1:B:322:TRP:CD1	2.46	0.50
1:B:467:HIS:HB3	1:B:470:GLU:HG3	1.94	0.50
1:A:343:SER:CB	1:B:243:GLN:HG3	2.41	0.49
1:B:147:LEU:H	1:B:147:LEU:HD23	1.77	0.49
1:B:467:HIS:CG	1:B:490:ARG:HD3	2.48	0.49
1:A:405:GLU:HA	1:A:408:LYS:H	1.78	0.49
1:B:148:GLU:O	1:B:149:ARG:NE	2.41	0.49
1:B:485:TRP:H	1:B:490:ARG:HB2	1.77	0.49
1:A:442:ILE:HG21	1:A:484:ILE:HD11	1.94	0.48
1:A:411:LEU:HB2	4:A:712:HOH:O	2.13	0.48
1:A:397:GLN:NE2	1:A:502:SER:HG	2.10	0.48
1:A:439:GLU:HG2	1:A:485:TRP:HB2	1.95	0.48
1:B:498:GLN:HG2	1:B:500:LEU:HG	1.96	0.47
1:B:296:LEU:HD23	1:B:356:PRO:HB2	1.97	0.47
1:B:90:THR:HG23	1:B:92:GLN:HB2	1.97	0.46
1:B:322:TRP:CE2	1:B:327:PRO:HG3	2.50	0.46
1:B:485:TRP:NE1	4:B:706:HOH:O	2.43	0.46
1:A:83:ASN:OD1	1:A:120:ARG:NH1	2.47	0.46
1:A:399:GLU:HB2	1:A:401:ARG:NH1	2.31	0.46
1:A:165:GLU:HG2	1:A:169:ALA:HB2	1.97	0.46
1:B:320:LEU:HD23	1:B:322:TRP:NE1	2.31	0.46
1:B:350:ASP:OD2	1:B:352:SER:OG	2.32	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:LEU:O	1:A:430:THR:HG23	2.16	0.45
1:B:195:ASN:N	4:B:702:HOH:O	2.29	0.45
1:A:86:PHE:CZ	1:A:91:MET:HA	2.51	0.45
1:A:84:ARG:NH1	1:A:112:CYS:O	2.50	0.45
1:B:466:TRP:CE2	1:B:471:PRO:HD3	2.52	0.45
1:A:162:GLY:O	1:A:164:GLU:HG2	2.17	0.44
1:B:48:SER:HB2	1:B:158:TRP:CD2	2.51	0.44
1:B:233:ASN:HB3	1:B:365:ALA:HB3	1.99	0.44
1:A:90:THR:HG23	1:A:92:GLN:N	2.32	0.44
1:B:473:ASN:HB3	1:B:477:SER:O	2.17	0.44
1:B:490:ARG:N	4:B:711:HOH:O	2.49	0.44
1:A:405:GLU:HA	1:A:405:GLU:OE1	2.17	0.44
1:B:73:PRO:HB2	1:B:89:GLY:HA2	1.99	0.44
1:B:86:PHE:CZ	1:B:91:MET:HA	2.53	0.44
1:B:73:PRO:HA	1:B:76:ARG:HD3	1.99	0.44
1:B:234:ASP:OD1	1:B:236:GLU:N	2.50	0.44
1:B:301:ASN:HB2	1:B:303:LEU:HD22	2.00	0.44
1:B:320:LEU:HD23	1:B:322:TRP:HE1	1.83	0.44
1:B:126:LEU:HD23	1:B:167:LEU:HD13	1.99	0.43
1:B:328:ASP:O	1:B:348:ASN:ND2	2.45	0.43
1:A:90:THR:HG23	1:A:92:GLN:HB2	1.98	0.43
1:B:323:GLU:OE2	1:B:339:ARG:NH1	2.51	0.43
1:A:302:ASP:HA	1:A:308:GLY:O	2.18	0.43
1:A:83:ASN:HB3	1:A:121:TRP:O	2.18	0.43
1:A:361:LYS:HG3	1:A:363:PRO:HD3	1.99	0.43
1:A:482:VAL:HA	1:A:492:ASN:O	2.17	0.43
1:B:242:ASP:HB2	1:B:284:TYR:CE2	2.54	0.43
1:B:165:GLU:HB3	1:B:169:ALA:HB2	1.99	0.43
1:B:453:PHE:CE1	1:B:471:PRO:HG3	2.54	0.43
1:A:306:SER:N	4:A:716:HOH:O	2.51	0.43
1:B:275:SER:HA	1:B:311:TRP:CE3	2.53	0.43
1:B:177:THR:HB	1:B:226:GLY:HA3	1.99	0.43
1:A:421:HIS:CE1	1:A:459:SER:HB2	2.54	0.42
1:A:405:GLU:CB	1:A:408:LYS:HB2	2.49	0.42
1:A:185:LYS:HG3	1:A:186:PRO:HD2	2.00	0.42
1:A:49:HIS:NE2	1:A:164:GLU:OE1	2.51	0.42
1:A:236:GLU:HG2	1:A:237:THR:N	2.34	0.42
1:B:467:HIS:ND1	1:B:490:ARG:HG2	2.34	0.42
1:B:319:TYR:C	1:B:320:LEU:HD12	2.44	0.42
1:A:339:ARG:NH2	1:A:349:ARG:HH12	2.17	0.42
1:A:48:SER:HB2	1:A:158:TRP:CZ3	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:479:GLU:HG2	1:A:495:PRO:HD3	2.02	0.42
1:A:431:LYS:HE3	1:A:435:GLN:HE22	1.85	0.42
1:A:403:TRP:CE3	1:A:404:GLN:HA	2.55	0.42
1:B:87:ASN:HB3	1:B:90:THR:CG2	2.49	0.42
1:B:158:TRP:C	1:B:159:ARG:HG2	2.45	0.42
1:A:126:LEU:HD23	1:A:167:LEU:HD13	2.01	0.41
1:B:162:GLY:O	1:B:164:GLU:N	2.53	0.41
1:B:491:TRP:CD1	1:B:491:TRP:N	2.88	0.41
1:A:403:TRP:HE3	1:A:404:GLN:HA	1.84	0.41
1:B:151:ASP:OD1	1:B:151:ASP:N	2.54	0.41
1:A:192:LYS:HD3	1:A:195:ASN:HA	2.02	0.41
1:B:326:GLN:H	1:B:326:GLN:HG2	1.54	0.41
1:B:361:LYS:HG3	1:B:363:PRO:HD3	2.01	0.41
1:A:288:LEU:HD23	1:A:288:LEU:C	2.46	0.41
1:A:474:PHE:HD1	1:A:475:ARG:H	1.69	0.41
1:B:80:VAL:HG21	1:B:190:PRO:HD3	2.02	0.40
1:A:82:ARG:NH2	1:A:115:GLU:OE1	2.54	0.40
1:A:492:ASN:OD1	1:A:493:ASP:N	2.53	0.40
1:B:463:PHE:CZ	1:B:465:HIS:HB2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/492 (85%)	403 (96%)	17 (4%)	0	100	100
1	B	378/492 (77%)	364 (96%)	14 (4%)	0	100	100
All	All	798/984 (81%)	767 (96%)	31 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/427 (88%)	359 (96%)	16 (4%)	26	36
1	B	339/427 (79%)	325 (96%)	14 (4%)	27	38
All	All	714/854 (84%)	684 (96%)	30 (4%)	26	37

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	LEU
1	A	90	THR
1	A	115	GLU
1	A	234	ASP
1	A	290	THR
1	A	318	LYS
1	A	325	ASP
1	A	395	ARG
1	A	399	GLU
1	A	404	GLN
1	A	405	GLU
1	A	449	LEU
1	A	476	ASP
1	A	484	ILE
1	A	485	TRP
1	A	505	LYS
1	B	43	ILE
1	B	149	ARG
1	B	151	ASP
1	B	303	LEU
1	B	341	GLU
1	B	442	ILE
1	B	450	GLN
1	B	463	PHE
1	B	474	PHE
1	B	476	ASP
1	B	482	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	490	ARG
1	B	494	SER
1	B	504	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	118	ASN
1	A	397	GLN
1	A	452	ASN
1	B	118	ASN
1	B	122	HIS
1	B	152	GLN
1	B	210	HIS
1	B	243	GLN
1	B	326	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	604	1	14,14,15	0.55	0	17,19,21	0.55	0
3	NAG	A	604	1	14,14,15	0.23	0	17,19,21	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	604	1	-	0/6/23/26	0/1/1/1
3	NAG	A	604	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	604	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/492 (86%)	0.63	52 (12%) 8 7	22, 51, 120, 211	0
1	B	386/492 (78%)	0.94	81 (20%) 2 2	26, 58, 144, 177	0
All	All	814/984 (82%)	0.78	133 (16%) 4 3	22, 54, 137, 211	0

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	447	LEU	6.1
1	A	146	THR	5.6
1	B	455	TRP	4.9
1	B	442	ILE	4.8
1	B	456	SER	4.7
1	A	428	PHE	4.6
1	B	444	LEU	4.5
1	B	485	TRP	4.5
1	B	365	ALA	4.5
1	B	484	ILE	4.4
1	B	150	GLY	4.4
1	B	503	ILE	4.3
1	B	469	PHE	4.3
1	B	147	LEU	4.3
1	A	469	PHE	4.2
1	A	314	ASN	4.2
1	B	453	PHE	4.1
1	A	465	HIS	4.1
1	A	413	GLY	4.1
1	B	317	LEU	4.1
1	B	320	LEU	4.0
1	B	151	ASP	3.9
1	B	481	CYS	3.8
1	A	365	ALA	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	152	GLN	3.8
1	B	318	LYS	3.7
1	A	487	PRO	3.7
1	B	463	PHE	3.6
1	A	485	TRP	3.6
1	B	307	GLY	3.6
1	B	505	LYS	3.6
1	A	396	LEU	3.6
1	B	478	LEU	3.6
1	B	443	GLY	3.6
1	A	467	HIS	3.5
1	A	306	SER	3.5
1	A	405	GLU	3.5
1	A	395	ARG	3.4
1	A	324	SER	3.4
1	B	330	PRO	3.3
1	A	433	ILE	3.3
1	B	461	VAL	3.3
1	B	474	PHE	3.3
1	A	431	LYS	3.1
1	B	324	SER	3.1
1	B	460	LEU	3.1
1	A	330	PRO	3.1
1	B	464	THR	3.0
1	B	462	SER	3.0
1	B	341	GLU	3.0
1	B	449	LEU	3.0
1	A	435	GLN	3.0
1	A	503	ILE	3.0
1	B	467	HIS	3.0
1	B	499	SER	3.0
1	B	496	CYS	2.9
1	A	499	SER	2.9
1	A	506	LYS	2.9
1	B	495	PRO	2.9
1	B	454	GLU	2.9
1	B	149	ARG	2.9
1	B	477	SER	2.8
1	B	331	SER	2.8
1	B	459	SER	2.8
1	B	500	LEU	2.8
1	B	457	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	474	PHE	2.7
1	B	471	PRO	2.7
1	B	319	TYR	2.7
1	A	496	CYS	2.7
1	B	487	PRO	2.7
1	B	327	PRO	2.6
1	B	325	ASP	2.6
1	A	475	ARG	2.6
1	B	451	MET	2.6
1	B	490	ARG	2.6
1	A	404	GLN	2.6
1	B	49	HIS	2.6
1	A	420	ILE	2.6
1	A	440	LEU	2.6
1	B	497	ASN	2.6
1	B	486	GLY	2.5
1	A	505	LYS	2.5
1	B	468	PRO	2.5
1	B	309	TRP	2.5
1	B	458	GLY	2.5
1	A	438	GLU	2.5
1	B	452	ASN	2.5
1	B	465	HIS	2.4
1	B	311	TRP	2.4
1	A	305	THR	2.4
1	B	148	GLU	2.4
1	B	316	PRO	2.4
1	A	491	TRP	2.4
1	B	276	ILE	2.3
1	A	504	CYS	2.3
1	B	334	ASN	2.3
1	B	483	THR	2.3
1	B	260	ARG	2.3
1	B	475	ARG	2.3
1	B	305	THR	2.2
1	A	60	GLY	2.2
1	A	484	ILE	2.2
1	B	466	TRP	2.2
1	A	468	PRO	2.2
1	A	489	GLY	2.2
1	B	308	GLY	2.2
1	A	432	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	310	GLN	2.2
1	A	230	ILE	2.2
1	A	497	ASN	2.2
1	A	439	GLU	2.2
1	A	401	ARG	2.2
1	B	322	TRP	2.2
1	A	308	GLY	2.1
1	B	494	SER	2.1
1	A	339	ARG	2.1
1	A	331	SER	2.1
1	A	400	LYS	2.1
1	B	482	VAL	2.1
1	A	466	TRP	2.1
1	A	364	ASN	2.1
1	B	246	ASP	2.1
1	A	482	VAL	2.1
1	B	59	GLY	2.1
1	B	230	ILE	2.1
1	B	480	ASP	2.1
1	B	315	SER	2.1
1	A	236	GLU	2.0
1	B	476	ASP	2.0
1	A	309	TRP	2.0
1	A	495	PRO	2.0
1	B	306	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	604	14/15	0.50	0.18	94,94,94,94	0
3	NAG	B	604	14/15	0.62	0.19	115,115,115,115	0
2	CA	B	603	1/1	0.91	0.10	103,103,103,103	0
2	CA	B	602	1/1	0.96	0.05	150,150,150,150	0
2	CA	A	603	1/1	0.96	0.06	83,83,83,83	0
2	CA	A	602	1/1	0.98	0.06	110,110,110,110	0
2	CA	B	601	1/1	0.98	0.09	115,115,115,115	0
2	CA	A	601	1/1	0.99	0.04	61,61,61,61	0

6.5 Other polymers [i](#)

There are no such residues in this entry.