



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:13 AM UTC

PDB ID : 4E5J / pdb_00004e5j
Title : Crystal structure of avian influenza virus PAN bound to compound 5
Authors : DuBois, R.M.; Slavish, P.J.; Webb, T.R.; White, S.W.
Deposited on : 2012-03-14
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	187	
1	B	187	
1	C	187	
1	D	187	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	581	A	304	-	-	X	-

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 6205 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polymerase protein PA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	181	1489	937	257	284	11	0	0	0
1	B	181	1489	937	257	284	11	0	0	0
1	C	181	1489	937	257	284	11	0	0	0
1	D	179	1475	929	255	280	11	0	0	0

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	50A	GLY	-	linker	UNP Q5EP34
A	50B	GLY	-	linker	UNP Q5EP34
A	50C	SER	-	linker	UNP Q5EP34
A	197	ALA	-	expression tag	UNP Q5EP34
A	198	ALA	-	expression tag	UNP Q5EP34
A	199	ALA	-	expression tag	UNP Q5EP34
A	200	GLU	-	expression tag	UNP Q5EP34
A	201	LEU	-	expression tag	UNP Q5EP34
A	202	ALA	-	expression tag	UNP Q5EP34
A	203	LEU	-	expression tag	UNP Q5EP34
A	204	VAL	-	expression tag	UNP Q5EP34
A	205	PRO	-	expression tag	UNP Q5EP34
A	206	ARG	-	expression tag	UNP Q5EP34
B	50A	GLY	-	linker	UNP Q5EP34
B	50B	GLY	-	linker	UNP Q5EP34
B	50C	SER	-	linker	UNP Q5EP34
B	196A	ALA	-	expression tag	UNP Q5EP34
B	196B	ALA	-	expression tag	UNP Q5EP34
B	196C	ALA	-	expression tag	UNP Q5EP34
B	196D	GLU	-	expression tag	UNP Q5EP34
B	197	LEU	-	expression tag	UNP Q5EP34

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	198	ALA	-	expression tag	UNP Q5EP34
B	199	LEU	-	expression tag	UNP Q5EP34
B	200	VAL	-	expression tag	UNP Q5EP34
B	201	PRO	-	expression tag	UNP Q5EP34
B	202	ARG	-	expression tag	UNP Q5EP34
C	50A	GLY	-	linker	UNP Q5EP34
C	50B	GLY	-	linker	UNP Q5EP34
C	50C	SER	-	linker	UNP Q5EP34
C	196A	ALA	-	expression tag	UNP Q5EP34
C	196B	ALA	-	expression tag	UNP Q5EP34
C	196C	ALA	-	expression tag	UNP Q5EP34
C	196D	GLU	-	expression tag	UNP Q5EP34
C	197	LEU	-	expression tag	UNP Q5EP34
C	198	ALA	-	expression tag	UNP Q5EP34
C	199	LEU	-	expression tag	UNP Q5EP34
C	200	VAL	-	expression tag	UNP Q5EP34
C	201	PRO	-	expression tag	UNP Q5EP34
C	202	ARG	-	expression tag	UNP Q5EP34
D	50A	GLY	-	linker	UNP Q5EP34
D	50B	GLY	-	linker	UNP Q5EP34
D	50C	SER	-	linker	UNP Q5EP34
D	196A	ALA	-	expression tag	UNP Q5EP34
D	196B	ALA	-	expression tag	UNP Q5EP34
D	197	ALA	-	expression tag	UNP Q5EP34
D	198	GLU	-	expression tag	UNP Q5EP34
D	199	LEU	-	expression tag	UNP Q5EP34
D	200	ALA	-	expression tag	UNP Q5EP34
D	201	LEU	-	expression tag	UNP Q5EP34
D	202	VAL	-	expression tag	UNP Q5EP34
D	203	PRO	-	expression tag	UNP Q5EP34
D	204	ARG	-	expression tag	UNP Q5EP34

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 2-[3-(acetylamino)phenyl]-5-hydroxy-6-oxo-1,6-dihydropyrimidine-4-carboxylic acid (CCD ID: 581) (formula: C₁₃H₁₁N₃O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	21	13	3	5	0	0
3	A	1	21	13	3	5	0	0
3	B	1	21	13	3	5	0	0
3	B	1	21	13	3	5	0	0
3	C	1	21	13	3	5	0	0
3	C	1	21	13	3	5	0	0
3	D	1	21	13	3	5	0	0
3	D	1	21	13	3	5	0	0

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mn		
4	A	2	2	2	0	0
4	B	2	2	2	0	0
4	C	2	2	2	0	0
4	D	2	2	2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	11	Total O 11 11	0	0
5	B	11	Total O 11 11	0	0
5	C	11	Total O 11 11	0	0
5	D	14	Total O 14 14	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Polymerase protein PA




- Molecule 1: Polymerase protein PA




- Molecule 1: Polymerase protein PA



- Molecule 1: Polymerase protein PA





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	126.10Å 134.09Å 126.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.93 – 2.35 45.93 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.3 (45.93-2.35) 99.3 (45.93-2.35)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.18 (at 2.37Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.250 , 0.290 0.250 , 0.281	Depositor DCC
R_{free} test set	2236 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	46.2	Xtrriage
Anisotropy	0.013	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 33.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6205	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MN, 581, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/1519	0.94	6/2040 (0.3%)
1	B	0.60	0/1519	0.98	6/2040 (0.3%)
1	C	0.59	0/1519	0.89	3/2040 (0.1%)
1	D	0.64	1/1505 (0.1%)	0.99	5/2021 (0.2%)
All	All	0.61	1/6062 (0.0%)	0.95	20/8141 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	75	ARG	C-O	-5.47	1.17	1.24

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	75	ARG	N-CA-C	11.24	123.22	110.97
1	B	30	ILE	N-CA-C	9.80	119.74	110.53
1	D	73	LYS	CA-C-N	-8.14	110.40	122.86
1	D	73	LYS	C-N-CA	-8.14	110.40	122.86
1	C	75	ARG	N-CA-C	6.67	118.63	111.36
1	B	73	LYS	N-CA-C	6.38	118.77	111.11
1	B	73	LYS	CA-C-N	-6.29	112.61	122.73
1	B	73	LYS	C-N-CA	-6.29	112.61	122.73
1	A	75	ARG	CA-C-N	-6.12	114.36	122.99
1	A	75	ARG	C-N-CA	-6.12	114.36	122.99
1	D	74	HIS	CA-C-N	5.96	128.52	120.65
1	D	74	HIS	C-N-CA	5.96	128.52	120.65
1	C	30	ILE	N-CA-C	5.79	117.17	111.67
1	A	73	LYS	CA-C-N	-5.73	113.56	122.67
1	A	73	LYS	C-N-CA	-5.73	113.56	122.67
1	B	50(C)	SER	N-CA-C	-5.50	103.23	110.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	76	PHE	N-CA-C	5.45	117.84	109.07
1	A	75	ARG	N-CA-C	5.43	117.20	111.28
1	B	75	ARG	N-CA-C	5.42	116.87	111.07
1	A	188	TRP	N-CA-C	5.02	116.44	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1489	0	1450	26	0
1	B	1489	0	1450	32	0
1	C	1489	0	1450	26	0
1	D	1475	0	1439	33	0
2	A	10	0	0	0	0
2	B	10	0	0	0	0
2	C	10	0	0	0	0
2	D	10	0	0	0	0
3	A	42	0	18	7	0
3	B	42	0	18	6	0
3	C	42	0	18	7	0
3	D	42	0	18	6	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
5	A	11	0	0	0	0
5	B	11	0	0	0	0
5	C	11	0	0	0	0
5	D	14	0	0	0	0
All	All	6205	0	5861	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:304:581:H7	3:A:304:581:C13	1.49	1.35
3:B:304:581:C13	3:B:304:581:H7	1.48	1.30
3:C:304:581:C13	3:C:304:581:H7	1.51	1.27
3:D:304:581:C13	3:D:304:581:H7	1.54	1.22
1:D:2:GLU:OE2	1:D:29:LYS:HD3	1.38	1.21
1:D:73:LYS:H	1:D:73:LYS:CD	1.57	1.17
1:B:170:ARG:CD	1:D:74:HIS:HB3	1.76	1.15
1:B:73:LYS:HE3	1:B:73:LYS:H	1.13	1.12
3:C:304:581:H1	3:C:304:581:C4	1.65	1.10
1:A:170:ARG:CD	1:B:74:HIS:HB3	1.82	1.10
3:B:304:581:C4	3:B:304:581:H1	1.73	1.10
3:A:304:581:H7	3:A:304:581:H1	1.28	1.09
1:C:73:LYS:CE	1:C:73:LYS:H	1.64	1.09
1:B:170:ARG:HD2	1:D:74:HIS:HB3	1.10	1.09
3:D:304:581:H7	3:D:304:581:H1	1.15	1.08
1:A:73:LYS:H	1:A:73:LYS:HE3	0.90	1.06
3:D:304:581:H1	3:D:304:581:C4	1.82	1.06
1:A:170:ARG:HD2	1:B:74:HIS:HB3	1.31	1.05
1:A:73:LYS:HE3	1:A:73:LYS:N	1.73	1.03
1:C:73:LYS:H	1:C:73:LYS:HE2	1.14	1.03
1:D:73:LYS:HD3	1:D:73:LYS:N	1.67	1.03
3:B:304:581:H7	3:B:304:581:H1	1.04	1.02
1:B:73:LYS:HE3	1:B:73:LYS:N	1.77	1.00
3:B:304:581:C13	3:B:304:581:C4	2.30	1.00
3:A:304:581:H7	3:A:304:581:H2	1.39	1.00
1:A:74:HIS:HB3	1:C:170:ARG:HD2	1.43	0.99
1:D:73:LYS:H	1:D:73:LYS:HD3	0.82	0.98
1:A:34:LYS:HE3	3:A:304:581:C10	1.94	0.98
3:A:304:581:C13	3:A:304:581:C4	2.30	0.96
1:B:138:ILE:HD12	1:B:140:SER:O	1.66	0.94
3:A:304:581:H1	3:A:304:581:C4	1.94	0.92
3:C:304:581:C13	3:C:304:581:C4	2.30	0.89
3:D:304:581:H7	3:D:304:581:H2	1.53	0.88
3:B:304:581:H7	3:B:304:581:H2	1.57	0.86
1:B:138:ILE:CD1	1:B:140:SER:O	2.24	0.86
1:D:2:GLU:OE2	1:D:29:LYS:CD	2.20	0.85
1:D:73:LYS:CD	1:D:73:LYS:N	2.30	0.85
1:D:2:GLU:CD	1:D:29:LYS:HD3	2.02	0.85
1:A:73:LYS:H	1:A:73:LYS:CE	1.84	0.84
1:C:73:LYS:HE2	1:C:73:LYS:N	1.92	0.84
1:D:138:ILE:HG13	1:D:140:SER:H	1.43	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:128:HIS:HA	1:B:155:MET:HE1	1.61	0.81
3:C:304:581:H7	3:C:304:581:H1	0.81	0.80
1:B:138:ILE:HG13	1:B:140:SER:H	1.48	0.79
1:C:128:HIS:HB3	1:C:155:MET:HE1	1.64	0.79
1:A:170:ARG:HD3	1:B:74:HIS:HB3	1.65	0.78
1:A:126:GLU:H	1:A:126:GLU:CD	1.92	0.78
1:B:138:ILE:HG13	1:B:139:LYS:N	1.98	0.76
3:D:304:581:C13	3:D:304:581:C4	2.33	0.76
1:B:170:ARG:HD2	1:D:74:HIS:CB	2.04	0.73
1:D:124:ARG:HD3	1:D:191:PHE:CE2	2.24	0.73
1:B:170:ARG:CD	1:D:74:HIS:CB	2.66	0.67
1:D:2:GLU:OE1	1:D:29:LYS:HD2	1.97	0.65
1:C:141:GLU:H	1:C:141:GLU:CD	2.04	0.65
1:D:138:ILE:HG13	1:D:139:LYS:N	2.13	0.64
1:A:124:ARG:HD3	1:A:191:PHE:CE2	2.33	0.63
1:B:139:LYS:HG2	1:B:139:LYS:O	1.99	0.62
1:D:2:GLU:CD	1:D:29:LYS:CD	2.68	0.62
3:C:304:581:H7	3:C:304:581:H2	1.74	0.61
1:B:73:LYS:H	1:B:73:LYS:CE	2.02	0.60
1:D:30:ILE:CG2	1:D:31:GLU:N	2.67	0.57
1:D:50(A):GLY:HA3	1:D:163:LEU:HD22	1.86	0.57
1:D:2:GLU:OE1	1:D:29:LYS:CD	2.52	0.56
1:B:151:THR:HG22	1:B:179:ARG:HH12	1.69	0.56
1:C:124:ARG:HD3	1:C:191:PHE:CE2	2.42	0.55
1:C:73:LYS:CE	1:C:73:LYS:N	2.50	0.55
1:C:37:ALA:HB1	3:C:304:581:H2	1.88	0.54
1:C:73:LYS:H	1:C:73:LYS:HE3	1.63	0.54
1:C:74:HIS:HB3	1:D:170:ARG:CD	2.38	0.54
1:A:124:ARG:HD3	1:A:191:PHE:CD2	2.42	0.54
1:C:50(C):SER:HB2	1:C:73:LYS:HE3	1.89	0.54
1:C:75:ARG:NH2	1:C:162:THR:HG23	2.23	0.53
1:A:74:HIS:HB3	1:C:170:ARG:CD	2.30	0.53
1:B:138:ILE:HD11	1:B:140:SER:O	2.06	0.53
1:C:125:ARG:HH22	1:C:133:GLU:CD	2.18	0.52
1:B:151:THR:HG22	1:B:179:ARG:NH1	2.25	0.51
1:B:138:ILE:CG1	1:B:140:SER:H	2.20	0.51
1:D:12:MET:HE3	1:D:13:ILE:HG13	1.93	0.50
1:D:124:ARG:HD3	1:D:191:PHE:CD2	2.46	0.50
1:D:134:LYS:HZ1	3:D:303:581:C10	2.26	0.49
1:A:127:VAL:CG1	1:A:155:MET:CB	2.90	0.49
1:A:170:ARG:HD3	1:B:74:HIS:CB	2.41	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:LYS:HE3	3:A:304:581:C9	2.41	0.48
1:C:138:ILE:HD11	1:C:145:ILE:HD11	1.95	0.48
1:A:127:VAL:CG1	1:A:155:MET:HB3	2.43	0.48
1:B:158:LYS:O	1:B:159:ALA:C	2.55	0.47
1:D:138:ILE:CG1	1:D:139:LYS:N	2.77	0.47
1:A:126:GLU:CD	1:A:126:GLU:N	2.67	0.47
1:B:158:LYS:O	1:B:160:ASP:N	2.47	0.47
1:D:30:ILE:HG22	1:D:31:GLU:N	2.29	0.46
1:B:144:HIS:CE1	1:B:157:THR:HB	2.51	0.46
1:A:157:THR:HG22	1:A:158:LYS:HG3	1.96	0.46
1:C:77:GLU:HG2	1:C:94:ILE:HD11	1.98	0.45
1:A:1:MET:HE2	1:A:187:LEU:HB3	1.98	0.45
1:A:92:ASN:HD21	1:A:102:LYS:NZ	2.14	0.45
1:A:151:THR:HG22	1:A:179:ARG:NH1	2.32	0.45
1:D:10:ASN:OD1	1:D:10:ASN:C	2.60	0.45
1:D:136:ASN:O	1:D:139:LYS:HG3	2.17	0.45
1:A:75:ARG:NH2	1:A:162:THR:HG23	2.31	0.45
1:D:161:TYR:HB3	1:D:168:ARG:HD2	1.98	0.45
1:D:100:VAL:HG13	1:D:142:GLU:OE2	2.17	0.45
1:A:127:VAL:HG23	1:A:149:SER:HB3	1.99	0.45
1:C:1:MET:HE2	1:C:187:LEU:HB3	1.99	0.44
1:B:170:ARG:NE	1:D:74:HIS:HB3	2.29	0.44
3:B:304:581:O4	3:B:304:581:O2	2.35	0.44
1:B:127:VAL:HG13	1:B:128:HIS:N	2.33	0.43
1:C:127:VAL:HG12	1:C:155:MET:HE3	2.00	0.43
1:C:134:LYS:HZ2	3:C:303:581:C10	2.31	0.43
1:C:127:VAL:HG23	1:C:149:SER:HB3	1.99	0.43
1:C:124:ARG:HD3	1:C:191:PHE:CD2	2.54	0.43
1:D:164:ASP:OD1	1:D:166:GLU:HG2	2.19	0.43
1:A:127:VAL:CG1	1:A:155:MET:HB2	2.49	0.42
1:B:138:ILE:CG1	1:B:139:LYS:N	2.78	0.42
1:B:128:HIS:CA	1:B:155:MET:HE1	2.42	0.42
1:C:141:GLU:CD	1:C:141:GLU:N	2.75	0.42
1:C:74:HIS:HB3	1:D:170:ARG:HD3	2.01	0.42
1:B:139:LYS:O	1:B:139:LYS:CG	2.68	0.42
1:B:151:THR:OG1	1:B:153:GLU:OE1	2.37	0.42
1:B:127:VAL:HG22	1:B:155:MET:HE3	2.02	0.41
1:A:138:ILE:HG13	1:A:140:SER:H	1.85	0.41
1:C:158:LYS:O	1:C:159:ALA:C	2.61	0.41
1:C:74:HIS:HB3	1:D:170:ARG:HD2	2.03	0.41
1:B:75:ARG:NH2	1:B:111:ASP:OD1	2.49	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:TYR:CD2	1:A:131:TYR:C	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	179/187 (96%)	176 (98%)	3 (2%)	0	100	100
1	B	179/187 (96%)	174 (97%)	5 (3%)	0	100	100
1	C	179/187 (96%)	176 (98%)	3 (2%)	0	100	100
1	D	177/187 (95%)	174 (98%)	3 (2%)	0	100	100
All	All	714/748 (96%)	700 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	160/165 (97%)	156 (98%)	4 (2%)	42	55
1	B	160/165 (97%)	157 (98%)	3 (2%)	50	65
1	C	160/165 (97%)	156 (98%)	4 (2%)	42	55
1	D	159/165 (96%)	152 (96%)	7 (4%)	25	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	639/660 (97%)	621 (97%)	18 (3%)	38 51

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73	LYS
1	A	126	GLU
1	A	193	GLN
1	A	194	SER
1	B	23	GLU
1	B	73	LYS
1	B	124	ARG
1	C	12	MET
1	C	73	LYS
1	C	127	VAL
1	C	154	GLU
1	D	12	MET
1	D	30	ILE
1	D	73	LYS
1	D	84	ARG
1	D	96	ASN
1	D	115	ASN
1	D	166	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	ASN
1	A	115	ASN
1	A	136	ASN
1	B	92	ASN
1	B	115	ASN
1	C	92	ASN
1	C	115	ASN
1	C	180	GLN
1	D	92	ASN
1	D	115	ASN
1	D	128	HIS
1	D	180	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 8 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	C	301	-	4,4,4	0.23	0	6,6,6	0.21	0
2	SO4	D	301	-	4,4,4	0.26	0	6,6,6	0.12	0
3	581	B	304	-	20,22,22	2.23	7 (35%)	24,31,31	2.55	8 (33%)
3	581	A	304	-	20,22,22	2.26	7 (35%)	24,31,31	2.92	6 (25%)
3	581	B	303	4	20,22,22	1.26	3 (15%)	24,31,31	1.78	4 (16%)
3	581	A	303	4	20,22,22	1.34	3 (15%)	24,31,31	2.02	6 (25%)
2	SO4	C	302	-	4,4,4	0.24	0	6,6,6	0.06	0
2	SO4	B	301	-	4,4,4	0.24	0	6,6,6	0.15	0
2	SO4	A	301	-	4,4,4	0.23	0	6,6,6	0.15	0
2	SO4	D	302	-	4,4,4	0.23	0	6,6,6	0.08	0
2	SO4	A	302	-	4,4,4	0.23	0	6,6,6	0.07	0
3	581	C	303	4	20,22,22	1.28	4 (20%)	24,31,31	1.90	4 (16%)
3	581	D	303	4	20,22,22	1.23	2 (10%)	24,31,31	2.12	4 (16%)
3	581	C	304	-	20,22,22	2.11	7 (35%)	24,31,31	2.61	10 (41%)
2	SO4	B	302	-	4,4,4	0.23	0	6,6,6	0.10	0
3	581	D	304	-	20,22,22	2.12	7 (35%)	24,31,31	2.44	7 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	581	B	304	-	-	3/12/12/12	0/2/2/2
3	581	A	304	-	-	2/12/12/12	0/2/2/2
3	581	B	303	4	-	7/12/12/12	0/2/2/2
3	581	A	303	4	-	6/12/12/12	0/2/2/2
3	581	C	303	4	-	4/12/12/12	0/2/2/2
3	581	D	303	4	-	5/12/12/12	0/2/2/2
3	581	C	304	-	-	4/12/12/12	0/2/2/2
3	581	D	304	-	-	3/12/12/12	0/2/2/2

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	304	581	C3-N3	-5.09	1.31	1.41
3	C	304	581	C10-N2	-4.88	1.29	1.38
3	B	304	581	C3-N3	-4.78	1.32	1.41
3	D	304	581	C7-N2	-4.73	1.30	1.38
3	C	304	581	C7-N2	-4.73	1.30	1.38
3	A	304	581	C7-N2	-4.34	1.31	1.38
3	D	304	581	C10-N2	-4.33	1.30	1.38
3	A	304	581	C10-N2	-4.01	1.31	1.38
3	B	304	581	C10-N2	-4.00	1.31	1.38
3	B	304	581	C7-N2	-3.95	1.31	1.38
3	C	304	581	C3-N3	-3.80	1.34	1.41
3	A	304	581	C12-N3	-3.54	1.29	1.36
3	A	304	581	O3-C11	-3.38	1.21	1.30
3	B	304	581	C4-C5	-3.31	1.34	1.39
3	D	304	581	C3-N3	-3.26	1.35	1.41
3	D	304	581	C4-C5	-3.20	1.34	1.39
3	B	304	581	C4-C3	-3.08	1.34	1.39
3	A	303	581	C10-N2	-2.95	1.33	1.38
3	B	303	581	C3-N3	-2.75	1.36	1.41
3	A	303	581	C3-N3	-2.70	1.36	1.41
3	B	304	581	C12-N3	-2.61	1.31	1.36
3	B	303	581	C10-N2	-2.57	1.34	1.38
3	D	303	581	C3-N3	-2.55	1.36	1.41
3	C	303	581	C10-N2	-2.53	1.34	1.38
3	D	304	581	C12-N3	-2.52	1.31	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	304	581	C12-N3	-2.49	1.31	1.36
3	B	304	581	O3-C11	-2.48	1.23	1.30
3	C	303	581	C3-N3	-2.36	1.36	1.41
3	C	304	581	O3-C11	-2.36	1.24	1.30
3	A	303	581	C7-N2	-2.26	1.34	1.38
3	D	304	581	O3-C11	-2.25	1.24	1.30
3	A	304	581	C4-C5	-2.25	1.36	1.39
3	C	304	581	C4-C5	-2.20	1.36	1.39
3	D	303	581	O3-C11	-2.12	1.24	1.30
3	A	304	581	C4-C3	-2.09	1.36	1.39
3	C	303	581	O3-C11	-2.05	1.25	1.30
3	C	304	581	C4-C3	-2.04	1.36	1.39
3	D	304	581	C4-C3	-2.03	1.36	1.39
3	C	303	581	C7-N1	2.02	1.36	1.31
3	B	303	581	O3-C11	-2.01	1.25	1.30

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	304	581	C8-N1-C7	8.54	123.76	114.57
3	A	304	581	C3-N3-C12	-8.50	112.11	127.98
3	D	303	581	C8-N1-C7	8.00	123.19	114.57
3	A	303	581	C8-N1-C7	7.50	122.64	114.57
3	C	303	581	C8-N1-C7	7.45	122.59	114.57
3	D	304	581	C8-N1-C7	6.95	122.05	114.57
3	B	304	581	C8-N1-C7	6.75	121.83	114.57
3	C	304	581	C8-N1-C7	6.47	121.54	114.57
3	B	303	581	C8-N1-C7	6.44	121.50	114.57
3	D	304	581	C3-N3-C12	-5.98	116.81	127.98
3	C	304	581	C3-N3-C12	-5.64	117.46	127.98
3	B	304	581	C11-C8-N1	5.02	127.33	114.16
3	C	304	581	C5-C7-N2	-4.80	111.16	117.78
3	B	304	581	C3-N3-C12	-4.32	119.91	127.98
3	A	304	581	C11-C8-N1	4.18	125.11	114.16
3	A	304	581	C10-N2-C7	-3.94	119.92	125.86
3	C	304	581	C11-C8-N1	3.83	124.19	114.16
3	D	304	581	C10-N2-C7	-3.80	120.12	125.86
3	B	304	581	C4-C5-C7	-3.68	113.79	120.26
3	B	304	581	C10-N2-C7	-3.55	120.51	125.86
3	D	303	581	C5-C7-N2	3.37	122.41	117.78
3	C	304	581	C10-N2-C7	-3.35	120.82	125.86
3	D	303	581	C3-N3-C12	-3.00	122.38	127.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	304	581	C4-C5-C7	-2.84	115.26	120.26
3	B	303	581	C3-N3-C12	-2.83	122.70	127.98
3	A	303	581	C13-C12-N3	2.81	119.18	114.95
3	D	304	581	C4-C5-C7	-2.76	115.40	120.26
3	D	304	581	C6-C5-C4	2.68	122.35	119.25
3	A	303	581	O3-C11-C8	2.64	123.02	116.02
3	C	303	581	C10-N2-C7	-2.59	121.95	125.86
3	C	304	581	C5-C7-N1	2.57	124.67	116.65
3	C	304	581	C6-C5-C4	2.55	122.20	119.25
3	D	303	581	C10-N2-C7	-2.54	122.03	125.86
3	C	303	581	C13-C12-N3	2.51	118.73	114.95
3	B	303	581	C13-C12-N3	2.50	118.71	114.95
3	B	304	581	O3-C11-C8	2.50	122.64	116.02
3	A	304	581	O3-C11-O4	-2.47	118.01	123.90
3	A	303	581	O4-C11-C8	-2.46	114.67	120.92
3	D	304	581	O3-C11-C8	2.44	122.48	116.02
3	B	304	581	C6-C5-C7	2.40	125.09	120.83
3	C	303	581	C11-C8-N1	2.37	120.38	114.16
3	B	303	581	C10-N2-C7	-2.28	122.43	125.86
3	A	304	581	C4-C5-C7	-2.19	116.40	120.26
3	C	304	581	C1-C6-C5	-2.16	118.25	120.36
3	A	303	581	C10-N2-C7	-2.15	122.62	125.86
3	C	304	581	O3-C11-O4	-2.13	118.82	123.90
3	B	304	581	C2-C3-C4	2.10	122.19	119.66
3	D	304	581	C11-C8-N1	2.03	119.49	114.16
3	A	303	581	O5-C12-N3	-2.01	120.31	123.06

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	303	581	O3-C11-C8-C9
3	A	303	581	O3-C11-C8-N1
3	A	304	581	O5-C12-N3-C3
3	A	304	581	C13-C12-N3-C3
3	B	303	581	O3-C11-C8-C9
3	B	303	581	O4-C11-C8-C9
3	B	304	581	O5-C12-N3-C3
3	B	304	581	C13-C12-N3-C3
3	C	304	581	O5-C12-N3-C3
3	C	304	581	C13-C12-N3-C3
3	D	304	581	O5-C12-N3-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	304	581	C13-C12-N3-C3
3	A	303	581	C13-C12-N3-C3
3	B	303	581	C4-C3-N3-C12
3	A	303	581	C2-C3-N3-C12
3	A	303	581	C4-C3-N3-C12
3	B	303	581	C2-C3-N3-C12
3	C	303	581	C4-C3-N3-C12
3	D	303	581	C4-C3-N3-C12
3	C	303	581	C2-C3-N3-C12
3	D	303	581	C2-C3-N3-C12
3	A	303	581	O5-C12-N3-C3
3	B	303	581	O5-C12-N3-C3
3	B	303	581	C13-C12-N3-C3
3	C	303	581	C13-C12-N3-C3
3	D	303	581	O5-C12-N3-C3
3	D	303	581	C13-C12-N3-C3
3	C	303	581	O5-C12-N3-C3
3	B	303	581	O3-C11-C8-N1
3	D	304	581	O4-C11-C8-C9
3	C	304	581	C4-C5-C7-N2
3	B	304	581	O3-C11-C8-N1
3	D	303	581	O4-C11-C8-C9
3	C	304	581	O4-C11-C8-N1


There are no ring outliers.



6 monomers are involved in 26 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	304	581	6	0
3	A	304	581	7	0
3	C	303	581	1	0
3	D	303	581	1	0
3	C	304	581	6	0
3	D	304	581	5	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	181/187 (96%)	0.72	20 (11%) 10 12	25, 42, 69, 78	0
1	B	181/187 (96%)	0.91	26 (14%) 6 7	28, 43, 70, 82	0
1	C	181/187 (96%)	0.98	23 (12%) 8 9	24, 45, 69, 76	0
1	D	179/187 (95%)	0.89	28 (15%) 5 5	28, 43, 67, 77	0
All	All	722/748 (96%)	0.88	97 (13%) 7 8	24, 43, 69, 82	0

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	74	HIS	6.9
1	C	74	HIS	6.6
1	B	196(C)	ALA	6.6
1	B	74	HIS	6.3
1	C	50(C)	SER	5.3
1	D	50	ASP	4.7
1	C	50(A)	GLY	4.5
1	A	199	ALA	4.2
1	D	196(B)	ALA	4.2
1	B	196(A)	ALA	4.1
1	C	153	GLU	4.1
1	A	197	ALA	3.9
1	C	73	LYS	3.9
1	B	196	ARG	3.8
1	D	73	LYS	3.8
1	D	50(B)	GLY	3.8
1	D	50(C)	SER	3.7
1	D	50(A)	GLY	3.6
1	B	136	ASN	3.6
1	B	73	LYS	3.6
1	A	141	GLU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	24	TYR	3.4
1	B	24	TYR	3.4
1	A	194	SER	3.4
1	A	138	ILE	3.4
1	B	50(C)	SER	3.4
1	D	141	GLU	3.4
1	C	138	ILE	3.4
1	B	138	ILE	3.3
1	D	20	ALA	3.2
1	B	139	LYS	3.2
1	D	138	ILE	3.2
1	D	140	SER	3.2
1	D	24	TYR	3.2
1	C	50	ASP	3.1
1	B	126	GLU	3.0
1	B	101	GLU	3.0
1	B	125	ARG	2.9
1	B	196(B)	ALA	2.9
1	A	25	GLY	2.9
1	C	196(C)	ALA	2.9
1	C	115	ASN	2.9
1	A	73	LYS	2.8
1	B	193	GLN	2.8
1	A	74	HIS	2.8
1	A	198	ALA	2.8
1	B	141	GLU	2.7
1	C	196(A)	ALA	2.7
1	A	50(C)	SER	2.7
1	A	83	ASP	2.6
1	A	50(B)	GLY	2.6
1	D	86	MET	2.6
1	A	23	GLU	2.6
1	A	26	GLU	2.5
1	B	50(B)	GLY	2.5
1	D	99	GLY	2.5
1	C	100	VAL	2.5
1	D	196	ARG	2.5
1	C	24	TYR	2.5
1	B	194	SER	2.4
1	C	139	LYS	2.4
1	B	192	ARG	2.4
1	D	165	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	105	PHE	2.4
1	C	101	GLU	2.4
1	A	22	LYS	2.4
1	B	140	SER	2.4
1	C	30	ILE	2.4
1	D	30	ILE	2.3
1	C	126	GLU	2.3
1	D	7	GLN	2.3
1	A	140	SER	2.3
1	D	196(A)	ALA	2.3
1	B	23	GLU	2.3
1	B	142	GLU	2.2
1	D	164	ASP	2.2
1	C	193	GLN	2.2
1	D	98	THR	2.2
1	D	192	ARG	2.2
1	D	96	ASN	2.1
1	C	105	PHE	2.1
1	C	142	GLU	2.1
1	C	192	ARG	2.1
1	B	19	LYS	2.1
1	D	139	LYS	2.1
1	A	142	GLU	2.1
1	D	23	GLU	2.1
1	B	30	ILE	2.1
1	C	127	VAL	2.1
1	C	50(B)	GLY	2.1
1	A	164	ASP	2.1
1	D	83	ASP	2.1
1	C	23	GLU	2.0
1	D	142	GLU	2.0
1	B	7	GLN	2.0
1	A	139	LYS	2.0
1	B	15	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	B	302	5/5	0.49	0.22	227,227,227,227	0
2	SO4	D	302	5/5	0.53	0.20	145,145,145,145	0
2	SO4	A	302	5/5	0.59	0.26	218,218,218,218	0
2	SO4	C	302	5/5	0.60	0.22	163,163,163,163	0
3	581	D	304	21/21	0.65	0.26	72,74,74,76	0
3	581	C	304	21/21	0.66	0.23	74,75,78,79	0
3	581	B	304	21/21	0.66	0.22	63,66,69,70	0
3	581	A	304	21/21	0.68	0.19	52,54,61,63	0
2	SO4	D	301	5/5	0.69	0.16	114,114,114,114	0
2	SO4	A	301	5/5	0.73	0.13	89,89,89,89	0
2	SO4	B	301	5/5	0.74	0.15	88,88,89,89	0
2	SO4	C	301	5/5	0.76	0.13	91,91,92,92	0
3	581	B	303	21/21	0.88	0.11	39,45,60,60	0
3	581	C	303	21/21	0.91	0.10	41,46,56,56	0
4	MN	A	306	1/1	0.91	0.07	49,49,49,49	0
3	581	A	303	21/21	0.92	0.09	26,39,53,54	0
3	581	D	303	21/21	0.92	0.12	38,46,62,63	0
4	MN	C	306	1/1	0.95	0.05	52,52,52,52	0
4	MN	D	306	1/1	0.95	0.07	56,56,56,56	0
4	MN	B	306	1/1	0.96	0.05	55,55,55,55	0
4	MN	D	305	1/1	0.99	0.02	30,30,30,30	0
4	MN	C	305	1/1	0.99	0.02	31,31,31,31	0
4	MN	B	305	1/1	1.00	0.01	30,30,30,30	0
4	MN	A	305	1/1	1.00	0.02	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 581 D 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 581 C 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 581 B 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 581 A 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 581 B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 581 C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 581 A 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.