



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 08:45 AM UTC

PDB ID : 6E58 / pdb_00006e58
Title : Crystal structure of Streptococcus pyogenes endo-beta-N-acetylglucosaminidase (EndoS2)
Authors : Klontz, E.H.; Trastoy, B.; Gunther, S.; Guerin, M.E.; Sundberg, E.J.
Deposited on : 2018-07-19
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	802	% 83% 14% .
1	B	802	4% 84% 14% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12631 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Secreted Endo-beta-N-acetylglucosaminidase (EndoS).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	787	Total	C	N	O	S	0	0	0
			6194	3888	1059	1232	15			
1	B	786	Total	C	N	O	S	0	0	0
			6155	3868	1053	1219	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	43	MET	-	initiating methionine	UNP A0A0H3C1U3
A	844	LEU	-	expression tag	UNP A0A0H3C1U3
B	43	MET	-	initiating methionine	UNP A0A0H3C1U3
B	844	LEU	-	expression tag	UNP A0A0H3C1U3

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		
2	B	1	Total	Ca	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	164	Total	O	0	0
			164	164		
3	B	116	Total	O	0	0
			116	116		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Secreted Endo-beta-N-acetylglucosaminidase (EndoS)



- Molecule 1: Secreted Endo-beta-N-acetylglucosaminidase (EndoS)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.17Å 105.83Å 259.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.89 – 2.75 38.89 – 2.75	Depositor EDS
% Data completeness (in resolution range)	93.2 (38.89-2.75) 93.2 (38.89-2.75)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.209 , 0.264 0.211 , 0.264	Depositor DCC
R_{free} test set	3044 reflections (3.42%)	wwPDB-VP
Wilson B-factor (Å ²)	40.1	Xtriage
Anisotropy	0.424	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	12631	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	2/6312 (0.0%)	0.66	0/8544
1	B	0.41	0/6272	0.64	0/8494
All	All	0.43	2/12584 (0.0%)	0.65	0/17038

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	729	LYS	CD-CE	-5.48	1.35	1.52
1	A	558	GLN	CD-OE1	-5.40	1.13	1.23

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6194	0	5944	89	0
1	B	6155	0	5897	81	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	164	0	0	17	0
3	B	116	0	0	18	0
All	All	12631	0	11841	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:445:GLN:NE2	3:A:1002:HOH:O	1.91	1.04
1:A:768:MET:HE3	1:A:773:ARG:HA	1.50	0.93
1:A:421:TYR:O	3:A:1001:HOH:O	1.86	0.92
1:B:541:THR:HG22	1:B:543:LYS:H	1.35	0.92
1:A:727:LEU:HG	1:A:729:LYS:NZ	1.85	0.90
1:A:629:LYS:NZ	3:A:1007:HOH:O	2.08	0.86
1:B:468:LYS:NZ	1:B:488:GLY:O	2.08	0.86
1:A:765:LEU:O	1:A:773:ARG:NH1	2.12	0.83
1:A:390:TYR:O	3:A:1004:HOH:O	1.96	0.83
1:A:274:TYR:OH	3:A:1003:HOH:O	1.95	0.78
1:A:515:LEU:H	1:A:550:GLN:HE21	1.32	0.77
1:A:757:ILE:O	3:A:1005:HOH:O	2.02	0.77
1:B:745:ASP:OD1	1:B:746:SER:N	2.18	0.76
1:A:784:THR:O	3:A:1005:HOH:O	2.03	0.76
1:A:207:GLU:OE1	3:A:1006:HOH:O	2.04	0.75
1:B:179:ASP:OD2	3:B:1001:HOH:O	2.04	0.75
1:B:604:GLY:O	3:B:1002:HOH:O	2.05	0.75
1:B:567:TYR:HE2	1:B:574:HIS:CG	2.05	0.74
1:A:194:THR:HG22	1:A:196:GLU:OE2	1.89	0.72
1:B:434:ASN:OD1	3:B:1003:HOH:O	2.08	0.70
1:A:727:LEU:HG	1:A:729:LYS:HZ1	1.56	0.69
1:A:558:GLN:NE2	1:A:589:ASN:OD1	2.26	0.68
1:B:156:ASP:OD2	3:B:1004:HOH:O	2.10	0.68
1:A:382:THR:O	1:A:386:GLU:HG2	1.93	0.68
1:B:750:VAL:HG13	1:B:812:VAL:HG13	1.75	0.68
1:A:351:SER:O	1:A:354:LYS:HG3	1.95	0.67
1:B:498:ASP:OD1	3:B:1005:HOH:O	2.12	0.67
1:B:585:VAL:HG13	1:B:589:ASN:HA	1.76	0.66
1:A:799:LYS:NZ	3:A:1016:HOH:O	2.27	0.66
1:A:727:LEU:HG	1:A:729:LYS:HZ3	1.59	0.66
1:A:58:ILE:O	3:A:1008:HOH:O	2.14	0.65
1:A:356:ARG:NH2	1:A:367:ASP:OD2	2.30	0.64
1:A:548:GLU:OE2	1:A:609:ARG:HD2	1.98	0.64
1:B:541:THR:HG22	1:B:543:LYS:N	2.11	0.64
1:A:596:GLU:O	1:A:600:ILE:HD12	1.97	0.64
1:A:459:THR:HG23	1:A:461:GLU:H	1.62	0.64
1:A:734:PHE:HB3	1:A:738:THR:HG21	1.78	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:683:LYS:NZ	3:B:1024:HOH:O	2.31	0.62
1:B:107:HIS:ND1	3:B:1014:HOH:O	2.27	0.62
1:B:310:LYS:HE3	3:B:1028:HOH:O	1.99	0.61
1:B:763:ILE:HG12	1:B:765:LEU:HD23	1.83	0.61
1:A:448:GLU:OE2	1:A:450:ARG:NH2	2.33	0.61
1:B:382:THR:O	1:B:386:GLU:HG2	1.99	0.61
1:A:502:ILE:HG22	1:A:505:LEU:HB2	1.82	0.61
1:B:680:ASN:ND2	1:B:827:GLN:HG2	2.17	0.60
1:A:765:LEU:HB2	1:A:768:MET:HE2	1.84	0.60
1:B:553:LYS:O	3:B:1006:HOH:O	2.17	0.59
1:A:768:MET:HE1	1:A:776:TYR:CD1	2.37	0.59
1:B:321:LYS:NZ	3:B:1021:HOH:O	2.29	0.59
1:A:581:VAL:HG21	1:A:657:VAL:HG21	1.85	0.58
1:B:468:LYS:HE2	1:B:489:LEU:HD23	1.83	0.58
1:A:467:MET:HE1	1:A:473:LEU:HB2	1.86	0.58
1:A:735:ASN:O	1:A:738:THR:HB	2.04	0.57
1:B:473:LEU:HD21	1:B:475:MET:HE3	1.86	0.57
1:B:267:ASP:HB3	1:B:271:TYR:CE2	2.39	0.57
1:B:584:THR:HG23	1:B:623:LYS:HG2	1.86	0.57
1:A:542:VAL:HG12	1:A:609:ARG:HD3	1.87	0.57
1:B:59:ARG:NH1	1:B:214:LYS:HA	2.20	0.56
1:A:248:LEU:HD22	1:A:281:MET:HB2	1.87	0.56
1:A:267:ASP:HB3	1:A:271:TYR:CE2	2.41	0.56
1:A:361:LEU:HD13	3:A:1009:HOH:O	2.05	0.56
1:A:826:LEU:O	3:A:1010:HOH:O	2.18	0.56
1:B:443:LYS:O	1:B:445:GLN:NE2	2.39	0.56
1:B:59:ARG:HH12	1:B:214:LYS:HA	1.70	0.55
1:B:459:THR:HA	1:B:485:ASN:HB3	1.89	0.55
1:A:769:ASP:CG	1:A:770:ILE:H	2.15	0.55
1:A:680:ASN:HD22	1:A:683:LYS:HB2	1.71	0.54
1:A:357:THR:HG22	1:A:358:SER:N	2.23	0.54
1:B:268:TRP:CD1	1:B:327:PRO:HB3	2.41	0.54
1:A:515:LEU:H	1:A:550:GLN:NE2	2.01	0.53
1:B:363:ARG:NH2	1:B:368:ASN:OD1	2.42	0.53
1:A:428:THR:HG22	1:A:450:ARG:HB2	1.90	0.53
1:B:467:MET:HE1	1:B:473:LEU:HB2	1.90	0.53
1:B:457:GLU:HG2	1:B:483:LYS:HB3	1.91	0.53
1:A:46:THR:O	1:A:50:VAL:HG23	2.09	0.52
1:B:707:ASP:OD2	3:B:1007:HOH:O	2.19	0.52
1:A:356:ARG:HH22	1:A:367:ASP:CG	2.18	0.51
1:B:46:THR:HG23	1:B:49:GLN:H	1.75	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:THR:HG23	1:A:49:GLN:H	1.75	0.50
1:A:754:ARG:NH1	1:A:756:GLN:OE1	2.44	0.50
1:B:567:TYR:HE2	1:B:574:HIS:CB	2.24	0.50
1:B:142:ASN:HB2	3:B:1013:HOH:O	2.11	0.49
1:A:361:LEU:HA	3:A:1009:HOH:O	2.11	0.49
1:B:82:ILE:HD12	1:B:111:ALA:HB2	1.93	0.49
1:A:374:TYR:O	1:A:378:ARG:HG3	2.13	0.49
1:A:460:PRO:HA	1:A:463:LEU:HD12	1.94	0.48
1:B:270:GLN:HG3	3:B:1036:HOH:O	2.13	0.48
1:A:398:ILE:O	1:A:404:ARG:NH1	2.45	0.48
1:B:46:THR:OG1	1:B:47:ASP:N	2.47	0.48
1:A:128:LEU:HD12	1:A:135:LEU:HD21	1.95	0.47
1:A:459:THR:HG22	1:A:462:LEU:HG	1.97	0.47
1:A:200:ARG:NH1	3:A:1039:HOH:O	2.47	0.47
1:B:542:VAL:HG22	1:B:609:ARG:HD3	1.96	0.47
1:B:567:TYR:CE2	1:B:574:HIS:CG	2.94	0.46
1:B:46:THR:HG23	1:B:48:GLN:H	1.80	0.46
1:B:679:GLU:O	1:B:829:LEU:HA	2.16	0.46
1:A:264:ILE:HG22	1:A:325:TRP:CZ2	2.50	0.46
1:A:757:ILE:HG13	3:A:1005:HOH:O	2.16	0.46
1:A:54:LEU:HD23	1:A:54:LEU:HA	1.73	0.46
1:B:548:GLU:OE2	1:B:609:ARG:HD2	2.16	0.46
1:B:678:MET:HE1	1:B:730:GLU:OE2	2.15	0.46
1:A:411:VAL:HG22	1:A:421:TYR:CD2	2.51	0.46
1:A:493:THR:HG22	1:A:495:ASP:N	2.31	0.46
1:B:576:ILE:HG21	1:B:630:VAL:HG11	1.98	0.46
1:B:190:THR:O	1:B:191:ASN:HB3	2.15	0.45
1:B:373:ASP:O	1:B:378:ARG:NH1	2.49	0.45
1:B:786:VAL:HG12	1:B:800:LEU:HD22	1.97	0.45
1:A:190:THR:O	1:A:191:ASN:HB3	2.16	0.45
1:A:493:THR:HG22	1:A:495:ASP:H	1.81	0.45
1:B:373:ASP:OD2	3:B:1008:HOH:O	2.20	0.45
1:B:585:VAL:CG1	1:B:589:ASN:HA	2.46	0.45
1:B:681:LEU:N	1:B:828:ILE:O	2.49	0.45
1:B:736:ALA:HB2	1:B:822:GLN:O	2.17	0.45
1:A:357:THR:HG22	1:A:358:SER:H	1.81	0.45
1:A:185:ILE:HD12	1:A:225:MET:HE2	1.99	0.45
1:A:202:LEU:O	1:A:206:LYS:HG3	2.17	0.45
1:A:298:PHE:CZ	1:A:354:LYS:HG2	2.53	0.44
1:A:284:PHE:CZ	1:A:338:SER:HB3	2.53	0.44
1:A:777:LEU:O	1:A:809:ARG:NH1	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:LEU:CD1	1:A:135:LEU:HD21	2.47	0.44
1:A:806:ARG:HG2	1:A:806:ARG:O	2.17	0.44
1:A:783:TRP:CE2	1:A:809:ARG:HD3	2.52	0.44
1:B:212:ILE:HB	1:B:221:LYS:HB2	1.99	0.44
1:B:680:ASN:HD21	1:B:827:GLN:HA	1.82	0.44
1:B:502:ILE:HG22	1:B:505:LEU:HB2	1.99	0.44
1:B:769:ASP:CG	1:B:770:ILE:H	2.26	0.44
1:B:129:HIS:HE1	3:B:1001:HOH:O	2.01	0.44
1:A:188:GLU:HG2	1:A:191:ASN:O	2.18	0.44
1:A:353:TYR:O	1:A:355:ASN:N	2.51	0.43
1:A:705:LYS:HB3	1:A:738:THR:HG22	1.99	0.43
1:B:468:LYS:CE	1:B:489:LEU:HD23	2.48	0.43
1:B:804:LEU:O	3:B:1010:HOH:O	2.21	0.43
1:B:313:ASP:OD2	3:B:1009:HOH:O	2.21	0.43
1:B:485:ASN:OD1	1:B:487:SER:HB3	2.19	0.43
1:B:655:VAL:CG1	1:B:667:MET:HG3	2.48	0.43
1:B:732:ARG:HB3	1:B:827:GLN:HB2	2.00	0.43
1:B:383:LEU:HD23	1:B:383:LEU:O	2.18	0.43
1:B:517:LEU:HD13	1:B:527:LEU:HD22	2.00	0.43
1:B:628:TYR:CZ	1:B:659:ASP:HB3	2.54	0.43
1:B:783:TRP:CE2	1:B:809:ARG:HD3	2.54	0.43
1:A:493:THR:HG21	1:A:495:ASP:HB2	2.00	0.43
1:A:202:LEU:O	1:A:202:LEU:HD12	2.19	0.43
1:B:62:LYS:HB3	1:B:62:LYS:HE2	1.60	0.42
1:B:192:LYS:HG3	1:B:193:ARG:N	2.34	0.42
1:A:584:THR:HG23	1:A:623:LYS:HG2	2.02	0.42
1:A:757:ILE:N	3:A:1005:HOH:O	2.25	0.42
1:A:650:ASP:HA	1:A:671:ILE:O	2.20	0.42
1:A:513:ASN:HB2	1:A:550:GLN:HE22	1.84	0.42
1:A:66:LEU:O	1:A:335:GLY:HA3	2.20	0.42
1:A:680:ASN:ND2	1:A:683:LYS:HB2	2.32	0.41
1:A:611:TYR:CD1	1:A:612:VAL:HG23	2.55	0.41
1:B:258:GLU:O	1:B:258:GLU:HG3	2.20	0.41
1:A:298:PHE:HZ	1:A:354:LYS:HG2	1.85	0.41
1:A:448:GLU:HG2	1:A:450:ARG:HE	1.85	0.41
1:A:59:ARG:NH2	1:A:221:LYS:O	2.52	0.41
1:B:576:ILE:HG22	1:B:643:SER:O	2.19	0.41
1:B:729:LYS:O	1:B:730:GLU:HG3	2.20	0.41
1:A:714:GLN:HG3	1:A:814:GLY:HA2	2.03	0.41
1:B:734:PHE:CD2	1:B:825:GLU:HB3	2.55	0.41
1:A:790:ASP:O	1:A:791:ASP:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:59:ARG:HH11	1:B:59:ARG:HD3	1.67	0.41
1:B:142:ASN:CB	3:B:1013:HOH:O	2.69	0.41
1:B:528:MET:HE1	1:B:606:VAL:HG11	2.02	0.41
1:A:214:LYS:HG2	3:A:1064:HOH:O	2.20	0.41
1:B:301:ASN:HD22	1:B:301:ASN:HA	1.61	0.41
1:B:374:TYR:O	1:B:378:ARG:HG3	2.21	0.41
1:B:411:VAL:HG22	1:B:421:TYR:CD2	2.56	0.41
1:A:255:GLN:HB3	1:A:263:THR:HB	2.02	0.40
1:A:71:PHE:HB3	1:A:93:MET:HE2	2.03	0.40
1:B:93:MET:HE3	1:B:103:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	785/802 (98%)	751 (96%)	33 (4%)	1 (0%)	48	71
1	B	782/802 (98%)	750 (96%)	32 (4%)	0	100	100
All	All	1567/1604 (98%)	1501 (96%)	65 (4%)	1 (0%)	48	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	763	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	661/699 (95%)	658 (100%)	3 (0%)	81	89
1	B	653/699 (93%)	651 (100%)	2 (0%)	86	93
All	All	1314/1398 (94%)	1309 (100%)	5 (0%)	84	91

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	GLN
1	A	356	ARG
1	A	459	THR
1	B	359	THR
1	B	365	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	HIS
1	A	250	GLN
1	A	504	HIS
1	A	550	GLN
1	A	558	GLN
1	A	589	ASN
1	A	666	HIS
1	A	680	ASN
1	A	726	ASN
1	A	797	ASN
1	A	822	GLN
1	B	109	HIS
1	B	307	ASN
1	B	362	GLN
1	B	451	GLN
1	B	504	HIS
1	B	631	HIS
1	B	716	ASN
1	B	782	ASN
1	B	797	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	787/802 (98%)	0.05	9 (1%) 78 77	15, 32, 57, 87	0
1	B	786/802 (98%)	0.28	30 (3%) 44 41	16, 40, 70, 103	0
All	All	1573/1604 (98%)	0.16	39 (2%) 58 56	15, 36, 65, 103	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	647	ALA	4.3
1	B	46	THR	4.1
1	A	723	GLY	4.1
1	B	724	GLU	3.9
1	B	650	ASP	3.8
1	B	189	PHE	3.5
1	B	569	VAL	3.4
1	B	576	ILE	3.3
1	A	765	LEU	3.3
1	A	189	PHE	3.2
1	B	47	ASP	3.1
1	B	725	ILE	3.1
1	B	679	GLU	3.0
1	A	761	THR	3.0
1	A	695	GLU	2.9
1	A	763	ILE	2.7
1	A	760	ASP	2.7
1	B	649	THR	2.7
1	B	648	THR	2.6
1	B	831	GLN	2.6
1	B	434	ASN	2.6
1	A	558	GLN	2.5
1	B	763	ILE	2.5
1	B	712	TRP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	726	ASN	2.4
1	B	48	GLN	2.4
1	A	766	GLU	2.3
1	B	766	GLU	2.2
1	B	190	THR	2.2
1	B	781	GLU	2.2
1	B	571	ASN	2.2
1	B	675	ALA	2.1
1	B	573	GLU	2.1
1	B	676	ILE	2.1
1	B	673	SER	2.1
1	B	558	GLN	2.1
1	B	627	GLY	2.1
1	B	798	SER	2.0
1	B	762	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	B	901	1/1	0.92	0.09	90,90,90,90	0
2	CA	A	901	1/1	0.98	0.07	53,53,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.