



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 05:55 PM UTC

PDB ID : 1E6W / pdb_00001e6w
Title : Rat brain 3-hydroxyacyl-CoA dehydrogenase binary complex with NADH and estradiol
Authors : Read, J.A.; Powell, A.J.; Brady, R.L.
Deposited on : 2000-08-23
Resolution : 1.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	260	
1	B	260	
1	C	260	
1	D	260	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EST	C	302	X	-	X	-

2 Entry composition ⓘ


There are 4 unique types of molecules in this entry. The entry contains 8106 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SHORT CHAIN 3-HYDROXYACYL-COA DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	8	0
			1841	1160	323	351	7			
1	B	247	Total	C	N	O	S	0	11	0
			1848	1167	328	347	6			
1	C	248	Total	C	N	O	S	0	5	0
			1820	1147	324	342	7			
1	D	255	Total	C	N	O	S	0	2	0
			1856	1172	329	349	6			

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is ESTRADIOL (CCD ID: EST) (formula: $C_{18}H_{24}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			20	18	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	146	Total	O	0	0
			146	146		
4	B	128	Total	O	0	0
			128	128		
4	C	143	Total	O	0	0
			143	143		
4	D	128	Total	O	0	0
			128	128		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: SHORT CHAIN 3-HYDROXYACYL-COA DEHYDROGENASE




• Molecule 1: SHORT CHAIN 3-HYDROXYACYL-COA DEHYDROGENASE




• Molecule 1: SHORT CHAIN 3-HYDROXYACYL-COA DEHYDROGENASE





• Molecule 1: SHORT CHAIN 3-HYDROXYACYL-COA DEHYDROGENASE

Chain D: 40% 48% 10% .



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.60Å 67.43Å 67.50Å 65.22° 73.27° 75.67°	Depositor
Resolution (Å)	30.00 – 1.70	Depositor
% Data completeness (in resolution range)	94.4 (30.00-1.70)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.184 , 0.229	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	8106	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, EST

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.92	29/1906 (1.5%)	2.69	143/2589 (5.5%)
1	B	1.78	21/1928 (1.1%)	2.47	130/2612 (5.0%)
1	C	2.03	45/1869 (2.4%)	2.75	153/2534 (6.0%)
1	D	1.91	34/1895 (1.8%)	2.66	144/2574 (5.6%)
All	All	1.91	129/7598 (1.7%)	2.64	570/10309 (5.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9
1	B	0	10
1	C	0	12
1	D	0	10
All	All	0	41

The worst 5 of 129 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	31	VAL	N-CA	8.65	1.56	1.46
1	A	221	VAL	N-CA	8.22	1.52	1.46
1	C	112	GLU	CA-CB	8.17	1.66	1.53
1	D	50	GLU	C-O	7.96	1.33	1.24
1	C	41	ASP	CA-C	7.90	1.62	1.52

The worst 5 of 570 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	ARG	CD-NE-CZ	25.67	160.34	124.40
1	C	44	ASN	CA-CB-CG	19.33	131.93	112.60
1	C	116	ARG	CD-NE-CZ	18.09	149.73	124.40
1	A	127	ASN	OD1-CG-ND2	16.50	139.10	122.60
1	D	119	ASN	OD1-CG-ND2	-13.91	108.69	122.60

There are no chirality outliers.

5 of 41 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	102	HIS	Mainchain
1	A	105	LYS	Mainchain
1	A	120	VAL	Mainchain
1	A	24	LEU	Mainchain
1	A	7	SER	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1841	0	1864	57	2
1	B	1848	0	1916	50	4
1	C	1820	0	1872	59	2
1	D	1856	0	1889	45	6
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	2	0
2	D	44	0	26	1	0
3	C	20	0	21	11	0
4	A	146	0	0	16	1
4	B	128	0	0	12	3
4	C	143	0	0	14	3
4	D	128	0	0	11	1
All	All	8106	0	7666	197	11

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 197 close contacts within the same asymmetric unit are listed below, sorted by

their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:239:MET:HG2	4:D:515:HOH:O	1.63	0.98
1:A:29:ARG:HE	1:A:238[B]:GLN:NE2	1.62	0.95
1:D:29:ARG:HE	1:D:238[B]:GLN:NE2	1.64	0.94
1:D:29:ARG:HH21	1:D:238[B]:GLN:HE22	0.96	0.94
1:D:29:ARG:HE	1:D:238[B]:GLN:HE21	0.94	0.93

The worst 5 of 11 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:44:ASN:ND2	1:D:49:THR:OG1[1_565]	1.39	0.81
1:B:44:ASN:CG	1:D:49:THR:OG1[1_565]	1.90	0.30
4:B:521:HOH:O	4:C:426:HOH:O[1_564]	1.93	0.27
1:D:44:ASN:CB	4:B:477:HOH:O[1_545]	1.94	0.26
1:B:44:ASN:ND2	1:D:49:THR:CB[1_565]	2.01	0.19

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/260 (98%)	245 (96%)	10 (4%)	0	100	100
1	B	254/260 (98%)	241 (95%)	13 (5%)	0	100	100
1	C	249/260 (96%)	237 (95%)	12 (5%)	0	100	100
1	D	255/260 (98%)	239 (94%)	12 (5%)	4 (2%)	7	1
All	All	1013/1040 (97%)	962 (95%)	47 (5%)	4 (0%)	30	16

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	211	ASP
1	D	207	THR
1	D	210	PRO
1	D	206	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/199 (97%)	186 (96%)	7 (4%)	31	14
1	B	199/199 (100%)	192 (96%)	7 (4%)	32	15
1	C	191/199 (96%)	183 (96%)	8 (4%)	26	11
1	D	192/199 (96%)	186 (97%)	6 (3%)	35	18
All	All	775/796 (97%)	747 (96%)	28 (4%)	32	14

5 of 28 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	7	SER
1	D	230	PRO
1	C	79	LYS
1	D	104	LYS
1	C	69	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	44	ASN
1	C	90	ASN
1	D	215	ASN
1	C	138	GLN
1	D	44	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAD	C	301	-	46,48,48	2.00	14 (30%)	64,73,73	2.41	21 (32%)
2	NAD	D	301	-	46,48,48	1.90	9 (19%)	64,73,73	2.12	16 (25%)
2	NAD	A	301	-	46,48,48	1.83	13 (28%)	64,73,73	2.92	23 (35%)
2	NAD	B	301	-	46,48,48	1.57	8 (17%)	64,73,73	2.32	16 (25%)
3	EST	C	302	-	23,23,23	2.64	6 (26%)	36,36,36	2.81	17 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	C	301	-	-	8/30/62/62	0/5/5/5
2	NAD	D	301	-	-	7/30/62/62	0/5/5/5
2	NAD	A	301	-	-	5/30/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	B	301	-	-	6/30/62/62	0/5/5/5
3	EST	C	302	-	2/2/5/5	-	0/4/4/4

The worst 5 of 50 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302	EST	O17-C17	-10.86	1.25	1.43
2	C	301	NAD	O4D-C1D	5.92	1.48	1.40
2	D	301	NAD	PN-O3	5.78	1.65	1.59
2	B	301	NAD	C6N-N1N	4.75	1.46	1.35
2	C	301	NAD	C3N-C7N	4.63	1.57	1.50

The worst 5 of 93 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	NAD	C5N-C4N-C3N	-11.72	108.84	120.36
2	C	301	NAD	C5N-C4N-C3N	-8.68	111.83	120.36
2	A	301	NAD	C6N-C5N-C4N	8.50	131.69	119.45
2	B	301	NAD	C5N-C4N-C3N	-7.69	112.81	120.36
2	D	301	NAD	C5N-C4N-C3N	-7.57	112.93	120.36

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	302	EST	C14
3	C	302	EST	C17

5 of 26 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAD	C5D-O5D-PN-O3
2	A	301	NAD	C5D-O5D-PN-O1N
2	A	301	NAD	C5D-O5D-PN-O2N
2	B	301	NAD	C5D-O5D-PN-O3
2	B	301	NAD	O4D-C1D-N1N-C2N

There are no ring outliers.

3 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	NAD	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	301	NAD	1	0
3	C	302	EST	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.