



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:44 AM UTC

PDB ID : 5E62 / pdb_00005e62
Title : HEF-mut with Tr323 complex
Authors : Song, H.; Qi, J.; Shi, Y.; Gao, G.F.
Deposited on : 2015-10-09
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	8% 83% 14% ..
1	C	427	2% 87% 10% ..
2	B	149	17% 73% 23% ..
2	D	149	14% 79% 17% .
3	E	6	33% 50% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	6	 50% 17% 33%
3	J	6	 67% 33%
4	G	2	 50% 50%
4	I	2	 50% 50%
4	K	2	 50% 50%
4	L	2	 50% 50%
4	N	2	 100%
5	H	3	 100%
5	M	3	 33% 67%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 9821 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin-esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	424	Total	C	N	O	S	0	0	0
			3240	2039	540	639	22			
1	C	424	Total	C	N	O	S	0	0	0
			3240	2039	540	639	22			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	57	ALA	SER	engineered mutation	UNP K9LG83
A	356	ALA	ASP	engineered mutation	UNP K9LG83
A	359	ALA	HIS	engineered mutation	UNP K9LG83
C	57	ALA	SER	engineered mutation	UNP K9LG83
C	356	ALA	ASP	engineered mutation	UNP K9LG83
C	359	ALA	HIS	engineered mutation	UNP K9LG83

- Molecule 2 is a protein called Hemagglutinin-esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	149	Total	C	N	O	S	0	0	0
			1110	695	194	217	4			
2	D	149	Total	C	N	O	S	0	0	0
			1110	695	194	217	4			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	6	Total	C	N	O	0	0	0
			72	40	2	30			
3	F	6	Total	C	N	O	0	0	0
			72	40	2	30			
3	J	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	L	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	N	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called 9-O-acetyl-5-acetamido-3,5-dideoxy-D-glycero-alpha-D-galacto-non-2-ulopyranosonic acid-(2-3)-beta-D-galactopyranose-(1-3)-2-azidoethyl 2-acetamido-2-deoxy-beta-D-glucopyranoside.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	H	3	Total	C	N	O	0	0	0
			54	29	5	20			
5	M	3	Total	C	N	O	0	0	0
			54	29	5	20			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	239	Total	O	0	0
			239	239		
7	B	66	Total	O	0	0
			66	66		
7	C	280	Total	O	0	0
			280	280		
7	D	44	Total	O	0	0
			44	44		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin-esterase





- Molecule 1: Hemagglutinin-esterase



- Molecule 2: Hemagglutinin-esterase



- Molecule 2: Hemagglutinin-esterase



- Molecule 3: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)- β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 3: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)- β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 3: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)- β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%


MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

MAG1
MAG2

- Molecule 5: 9-O-acetyl-5-acetamido-3,5-dideoxy-D-glycero-alpha-D-galacto-non-2-ulopyranosonic acid-(2-3)-beta-D-galactopyranose-(1-3)-2-azidoethyl 2-acetamido-2-deoxy-beta-D-glucopyranoside

Chain H:  100%

Z3Q1
GAL2
5N63

- Molecule 5: 9-O-acetyl-5-acetamido-3,5-dideoxy-D-glycero-alpha-D-galacto-non-2-ulopyranosonic acid-(2-3)-beta-D-galactopyranose-(1-3)-2-azidoethyl 2-acetamido-2-deoxy-beta-D-glucopyranoside

Chain M:  33% 67%

Z3Q1
GAL2
5N63

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	164.82Å 164.82Å 164.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.70 – 2.20 49.70 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.70-2.20) 96.0 (49.70-2.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.32 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.204 , 0.244 0.209 , 0.247	Depositor DCC
R_{free} test set	3665 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	35.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.023 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9821	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, BMA, MAN, Z3Q, 5N6, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/3315	0.89	7/4494 (0.2%)
1	C	0.56	0/3315	0.86	4/4494 (0.1%)
2	B	0.53	0/1127	0.90	3/1515 (0.2%)
2	D	0.49	0/1127	0.89	3/1515 (0.2%)
All	All	0.55	0/8884	0.88	17/12018 (0.1%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	30	SER	N-CA-C	11.48	119.77	108.75
1	A	371	LEU	N-CA-C	8.85	123.88	113.18
1	C	371	LEU	N-CA-C	8.18	123.08	113.18
1	A	233	ASN	CA-C-N	-7.08	108.01	121.54
1	A	233	ASN	C-N-CA	-7.08	108.01	121.54
2	D	30	SER	CB-CA-C	-6.86	106.45	116.53
1	C	240	PHE	N-CA-C	6.79	121.98	113.43
1	A	236	LYS	N-CA-C	-6.24	104.48	111.28
2	D	30	SER	CA-C-O	6.12	122.19	118.33
1	A	235	ALA	N-CA-C	5.86	117.34	111.07
2	B	11	LEU	N-CA-C	5.71	122.96	110.80
1	A	271	ALA	N-CA-C	5.68	119.05	110.64
2	B	156	ASN	CA-C-N	5.52	131.64	121.70
2	B	156	ASN	C-N-CA	5.52	131.64	121.70
1	A	95	PRO	O-C-N	5.50	123.73	121.15
1	C	119	SER	CA-C-N	-5.35	114.10	119.56
1	C	119	SER	C-N-CA	-5.35	114.10	119.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3240	0	3114	49	0
1	C	3240	0	3114	42	0
2	B	1110	0	1067	27	0
2	D	1110	0	1067	28	0
3	E	72	0	61	1	0
3	F	72	0	61	1	0
3	J	72	0	61	0	0
4	G	28	0	25	1	0
4	I	28	0	25	2	0
4	K	28	0	25	0	0
4	L	28	0	25	1	0
4	N	28	0	25	0	0
5	H	54	0	9	6	0
5	M	54	0	9	2	0
6	B	14	0	13	0	0
6	D	14	0	13	0	0
7	A	239	0	0	6	1
7	B	66	0	0	6	1
7	C	280	0	0	7	1
7	D	44	0	0	5	0
All	All	9821	0	8714	138	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:LYS:O	1:A:238:ASN:ND2	1.89	1.06
1:A:244:ASP:OD1	1:A:262:ASN:HB2	1.70	0.92
1:A:29:LYS:NZ	7:A:804:HOH:O	2.05	0.90
5:H:3:5N6:O10	5:H:3:5N6:O7	1.90	0.90
2:D:80:ASN:OD1	7:D:801:HOH:O	1.91	0.87
1:C:193:PRO:O	7:C:801:HOH:O	1.96	0.82
1:A:340:GLU:OE1	7:A:802:HOH:O	1.98	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:GLU:OE2	7:A:803:HOH:O	1.99	0.79
2:D:80:ASN:ND2	7:D:802:HOH:O	2.14	0.77
1:A:233:ASN:O	1:A:234:LYS:C	2.19	0.77
1:C:198:GLN:OE1	7:C:802:HOH:O	2.03	0.77
2:D:30:SER:OG	2:D:31:ASN:ND2	2.19	0.76
1:A:415:THR:O	2:B:101:ARG:NH1	2.19	0.74
1:C:232:GLU:OE1	1:C:236:LYS:NZ	2.19	0.73
7:B:801:HOH:O	4:I:2:NAG:O4	2.06	0.72
1:C:240:PHE:O	1:C:296:ARG:NH1	2.23	0.72
5:M:2:GAL:H4	5:M:3:5N6:C1	2.19	0.72
3:F:2:NAG:O3	3:F:3:BMA:H2	1.91	0.70
1:C:261:ASP:OD2	7:C:803:HOH:O	2.08	0.70
1:A:114:GLU:HG2	7:A:803:HOH:O	1.92	0.70
1:C:245:TYR:O	1:C:262:ASN:HB2	1.92	0.70
1:A:232:GLU:HG3	1:A:236:LYS:HG3	1.72	0.69
1:C:238:ASN:HA	1:C:241:GLY:O	1.92	0.69
2:D:30:SER:OG	2:D:31:ASN:N	2.24	0.66
1:A:237:PHE:HZ	1:A:294:THR:HG21	1.61	0.66
3:E:2:NAG:O3	3:E:3:BMA:C1	2.43	0.66
1:C:236:LYS:O	1:C:239:THR:OG1	2.13	0.65
1:C:25:VAL:HG13	1:C:421:ILE:HG23	1.77	0.65
1:A:234:LYS:HG3	1:A:238:ASN:HD21	1.61	0.65
1:C:33:MET:HE2	1:C:414:PRO:HB2	1.80	0.63
1:C:412:ARG:NE	7:C:809:HOH:O	2.31	0.63
2:B:101:ARG:NH1	7:B:804:HOH:O	2.31	0.63
1:A:236:LYS:O	1:A:239:THR:OG1	2.06	0.63
1:A:33:MET:HG3	1:A:416:LEU:HG	1.80	0.63
1:C:52:ILE:HD13	1:C:105:GLY:HA3	1.81	0.63
1:A:114:GLU:N	1:A:114:GLU:OE1	2.32	0.62
2:B:38:SER:OG	2:B:39:VAL:N	2.30	0.62
1:A:361:ASP:O	1:A:365:ARG:HG3	2.00	0.62
2:D:101:ARG:NE	7:D:804:HOH:O	2.25	0.60
1:C:242:CYS:HB2	7:C:901:HOH:O	2.02	0.60
1:A:233:ASN:O	1:A:235:ALA:N	2.35	0.59
1:C:33:MET:HE1	2:D:101:ARG:HB2	1.83	0.59
1:A:232:GLU:HG3	1:A:236:LYS:CG	2.34	0.58
1:C:418:SER:HB2	2:D:57:ARG:HH11	1.68	0.58
2:B:96:GLU:OE2	7:B:803:HOH:O	2.17	0.58
1:C:8:VAL:HG13	2:D:26:PHE:HB2	1.86	0.56
1:A:238:ASN:HD22	1:A:238:ASN:H	1.52	0.56
1:A:33:MET:HE1	2:B:101:ARG:HB2	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:27:TRP:CD1	2:B:44:ALA:HB2	2.43	0.54
1:A:28:MET:SD	4:G:1:NAG:H5	2.48	0.53
2:D:26:PHE:HD1	2:D:43:GLN:H	1.57	0.53
1:A:25:VAL:HG13	1:A:421:ILE:HG23	1.90	0.53
2:B:126:ARG:NE	2:B:153:TYR:O	2.28	0.53
2:B:42:THR:O	2:B:43:GLN:HB2	2.09	0.53
1:C:361:ASP:O	1:C:365:ARG:HG3	2.09	0.52
1:C:147:ARG:NH1	2:D:75:GLU:OE1	2.42	0.52
1:A:333:GLU:OE1	7:A:805:HOH:O	2.19	0.52
1:A:412:ARG:NH2	2:B:91:GLU:HA	2.25	0.51
1:C:12:ASN:HB3	1:C:14:SER:H	1.76	0.51
1:C:4:LEU:H	2:D:30:SER:CB	2.24	0.51
1:C:294:THR:OG1	7:C:805:HOH:O	2.19	0.51
1:A:354:GLU:O	1:C:29:LYS:HE2	2.10	0.51
1:A:61:LEU:HA	1:A:66:PHE:CD1	2.47	0.50
1:C:370:GLY:C	1:C:372:GLY:HA3	2.36	0.50
1:A:371:LEU:N	1:A:372:GLY:HA3	2.27	0.50
1:C:4:LEU:HB3	2:D:30:SER:HB2	1.93	0.50
2:D:27:TRP:CD1	2:D:44:ALA:HB2	2.47	0.50
1:A:136:LYS:NZ	7:A:816:HOH:O	2.45	0.49
1:A:167:ALA:HA	1:A:188:GLU:HG3	1.93	0.49
1:C:232:GLU:HB3	1:C:236:LYS:HE2	1.94	0.49
1:A:55:GLY:HA2	1:A:114:GLU:HB3	1.94	0.49
1:C:371:LEU:N	1:C:372:GLY:HA3	2.28	0.49
5:H:2:GAL:H4	5:H:3:5N6:C1	2.43	0.48
1:A:52:ILE:HD13	1:A:105:GLY:HA3	1.95	0.48
1:C:240:PHE:H	1:C:241:GLY:HA3	1.78	0.48
1:A:12:ASN:H	1:A:15:PHE:HD1	1.60	0.47
5:H:2:GAL:C4	5:H:3:5N6:C1	2.93	0.47
1:A:147:ARG:HD3	1:A:341:GLY:HA3	1.96	0.47
2:B:10:GLY:O	2:B:12:LEU:N	2.40	0.47
2:B:37:ALA:O	2:B:38:SER:HB3	2.15	0.47
2:D:101:ARG:NH2	7:D:804:HOH:O	2.47	0.46
2:D:34:GLY:HA2	2:D:35:GLY:HA2	1.68	0.46
2:B:41:SER:OG	7:B:802:HOH:O	2.07	0.46
5:M:2:GAL:C4	5:M:3:5N6:C1	2.86	0.46
1:C:28:MET:HE2	1:C:420:LEU:HB3	1.98	0.46
2:B:34:GLY:HA2	2:B:35:GLY:HA2	1.67	0.46
2:D:142:ASP:C	2:D:144:GLU:H	2.24	0.46
2:D:149:SER:O	2:D:153:TYR:N	2.49	0.46
1:A:370:GLY:C	1:A:372:GLY:HA3	2.40	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:51:LYS:O	2:D:51:LYS:HD2	2.16	0.45
2:D:147:ASP:OD2	2:D:148:ALA:N	2.40	0.45
1:C:52:ILE:CD1	1:C:105:GLY:HA3	2.47	0.45
1:A:231:TYR:OH	5:H:3:5N6:OBJ	2.28	0.45
1:A:343:ILE:HG23	1:A:381:GLN:HA	1.99	0.45
1:A:412:ARG:HH22	2:B:91:GLU:HG3	1.82	0.45
1:C:71:ASP:HA	1:C:365:ARG:HG2	1.98	0.45
1:A:398:PRO:HA	1:A:399:PRO:C	2.42	0.45
2:B:73:HIS:HE1	7:B:806:HOH:O	2.00	0.45
1:A:282:LYS:HB2	1:A:282:LYS:HE2	1.86	0.44
2:B:114:GLU:O	2:B:118:GLU:HG3	2.17	0.44
2:B:31:ASN:HA	2:B:36:GLY:HA3	1.99	0.44
1:C:395:TYR:HD2	2:D:86:GLU:HG2	1.82	0.44
1:C:33:MET:CE	2:D:101:ARG:HB2	2.46	0.44
1:A:412:ARG:HH22	2:B:91:GLU:HA	1.83	0.44
1:C:413:ILE:HA	1:C:414:PRO:HD3	1.87	0.44
1:A:171:THR:HG22	1:A:178:SER:HA	1.99	0.44
1:C:12:ASN:H	1:C:15:PHE:HD1	1.65	0.43
2:D:128:GLY:HA2	2:D:129:GLY:HA2	1.52	0.43
2:B:30:SER:HB3	2:B:31:ASN:H	1.50	0.43
2:B:55:GLN:NE2	4:I:2:NAG:H83	2.33	0.43
1:A:232:GLU:H	1:A:232:GLU:HG2	1.50	0.42
2:B:142:ASP:C	2:B:144:GLU:H	2.27	0.42
1:A:337:LEU:O	2:B:79:LYS:HD3	2.19	0.42
1:A:125:ASP:HB3	1:A:174:SER:O	2.19	0.42
1:A:211:PRO:HD2	1:A:222:HIS:CE1	2.54	0.42
2:B:127:GLY:O	2:B:130:ILE:N	2.52	0.42
2:B:128:GLY:HA2	2:B:129:GLY:HA2	1.71	0.42
2:B:70:ARG:NH1	7:B:807:HOH:O	2.52	0.42
1:C:262:ASN:ND2	1:C:267:TYR:CD1	2.88	0.42
1:C:374:ASN:ND2	7:C:826:HOH:O	2.53	0.42
5:H:1:Z3Q:C8	5:H:2:GAL:H2	2.50	0.41
1:C:395:TYR:CD2	2:D:86:GLU:HG2	2.55	0.41
2:B:147:ASP:OD2	2:B:148:ALA:N	2.44	0.41
2:D:38:SER:OG	2:D:39:VAL:N	2.53	0.41
1:A:210:LEU:HB3	1:A:222:HIS:CD2	2.56	0.41
1:A:247:GLN:NE2	1:A:299:LEU:O	2.51	0.41
1:C:88:LEU:H	1:C:114:GLU:CD	2.29	0.41
1:C:398:PRO:HB2	2:D:78:ILE:O	2.21	0.41
1:A:70:SER:O	1:A:365:ARG:HD3	2.21	0.41
1:C:28:MET:SD	4:L:1:NAG:H5	2.61	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:141:ARG:HD2	1:C:283:ILE:HG13	2.01	0.41
1:C:398:PRO:HA	1:C:399:PRO:C	2.46	0.41
2:D:126:ARG:HD3	2:D:154:ILE:HA	2.03	0.41
2:D:42:THR:HG23	2:D:42:THR:O	2.21	0.40
2:D:51:LYS:HG3	7:D:827:HOH:O	2.21	0.40
1:A:33:MET:CE	1:A:414:PRO:HB2	2.50	0.40
1:A:398:PRO:HB2	2:B:78:ILE:O	2.21	0.40
5:H:3:5N6:O10	5:H:3:5N6:C7	2.70	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:977:HOH:O	7:C:1012:HOH:O[3_554]	1.99	0.21
7:B:807:HOH:O	7:B:829:HOH:O[10_554]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/427 (98%)	399 (95%)	21 (5%)	0	100	100
1	C	420/427 (98%)	402 (96%)	15 (4%)	3 (1%)	18	19
2	B	147/149 (99%)	124 (84%)	17 (12%)	6 (4%)	2	1
2	D	147/149 (99%)	127 (86%)	16 (11%)	4 (3%)	4	2
All	All	1134/1152 (98%)	1052 (93%)	69 (6%)	13 (1%)	11	10

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	11	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	355	ALA
2	D	128	GLY
2	B	21	VAL
2	B	41	SER
2	B	132	GLN
2	D	41	SER
2	D	132	GLN
2	D	43	GLN
1	C	356	ALA
2	B	32	GLY
1	C	241	GLY
2	B	39	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/358 (100%)	343 (96%)	14 (4%)	28	39
1	C	357/358 (100%)	350 (98%)	7 (2%)	48	64
2	B	109/109 (100%)	106 (97%)	3 (3%)	38	52
2	D	109/109 (100%)	105 (96%)	4 (4%)	30	41
All	All	932/934 (100%)	904 (97%)	28 (3%)	36	49

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	VAL
1	A	49	LYS
1	A	52	ILE
1	A	88	LEU
1	A	99	VAL
1	A	114	GLU
1	A	158	LEU
1	A	189	SER
1	A	198	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	232	GLU
1	A	236	LYS
1	A	238	ASN
1	A	264	VAL
1	A	392	VAL
2	B	11	LEU
2	B	30	SER
2	B	78	ILE
1	C	8	VAL
1	C	30	THR
1	C	52	ILE
1	C	88	LEU
1	C	114	GLU
1	C	158	LEU
1	C	198	GLN
2	D	11	LEU
2	D	78	ILE
2	D	126	ARG
2	D	144	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	104	GLN
1	A	238	ASN
2	B	55	GLN
1	C	9	GLN
1	C	204	GLN
2	D	31	ASN
2	D	55	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

34 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	E	1	1,3	14,14,15	0.43	0	17,19,21	0.88	2 (11%)
3	NAG	E	2	3	14,14,15	0.30	0	17,19,21	0.64	0
3	BMA	E	3	3	11,11,12	0.88	1 (9%)	15,15,17	2.77	4 (26%)
3	MAN	E	4	3	11,11,12	0.39	0	15,15,17	1.20	0
3	MAN	E	5	3	11,11,12	0.34	0	15,15,17	1.23	2 (13%)
3	MAN	E	6	3	11,11,12	0.39	0	15,15,17	1.04	0
3	NAG	F	1	1,3	14,14,15	0.43	0	17,19,21	0.85	0
3	NAG	F	2	3	14,14,15	0.54	0	17,19,21	1.64	4 (23%)
3	BMA	F	3	3	11,11,12	0.58	0	15,15,17	3.04	6 (40%)
3	MAN	F	4	3	11,11,12	0.48	0	15,15,17	1.96	3 (20%)
3	MAN	F	5	3	11,11,12	0.33	0	15,15,17	0.77	0
3	MAN	F	6	3	11,11,12	0.48	0	15,15,17	0.99	0
4	NAG	G	1	1,4	14,14,15	0.80	1 (7%)	17,19,21	1.30	1 (5%)
4	NAG	G	2	4	14,14,15	0.31	0	17,19,21	1.43	3 (17%)
5	Z3Q	H	1	5	20,20,20	2.57	3 (15%)	24,26,26	3.88	7 (29%)
5	GAL	H	2	5	11,11,12	1.02	1 (9%)	15,15,17	2.11	4 (26%)
5	5N6	H	3	5	23,23,24	1.86	7 (30%)	25,32,35	1.78	8 (32%)
4	NAG	I	1	2,4	14,14,15	0.44	0	17,19,21	0.84	0
4	NAG	I	2	4	14,14,15	0.40	0	17,19,21	1.39	2 (11%)
3	NAG	J	1	1,3	14,14,15	0.45	0	17,19,21	0.80	0
3	NAG	J	2	3	14,14,15	0.50	0	17,19,21	1.23	1 (5%)
3	BMA	J	3	3	11,11,12	0.48	0	15,15,17	0.93	0
3	MAN	J	4	3	11,11,12	0.48	0	15,15,17	1.60	3 (20%)
3	MAN	J	5	3	11,11,12	0.51	0	15,15,17	0.98	0
3	MAN	J	6	3	11,11,12	0.38	0	15,15,17	0.65	0
4	NAG	K	1	1,4	14,14,15	0.51	0	17,19,21	1.07	2 (11%)
4	NAG	K	2	4	14,14,15	0.50	0	17,19,21	0.85	0
4	NAG	L	1	1,4	14,14,15	0.38	0	17,19,21	1.11	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	L	2	4	14,14,15	0.36	0	17,19,21	1.27	1 (5%)
5	Z3Q	M	1	5	20,20,20	1.71	3 (15%)	24,26,26	1.04	2 (8%)
5	GAL	M	2	5	11,11,12	1.15	0	15,15,17	1.26	3 (20%)
5	5N6	M	3	5	23,23,24	2.47	11 (47%)	25,32,35	1.12	2 (8%)
4	NAG	N	1	2,4	14,14,15	0.46	0	17,19,21	0.92	2 (11%)
4	NAG	N	2	4	14,14,15	0.48	0	17,19,21	1.44	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
3	BMA	E	3	3	-	0/2/19/22	0/1/1/1
3	MAN	E	4	3	-	0/2/19/22	0/1/1/1
3	MAN	E	5	3	-	2/2/19/22	0/1/1/1
3	MAN	E	6	3	-	0/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	BMA	F	3	3	-	2/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
3	MAN	F	5	3	-	0/2/19/22	0/1/1/1
3	MAN	F	6	3	-	0/2/19/22	0/1/1/1
4	NAG	G	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	G	2	4	-	4/6/23/26	0/1/1/1
5	Z3Q	H	1	5	-	9/12/32/32	0/1/1/1
5	GAL	H	2	5	-	1/2/19/22	0/1/1/1
5	5N6	H	3	5	-	11/21/37/41	0/1/1/1
4	NAG	I	1	2,4	-	0/6/23/26	0/1/1/1
4	NAG	I	2	4	-	0/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	BMA	J	3	3	-	0/2/19/22	0/1/1/1
3	MAN	J	4	3	-	0/2/19/22	0/1/1/1
3	MAN	J	5	3	-	2/2/19/22	0/1/1/1
3	MAN	J	6	3	-	0/2/19/22	0/1/1/1
4	NAG	K	1	1,4	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	K	2	4	-	3/6/23/26	0/1/1/1
4	NAG	L	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	L	2	4	-	2/6/23/26	0/1/1/1
5	Z3Q	M	1	5	-	6/12/32/32	0/1/1/1
5	GAL	M	2	5	-	2/2/19/22	0/1/1/1
5	5N6	M	3	5	-	1/21/37/41	0/1/1/1
4	NAG	N	1	2,4	-	0/6/23/26	0/1/1/1
4	NAG	N	2	4	-	0/6/23/26	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	1	Z3Q	N1C-N1B	-8.27	1.06	1.23
5	H	1	Z3Q	N1B-N1A	-6.58	1.07	1.23
5	M	3	5N6	C4-C5	-5.34	1.48	1.53
5	M	1	Z3Q	N1C-N1B	-5.23	1.12	1.23
5	M	3	5N6	O4-C4	-4.83	1.33	1.43
5	H	3	5N6	C4-C5	-4.63	1.49	1.53
5	M	1	Z3Q	N1B-N1A	-4.54	1.12	1.23
5	M	3	5N6	C7-C6	-4.23	1.47	1.52
5	M	3	5N6	O9-C9	-3.38	1.37	1.45
5	H	1	Z3Q	O1-C1	3.38	1.45	1.40
5	H	3	5N6	O4-C4	-3.31	1.36	1.43
5	M	3	5N6	C8-C7	-3.20	1.47	1.53
5	H	3	5N6	O9-C9	-2.76	1.39	1.45
5	M	3	5N6	O6-C2	-2.74	1.38	1.43
5	M	3	5N6	O6-C6	-2.70	1.39	1.44
5	H	3	5N6	C9-C8	-2.64	1.48	1.51
5	M	3	5N6	O1B-C1	-2.53	1.22	1.30
3	E	3	BMA	O5-C1	-2.51	1.39	1.43
5	M	3	5N6	O8-C8	-2.48	1.38	1.43
5	M	3	5N6	C3-C4	-2.32	1.48	1.52
5	M	1	Z3Q	O1-C1	2.26	1.44	1.40
4	G	1	NAG	C1-C2	2.23	1.55	1.52
5	H	2	GAL	O5-C5	-2.15	1.39	1.43
5	H	3	5N6	C3-C4	-2.13	1.48	1.52
5	H	3	5N6	O1B-C1	-2.12	1.23	1.30
5	M	3	5N6	C9-C8	-2.03	1.49	1.51
5	H	3	5N6	C8-C7	-2.00	1.49	1.53

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	1	Z3Q	C1-C2-N2	-12.47	90.00	110.92
5	H	1	Z3Q	O5-C1-O1	-11.60	82.64	110.04
3	F	3	BMA	C2-C3-C4	-8.16	96.51	110.86
3	E	3	BMA	C1-O5-C5	-7.31	102.39	112.19
3	E	3	BMA	O2-C2-C3	-5.95	97.83	110.15
3	F	4	MAN	C1-O5-C5	5.53	119.60	112.19
3	F	3	BMA	C1-C2-C3	5.12	117.09	109.64
3	F	2	NAG	O4-C4-C3	4.54	121.07	110.38
5	H	2	GAL	C1-O5-C5	-4.24	106.50	112.19
5	H	1	Z3Q	C3-C2-N2	-3.91	103.42	110.62
4	G	2	NAG	C1-O5-C5	3.90	117.41	112.19
3	J	4	MAN	C1-O5-C5	3.84	117.34	112.19
5	H	3	5N6	C9-O9-CAG	-3.81	107.69	117.08
5	H	1	Z3Q	C2-N2-C7	3.75	131.88	123.11
4	I	2	NAG	C1-O5-C5	3.72	117.17	112.19
5	H	1	Z3Q	C11-O1-C1	3.72	120.03	113.68
4	G	1	NAG	C1-O5-C5	3.65	117.08	112.19
5	H	2	GAL	O3-C3-C4	-3.64	101.80	110.38
3	F	4	MAN	C1-C2-C3	3.60	114.88	109.64
4	N	2	NAG	C1-O5-C5	3.56	116.95	112.19
5	H	3	5N6	C9-C8-C7	-3.48	105.65	112.22
3	F	3	BMA	O4-C4-C3	3.33	118.22	110.38
4	L	2	NAG	C1-O5-C5	3.32	116.63	112.19
5	H	3	5N6	O1A-C1-C2	-3.27	115.78	122.85
5	H	1	Z3Q	O5-C5-C6	-3.24	98.41	106.44
4	N	2	NAG	C2-N2-C7	-3.18	118.64	122.90
5	H	2	GAL	O5-C5-C6	3.05	113.60	107.66
3	F	3	BMA	O6-C6-C5	-3.02	101.05	111.33
5	H	2	GAL	C2-C3-C4	3.01	116.16	110.86
4	L	1	NAG	C1-O5-C5	2.96	116.15	112.19
4	I	2	NAG	C2-N2-C7	-2.92	118.99	122.90
3	F	3	BMA	O3-C3-C4	2.84	117.06	110.38
3	E	5	MAN	O5-C5-C6	2.79	113.10	107.66
3	F	2	NAG	O4-C4-C5	-2.76	102.52	109.32
3	E	5	MAN	C6-C5-C4	-2.76	106.24	113.02
5	M	1	Z3Q	C1-O5-C5	-2.65	108.55	113.72
3	J	2	NAG	O4-C4-C5	-2.64	102.83	109.32
3	F	2	NAG	O3-C3-C2	-2.62	103.95	109.40
5	H	3	5N6	C4-C5-N5	-2.62	105.27	110.44
3	F	3	BMA	O3-C3-C2	-2.61	104.73	110.05
5	H	3	5N6	O10-C10-N5	2.54	126.46	121.98
4	K	1	NAG	C2-N2-C7	-2.54	119.50	122.90
3	E	3	BMA	O6-C6-C5	-2.50	102.81	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	3	5N6	O1A-C1-C2	-2.50	117.45	122.85
5	H	1	Z3Q	O4-C4-C5	-2.47	103.24	109.32
5	M	1	Z3Q	C11-O1-C1	-2.46	109.48	113.68
3	F	2	NAG	C1-O5-C5	2.46	115.48	112.19
5	M	2	GAL	C2-C3-C4	2.43	115.13	110.86
5	M	2	GAL	O5-C5-C4	-2.40	104.99	110.83
4	N	1	NAG	C1-O5-C5	2.40	115.40	112.19
5	M	3	5N6	C9-C8-C7	-2.39	107.70	112.22
4	G	2	NAG	C1-C2-N2	-2.37	106.70	110.43
4	K	1	NAG	C1-O5-C5	2.28	115.24	112.19
3	F	4	MAN	O3-C3-C4	-2.26	105.04	110.38
5	H	3	5N6	O1B-C1-C2	2.26	118.59	112.71
5	H	3	5N6	O8-C8-C9	-2.25	105.03	109.99
4	G	2	NAG	C2-N2-C7	2.23	125.89	122.90
3	J	4	MAN	C6-C5-C4	-2.22	107.56	113.02
3	J	4	MAN	O3-C3-C4	-2.19	105.21	110.38
3	E	3	BMA	O5-C5-C4	-2.15	105.61	110.83
3	E	1	NAG	C2-N2-C7	-2.13	120.04	122.90
5	H	3	5N6	O9-C9-C8	-2.13	103.81	108.20
5	M	2	GAL	O3-C3-C4	-2.09	105.44	110.38
4	N	1	NAG	O4-C4-C5	-2.08	104.20	109.32
3	E	1	NAG	C1-O5-C5	2.04	114.92	112.19

There are no chirality outliers.

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	K	2	NAG	C8-C7-N2-C2
4	K	2	NAG	O7-C7-N2-C2
5	H	1	Z3Q	C2-C1-O1-C11
5	H	1	Z3Q	O5-C1-O1-C11
5	H	1	Z3Q	O1-C11-C12-N1A
5	H	1	Z3Q	C1-C2-N2-C7
5	H	3	5N6	C7-C8-C9-O9
5	H	3	5N6	O8-C8-C9-O9
5	H	3	5N6	O6-C6-C7-C8
5	H	3	5N6	O6-C6-C7-O7
5	M	1	Z3Q	C2-C1-O1-C11
5	H	3	5N6	CAF-CAG-O9-C9
4	G	1	NAG	O5-C5-C6-O6
3	F	3	BMA	O5-C5-C6-O6
5	M	2	GAL	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	L	2	NAG	O5-C5-C6-O6
5	M	1	Z3Q	O5-C5-C6-O6
5	H	1	Z3Q	O5-C5-C6-O6
3	F	3	BMA	C4-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
5	M	1	Z3Q	C4-C5-C6-O6
5	M	2	GAL	C4-C5-C6-O6
4	G	2	NAG	C4-C5-C6-O6
5	H	3	5N6	OBJ-CAG-O9-C9
4	G	2	NAG	C8-C7-N2-C2
5	H	1	Z3Q	C8-C7-N2-C2
5	H	1	Z3Q	O7-C7-N2-C2
5	H	1	Z3Q	C4-C5-C6-O6
4	L	2	NAG	C4-C5-C6-O6
4	G	2	NAG	O7-C7-N2-C2
3	J	5	MAN	C4-C5-C6-O6
3	J	5	MAN	O5-C5-C6-O6
3	E	5	MAN	O5-C5-C6-O6
5	H	3	5N6	C4-C5-N5-C10
5	M	1	Z3Q	O5-C1-O1-C11
5	H	3	5N6	C5-C6-C7-O7
5	M	1	Z3Q	C12-N1A-N1B-N1C
3	F	1	NAG	C4-C5-C6-O6
3	E	5	MAN	C4-C5-C6-O6
5	H	3	5N6	C5-C6-C7-C8
5	H	3	5N6	O1A-C1-C2-O6
5	H	2	GAL	C4-C5-C6-O6
5	H	1	Z3Q	C3-C2-N2-C7
4	K	2	NAG	C4-C5-C6-O6
5	H	3	5N6	C6-C5-N5-C10
5	M	3	5N6	CAF-CAG-O9-C9
4	G	1	NAG	C8-C7-N2-C2
5	M	1	Z3Q	C12-C11-O1-C1
4	L	1	NAG	C4-C5-C6-O6

There are no ring outliers.

12 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	M	3	5N6	2	0
3	F	2	NAG	1	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	I	2	NAG	2	0
5	H	1	Z3Q	1	0
3	E	3	BMA	1	0
4	L	1	NAG	1	0
3	E	2	NAG	1	0
5	M	2	GAL	2	0
5	H	3	5N6	5	0
5	H	2	GAL	3	0
3	F	3	BMA	1	0
4	G	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.








Oligosaccharide Chain J

















5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	D	703	2	14,14,15	0.33	0	17,19,21	1.38	2 (11%)
6	NAG	B	703	2	14,14,15	0.40	0	17,19,21	1.39	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	D	703	2	-	4/6/23/26	0/1/1/1
6	NAG	B	703	2	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	703	NAG	C1-O5-C5	4.05	117.62	112.19
6	B	703	NAG	C1-O5-C5	3.62	117.03	112.19
6	B	703	NAG	C4-C3-C2	-2.51	107.34	111.02
6	D	703	NAG	C2-N2-C7	-2.44	119.63	122.90
6	B	703	NAG	C2-N2-C7	-2.16	120.00	122.90

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	D	703	NAG	C4-C5-C6-O6
6	D	703	NAG	C8-C7-N2-C2
6	D	703	NAG	O5-C5-C6-O6
6	D	703	NAG	O7-C7-N2-C2
6	B	703	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	424/427 (99%)	0.30	36 (8%) 16 14	28, 40, 98, 144	0
1	C	424/427 (99%)	-0.03	8 (1%) 66 63	24, 36, 60, 78	0
2	B	149/149 (100%)	0.90	25 (16%) 4 3	26, 55, 120, 198	0
2	D	149/149 (100%)	0.81	21 (14%) 6 4	30, 51, 127, 190	0
All	All	1146/1152 (99%)	0.32	90 (7%) 18 16	24, 40, 98, 198	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	191	VAL	7.4
1	A	264	VAL	7.1
2	B	9	PHE	6.6
2	B	131	ALA	6.4
1	A	265	ALA	5.1
1	C	356	ALA	4.9
1	A	193	PRO	4.8
2	B	157	PHE	4.7
2	B	141	VAL	4.6
2	D	128	GLY	4.5
1	A	269	GLY	4.4
2	D	131	ALA	4.4
1	A	237	PHE	4.3
1	A	266	ALA	4.2
2	D	32	GLY	4.1
2	D	157	PHE	4.1
2	D	44	ALA	4.0
2	B	34	GLY	3.9
1	A	197	PRO	3.8
2	D	9	PHE	3.8
2	B	44	ALA	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	199	VAL	3.6
1	C	197	PRO	3.6
1	A	267	TYR	3.5
2	D	43	GLN	3.5
2	B	18	ALA	3.4
2	B	127	GLY	3.3
2	B	33	GLY	3.2
2	D	33	GLY	3.2
2	D	148	ALA	3.2
2	B	145	ASN	3.0
1	A	190	SER	3.0
1	A	270	ILE	3.0
2	D	38	SER	3.0
1	A	231	TYR	2.9
1	A	186	TYR	2.9
1	C	387	GLY	2.9
2	B	19	GLY	2.9
2	D	37	ALA	2.9
2	B	130	ILE	2.9
2	D	46	PHE	2.9
1	A	232	GLU	2.9
1	A	239	THR	2.9
2	B	49	ILE	2.9
1	A	240	PHE	2.8
2	B	128	GLY	2.8
2	B	42	THR	2.8
2	B	45	GLY	2.7
1	A	235	ALA	2.7
1	A	296	ARG	2.7
2	B	37	ALA	2.7
1	A	12	ASN	2.7
1	A	292	LYS	2.7
2	B	32	GLY	2.6
2	D	80	ASN	2.6
1	C	12	ASN	2.6
1	A	188	GLU	2.5
2	B	36	GLY	2.5
2	D	149	SER	2.5
2	B	31	ASN	2.5
1	A	282	LYS	2.5
1	A	262	ASN	2.5
2	B	46	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	78	ILE	2.4
1	C	355	ALA	2.4
2	B	30	SER	2.3
1	A	241	GLY	2.3
2	D	142	ASP	2.3
1	A	198	GLN	2.3
2	B	16	PHE	2.2
2	D	45	GLY	2.2
1	A	244	ASP	2.2
1	C	412	ARG	2.2
1	C	16	SER	2.2
2	B	10	GLY	2.2
1	A	192	ASN	2.2
2	D	147	ASP	2.1
2	D	34	GLY	2.1
1	A	10	ARG	2.1
1	A	200	CYS	2.1
1	A	137	ASP	2.1
2	D	141	VAL	2.1
1	A	372	GLY	2.1
2	B	20	GLY	2.1
1	A	268	ARG	2.1
1	A	425	ALA	2.0
1	A	238	ASN	2.0
1	A	261	ASP	2.0
2	D	16	PHE	2.0
1	C	388	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	Z3Q	H	1	20/20	0.22	0.23	129,139,148,148	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	Z3Q	M	1	20/20	0.25	0.21	109,126,133,138	0
5	GAL	H	2	11/12	0.71	0.13	96,109,120,121	0
3	BMA	F	3	11/12	0.81	0.15	43,47,54,60	0
5	GAL	M	2	11/12	0.82	0.12	68,84,101,102	0
4	NAG	G	2	14/15	0.83	0.11	58,65,73,79	0
3	MAN	F	5	11/12	0.87	0.10	52,58,65,65	0
4	NAG	K	2	14/15	0.87	0.11	39,46,51,52	0
3	MAN	F	6	11/12	0.87	0.08	39,42,47,47	0
4	NAG	I	2	14/15	0.88	0.10	43,48,56,58	0
5	5N6	H	3	23/24	0.89	0.14	71,81,85,87	0
3	MAN	E	6	11/12	0.89	0.09	37,40,43,44	0
4	NAG	N	2	14/15	0.89	0.09	36,44,50,54	0
3	MAN	J	6	11/12	0.90	0.09	41,46,52,59	0
4	NAG	L	2	14/15	0.90	0.09	53,57,63,68	0
3	NAG	E	2	14/15	0.90	0.10	36,42,46,50	0
3	MAN	E	5	11/12	0.90	0.08	32,38,42,46	0
3	MAN	F	4	11/12	0.91	0.08	42,47,48,51	0
3	BMA	E	3	11/12	0.91	0.08	35,38,42,43	0
4	NAG	G	1	14/15	0.93	0.08	60,63,69,72	0
3	MAN	J	5	11/12	0.93	0.08	38,40,45,48	0
4	NAG	I	1	14/15	0.93	0.07	30,35,39,41	0
3	NAG	F	2	14/15	0.93	0.08	31,36,38,39	0
3	NAG	E	1	14/15	0.94	0.08	38,40,49,50	0
3	MAN	E	4	11/12	0.94	0.07	28,32,37,38	0
4	NAG	L	1	14/15	0.94	0.08	51,52,64,68	0
3	BMA	J	3	11/12	0.94	0.07	33,35,39,41	0
3	NAG	F	1	14/15	0.94	0.07	29,37,40,42	0
5	5N6	M	3	23/24	0.94	0.09	43,52,60,62	0
3	NAG	J	2	14/15	0.95	0.06	28,33,38,40	0
4	NAG	N	1	14/15	0.96	0.06	29,34,36,36	0
3	NAG	J	1	14/15	0.96	0.05	34,37,41,42	0
4	NAG	K	1	14/15	0.97	0.05	25,30,36,39	0
3	MAN	J	4	11/12	0.97	0.05	30,34,39,41	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain M:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	D	703	14/15	0.64	0.15	88,99,103,103	0
6	NAG	B	703	14/15	0.73	0.14	70,77,81,82	0

6.5 Other polymers [i](#)

There are no such residues in this entry.