



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 02:34 AM UTC

PDB ID : 5E6Z / pdb_00005e6z
Title : Crystal structure of Ecoli Branching Enzyme with beta cyclodextrin
Authors : Feng, L.; Nosrati, M.; Geiger, J.H.
Deposited on : 2015-10-11
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	82%13% . .
1	B	612	88%8% . .
1	C	612	81%12% . 5%
1	D	612	84%10% . .
2	E	7	14%86%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	7	 86%14%
2	G	7	 14%71%14%
2	H	7	 14%86%
2	I	7	 86%14%
2	J	7	 86%14%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 21819 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1,4-alpha-glucan branching enzyme GlgB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	587	Total	C	N	O	S	0	9	0
			4866	3117	859	874	16			
1	B	596	Total	C	N	O	S	0	8	0
			4953	3169	881	887	16			
1	C	582	Total	C	N	O	S	0	4	0
			4810	3082	852	861	15			
1	D	587	Total	C	N	O	S	0	4	0
			4849	3101	863	869	16			

- Molecule 2 is an oligosaccharide called Cycloheptakis-(1-4)-(alpha-D-glucopyranose).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	E	7	Total	C	O	0	0	0
			77	42	35			
2	F	7	Total	C	O	0	0	0
			77	42	35			
2	G	7	Total	C	O	0	0	0
			77	42	35			
2	H	7	Total	C	O	0	0	0
			77	42	35			
2	I	7	Total	C	O	0	0	0
			77	42	35			
2	J	7	Total	C	O	0	0	0
			77	42	35			

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	447	Total	O	0	0
			447	447		
4	B	615	Total	O	0	0
			615	615		
4	C	289	Total	O	0	0
			289	289		
4	D	486	Total	O	0	0
			486	486		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 1,4-alpha-glucan branching enzyme GlgB




- Molecule 1: 1,4-alpha-glucan branching enzyme GlgB




- Molecule 1: 1,4-alpha-glucan branching enzyme GlgB





- Molecule 1: 1,4-alpha-glucan branching enzyme GlgB

Chain D: 84% 10% . .



- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)

Chain E: 14% 86%



- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)

Chain F: 86% 14%




- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)

Chain G: 14% 71% 14%



- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)

Chain H: 14% 86%



- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)

Chain I: 86% 14%

GLC1
GLC2
GLC3
GLC4
GLC5
GLC6
GLC7

- Molecule 2: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)

Chain J:  86% 14%

GLC1
GLC2
GLC3
GLC4
GLC5
GLC6
GLC7

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.95Å 103.00Å 186.24Å 90.00° 91.57° 90.00°	Depositor
Resolution (Å)	44.93 – 1.88 44.93 – 1.88	Depositor EDS
% Data completeness (in resolution range)	99.4 (44.93-1.88) 99.4 (44.93-1.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 1.88Å)	Xtriage
Refinement program	PHENIX 1.7.2_869	Depositor
R, R_{free}	0.206 , 0.249 0.204 , 0.245	Depositor DCC
R_{free} test set	28010 reflections (9.92%)	wwPDB-VP
Wilson B-factor (Å ²)	24.9	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.067 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21819	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/5040	0.78	5/6845 (0.1%)
1	B	0.51	0/5128	0.80	1/6962 (0.0%)
1	C	0.38	0/4973	0.75	0/6755
1	D	0.45	0/5014	0.77	1/6807 (0.0%)
All	All	0.45	0/20155	0.77	7/27369 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	413	ARG	N-CA-C	-6.93	103.65	111.07
1	A	474	GLY	N-CA-C	6.06	121.78	112.51
1	A	643	ARG	N-CA-C	-5.44	101.30	109.95
1	A	144	ALA	CA-C-N	5.15	124.82	119.56
1	A	144	ALA	C-N-CA	5.15	124.82	119.56
1	D	716	PRO	O-C-N	5.12	123.66	121.31
1	A	195	ALA	N-CA-C	-5.10	106.31	112.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	156	PHE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4866	0	4604	43	0
1	B	4953	0	4700	28	0
1	C	4810	0	4547	49	0
1	D	4849	0	4597	35	0
2	E	77	0	63	0	0
2	F	77	0	63	1	0
2	G	77	0	63	1	0
2	H	77	0	63	0	0
2	I	77	0	63	1	0
2	J	77	0	63	1	0
3	A	12	0	16	0	0
3	B	12	0	16	0	0
3	C	6	0	8	0	0
3	D	12	0	16	0	0
4	A	447	0	0	9	1
4	B	615	0	0	7	1
4	C	289	0	0	8	0
4	D	486	0	0	7	1
All	All	21819	0	18882	152	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:403:ARG:NH1	4:A:902:HOH:O	2.11	0.84
1:B:658:THR:HG22	1:B:660:VAL:H	1.44	0.83
1:A:194:ASP:HB2	1:A:198:ASN:H	1.46	0.78
1:C:162[A]:ARG:NH1	4:C:902:HOH:O	2.16	0.78
1:D:151:SER:OG	4:D:901:HOH:O	2.02	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:ARG:HB3	1:A:193:ILE:HB	1.69	0.73
1:A:254:ARG:NH2	4:A:905:HOH:O	2.21	0.72
1:D:684:MET:H	1:D:690:ASN:HD22	1.35	0.72
1:D:132:MET:SD	1:D:139[A]:ARG:NH1	2.63	0.71
1:B:511:ILE:HB	4:B:1490:HOH:O	1.91	0.71
1:A:632[B]:ASP:OD1	4:A:901:HOH:O	2.08	0.70
1:C:162[B]:ARG:NH2	4:C:905:HOH:O	2.24	0.70
1:A:256:HIS:HB2	1:A:259:ASN:HD21	1.58	0.69
1:A:259:ASN:HD22	1:A:261:PHE:H	1.41	0.69
1:C:658:THR:HG22	1:C:660:VAL:H	1.58	0.68
1:C:162[A]:ARG:HH11	1:C:162[A]:ARG:HB2	1.58	0.68
1:B:169:ARG:NH1	1:B:176:GLU:OE2	2.27	0.68
1:B:213[A]:ARG:HD3	1:B:213[A]:ARG:H	1.60	0.66
1:A:194:ASP:HB3	1:A:196:ASN:H	1.60	0.65
1:A:213:ARG:NH1	1:A:293:PRO:O	2.28	0.65
1:A:234:LYS:NZ	1:A:451:SER:O	2.30	0.65
1:A:632[B]:ASP:OD1	4:A:903:HOH:O	2.15	0.64
1:C:609:THR:O	4:C:901:HOH:O	2.15	0.64
1:C:494:LYS:HD3	1:C:538:ARG:HG2	1.80	0.64
1:A:407:VAL:HA	1:A:410:MET:HE2	1.79	0.63
1:A:471:ASP:OD1	4:A:904:HOH:O	2.15	0.62
1:A:212:MET:HG2	1:A:310:ARG:HG2	1.82	0.62
1:D:492:TYR:CZ	1:D:500:ARG:HG2	2.36	0.60
1:D:684:MET:H	1:D:690:ASN:ND2	1.99	0.60
1:C:527:GLU:O	1:C:538:ARG:NH1	2.26	0.60
1:D:139[A]:ARG:NH2	1:D:176:GLU:OE1	2.35	0.60
4:D:1071:HOH:O	2:J:2:GLC:H62	2.01	0.59
1:C:163:ARG:NH1	4:C:913:HOH:O	2.36	0.58
1:B:701:GLU:OE2	4:B:901:HOH:O	2.17	0.58
1:D:259:ASN:HB3	1:D:261:PHE:H	1.69	0.57
1:C:242:PRO:HD3	1:C:617:HIS:CE1	2.39	0.57
1:D:349:ALA:O	4:D:902:HOH:O	2.18	0.57
1:B:233:ARG:NH1	4:B:915:HOH:O	2.38	0.56
1:B:492:TYR:CZ	1:B:500:ARG:HG2	2.41	0.56
1:A:635[A]:GLU:H	1:A:635[A]:GLU:CD	2.14	0.55
1:D:696:THR:OG1	1:D:726:GLU:OE1	2.21	0.55
1:D:343:THR:HG22	1:D:373:LEU:HD12	1.87	0.55
1:C:162[B]:ARG:NH1	4:C:903:HOH:O	2.17	0.55
1:B:319:ARG:NH1	4:B:914:HOH:O	2.38	0.54
1:A:149:ARG:NH1	1:A:191:GLU:OE2	2.41	0.54
1:C:684:MET:HE3	1:D:684:MET:HE3	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:120:ARG:NH1	1:A:395:GLU:OE2	2.41	0.53
1:C:627:GLU:OE1	1:C:707:ARG:NH2	2.41	0.53
1:B:143:TRP:CH2	1:B:356:LEU:HD22	2.42	0.53
1:B:212:MET:HG3	1:B:310:ARG:HD3	1.91	0.53
1:D:486:MET:O	1:D:490:LEU:HB2	2.10	0.52
1:C:139:ARG:HD3	4:C:933:HOH:O	2.10	0.52
1:C:539:MET:O	1:C:546:LYS:NZ	2.39	0.51
1:C:157:ASN:OD1	1:C:164:HIS:ND1	2.42	0.51
1:B:726:GLU:HG2	4:B:1293:HOH:O	2.10	0.51
1:C:224:PRO:HG2	1:C:396:ARG:HB3	1.92	0.51
1:A:410:MET:HE3	1:A:439:LEU:HD11	1.94	0.50
1:B:644:ARG:CG	1:B:650:GLU:HG2	2.42	0.49
1:A:679:LEU:HG	1:A:680:ASN:N	2.27	0.49
1:C:262:TRP:CH2	1:C:311:ARG:HD3	2.47	0.49
1:B:658:THR:CG2	1:B:660:VAL:H	2.20	0.49
1:C:676[A]:ARG:NH2	4:C:912:HOH:O	2.36	0.48
1:D:594:ASN:HB2	4:D:1235:HOH:O	2.13	0.48
1:A:356:LEU:O	1:A:379:ARG:NH1	2.46	0.48
1:C:138:THR:HG23	1:C:182:ALA:HB3	1.95	0.47
1:C:309:THR:OG1	1:C:311:ARG:HG3	2.14	0.47
1:C:160:ASP:CG	1:C:162[A]:ARG:HG2	2.40	0.47
1:B:501:GLN:NE2	4:B:921:HOH:O	2.41	0.47
1:D:120:ARG:NH2	4:D:918:HOH:O	2.37	0.47
1:C:652:ILE:HB	1:C:723:LEU:HB2	1.96	0.47
1:D:148:ARG:HG3	1:D:193:ILE:HG22	1.95	0.47
1:A:143:TRP:CH2	1:A:356:LEU:HD22	2.50	0.47
1:C:717:PRO:HG3	2:I:1:GLC:H62	1.97	0.47
1:D:530:HIS:HE1	4:D:1344:HOH:O	1.98	0.47
1:B:212:MET:HG2	1:B:213[A]:ARG:NH1	2.30	0.47
1:D:617:HIS:HE1	4:D:1335:HOH:O	1.97	0.46
1:C:138:THR:HG21	1:C:220:ILE:HD13	1.97	0.46
1:B:213[B]:ARG:NH2	1:B:291:GLU:OE1	2.38	0.46
1:B:679:LEU:HG	1:B:680:ASN:N	2.30	0.46
1:B:277[A]:LYS:HD2	1:B:328:ALA:HB1	1.96	0.46
1:A:559:ALA:HB1	1:A:653:VAL:HG21	1.98	0.46
1:B:619:LEU:HB3	1:B:625:GLY:HA3	1.97	0.46
1:D:213:ARG:NH2	1:D:293:PRO:O	2.49	0.46
1:D:587:HIS:O	1:D:590:GLU:HB2	2.16	0.46
1:A:238:GLN:HG2	4:A:1324:HOH:O	2.16	0.46
1:C:149:ARG:NH2	1:C:191:GLU:OE2	2.37	0.46
1:C:619:LEU:HG	1:C:622:ASP:HB3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:145:PRO:HD2	1:D:356:LEU:HD11	1.98	0.45
1:A:148:ARG:HH12	1:A:197:GLY:HA2	1.80	0.45
1:A:148:ARG:NH2	1:A:195:ALA:O	2.49	0.45
1:A:138:THR:HG21	1:A:220:ILE:HG21	1.98	0.45
1:A:356:LEU:HD23	1:A:356:LEU:HA	1.77	0.45
1:C:149:ARG:NH1	1:C:151:SER:OG	2.48	0.45
1:C:685:HIS:CE1	1:D:685:HIS:HD2	2.35	0.45
1:A:430:ARG:H	1:A:430:ARG:HG2	1.49	0.45
1:D:359:HIS:CD2	1:D:376:ASN:HA	2.52	0.45
1:A:146:ASN:O	1:A:148:ARG:N	2.50	0.44
1:D:486:MET:HG2	1:D:490:LEU:HD22	1.98	0.44
1:A:261:PHE:CD2	2:F:6:GLC:H3	2.51	0.44
1:B:157:ASN:OD1	1:B:164:HIS:ND1	2.50	0.44
1:C:235:LYS:HA	1:C:238:GLN:HG3	1.98	0.44
1:C:258:ASP:OD1	1:C:258:ASP:N	2.43	0.44
1:C:335:ASP:OD1	1:C:403:ARG:HD3	2.18	0.44
1:D:213:ARG:HH22	1:D:311:ARG:NH1	2.16	0.44
1:C:168:LEU:HG	1:C:175:TRP:CE2	2.52	0.43
1:D:568:MET:HB2	1:D:584:LEU:HD11	1.99	0.43
1:C:633:ASP:OD2	1:C:665:TYR:OH	2.29	0.43
1:C:610:TYR:O	1:C:617:HIS:HD2	2.01	0.43
1:C:533:LYS:O	1:C:538:ARG:NH1	2.52	0.42
1:B:333:ILE:HG12	1:B:401:ALA:HB3	2.01	0.42
1:B:168:LEU:HG	1:B:175:TRP:CE2	2.54	0.42
1:C:211:GLN:HE21	1:C:217:ALA:H	1.65	0.42
1:C:613:HIS:HB2	4:C:901:HOH:O	2.19	0.42
1:C:614:LYS:O	1:C:618:GLU:HB2	2.19	0.42
1:C:685:HIS:NE2	1:D:685:HIS:HD2	2.18	0.42
1:D:489:THR:HG22	1:D:507:LEU:HD12	2.02	0.42
1:A:254:ARG:NE	4:A:952:HOH:O	2.53	0.42
1:B:334[B]:LEU:HG	1:B:399:ILE:HD12	2.00	0.42
1:C:521:LEU:HA	1:C:522:PRO:HD3	1.92	0.42
1:C:211:GLN:NE2	1:C:215:GLU:HB2	2.34	0.42
1:C:685:HIS:CD2	1:D:685:HIS:CD2	3.07	0.42
1:D:601:ARG:HD2	1:D:685:HIS:NE2	2.34	0.42
1:B:350:GLU:HA	1:B:354:THR:O	2.20	0.42
1:A:132:MET:HE3	1:A:139:ARG:HH21	1.84	0.41
1:A:192:MET:HE3	1:A:192:MET:HB2	1.88	0.41
1:A:441[B]:ASN:CG	1:A:444:ARG:HH12	2.28	0.41
1:B:412:TYR:CE2	1:B:430:ARG:HD2	2.55	0.41
1:A:505:ASP:HB3	4:A:1284:HOH:O	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:THR:HB	4:A:1129:HOH:O	2.20	0.41
1:A:290:ASN:HD22	1:A:290:ASN:C	2.27	0.41
1:D:430:ARG:HB2	1:D:430:ARG:NH1	2.35	0.41
1:B:492:TYR:CE2	1:B:500:ARG:HG2	2.55	0.41
1:C:685:HIS:CD2	1:D:685:HIS:HD2	2.39	0.41
1:A:145:PRO:HD2	1:A:356:LEU:HD21	2.03	0.41
1:A:568:MET:HB2	1:A:584:LEU:HD11	2.03	0.41
1:C:184:ASN:OD1	1:C:221:CYS:HA	2.21	0.41
1:C:632:ASP:OD2	1:C:632:ASP:N	2.51	0.41
1:D:610:TYR:O	1:D:617:HIS:HD2	2.03	0.41
1:C:679:LEU:HG	1:C:680:ASN:N	2.35	0.41
1:C:701:GLU:OE2	1:C:708:GLN:NE2	2.54	0.41
1:A:166:MET:HA	1:A:177:LEU:HB2	2.03	0.41
1:A:209:GLU:HG3	1:A:315:ARG:HB3	2.02	0.41
4:B:1030:HOH:O	2:G:7:GLC:H62	2.21	0.41
1:C:148:ARG:NH2	1:C:195:ALA:O	2.54	0.41
1:C:468:ARG:HD3	1:C:468:ARG:HA	1.90	0.41
1:D:523:LEU:HD22	1:D:557:MET:SD	2.61	0.41
1:B:559:ALA:HB1	1:B:653:VAL:HG21	2.03	0.40
1:D:141:SER:HA	1:D:175:TRP:O	2.21	0.40
1:A:375:TYR:HB2	1:A:377:TYR:CZ	2.56	0.40
1:A:381:GLU:OE2	1:A:381:GLU:N	2.50	0.40
1:D:674:LYS:HG2	1:D:698:HIS:CD2	2.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:1070:HOH:O	4:D:1328:HOH:O[2_655]	2.13	0.07
4:A:1291:HOH:O	4:B:1318:HOH:O[1_455]	2.17	0.03

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	589/612 (96%)	568 (96%)	16 (3%)	5 (1%)	16	5
1	B	598/612 (98%)	580 (97%)	17 (3%)	1 (0%)	43	34
1	C	580/612 (95%)	563 (97%)	15 (3%)	2 (0%)	36	26
1	D	585/612 (96%)	571 (98%)	9 (2%)	5 (1%)	14	4
All	All	2352/2448 (96%)	2282 (97%)	57 (2%)	13 (1%)	21	10

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	214	PRO
1	D	259	ASN
1	A	133	ASP
1	A	147	ALA
1	A	216	THR
1	C	212	MET
1	D	156	PHE
1	D	157	ASN
1	D	522	PRO
1	A	522	PRO
1	B	522	PRO
1	C	522	PRO
1	D	214	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	504/521 (97%)	474 (94%)	30 (6%)	17	4
1	B	514/521 (99%)	489 (95%)	25 (5%)	22	7
1	C	496/521 (95%)	458 (92%)	38 (8%)	12	2
1	D	502/521 (96%)	476 (95%)	26 (5%)	21	6
All	All	2016/2084 (97%)	1897 (94%)	119 (6%)	19	5

All (119) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	135	VAL
1	A	142	VAL
1	A	176	GLU
1	A	199	LEU
1	A	201	LEU
1	A	203	SER
1	A	213	ARG
1	A	219	LEU
1	A	223[A]	LEU
1	A	223[B]	LEU
1	A	225	GLU
1	A	228	VAL
1	A	259	ASN
1	A	290	ASN
1	A	343	THR
1	A	356	LEU
1	A	359	HIS
1	A	372	THR
1	A	374	ILE
1	A	380	ARG
1	A	391	LEU
1	A	430	ARG
1	A	472	MET
1	A	475	LEU
1	A	490	LEU
1	A	505	ASP
1	A	523	LEU
1	A	619	LEU
1	A	679	LEU
1	A	720	THR
1	B	138	THR
1	B	168	LEU
1	B	170	LYS
1	B	199	LEU
1	B	213[A]	ARG
1	B	213[B]	ARG
1	B	215	GLU
1	B	225	GLU
1	B	290	ASN
1	B	310	ARG
1	B	356	LEU
1	B	374	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	391	LEU
1	B	430	ARG
1	B	446	LEU
1	B	472	MET
1	B	490	LEU
1	B	500	ARG
1	B	507	LEU
1	B	511	ILE
1	B	512[A]	LEU
1	B	512[B]	LEU
1	B	523	LEU
1	B	619	LEU
1	B	658	THR
1	C	132	MET
1	C	138	THR
1	C	162[A]	ARG
1	C	162[B]	ARG
1	C	168	LEU
1	C	171	GLU
1	C	184	ASN
1	C	215	GLU
1	C	219	LEU
1	C	223	LEU
1	C	225	GLU
1	C	226	LYS
1	C	258	ASP
1	C	277	LYS
1	C	290	ASN
1	C	310	ARG
1	C	356	LEU
1	C	360	SER
1	C	391	LEU
1	C	430	ARG
1	C	441	ASN
1	C	446	LEU
1	C	490	LEU
1	C	507	LEU
1	C	523	LEU
1	C	538	ARG
1	C	614	LYS
1	C	618	GLU
1	C	619	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	642[A]	VAL
1	C	642[B]	VAL
1	C	647	GLU
1	C	658	THR
1	C	676[A]	ARG
1	C	676[B]	ARG
1	C	679	LEU
1	C	684	MET
1	C	707	ARG
1	D	117	THR
1	D	118	HIS
1	D	119	LEU
1	D	148	ARG
1	D	149	ARG
1	D	171	GLU
1	D	187	LEU
1	D	192	MET
1	D	209	GLU
1	D	219	LEU
1	D	223	LEU
1	D	257	THR
1	D	290	ASN
1	D	305	LEU
1	D	356	LEU
1	D	372	THR
1	D	380	ARG
1	D	391	LEU
1	D	472	MET
1	D	475	LEU
1	D	490	LEU
1	D	500	ARG
1	D	507	LEU
1	D	523	LEU
1	D	642[A]	VAL
1	D	642[B]	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	259	ASN
1	A	271	GLN
1	A	326	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	355	ASN
1	A	580	HIS
1	A	617	HIS
1	A	663	HIS
1	B	501	GLN
1	C	211	GLN
1	C	617	HIS
1	D	301	GLN
1	D	617	HIS
1	D	649	ASN
1	D	663	HIS
1	D	685	HIS
1	D	690	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

42 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	E	1	2	11,11,12	1.49	2 (18%)	15,15,17	1.02	1 (6%)
2	GLC	E	2	2	11,11,12	1.54	2 (18%)	15,15,17	1.08	1 (6%)
2	GLC	E	3	2	11,11,12	1.32	1 (9%)	15,15,17	0.96	1 (6%)
2	GLC	E	4	2	11,11,12	1.88	2 (18%)	15,15,17	0.77	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	E	5	2	11,11,12	1.34	2 (18%)	15,15,17	0.99	1 (6%)
2	GLC	E	6	2	11,11,12	0.78	0	15,15,17	0.86	0
2	GLC	E	7	2	11,11,12	1.24	1 (9%)	15,15,17	0.90	0
2	GLC	F	1	2	11,11,12	1.57	2 (18%)	15,15,17	1.11	1 (6%)
2	GLC	F	2	2	11,11,12	1.56	2 (18%)	15,15,17	0.71	0
2	GLC	F	3	2	11,11,12	1.43	1 (9%)	15,15,17	1.19	2 (13%)
2	GLC	F	4	2	11,11,12	1.83	2 (18%)	15,15,17	0.93	0
2	GLC	F	5	2	11,11,12	1.34	2 (18%)	15,15,17	0.80	1 (6%)
2	GLC	F	6	2	11,11,12	1.02	1 (9%)	15,15,17	0.52	0
2	GLC	F	7	2	11,11,12	1.23	2 (18%)	15,15,17	0.87	0
2	GLC	G	1	2	11,11,12	1.36	2 (18%)	15,15,17	1.42	1 (6%)
2	GLC	G	2	2	11,11,12	1.81	3 (27%)	15,15,17	0.63	0
2	GLC	G	3	2	11,11,12	1.42	1 (9%)	15,15,17	0.51	0
2	GLC	G	4	2	11,11,12	1.79	2 (18%)	15,15,17	1.07	0
2	GLC	G	5	2	11,11,12	1.35	0	15,15,17	1.02	0
2	GLC	G	6	2	11,11,12	0.82	0	15,15,17	1.14	2 (13%)
2	GLC	G	7	2	11,11,12	1.11	1 (9%)	15,15,17	1.18	1 (6%)
2	GLC	H	1	2	11,11,12	1.48	2 (18%)	15,15,17	1.13	2 (13%)
2	GLC	H	2	2	11,11,12	1.55	2 (18%)	15,15,17	0.94	1 (6%)
2	GLC	H	3	2	11,11,12	1.39	1 (9%)	15,15,17	0.80	0
2	GLC	H	4	2	11,11,12	1.77	2 (18%)	15,15,17	0.89	1 (6%)
2	GLC	H	5	2	11,11,12	1.36	3 (27%)	15,15,17	1.10	0
2	GLC	H	6	2	11,11,12	0.89	0	15,15,17	0.82	0
2	GLC	H	7	2	11,11,12	1.21	1 (9%)	15,15,17	0.88	0
2	GLC	I	1	2	11,11,12	1.53	2 (18%)	15,15,17	1.11	2 (13%)
2	GLC	I	2	2	11,11,12	1.59	2 (18%)	15,15,17	0.94	0
2	GLC	I	3	2	11,11,12	1.39	1 (9%)	15,15,17	0.88	0
2	GLC	I	4	2	11,11,12	1.80	2 (18%)	15,15,17	1.00	1 (6%)
2	GLC	I	5	2	11,11,12	1.39	3 (27%)	15,15,17	1.17	1 (6%)
2	GLC	I	6	2	11,11,12	0.88	0	15,15,17	1.07	1 (6%)
2	GLC	I	7	2	11,11,12	1.20	1 (9%)	15,15,17	0.92	0
2	GLC	J	1	2	11,11,12	1.51	2 (18%)	15,15,17	1.26	2 (13%)
2	GLC	J	2	2	11,11,12	1.60	2 (18%)	15,15,17	0.96	1 (6%)
2	GLC	J	3	2	11,11,12	1.30	1 (9%)	15,15,17	0.90	0
2	GLC	J	4	2	11,11,12	1.80	2 (18%)	15,15,17	0.90	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	J	5	2	11,11,12	1.37	2 (18%)	15,15,17	1.07	0
2	GLC	J	6	2	11,11,12	0.89	0	15,15,17	1.33	3 (20%)
2	GLC	J	7	2	11,11,12	1.19	1 (9%)	15,15,17	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	E	1	2	-	2/2/19/22	0/1/1/1
2	GLC	E	2	2	-	0/2/19/22	0/1/1/1
2	GLC	E	3	2	-	0/2/19/22	0/1/1/1
2	GLC	E	4	2	-	0/2/19/22	0/1/1/1
2	GLC	E	5	2	-	0/2/19/22	0/1/1/1
2	GLC	E	6	2	-	2/2/19/22	0/1/1/1
2	GLC	E	7	2	-	0/2/19/22	0/1/1/1
2	GLC	F	1	2	-	0/2/19/22	0/1/1/1
2	GLC	F	2	2	-	0/2/19/22	0/1/1/1
2	GLC	F	3	2	-	2/2/19/22	0/1/1/1
2	GLC	F	4	2	-	2/2/19/22	0/1/1/1
2	GLC	F	5	2	-	0/2/19/22	0/1/1/1
2	GLC	F	6	2	-	1/2/19/22	0/1/1/1
2	GLC	F	7	2	-	2/2/19/22	0/1/1/1
2	GLC	G	1	2	-	0/2/19/22	0/1/1/1
2	GLC	G	2	2	-	2/2/19/22	0/1/1/1
2	GLC	G	3	2	-	0/2/19/22	0/1/1/1
2	GLC	G	4	2	-	2/2/19/22	0/1/1/1
2	GLC	G	5	2	-	0/2/19/22	0/1/1/1
2	GLC	G	6	2	-	0/2/19/22	0/1/1/1
2	GLC	G	7	2	-	0/2/19/22	0/1/1/1
2	GLC	H	1	2	-	2/2/19/22	0/1/1/1
2	GLC	H	2	2	-	0/2/19/22	0/1/1/1
2	GLC	H	3	2	-	2/2/19/22	0/1/1/1
2	GLC	H	4	2	-	2/2/19/22	0/1/1/1
2	GLC	H	5	2	-	0/2/19/22	0/1/1/1
2	GLC	H	6	2	-	0/2/19/22	0/1/1/1
2	GLC	H	7	2	-	2/2/19/22	0/1/1/1
2	GLC	I	1	2	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	I	2	2	-	2/2/19/22	0/1/1/1
2	GLC	I	3	2	-	2/2/19/22	0/1/1/1
2	GLC	I	4	2	-	2/2/19/22	0/1/1/1
2	GLC	I	5	2	-	2/2/19/22	0/1/1/1
2	GLC	I	6	2	-	2/2/19/22	0/1/1/1
2	GLC	I	7	2	-	0/2/19/22	0/1/1/1
2	GLC	J	1	2	-	0/2/19/22	0/1/1/1
2	GLC	J	2	2	-	0/2/19/22	0/1/1/1
2	GLC	J	3	2	-	0/2/19/22	0/1/1/1
2	GLC	J	4	2	-	1/2/19/22	0/1/1/1
2	GLC	J	5	2	-	0/2/19/22	0/1/1/1
2	GLC	J	6	2	-	0/2/19/22	0/1/1/1
2	GLC	J	7	2	-	2/2/19/22	0/1/1/1

All (63) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	4	GLC	O5-C1	4.98	1.52	1.43
2	J	4	GLC	O5-C1	4.89	1.51	1.43
2	F	4	GLC	O5-C1	4.89	1.51	1.43
2	I	4	GLC	O5-C1	4.74	1.51	1.43
2	G	4	GLC	O5-C1	4.67	1.51	1.43
2	H	4	GLC	O5-C1	4.61	1.51	1.43
2	G	2	GLC	O5-C1	-4.41	1.36	1.43
2	J	2	GLC	O5-C1	-3.88	1.37	1.43
2	F	3	GLC	O5-C1	-3.80	1.37	1.43
2	G	3	GLC	O5-C1	-3.79	1.37	1.43
2	H	3	GLC	O5-C1	-3.77	1.37	1.43
2	I	3	GLC	O5-C1	-3.73	1.37	1.43
2	E	2	GLC	O5-C1	-3.62	1.37	1.43
2	H	2	GLC	O5-C1	-3.59	1.37	1.43
2	I	2	GLC	O5-C1	-3.57	1.37	1.43
2	J	3	GLC	O5-C1	-3.56	1.37	1.43
2	F	2	GLC	O5-C1	-3.48	1.37	1.43
2	E	3	GLC	O5-C1	-3.45	1.37	1.43
2	I	1	GLC	O5-C1	-3.34	1.38	1.43
2	F	1	GLC	O5-C1	-3.29	1.38	1.43
2	E	1	GLC	O5-C1	-3.14	1.38	1.43
2	J	1	GLC	O5-C1	-3.00	1.38	1.43
2	H	1	GLC	O5-C1	-2.99	1.38	1.43
2	J	1	GLC	C2-C3	2.91	1.56	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1	GLC	C2-C3	2.86	1.56	1.52
2	H	4	GLC	O4-C4	2.85	1.50	1.43
2	I	1	GLC	C2-C3	2.84	1.56	1.52
2	G	4	GLC	O4-C4	2.83	1.50	1.43
2	H	1	GLC	C2-C3	2.81	1.56	1.52
2	E	4	GLC	O4-C4	2.80	1.49	1.43
2	I	4	GLC	O4-C4	2.80	1.49	1.43
2	F	4	GLC	O4-C4	2.76	1.49	1.43
2	G	1	GLC	O5-C1	-2.73	1.39	1.43
2	J	4	GLC	O4-C4	2.72	1.49	1.43
2	E	1	GLC	C2-C3	2.64	1.56	1.52
2	I	2	GLC	C2-C3	2.63	1.56	1.52
2	F	2	GLC	C2-C3	2.60	1.56	1.52
2	G	2	GLC	C2-C3	2.60	1.56	1.52
2	E	7	GLC	O5-C1	-2.52	1.39	1.43
2	I	7	GLC	O5-C1	-2.50	1.39	1.43
2	J	2	GLC	C2-C3	2.45	1.56	1.52
2	H	2	GLC	C2-C3	2.45	1.56	1.52
2	J	7	GLC	O5-C1	-2.41	1.39	1.43
2	G	1	GLC	C2-C3	2.34	1.56	1.52
2	H	7	GLC	O5-C1	-2.29	1.39	1.43
2	E	2	GLC	C2-C3	2.26	1.55	1.52
2	J	5	GLC	C2-C3	2.23	1.55	1.52
2	F	7	GLC	O5-C1	-2.20	1.40	1.43
2	E	5	GLC	C2-C3	2.18	1.55	1.52
2	G	7	GLC	O5-C1	-2.14	1.40	1.43
2	I	5	GLC	C2-C3	2.11	1.55	1.52
2	J	5	GLC	O2-C2	-2.10	1.38	1.43
2	F	7	GLC	C2-C3	2.10	1.55	1.52
2	H	5	GLC	O4-C4	2.09	1.48	1.43
2	F	6	GLC	O5-C1	2.09	1.47	1.43
2	F	5	GLC	C2-C3	2.07	1.55	1.52
2	H	5	GLC	C2-C3	2.07	1.55	1.52
2	E	5	GLC	O4-C4	2.06	1.48	1.43
2	I	5	GLC	O2-C2	-2.06	1.39	1.43
2	I	5	GLC	O4-C4	2.04	1.48	1.43
2	F	5	GLC	O4-C4	2.04	1.48	1.43
2	G	2	GLC	O4-C4	2.03	1.48	1.43
2	H	5	GLC	O2-C2	-2.01	1.39	1.43

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	1	GLC	O5-C1-C2	3.68	119.56	110.79
2	J	1	GLC	C1-C2-C3	3.52	114.78	109.64
2	F	1	GLC	C1-C2-C3	2.84	113.77	109.64
2	H	1	GLC	C1-C2-C3	2.71	113.59	109.64
2	H	1	GLC	O5-C1-C2	2.68	117.19	110.79
2	E	1	GLC	C1-C2-C3	2.67	113.53	109.64
2	E	2	GLC	C1-O5-C5	-2.62	108.67	112.19
2	E	5	GLC	C1-O5-C5	-2.61	108.69	112.19
2	J	1	GLC	O5-C1-C2	2.33	116.36	110.79
2	J	6	GLC	C1-C2-C3	2.33	113.04	109.64
2	J	6	GLC	C3-C4-C5	2.30	114.41	110.23
2	I	5	GLC	C1-C2-C3	2.29	112.97	109.64
2	G	6	GLC	C1-C2-C3	2.24	112.91	109.64
2	E	3	GLC	O4-C4-C3	-2.24	105.09	110.38
2	G	6	GLC	C1-O5-C5	-2.23	109.20	112.19
2	J	6	GLC	C2-C3-C4	2.22	114.77	110.86
2	F	3	GLC	C3-C4-C5	2.21	114.25	110.23
2	H	2	GLC	C1-O5-C5	-2.21	109.23	112.19
2	G	7	GLC	O5-C1-C2	2.19	116.02	110.79
2	I	1	GLC	O5-C1-C2	2.16	115.94	110.79
2	H	4	GLC	C1-O5-C5	-2.16	109.29	112.19
2	F	5	GLC	C1-O5-C5	-2.11	109.36	112.19
2	I	1	GLC	C1-O5-C5	2.09	114.99	112.19
2	I	4	GLC	C1-O5-C5	-2.09	109.38	112.19
2	J	2	GLC	C1-O5-C5	-2.07	109.42	112.19
2	F	3	GLC	C1-C2-C3	2.04	112.62	109.64
2	I	6	GLC	C1-C2-C3	2.02	112.59	109.64

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	7	GLC	O5-C5-C6-O6
2	H	3	GLC	O5-C5-C6-O6
2	H	7	GLC	C4-C5-C6-O6
2	I	4	GLC	O5-C5-C6-O6
2	I	5	GLC	C4-C5-C6-O6
2	J	7	GLC	C4-C5-C6-O6
2	F	7	GLC	C4-C5-C6-O6
2	H	3	GLC	C4-C5-C6-O6
2	J	7	GLC	O5-C5-C6-O6
2	I	6	GLC	O5-C5-C6-O6
2	F	3	GLC	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	I	1	GLC	O5-C5-C6-O6
2	I	5	GLC	O5-C5-C6-O6
2	F	3	GLC	C4-C5-C6-O6
2	I	1	GLC	C4-C5-C6-O6
2	H	7	GLC	O5-C5-C6-O6
2	F	4	GLC	C4-C5-C6-O6
2	I	6	GLC	C4-C5-C6-O6
2	E	6	GLC	C4-C5-C6-O6
2	I	4	GLC	C4-C5-C6-O6
2	E	6	GLC	O5-C5-C6-O6
2	G	4	GLC	C4-C5-C6-O6
2	I	3	GLC	O5-C5-C6-O6
2	F	4	GLC	O5-C5-C6-O6
2	G	2	GLC	C4-C5-C6-O6
2	I	3	GLC	C4-C5-C6-O6
2	E	1	GLC	C4-C5-C6-O6
2	H	1	GLC	C4-C5-C6-O6
2	H	1	GLC	O5-C5-C6-O6
2	H	4	GLC	C4-C5-C6-O6
2	I	2	GLC	C4-C5-C6-O6
2	G	2	GLC	O5-C5-C6-O6
2	E	1	GLC	O5-C5-C6-O6
2	G	4	GLC	O5-C5-C6-O6
2	F	6	GLC	O5-C5-C6-O6
2	I	2	GLC	O5-C5-C6-O6
2	H	4	GLC	O5-C5-C6-O6
2	J	4	GLC	C4-C5-C6-O6


There are no ring outliers.

4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	J	2	GLC	1	0
2	I	1	GLC	1	0
2	G	7	GLC	1	0
2	F	6	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


Oligosaccharide Chain E




Oligosaccharide Chain F




Oligosaccharide Chain G




Oligosaccharide Chain H



Oligosaccharide Chain I





5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection.

RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	D	803	-	5,5,5	0.33	0	5,5,5	0.42	0
3	GOL	D	802	-	5,5,5	0.39	0	5,5,5	0.36	0
3	GOL	B	803	-	5,5,5	0.36	0	5,5,5	0.22	0
3	GOL	A	803	-	5,5,5	0.32	0	5,5,5	0.53	0
3	GOL	B	802	-	5,5,5	0.39	0	5,5,5	0.40	0
3	GOL	C	803	-	5,5,5	0.37	0	5,5,5	0.42	0
3	GOL	A	804	-	5,5,5	0.31	0	5,5,5	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	D	803	-	-	2/4/4/4	-
3	GOL	D	802	-	-	0/4/4/4	-
3	GOL	B	803	-	-	4/4/4/4	-
3	GOL	A	803	-	-	2/4/4/4	-
3	GOL	B	802	-	-	0/4/4/4	-
3	GOL	C	803	-	-	3/4/4/4	-
3	GOL	A	804	-	-	1/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	803	GOL	C1-C2-C3-O3
3	B	803	GOL	O1-C1-C2-C3
3	B	803	GOL	C1-C2-C3-O3
3	C	803	GOL	O1-C1-C2-C3
3	D	803	GOL	O1-C1-C2-C3
3	A	803	GOL	O2-C2-C3-O3
3	B	803	GOL	O1-C1-C2-O2
3	B	803	GOL	O2-C2-C3-O3
3	C	803	GOL	O1-C1-C2-O2
3	D	803	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	803	GOL	O2-C2-C3-O3
3	A	804	GOL	O1-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	587/612 (95%)	-1.05	0 100 100	9, 27, 86, 112	11 (1%)
1	B	596/612 (97%)	-1.29	0 100 100	9, 21, 38, 60	15 (2%)
1	C	582/612 (95%)	-0.99	0 100 100	18, 36, 52, 71	5 (0%)
1	D	587/612 (95%)	-1.18	0 100 100	13, 26, 46, 68	5 (0%)
All	All	2352/2448 (96%)	-1.13	0 100 100	9, 28, 58, 112	36 (1%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GLC	G	5	11/12	0.95	0.07	72,74,78,78	0
2	GLC	G	6	11/12	0.95	0.06	61,68,74,76	0
2	GLC	H	3	11/12	0.95	0.08	81,84,89,90	0
2	GLC	G	4	11/12	0.96	0.06	59,64,68,69	0
2	GLC	H	4	11/12	0.96	0.08	71,77,82,82	0
2	GLC	I	3	11/12	0.96	0.05	78,80,84,85	0
2	GLC	I	4	11/12	0.96	0.05	78,83,87,88	0
2	GLC	I	5	11/12	0.96	0.06	76,81,84,84	0
2	GLC	J	6	11/12	0.96	0.06	59,69,72,73	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLC	J	7	11/12	0.96	0.07	69,72,76,80	0
2	GLC	I	2	11/12	0.97	0.06	56,72,75,79	0
2	GLC	F	4	11/12	0.97	0.06	52,59,66,69	0
2	GLC	H	2	11/12	0.97	0.07	78,83,86,87	0
2	GLC	E	1	11/12	0.97	0.05	64,68,72,74	0
2	GLC	I	6	11/12	0.97	0.05	65,70,75,75	0
2	GLC	F	3	11/12	0.97	0.06	54,61,64,65	0
2	GLC	H	5	11/12	0.97	0.06	57,59,68,71	0
2	GLC	H	1	11/12	0.98	0.05	59,64,76,77	0
2	GLC	F	2	11/12	0.98	0.05	49,55,61,63	0
2	GLC	E	2	11/12	0.98	0.05	42,56,63,65	0
2	GLC	E	3	11/12	0.98	0.05	34,38,49,58	0
2	GLC	F	5	11/12	0.98	0.06	49,54,58,60	0
2	GLC	I	1	11/12	0.98	0.05	45,52,58,64	0
2	GLC	F	6	11/12	0.98	0.06	40,47,49,52	0
2	GLC	F	7	11/12	0.98	0.05	46,50,58,59	0
2	GLC	G	3	11/12	0.98	0.04	45,49,59,59	0
2	GLC	E	6	11/12	0.98	0.04	36,40,53,54	0
2	GLC	E	7	11/12	0.98	0.04	59,62,68,68	0
2	GLC	J	1	11/12	0.98	0.04	45,60,68,70	0
2	GLC	J	2	11/12	0.98	0.05	35,43,56,57	0
2	GLC	J	5	11/12	0.98	0.05	46,53,59,65	0
2	GLC	F	1	11/12	0.98	0.05	40,51,55,59	0
2	GLC	G	7	11/12	0.98	0.05	38,48,58,60	0
2	GLC	H	7	11/12	0.99	0.05	47,51,57,61	0
2	GLC	I	7	11/12	0.99	0.04	51,53,58,63	0
2	GLC	G	1	11/12	0.99	0.04	21,30,34,43	0
2	GLC	G	2	11/12	0.99	0.06	30,33,38,39	0
2	GLC	J	3	11/12	0.99	0.05	25,32,38,41	0
2	GLC	J	4	11/12	0.99	0.04	31,36,41,42	0
2	GLC	E	5	11/12	0.99	0.03	27,31,35,38	0
2	GLC	E	4	11/12	0.99	0.04	22,26,35,40	0
2	GLC	H	6	11/12	0.99	0.05	41,48,52,55	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	B	803	6/6	0.98	0.04	36,44,48,49	0
3	GOL	C	803	6/6	0.98	0.04	44,48,51,53	0
3	GOL	B	802	6/6	0.99	0.03	16,20,21,27	0
3	GOL	A	803	6/6	0.99	0.04	24,25,41,44	0
3	GOL	A	804	6/6	0.99	0.03	16,23,24,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	D	802	6/6	0.99	0.04	26,32,34,36	0
3	GOL	D	803	6/6	0.99	0.04	25,28,33,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.