



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:50 PM UTC

PDB ID : 1E73 / pdb_00001e73
Title : 2-F-glucosylated MYROSINASE FROM SINAPIS ALBA with bound L-ascorbate
Authors : Burmeister, W.P.
Deposited on : 2000-08-23
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	501	2% 83% 14% .
2	A	2	50% 50%
3	B	5	80% 20%
4	C	7	57% 43%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BMA	C	3	-	-	X	-
4	MAN	C	6	X	-	X	-
5	NAG	M	961	X	-	-	-
8	SO4	M	1504	-	-	X	-
8	SO4	M	1509	-	-	X	-

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 5216 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYROSINASE MA1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	M	499	Total	C	N	O	S	0	21	0
			4082	2618	660	788	16			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	A	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called beta-D-xylopyranose-(1-2)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	B	5	Total	C	N	O	0	0	0
			58	33	2	23			

- Molecule 4 is an oligosaccharide called beta-D-xylopyranose-(1-2)-[alpha-D-mannopyranose-(1-3)][alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	C	7	Total	C	N	O	0	0	0
			80	45	2	33			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		
5	M	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is ASCORBIC ACID (CCD ID: ASC) (formula: $C_6H_8O_6$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	M	1	Total	C	O	0	0
			12	6	6		

- Molecule 7 is 2-deoxy-2-fluoro- α -D-glucopyranose (CCD ID: G2F) (formula: $C_6H_{11}FO_5$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	M	1	Total	C	F	O	0	0
			11	6	1	4		

- Molecule 8 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	M	1	Total	O	S	0	0
			5	4	1		
8	M	1	Total	O	S	0	0
			5	4	1		
8	M	1	Total	O	S	0	0
			5	4	1		
8	M	1	Total	O	S	0	0
			5	4	1		
8	M	1	Total	O	S	0	0
			5	4	1		
8	M	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	M	1	Total	C	O	0	0
			6	3	3		
9	M	1	Total	C	O	0	1
			7	3	4		
9	M	1	Total	C	O	0	0
			6	3	3		
9	M	1	Total	C	O	0	0
			6	3	3		

- Molecule 10 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	M	1	Total	Zn	0	0
			1	1		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	M	795	Total	O	0	0
			795	795		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MYROSINASE MA1



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-xylopyranose-(1-2)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-xylopyranose-(1-2)-[alpha-D-mannopyranose-(1-3)][alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	135.30Å 137.20Å 80.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.50 10.00 – 1.50	Depositor EDS
% Data completeness (in resolution range)	79.8 (10.00-1.50) 79.5 (10.00-1.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 1.50Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.134 , 0.167 0.146 , 0.173	Depositor DCC
R_{free} test set	4838 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	13.2	Xtriage
Anisotropy	0.091	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.47 , 65.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5216	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ZN, XYP, G2F, GOL, ASC, FUC, MAN, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	M	0.88	3/4290 (0.1%)	1.48	50/5833 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	M	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	M	501	PRO	N-CD	6.47	1.56	1.47
1	M	402	ASN	C-O	5.41	1.26	1.23
1	M	402	ASN	CA-CB	5.12	1.56	1.52

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	482	ASN	CA-CB-CG	-13.07	99.53	112.60
1	M	482	ASN	OD1-CG-ND2	-10.77	111.83	122.60
1	M	109	ARG	NE-CZ-NH2	-8.67	111.40	119.20
1	M	457	TRP	O-C-N	-8.39	113.42	123.16
1	M	482	ASN	CB-CG-OD1	8.11	137.02	120.80
1	M	190	SER	N-CA-C	7.80	119.57	111.14
1	M	265	ASN	OD1-CG-ND2	-7.71	114.89	122.60
1	M	109	ARG	NH1-CZ-NH2	7.59	129.17	119.30
1	M	361	ASN	OD1-CG-ND2	-7.49	115.11	122.60
1	M	265	ASN	CA-CB-CG	-7.43	105.17	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	40	ILE	CB-CA-C	-7.42	103.38	110.65
1	M	60	ASN	OD1-CG-ND2	-7.35	115.25	122.60
1	M	21	ASN	CA-CB-CG	-7.34	105.25	112.60
1	M	71	THR	OG1-CB-CG2	-7.33	94.64	109.30
1	M	82	ASP	CA-C-O	7.12	128.04	120.70
1	M	420	ARG	CD-NE-CZ	7.10	134.34	124.40
1	M	265	ASN	CB-CG-OD1	6.99	134.78	120.80
1	M	244	ASN	OD1-CG-ND2	-6.84	115.76	122.60
1	M	418	GLU	CA-C-O	-6.73	114.42	121.55
1	M	421	ASN	O-C-N	6.49	128.76	122.07
1	M	16	ASN	CA-C-O	6.49	127.53	120.58
1	M	421	ASN	CA-C-O	-6.48	114.02	120.82
1	M	242	ARG	NE-CZ-NH2	-6.44	113.41	119.20
1	M	301	ASP	CA-CB-CG	6.38	118.98	112.60
1	M	151	GLU	O-C-N	6.17	128.75	122.09
1	M	246	THR	OG1-CB-CG2	-6.17	96.97	109.30
1	M	76	PHE	CA-CB-CG	-6.05	107.75	113.80
1	M	316	ASN	OD1-CG-ND2	6.04	128.63	122.60
1	M	493	GLN	OE1-CD-NE2	-5.98	116.62	122.60
1	M	496	GLN	OE1-CD-NE2	-5.82	116.78	122.60
1	M	377	ASP	O-C-N	-5.81	115.70	123.14
1	M	292	ASN	CA-CB-CG	-5.76	106.83	112.60
1	M	159	GLN	OE1-CD-NE2	-5.73	116.87	122.60
1	M	417	ASP	CA-CB-CG	5.73	118.33	112.60
1	M	84	ASP	CA-C-O	-5.64	114.57	120.55
1	M	130	LYS	CA-CB-CG	-5.56	102.97	114.10
1	M	469	PHE	CA-CB-CG	-5.50	108.31	113.80
1	M	72	THR	CA-CB-CG2	5.48	119.82	110.50
1	M	365	HIS	CB-CG-CD2	-5.48	124.08	131.20
1	M	109	ARG	CD-NE-CZ	-5.38	116.87	124.40
1	M	23	SER	CA-CB-OG	-5.32	100.46	111.10
1	M	90	ASN	CB-CG-OD1	5.32	131.44	120.80
1	M	52	ASP	N-CA-C	-5.26	105.62	111.36
1	M	286	PHE	CA-CB-CG	-5.25	108.55	113.80
1	M	457	TRP	CA-C-O	-5.21	114.93	120.92
1	M	365	HIS	CB-CG-ND1	5.15	130.43	122.70
1	M	18	ASP	CA-C-O	-5.13	114.08	119.97
1	M	372	GLU	CG-CD-OE2	5.10	130.13	118.40
1	M	90	ASN	OD1-CG-ND2	-5.10	117.50	122.60
1	M	177	ASP	CA-CB-CG	-5.04	107.56	112.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	M	457	TRP	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	4082	0	3835	80	0
2	A	28	0	25	5	0
3	B	58	0	42	5	0
4	C	80	0	57	19	0
5	M	84	0	77	11	0
6	M	12	0	7	1	0
7	M	11	0	9	1	0
8	M	40	0	0	5	0
9	M	25	0	30	2	0
10	M	1	0	0	0	0
11	M	795	0	0	30	0
All	All	5216	0	4082	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:CZ	1.30	1.60
1:M:90:ASN:HD21	5:M:911:NAG:C1	0.95	1.60
1:M:244:ASN:HD21	5:M:931:NAG:C1	0.96	1.60
1:M:292:ASN:HD21	4:C:1:NAG:C1	0.94	1.59
1:M:21:ASN:HD21	5:M:901:NAG:C1	0.95	1.57
1:M:265:ASN:HD21	3:B:1:NAG:C1	0.93	1.56
1:M:218:ASN:HD21	2:A:1:NAG:C1	0.92	1.53
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:CZ	1.95	1.46
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:CE1	1.62	1.33
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:OH	1.30	1.29

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CE1	2.22	1.23
11:M:2741:HOH:O	4:C:6:MAN:H61	1.46	1.15
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:CE1	2.23	1.11
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CD1	1.95	1.00
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:OH	1.99	0.99
4:C:3:BMA:C6	4:C:6:MAN:H61	1.92	0.99
4:C:3:BMA:H61	4:C:6:MAN:H61	1.42	0.98
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CE1	1.98	0.97
1:M:246:THR:HG22	11:M:2391:HOH:O	1.69	0.91
1:M:165:LYS:NZ	5:M:931:NAG:H82	1.86	0.90
1:M:360[B]:ILE:HD13	1:M:366[B]:TYR:CZ	2.08	0.88
4:C:3:BMA:H61	4:C:6:MAN:C6	2.04	0.87
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CD1	2.60	0.81
6:M:995:ASC:H4	11:M:2348:HOH:O	1.82	0.79
1:M:165:LYS:HZ1	5:M:931:NAG:H82	1.44	0.79
1:M:377:ASP:HB3	11:M:2567:HOH:O	1.85	0.76
1:M:360[B]:ILE:HG13	1:M:366[B]:TYR:CE1	2.19	0.76
4:C:3:BMA:C6	4:C:6:MAN:C6	2.63	0.75
1:M:265:ASN:HD21	3:B:1:NAG:C2	1.97	0.74
11:M:2751:HOH:O	4:C:6:MAN:H62	1.89	0.72
11:M:2741:HOH:O	4:C:3:BMA:C5	2.38	0.72
11:M:2750:HOH:O	4:C:6:MAN:C5	2.38	0.70
1:M:218:ASN:HD21	2:A:1:NAG:C2	1.97	0.68
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CZ	2.61	0.68
1:M:130:LYS:HG3	11:M:2257:HOH:O	1.93	0.68
1:M:376:ALA:O	1:M:377:ASP:OD1	2.12	0.67
1:M:130:LYS:HB3	11:M:2268:HOH:O	1.96	0.65
8:M:1504:SO4:O2	8:M:1509:SO4:O2	2.14	0.64
8:M:1504:SO4:S	8:M:1509:SO4:O3	2.58	0.62
1:M:130:LYS:HB3	11:M:2269:HOH:O	1.98	0.62
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CG	2.34	0.62
1:M:376:ALA:C	1:M:377:ASP:OD1	2.43	0.62
11:M:2741:HOH:O	4:C:3:BMA:C4	2.48	0.62
11:M:2751:HOH:O	4:C:6:MAN:C6	2.48	0.62
1:M:424:MET:HE3	11:M:2695:HOH:O	1.99	0.61
1:M:116:LYS:HG2	11:M:2234:HOH:O	2.01	0.60
1:M:4:ILE:HD11	1:M:445:LYS:HD2	1.83	0.60
1:M:115:GLU:HG3	11:M:2229:HOH:O	2.02	0.59
1:M:218:ASN:ND2	2:A:1:NAG:C2	2.62	0.59
4:C:3:BMA:O6	4:C:6:MAN:H61	2.03	0.58
11:M:2741:HOH:O	4:C:3:BMA:C6	2.52	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:365:HIS:HE1	11:M:2549:HOH:O	1.85	0.57
1:M:265:ASN:ND2	3:B:1:NAG:C2	2.62	0.57
1:M:21:ASN:HD21	5:M:901:NAG:C2	2.00	0.56
1:M:365:HIS:HD2	11:M:2258:HOH:O	1.87	0.56
1:M:90:ASN:ND2	5:M:911:NAG:C2	2.64	0.56
1:M:244:ASN:ND2	5:M:931:NAG:O5	2.39	0.55
1:M:292:ASN:ND2	4:C:1:NAG:C2	2.66	0.54
11:M:2741:HOH:O	4:C:6:MAN:C6	2.26	0.53
1:M:265:ASN:ND2	3:B:1:NAG:O5	2.36	0.53
1:M:218:ASN:CG	2:A:1:NAG:C1	2.76	0.52
1:M:4:ILE:HD11	1:M:445:LYS:CD	2.40	0.52
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CZ	2.37	0.51
1:M:95:ARG:HB2	1:M:455:LEU:HD13	1.93	0.50
1:M:265:ASN:CG	3:B:1:NAG:C1	2.76	0.50
1:M:169[B]:ASP:HB2	1:M:240:LEU:HD21	1.94	0.50
9:M:1510:GOL:H11	11:M:2786:HOH:O	2.10	0.50
1:M:292:ASN:CG	4:C:1:NAG:C1	2.76	0.50
1:M:115:GLU:CD	11:M:2229:HOH:O	2.56	0.49
1:M:218:ASN:ND2	2:A:1:NAG:O5	2.42	0.48
8:M:1504:SO4:O1	8:M:1509:SO4:O3	2.32	0.48
1:M:81:LYS:NZ	11:M:2162:HOH:O	2.43	0.48
1:M:108:LYS:CE	11:M:2203:HOH:O	2.62	0.47
7:M:999:G2F:H2	11:M:2757:HOH:O	2.14	0.47
1:M:95:ARG:HA	1:M:136:PHE:O	2.15	0.46
8:M:1504:SO4:O2	8:M:1509:SO4:S	2.73	0.46
4:C:3:BMA:H61	4:C:6:MAN:H62	1.91	0.46
1:M:420:ARG:O	1:M:424:MET:HG2	2.16	0.46
1:M:118[B]:ILE:HD12	1:M:174:GLU:HG3	1.97	0.46
1:M:493:GLN:NE2	11:M:2695:HOH:O	2.48	0.45
1:M:249:GLY:HA3	9:M:1512:GOL:H31	1.98	0.45
1:M:108:LYS:HE3	1:M:111:ARG:NH2	2.32	0.45
1:M:292:ASN:ND2	4:C:1:NAG:O5	2.38	0.44
1:M:194:ARG:NH1	8:M:1509:SO4:O4	2.48	0.44
1:M:467:LYS:NZ	11:M:2667:HOH:O	2.51	0.43
11:M:2741:HOH:O	4:C:3:BMA:H61	2.18	0.43
1:M:336:GLN:HB2	1:M:337:PRO:HD2	2.01	0.43
1:M:461:ASP:O	1:M:478:ILE:HD12	2.19	0.43
1:M:165:LYS:HZ2	5:M:931:NAG:H82	1.78	0.42
1:M:32:GLY:HA3	1:M:93:GLY:O	2.19	0.42
1:M:360[A]:ILE:HD11	1:M:364:GLY:HA2	2.02	0.42
1:M:21:ASN:ND2	5:M:901:NAG:C2	2.70	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:196:TYR:CE2	1:M:205:ARG:HD3	2.55	0.42
1:M:108:LYS:HE2	11:M:2320:HOH:O	2.19	0.42
1:M:21:ASN:HA	1:M:498:PHE:CD2	2.55	0.41
1:M:360[B]:ILE:HD13	1:M:366[B]:TYR:OH	2.05	0.41
1:M:159:GLN:NE2	11:M:2313:HOH:O	2.53	0.41
1:M:368:GLY:HA3	1:M:384:TYR:O	2.21	0.41
1:M:70:ASP:HB3	11:M:2091:HOH:O	2.22	0.40
1:M:165:LYS:CE	5:M:931:NAG:H82	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	M	518/501 (103%)	504 (97%)	13 (2%)	1 (0%)	43 22

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	M	187	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	M	456/437 (104%)	455 (100%)	1 (0%)	87 77

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	3	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	M	90	ASN
1	M	122	HIS
1	M	159	GLN
1	M	218	ASN
1	M	230	GLN
1	M	244	ASN
1	M	265	ASN
1	M	292	ASN
1	M	297	GLN
1	M	365	HIS
1	M	402	ASN
1	M	410	ASN
1	M	466	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	A	1	1,2	14,14,15	1.41	3 (21%)	17,19,21	3.07	7 (41%)
2	NAG	A	2	2	14,14,15	1.20	0	17,19,21	3.57	8 (47%)
3	NAG	B	1	1,3	14,14,15	0.89	1 (7%)	17,19,21	2.94	7 (41%)
3	NAG	B	2	3	14,14,15	1.13	1 (7%)	17,19,21	1.33	1 (5%)
3	BMA	B	3	3	11,11,12	2.12	3 (27%)	15,15,17	1.84	4 (26%)
3	XYP	B	4	3	9,9,10	0.88	0	10,12,14	2.03	3 (30%)
3	FUC	B	5	3	10,10,11	1.52	2 (20%)	14,14,16	1.86	2 (14%)
4	NAG	C	1	1,4	14,14,15	1.44	2 (14%)	17,19,21	3.18	9 (52%)
4	NAG	C	2	4	14,14,15	1.64	2 (14%)	17,19,21	2.53	6 (35%)
4	BMA	C	3	4	11,11,12	2.09	2 (18%)	15,15,17	5.71	12 (80%)
4	XYP	C	4	4	9,9,10	1.26	1 (11%)	10,12,14	2.45	4 (40%)
4	MAN	C	5	4	11,11,12	1.39	2 (18%)	15,15,17	1.95	4 (26%)
4	MAN	C	6	4	11,11,12	2.92	4 (36%)	15,15,17	6.03	12 (80%)
4	FUC	C	7	4	10,10,11	1.94	3 (30%)	14,14,16	2.64	8 (57%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	2	2	-	0/6/23/26	0/1/1/1
3	NAG	B	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	B	2	3	-	0/6/23/26	0/1/1/1
3	BMA	B	3	3	-	0/2/19/22	0/1/1/1
3	XYP	B	4	3	-	-	0/1/1/1
3	FUC	B	5	3	-	-	0/1/1/1
4	NAG	C	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	C	2	4	-	0/6/23/26	0/1/1/1
4	BMA	C	3	4	-	1/2/19/22	0/1/1/1
4	XYP	C	4	4	-	-	0/1/1/1
4	MAN	C	5	4	-	0/2/19/22	0/1/1/1
4	MAN	C	6	4	1/1/4/5	1/2/19/22	0/1/1/1
4	FUC	C	7	4	-	-	0/1/1/1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	6	MAN	C2-C3	5.71	1.61	1.52
4	C	3	BMA	C2-C3	-5.24	1.44	1.52
4	C	6	MAN	O5-C5	5.24	1.53	1.43
3	B	3	BMA	C2-C3	-5.13	1.44	1.52
4	C	2	NAG	C1-C2	4.55	1.58	1.52
4	C	6	MAN	C1-C2	3.82	1.61	1.52
4	C	6	MAN	O5-C1	3.44	1.49	1.43
4	C	7	FUC	C6-C5	3.35	1.59	1.51
3	B	3	BMA	C4-C5	3.28	1.60	1.53
4	C	3	BMA	O3-C3	3.23	1.50	1.43
4	C	1	NAG	O5-C5	3.23	1.49	1.43
4	C	7	FUC	C2-C3	2.89	1.56	1.52
4	C	2	NAG	C3-C2	-2.79	1.46	1.52
3	B	5	FUC	O5-C5	2.70	1.48	1.43
4	C	5	MAN	O5-C5	2.67	1.48	1.43
3	B	5	FUC	C2-C3	2.67	1.56	1.52
2	A	1	NAG	O5-C5	2.65	1.48	1.43
3	B	2	NAG	C1-C2	2.48	1.55	1.52
4	C	1	NAG	C3-C2	2.47	1.57	1.52
4	C	7	FUC	O2-C2	2.46	1.48	1.43
2	A	1	NAG	C3-C2	2.43	1.57	1.52
2	A	1	NAG	O4-C4	2.37	1.48	1.43
3	B	3	BMA	O5-C5	2.36	1.48	1.43
3	B	1	NAG	C3-C2	2.27	1.57	1.52
4	C	4	XYP	O5-C5	2.16	1.47	1.43
4	C	5	MAN	C4-C5	2.06	1.57	1.53

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	6	MAN	C1-O5-C5	-12.01	96.08	112.19
4	C	3	BMA	C6-C5-C4	10.68	139.24	113.02
4	C	6	MAN	C6-C5-C4	10.47	138.73	113.02
4	C	3	BMA	O4-C4-C5	10.45	135.05	109.32
2	A	2	NAG	C1-O5-C5	-10.33	98.34	112.19
4	C	6	MAN	O4-C4-C5	10.11	134.22	109.32
2	A	1	NAG	C1-O5-C5	-8.13	101.29	112.19
4	C	1	NAG	C1-O5-C5	-8.13	101.30	112.19
4	C	3	BMA	O5-C5-C6	-7.89	92.31	107.66
4	C	6	MAN	O5-C5-C6	-7.59	92.89	107.66
4	C	3	BMA	O4-C4-C3	-6.89	94.13	110.38
4	C	6	MAN	O5-C5-C4	6.54	126.73	110.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1	NAG	C2-N2-C7	-6.41	114.31	122.90
4	C	3	BMA	C3-C4-C5	6.06	121.23	110.23
4	C	4	XYP	C4-C3-C2	-5.90	103.92	110.92
3	B	1	NAG	C1-O5-C5	-5.60	104.69	112.19
4	C	3	BMA	C1-O5-C5	-5.56	104.73	112.19
2	A	1	NAG	C2-N2-C7	-5.50	115.53	122.90
4	C	3	BMA	C2-C3-C4	-5.24	101.64	110.86
3	B	1	NAG	C8-C7-N2	-5.14	107.59	116.12
4	C	7	FUC	C1-C2-C3	-5.12	102.19	109.64
3	B	5	FUC	O2-C2-C3	-5.10	99.59	110.15
4	C	2	NAG	C2-N2-C7	-5.09	116.08	122.90
4	C	7	FUC	C6-C5-C4	-4.95	104.02	113.08
3	B	3	BMA	O3-C3-C2	4.89	120.02	110.05
4	C	6	MAN	O5-C1-C2	-4.83	99.27	110.79
4	C	1	NAG	O5-C1-C2	4.65	118.48	111.29
2	A	1	NAG	C8-C7-N2	-4.64	108.42	116.12
2	A	2	NAG	O5-C1-C2	4.63	118.45	111.29
4	C	3	BMA	O3-C3-C2	-4.59	100.69	110.05
4	C	6	MAN	C2-C3-C4	-4.53	102.90	110.86
4	C	2	NAG	C8-C7-N2	-4.33	108.93	116.12
2	A	2	NAG	O5-C5-C4	-4.31	100.35	110.83
4	C	2	NAG	O4-C4-C5	-4.29	98.76	109.32
4	C	2	NAG	O4-C4-C3	-4.24	100.37	110.38
4	C	5	MAN	C2-C3-C4	-4.04	103.75	110.86
3	B	4	XYP	C1-C2-C3	3.97	115.43	109.64
2	A	2	NAG	O5-C5-C6	-3.80	100.27	107.66
4	C	3	BMA	O2-C2-C3	-3.79	102.30	110.15
4	C	1	NAG	C8-C7-N2	-3.75	109.90	116.12
4	C	1	NAG	C4-C3-C2	-3.69	105.61	111.02
4	C	5	MAN	C1-C2-C3	3.63	114.93	109.64
4	C	6	MAN	O6-C6-C5	3.62	123.65	111.33
4	C	1	NAG	O5-C5-C6	-3.59	100.68	107.66
4	C	1	NAG	O7-C7-C8	3.57	128.42	122.05
2	A	2	NAG	C8-C7-N2	-3.57	110.20	116.12
3	B	4	XYP	O2-C2-C3	-3.54	102.81	110.15
3	B	1	NAG	C1-C2-N2	-3.53	104.88	110.43
4	C	2	NAG	O5-C1-C2	-3.41	106.01	111.29
2	A	1	NAG	O4-C4-C5	-3.37	101.03	109.32
4	C	3	BMA	O5-C5-C4	-3.32	102.75	110.83
2	A	2	NAG	C6-C5-C4	-3.24	105.05	113.02
3	B	1	NAG	O7-C7-N2	3.15	127.55	121.98
4	C	7	FUC	C2-C3-C4	3.15	116.40	110.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2	NAG	O6-C6-C5	-3.06	100.91	111.33
4	C	7	FUC	C1-O5-C5	3.03	120.12	112.97
4	C	6	MAN	O2-C2-C1	-3.02	102.32	109.22
4	C	4	XYP	C1-C2-C3	2.94	113.93	109.64
4	C	6	MAN	O4-C4-C3	-2.94	103.46	110.38
2	A	1	NAG	C1-C2-N2	-2.93	105.82	110.43
2	A	2	NAG	C2-N2-C7	-2.88	119.05	122.90
2	A	1	NAG	O3-C3-C2	-2.85	103.49	109.40
4	C	4	XYP	O2-C2-C3	-2.83	104.30	110.15
4	C	6	MAN	O3-C3-C4	-2.76	103.86	110.38
2	A	1	NAG	O7-C7-N2	2.73	126.80	121.98
3	B	4	XYP	O3-C3-C2	-2.68	104.58	110.05
3	B	3	BMA	O5-C5-C4	-2.66	104.35	110.83
4	C	3	BMA	O2-C2-C1	2.63	115.25	109.22
4	C	4	XYP	C5-C4-C3	-2.62	105.82	109.64
4	C	5	MAN	C3-C4-C5	-2.58	105.55	110.23
4	C	7	FUC	O3-C3-C4	-2.58	104.30	110.38
4	C	1	NAG	O3-C3-C4	-2.48	104.52	110.38
4	C	6	MAN	O2-C2-C3	-2.45	105.07	110.15
4	C	1	NAG	C1-C2-N2	-2.43	106.60	110.43
4	C	2	NAG	O5-C5-C4	-2.42	104.94	110.83
4	C	7	FUC	O2-C2-C1	-2.39	103.74	109.22
3	B	2	NAG	O7-C7-N2	2.37	126.17	121.98
4	C	3	BMA	C1-C2-C3	-2.35	106.23	109.64
3	B	1	NAG	O4-C4-C3	-2.32	104.91	110.38
3	B	5	FUC	O3-C3-C2	-2.30	105.37	110.05
4	C	7	FUC	O2-C2-C3	-2.29	105.42	110.15
4	C	7	FUC	O5-C5-C6	-2.24	102.54	107.40
4	C	5	MAN	O2-C2-C3	-2.24	105.51	110.15
3	B	1	NAG	C4-C3-C2	-2.21	107.78	111.02
4	C	1	NAG	O3-C3-C2	-2.19	104.85	109.40
3	B	3	BMA	O5-C5-C6	-2.17	103.44	107.66
3	B	3	BMA	C2-C3-C4	2.06	114.48	110.86

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	C	6	MAN	C5

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	6	MAN	O5-C5-C6-O6
4	C	3	BMA	C4-C5-C6-O6



There are no ring outliers.

5 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1	NAG	4	0
4	C	3	BMA	10	0
4	C	6	MAN	11	0
3	B	1	NAG	5	0
2	A	1	NAG	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry

Of 22 ligands modelled in this entry, 1 is monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	SO4	M	1508	-	4,4,4	0.70	0	6,6,6	0.32	0
5	NAG	M	961	1	14,14,15	1.46	2 (14%)	17,19,21	2.81	6 (35%)
9	GOL	M	1511[A]	-	5,5,5	0.86	0	5,5,5	1.70	1 (20%)
5	NAG	M	971	1	14,14,15	1.40	1 (7%)	17,19,21	2.76	5 (29%)
8	SO4	M	1504	-	4,4,4	0.97	0	6,6,6	0.75	0
9	GOL	M	1513	-	5,5,5	0.58	0	5,5,5	1.61	1 (20%)
7	G2F	M	999	1	11,11,12	1.42	2 (18%)	12,15,17	2.36	5 (41%)
8	SO4	M	1506	-	4,4,4	0.96	0	6,6,6	1.09	0
5	NAG	M	991	1	14,14,15	1.36	1 (7%)	17,19,21	2.01	7 (41%)
8	SO4	M	1502	-	4,4,4	0.63	0	6,6,6	0.88	0
5	NAG	M	931	1	14,14,15	1.84	3 (21%)	17,19,21	9.79	10 (58%)
8	SO4	M	1509	-	4,4,4	0.88	0	6,6,6	0.92	0
9	GOL	M	1512	-	5,5,5	0.69	0	5,5,5	1.83	2 (40%)
9	GOL	M	1510	-	5,5,5	0.45	0	5,5,5	0.60	0
8	SO4	M	1503	-	4,4,4	0.75	0	6,6,6	0.35	0
5	NAG	M	911	1	14,14,15	1.32	1 (7%)	17,19,21	2.00	6 (35%)
8	SO4	M	1507	-	4,4,4	0.93	0	6,6,6	0.86	0
9	GOL	M	1511[B]	-	5,5,5	0.91	0	5,5,5	2.77	2 (40%)
6	ASC	M	995	-	12,12,12	4.41	8 (66%)	17,17,17	2.29	5 (29%)
5	NAG	M	901	1	14,14,15	1.20	1 (7%)	17,19,21	2.09	5 (29%)
8	SO4	M	1505	-	4,4,4	0.37	0	6,6,6	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	M	961	1	1/1/5/7	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	M	911	1	-	0/6/23/26	0/1/1/1
5	NAG	M	991	1	-	0/6/23/26	0/1/1/1
9	GOL	M	1511[A]	-	-	0/4/4/4	-
5	NAG	M	971	1	-	2/6/23/26	0/1/1/1
9	GOL	M	1512	-	-	2/4/4/4	-
5	NAG	M	931	1	-	3/6/23/26	0/1/1/1
9	GOL	M	1513	-	-	1/4/4/4	-
7	G2F	M	999	1	-	0/2/19/22	0/1/1/1
9	GOL	M	1511[B]	-	-	2/4/4/4	-
9	GOL	M	1510	-	-	4/4/4/4	-
6	ASC	M	995	-	-	0/6/22/22	0/1/1/1
5	NAG	M	901	1	-	0/6/23/26	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	995	ASC	O1-C1	-8.61	1.04	1.21
6	M	995	ASC	C2-C1	8.43	1.66	1.45
6	M	995	ASC	C4-C3	5.35	1.58	1.50
6	M	995	ASC	O4-C1	4.68	1.43	1.36
5	M	931	NAG	O7-C7	-4.43	1.13	1.23
5	M	971	NAG	O7-C7	-4.09	1.14	1.23
5	M	911	NAG	O7-C7	-3.89	1.14	1.23
5	M	931	NAG	C2-N2	-3.70	1.40	1.46
5	M	991	NAG	O7-C7	-3.66	1.15	1.23
5	M	901	NAG	O7-C7	-3.58	1.15	1.23
5	M	961	NAG	O7-C7	-3.52	1.15	1.23
6	M	995	ASC	C5-C4	3.18	1.58	1.53
6	M	995	ASC	O3-C3	3.06	1.43	1.32
7	M	999	G2F	C2-C3	2.97	1.55	1.51
5	M	961	NAG	C2-N2	2.72	1.50	1.46
6	M	995	ASC	C2-C3	2.50	1.41	1.35
6	M	995	ASC	O4-C4	-2.34	1.41	1.45
7	M	999	G2F	C6-C5	2.30	1.59	1.51
5	M	931	NAG	C8-C7	-2.16	1.46	1.50

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	931	NAG	C2-N2-C7	37.13	172.66	122.90
5	M	961	NAG	C1-O5-C5	9.47	124.87	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	931	NAG	O7-C7-N2	-7.70	108.38	121.98
5	M	971	NAG	C1-O5-C5	7.52	122.26	112.19
5	M	931	NAG	C1-O5-C5	-7.35	102.34	112.19
5	M	931	NAG	C8-C7-N2	7.19	128.05	116.12
5	M	971	NAG	O5-C1-C2	-6.05	101.94	111.29
6	M	995	ASC	O4-C1-C2	-5.66	104.85	109.86
5	M	931	NAG	C1-C2-N2	5.12	118.50	110.43
9	M	1511[B]	GOL	O1-C1-C2	4.92	132.51	110.38
5	M	931	NAG	O5-C1-C2	4.88	118.84	111.29
5	M	991	NAG	C4-C3-C2	-4.55	104.35	111.02
5	M	901	NAG	C1-O5-C5	-4.42	106.26	112.19
5	M	911	NAG	C1-O5-C5	-4.35	106.36	112.19
5	M	901	NAG	O5-C1-C2	4.31	117.96	111.29
5	M	991	NAG	O5-C1-C2	4.21	117.80	111.29
5	M	971	NAG	O5-C5-C6	-3.90	100.07	107.66
6	M	995	ASC	C4-O4-C1	3.89	113.53	109.27
7	M	999	G2F	O5-C5-C6	-3.78	100.31	107.66
7	M	999	G2F	C3-C4-C5	-3.74	103.45	110.23
5	M	961	NAG	C1-C2-N2	-3.73	104.55	110.43
6	M	995	ASC	O4-C1-O1	3.73	126.19	121.27
7	M	999	G2F	F2-C2-C1	-3.57	105.45	108.26
7	M	999	G2F	C2-C3-C4	-3.55	105.31	109.59
9	M	1511[A]	GOL	O2-C2-C1	3.53	123.80	109.18
9	M	1511[B]	GOL	O2-C2-C1	3.53	123.80	109.18
5	M	911	NAG	O5-C5-C4	-3.45	102.44	110.83
5	M	911	NAG	C4-C3-C2	-3.27	106.22	111.02
5	M	901	NAG	O5-C5-C4	-3.18	103.10	110.83
5	M	931	NAG	O5-C5-C4	-3.08	103.34	110.83
5	M	911	NAG	O3-C3-C2	-3.04	103.08	109.40
5	M	931	NAG	C3-C4-C5	3.00	115.68	110.23
6	M	995	ASC	O4-C4-C3	2.94	106.70	103.76
5	M	931	NAG	C4-C3-C2	-2.79	106.93	111.02
5	M	901	NAG	C4-C3-C2	-2.74	107.00	111.02
7	M	999	G2F	O5-C5-C4	-2.72	104.21	110.83
9	M	1513	GOL	O3-C3-C2	-2.71	98.16	110.38
5	M	961	NAG	O5-C1-C2	2.64	115.38	111.29
5	M	901	NAG	O3-C3-C2	-2.59	104.02	109.40
5	M	991	NAG	O5-C5-C4	-2.51	104.72	110.83
5	M	961	NAG	C2-N2-C7	-2.40	119.68	122.90
5	M	971	NAG	O3-C3-C2	-2.38	104.45	109.40
5	M	911	NAG	C8-C7-N2	-2.38	112.17	116.12
5	M	991	NAG	O3-C3-C2	-2.36	104.50	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	971	NAG	O5-C5-C4	-2.35	105.11	110.83
6	M	995	ASC	O2-C2-C1	2.34	127.94	122.22
9	M	1512	GOL	O1-C1-C2	2.33	120.88	110.38
5	M	961	NAG	O3-C3-C2	-2.31	104.61	109.40
5	M	961	NAG	O4-C4-C5	-2.31	103.64	109.32
5	M	931	NAG	O4-C4-C5	-2.31	103.65	109.32
5	M	991	NAG	C2-N2-C7	-2.25	119.88	122.90
9	M	1512	GOL	O2-C2-C3	2.20	118.30	109.18
5	M	991	NAG	C6-C5-C4	-2.19	107.63	113.02
5	M	991	NAG	C1-C2-N2	-2.04	107.22	110.43
5	M	911	NAG	O6-C6-C5	2.03	118.26	111.33

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	M	961	NAG	C1

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	M	931	NAG	C1-C2-N2-C7
5	M	931	NAG	C8-C7-N2-C2
5	M	931	NAG	O7-C7-N2-C2
9	M	1510	GOL	O1-C1-C2-C3
9	M	1510	GOL	C1-C2-C3-O3
9	M	1511[B]	GOL	O1-C1-C2-O2
9	M	1511[B]	GOL	O1-C1-C2-C3
5	M	971	NAG	O5-C5-C6-O6
9	M	1510	GOL	O1-C1-C2-O2
5	M	971	NAG	C4-C5-C6-O6
9	M	1512	GOL	C1-C2-C3-O3
9	M	1513	GOL	O1-C1-C2-C3
9	M	1510	GOL	O2-C2-C3-O3
9	M	1512	GOL	O1-C1-C2-O2

There are no ring outliers.

9 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	M	1504	SO4	4	0
7	M	999	G2F	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	M	931	NAG	6	0
8	M	1509	SO4	5	0
9	M	1512	GOL	1	0
9	M	1510	GOL	1	0
5	M	911	NAG	2	0
6	M	995	ASC	1	0
5	M	901	NAG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	M	499/501 (99%)	-0.59	9 (1%) 67 71	8, 14, 28, 54	21 (4%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	376	ALA	6.4
1	M	377	ASP	6.2
1	M	374	ASP	3.7
1	M	378	SER	3.5
1	M	380	ASP	3.3
1	M	483	VAL	3.3
1	M	417	ASP	2.6
1	M	482	ASN	2.4
1	M	485	ASP	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	A	1	14/15	-	-	19,23,28,31	0
2	NAG	A	2	14/15	-	-	37,42,49,50	0
3	NAG	B	2	14/15	0.71	0.14	25,28,33,35	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	XYP	C	4	9/10	0.75	0.12	39,42,45,46	0
3	BMA	B	3	11/12	-	-	37,39,42,45	0
3	XYP	B	4	9/10	-	-	42,43,44,46	0
3	FUC	B	5	10/11	-	-	28,32,35,36	0
4	BMA	C	3	11/12	0.77	0.11	25,32,35,38	0
4	NAG	C	2	14/15	0.92	0.08	22,24,29,32	0
3	NAG	B	1	14/15	0.93	0.09	18,21,24,24	0
4	NAG	C	1	14/15	0.94	0.07	18,20,22,24	0
4	MAN	C	5	11/12	-	-	30,41,45,46	0
4	MAN	C	6	11/12	-	-	40,45,49,52	0
4	FUC	C	7	10/11	-	-	24,25,28,30	0


The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	M	991	14/15	0.52	0.15	38,41,49,50	0
5	NAG	M	971	14/15	0.62	0.16	57,62,65,66	0
9	GOL	M	1513	6/6	0.64	0.18	36,38,38,41	6
5	NAG	M	961	14/15	0.66	0.13	39,42,52,53	0
9	GOL	M	1510	6/6	0.68	0.18	38,40,40,40	6
8	SO4	M	1507	5/5	0.70	0.16	30,34,35,35	5
8	SO4	M	1504	5/5	0.71	0.22	31,34,36,38	5
5	NAG	M	931	14/15	0.75	0.13	38,45,48,50	0
8	SO4	M	1506	5/5	0.78	0.19	32,34,37,37	5
5	NAG	M	901	14/15	0.84	0.10	32,35,37,39	0
8	SO4	M	1509	5/5	0.84	0.22	42,43,45,45	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	SO4	M	1508	5/5	0.85	0.15	40,40,40,40	5
9	GOL	M	1511[B]	6/6	0.88	0.09	14,16,18,18	2
9	GOL	M	1511[A]	6/6	0.88	0.09	14,16,18,18	2
5	NAG	M	911	14/15	0.89	0.09	24,27,31,32	0
9	GOL	M	1512	6/6	0.91	0.10	17,23,26,31	6
7	G2F	M	999	11/12	0.93	0.08	18,26,31,33	0
6	ASC	M	995	12/12	0.95	0.05	16,17,19,19	0
8	SO4	M	1503	5/5	0.96	0.07	22,25,28,29	5
8	SO4	M	1502	5/5	0.98	0.07	23,23,27,29	5
8	SO4	M	1505	5/5	0.99	0.04	18,19,22,25	0
10	ZN	M	1515	1/1	1.00	0.01	11,11,11,11	1

6.5 Other polymers [i](#)

There are no such residues in this entry.