



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:50 PM UTC

PDB ID : 1E7F / pdb_00001e7f
Title : HUMAN SERUM ALBUMIN COMPLEXED WITH DODECANOIC ACID
(LAURIC ACID)
Authors : Bhattacharya, A.A.; Gruene, T.; Curry, S.
Deposited on : 2000-08-29
Resolution : 2.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4504 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERUM ALBUMIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	582	Total	C	N	O	S	0	0	0
			4375	2778	736	820	41			

- Molecule 2 is LAURIC ACID (CCD ID: DAO) (formula: $C_{12}H_{24}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C	O	0	0
			14	12	2		
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C	O	0	0
			14	12	2		
2	A	1	Total	C	O	0	0
			13	11	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 14 12 2	0	0
2	A	1	Total C 12 12	0	0
2	A	1	Total C 10 10	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	26	Total O 26 26	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SERUM ALBUMIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	188.50Å 38.90Å 95.77Å 90.00° 104.63° 90.00°	Depositor
Resolution (Å)	12.00 – 2.43 12.00 – 2.44	Depositor EDS
% Data completeness (in resolution range)	92.0 (12.00-2.43) 91.7 (12.00-2.44)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.47 (at 2.43Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.225 , 0.276 0.230 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	54.1	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 64.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4504	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DAO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/4461	1.00	23/6059 (0.4%)

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	563	ASP	N-CA-C	-15.16	92.84	112.24
1	A	373	VAL	N-CA-C	11.45	121.41	110.42
1	A	565	GLU	N-CA-C	-8.92	101.48	111.82
1	A	541	LYS	N-CA-C	-8.10	102.66	112.54
1	A	139	LEU	N-CA-C	-6.52	104.10	111.14
1	A	221	GLN	N-CA-C	-6.32	104.62	112.90
1	A	440	HIS	N-CA-C	6.32	118.80	110.08
1	A	206	PHE	N-CA-C	6.22	119.97	112.38
1	A	315	VAL	N-CA-C	-6.05	104.45	110.62
1	A	302	LEU	CA-C-N	6.01	127.35	119.84
1	A	302	LEU	C-N-CA	6.01	127.35	119.84
1	A	399	GLY	N-CA-C	-5.85	106.39	111.95
1	A	14	LEU	N-CA-C	-5.68	105.45	112.72
1	A	178	LEU	N-CA-C	5.65	117.89	111.11
1	A	126	ALA	N-CA-C	-5.55	105.31	111.36
1	A	284	LEU	N-CA-C	5.44	117.97	111.71
1	A	342	SER	N-CA-C	-5.22	102.76	110.48
1	A	300	ALA	N-CA-C	5.11	119.60	113.17
1	A	399	GLY	CA-C-O	-5.07	118.92	122.22
1	A	415	VAL	CA-C-N	5.07	124.73	119.56
1	A	415	VAL	C-N-CA	5.07	124.73	119.56
1	A	497	TYR	N-CA-C	5.07	117.44	110.35
1	A	370	TYR	N-CA-C	-5.03	107.43	113.21

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4375	0	4096	202	0
2	A	103	0	162	9	0
3	A	26	0	0	3	0
All	All	4504	0	4258	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:301:ASP:O	1:A:303:PRO:HD3	1.70	0.92
1:A:267:ASN:HD22	1:A:267:ASN:N	1.71	0.87
1:A:150:TYR:H	1:A:196:GLN:HE22	1.19	0.87
1:A:225:LYS:HG3	1:A:299:PRO:HD3	1.59	0.84
1:A:440:HIS:CD2	1:A:440:HIS:H	1.95	0.84
1:A:95:GLU:HB3	1:A:96:PRO:HD3	1.59	0.83
1:A:378:LYS:HB3	1:A:379:PRO:HD3	1.59	0.83
1:A:69:LEU:HD22	2:A:1008:DAO:H21	1.60	0.82
1:A:138:TYR:O	1:A:142:ILE:HG22	1.82	0.80
1:A:383:GLU:HG3	1:A:384:PRO:HD3	1.64	0.80
1:A:274:LYS:HG3	1:A:296:ASP:HA	1.67	0.77
1:A:383:GLU:HG3	1:A:384:PRO:CD	2.15	0.76
1:A:119:GLU:HB2	1:A:122:VAL:CG2	2.16	0.76
1:A:95:GLU:HB3	1:A:96:PRO:CD	2.17	0.75
1:A:10:ARG:O	1:A:14:LEU:HB2	1.88	0.74
1:A:150:TYR:H	1:A:196:GLN:NE2	1.86	0.73
1:A:142:ILE:HG12	1:A:154:LEU:HD11	1.71	0.73
1:A:151:ALA:HB3	1:A:152:PRO:HD3	1.70	0.72
1:A:415:VAL:HB	1:A:418:VAL:HG23	1.72	0.72
1:A:480:SER:C	1:A:482:VAL:H	1.97	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:GLU:O	1:A:122:VAL:HG23	1.91	0.70
1:A:479:GLU:HG2	1:A:483:ASN:HB2	1.73	0.70
1:A:131:GLU:OE2	1:A:162:LYS:HE3	1.92	0.69
1:A:225:LYS:HG3	1:A:299:PRO:CD	2.22	0.69
1:A:177:CYS:O	1:A:180:PRO:HD2	1.93	0.69
1:A:381:VAL:O	1:A:384:PRO:HD2	1.93	0.68
1:A:440:HIS:H	1:A:440:HIS:HD2	1.39	0.67
1:A:32:GLN:OE1	1:A:110:PRO:HG3	1.93	0.66
1:A:267:ASN:N	1:A:267:ASN:ND2	2.44	0.66
1:A:409:VAL:O	1:A:413:LYS:HG3	1.95	0.66
1:A:465:GLU:O	1:A:468:PRO:HD3	1.96	0.64
1:A:303:PRO:O	1:A:337:ARG:NH1	2.31	0.64
1:A:224:PRO:HG3	3:A:2013:HOH:O	1.98	0.64
1:A:516:LEU:HD22	1:A:520:GLU:CB	2.28	0.64
2:A:1002:DAO:H121	2:A:1008:DAO:H71	1.81	0.63
1:A:120:VAL:HG13	1:A:178:LEU:HD23	1.81	0.62
1:A:567:CYS:O	1:A:571:GLU:HB2	2.00	0.62
1:A:151:ALA:HB3	1:A:152:PRO:CD	2.29	0.62
1:A:356:THR:HG21	1:A:373:VAL:CG2	2.30	0.62
1:A:315:VAL:HG11	1:A:370:TYR:CZ	2.34	0.61
1:A:142:ILE:O	1:A:142:ILE:HG13	1.99	0.60
1:A:153:GLU:HG3	3:A:2019:HOH:O	1.99	0.60
1:A:291:ALA:HA	2:A:1007:DAO:H102	1.84	0.60
1:A:529:LEU:O	1:A:533:VAL:HG23	2.00	0.60
1:A:156:PHE:CE2	1:A:160:ARG:HD2	2.37	0.60
1:A:424:VAL:O	1:A:428:ARG:HG3	2.01	0.60
1:A:95:GLU:O	1:A:96:PRO:C	2.42	0.59
1:A:173:ASP:HB3	1:A:176:ALA:HB3	1.84	0.59
1:A:86:GLU:O	1:A:89:ASP:HB2	2.02	0.59
1:A:137:LYS:O	1:A:141:GLU:HG2	2.02	0.59
1:A:356:THR:HG21	1:A:373:VAL:HG21	1.84	0.59
1:A:173:ASP:O	1:A:176:ALA:N	2.36	0.58
1:A:383:GLU:HG3	1:A:384:PRO:N	2.17	0.58
1:A:372:LYS:O	1:A:375:ASP:HB2	2.04	0.58
1:A:72:ASP:O	1:A:76:THR:HG23	2.04	0.57
1:A:286:LYS:O	1:A:290:ILE:HG13	2.04	0.57
1:A:523:ILE:N	1:A:523:ILE:HD13	2.18	0.57
1:A:480:SER:C	1:A:482:VAL:N	2.62	0.57
1:A:480:SER:O	1:A:482:VAL:N	2.38	0.57
1:A:344:VAL:HG22	1:A:450:GLU:OE2	2.05	0.57
1:A:386:ASN:O	1:A:390:GLN:HG3	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:ARG:C	1:A:224:PRO:HD3	2.31	0.56
1:A:119:GLU:HB2	1:A:122:VAL:HG23	1.87	0.56
1:A:369:CYS:C	1:A:371:ALA:H	2.13	0.56
1:A:217:ALA:HB2	1:A:331:LEU:HD13	1.88	0.55
1:A:8:ALA:O	1:A:12:LYS:HG3	2.06	0.55
1:A:430:LEU:CD1	1:A:456:VAL:HG11	2.36	0.54
1:A:433:VAL:HG22	1:A:452:TYR:HB3	1.89	0.54
1:A:440:HIS:CD2	1:A:440:HIS:N	2.69	0.54
1:A:417:GLN:NE2	1:A:494:ASP:OD2	2.37	0.54
1:A:452:TYR:O	1:A:455:VAL:HG23	2.08	0.54
1:A:64:LYS:HB2	1:A:69:LEU:HG	1.89	0.53
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.42	0.53
1:A:417:GLN:O	1:A:469:VAL:HG11	2.08	0.53
1:A:94:GLN:O	1:A:98:ARG:HB2	2.08	0.53
1:A:225:LYS:HG3	1:A:299:PRO:CG	2.39	0.53
1:A:311:GLU:O	1:A:312:SER:C	2.51	0.53
1:A:563:ASP:O	1:A:566:THR:HB	2.09	0.53
1:A:378:LYS:HB3	1:A:379:PRO:CD	2.36	0.52
1:A:118:PRO:HG2	1:A:123:MET:HG3	1.92	0.52
1:A:260:LEU:O	1:A:264:ILE:HG13	2.10	0.52
1:A:36:PHE:CE1	1:A:137:LYS:HA	2.45	0.51
1:A:387:LEU:O	1:A:391:ASN:HB2	2.11	0.51
1:A:220:SER:OG	1:A:335:ALA:HB3	2.09	0.51
1:A:90:CYS:O	1:A:93:LYS:HG3	2.12	0.50
1:A:434:GLY:O	1:A:438:CYS:SG	2.69	0.50
1:A:442:GLU:HA	1:A:445:ARG:HD2	1.94	0.50
1:A:37:GLU:H	1:A:37:GLU:CD	2.19	0.50
1:A:46:VAL:O	1:A:49:PHE:HB3	2.12	0.50
1:A:264:ILE:HG23	1:A:271:ILE:HD13	1.93	0.50
1:A:296:ASP:OD1	1:A:297:GLU:N	2.44	0.50
1:A:419:SER:OG	1:A:421:PRO:HD2	2.12	0.50
1:A:562:ASP:C	1:A:564:LYS:N	2.58	0.50
1:A:420:THR:N	1:A:421:PRO:HD2	2.27	0.50
1:A:530:VAL:HG12	1:A:534:LYS:HE3	1.94	0.50
1:A:415:VAL:HG11	1:A:473:VAL:HG23	1.93	0.49
1:A:413:LYS:HE2	1:A:537:PRO:O	2.12	0.49
1:A:141:GLU:O	1:A:145:ARG:HD2	2.12	0.49
1:A:10:ARG:NH2	1:A:255:ASP:OD1	2.45	0.49
1:A:517:SER:O	1:A:520:GLU:N	2.45	0.49
1:A:46:VAL:HG22	2:A:1008:DAO:H31	1.94	0.49
1:A:175:ALA:O	1:A:179:LEU:HB2	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:ARG:O	1:A:224:PRO:HD3	2.13	0.49
1:A:513:ILE:HD11	1:A:555:VAL:HG13	1.95	0.49
1:A:221:GLN:HG2	1:A:339:PRO:HA	1.95	0.48
1:A:430:LEU:HD21	2:A:1004:DAO:H62	1.95	0.48
1:A:224:PRO:HB3	1:A:336:ARG:HB2	1.96	0.48
1:A:517:SER:O	1:A:518:GLU:C	2.56	0.48
1:A:314:ASP:N	1:A:314:ASP:OD1	2.47	0.47
1:A:109:ASN:O	1:A:110:PRO:C	2.57	0.47
1:A:245:CYS:HA	1:A:253:CYS:HB2	1.97	0.47
1:A:238:LEU:HD21	2:A:1007:DAO:H31	1.96	0.47
1:A:50:ALA:O	1:A:54:VAL:HG23	2.14	0.47
1:A:29:GLN:HG2	1:A:147:PRO:HA	1.97	0.46
1:A:133:THR:O	1:A:137:LYS:HB2	2.15	0.46
1:A:220:SER:O	1:A:336:ARG:HB3	2.15	0.46
1:A:216:VAL:CG2	1:A:235:VAL:HG21	2.46	0.46
1:A:49:PHE:CD2	2:A:1008:DAO:H22	2.51	0.46
1:A:518:GLU:O	1:A:522:GLN:HG3	2.16	0.46
1:A:383:GLU:OE2	1:A:485:ARG:NH2	2.43	0.46
1:A:95:GLU:O	1:A:98:ARG:N	2.44	0.46
1:A:260:LEU:O	1:A:260:LEU:HD12	2.16	0.46
1:A:545:LYS:HA	1:A:548:MET:HE3	1.98	0.46
1:A:401:TYR:CE1	1:A:522:GLN:HG2	2.51	0.46
1:A:173:ASP:O	1:A:174:LYS:C	2.59	0.45
1:A:364:ALA:O	1:A:366:PRO:HD3	2.15	0.45
1:A:519:LYS:O	1:A:523:ILE:HG12	2.16	0.45
1:A:16:GLU:O	1:A:20:LYS:HG3	2.17	0.45
1:A:136:LYS:HD3	1:A:136:LYS:HA	1.56	0.45
1:A:211:PHE:HE2	1:A:239:THR:HA	1.81	0.45
1:A:120:VAL:HA	1:A:123:MET:HE2	1.98	0.45
1:A:161:TYR:CE1	1:A:185:LEU:HD23	2.52	0.45
1:A:107:ASP:O	1:A:147:PRO:HG3	2.16	0.45
1:A:224:PRO:HD2	1:A:296:ASP:HB3	1.99	0.45
1:A:290:ILE:O	1:A:293:VAL:HB	2.16	0.45
1:A:397:GLN:H	1:A:397:GLN:HG3	1.52	0.45
1:A:27:PHE:HE1	1:A:74:LEU:HD12	1.82	0.45
1:A:81:ARG:O	1:A:85:GLY:HA2	2.16	0.45
1:A:211:PHE:HZ	1:A:242:HIS:CD2	2.34	0.45
1:A:363:ALA:O	1:A:364:ALA:C	2.60	0.44
1:A:238:LEU:HD22	1:A:242:HIS:CD2	2.52	0.44
1:A:458:ASN:O	1:A:462:VAL:HG23	2.17	0.44
1:A:530:VAL:CG1	1:A:534:LYS:HE3	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:479:GLU:HG2	1:A:483:ASN:CB	2.45	0.44
1:A:140:TYR:O	1:A:144:ARG:HG2	2.16	0.44
1:A:216:VAL:HG22	1:A:235:VAL:HG21	1.99	0.44
1:A:313:LYS:C	1:A:314:ASP:CG	2.84	0.44
1:A:367:HIS:HA	1:A:370:TYR:CZ	2.53	0.44
1:A:507:PHE:CD1	2:A:1005:DAO:H102	2.53	0.44
1:A:23:VAL:HG12	1:A:43:VAL:HG22	1.99	0.43
1:A:548:MET:HG2	2:A:1005:DAO:H51	1.99	0.43
1:A:27:PHE:CE1	1:A:74:LEU:HD12	2.53	0.43
1:A:173:ASP:OD2	1:A:176:ALA:HB2	2.18	0.43
1:A:408:LEU:HD13	1:A:427:SER:HB2	1.99	0.43
1:A:267:ASN:HD22	1:A:267:ASN:H	1.62	0.43
1:A:415:VAL:HB	1:A:418:VAL:CG2	2.46	0.43
1:A:295:ASN:ND2	1:A:339:PRO:HB3	2.34	0.43
1:A:42:LEU:HD22	1:A:73:LYS:HD2	2.00	0.43
1:A:214:TRP:CH2	1:A:218:ARG:HD3	2.53	0.43
1:A:151:ALA:O	1:A:152:PRO:C	2.61	0.43
1:A:383:GLU:CG	1:A:384:PRO:HD3	2.43	0.43
1:A:10:ARG:HG3	1:A:66:LEU:HD11	2.00	0.42
1:A:151:ALA:CB	1:A:152:PRO:CD	2.95	0.42
1:A:383:GLU:OE2	1:A:485:ARG:NH1	2.50	0.42
1:A:445:ARG:O	1:A:448:CYS:HB3	2.20	0.42
1:A:509:PHE:CE1	1:A:551:PHE:HE2	2.37	0.42
1:A:14:LEU:HD12	1:A:14:LEU:HA	1.90	0.42
1:A:545:LYS:HA	1:A:548:MET:CE	2.50	0.42
1:A:59:ALA:HB3	1:A:62:CYS:SG	2.60	0.42
1:A:112:LEU:HD22	1:A:144:ARG:NH1	2.35	0.42
1:A:241:VAL:HG22	1:A:256:ASP:HB3	2.00	0.42
1:A:483:ASN:C	1:A:486:PRO:HD2	2.45	0.42
1:A:502:PHE:CE2	1:A:503:ASN:O	2.72	0.42
1:A:208:GLU:HG2	1:A:212:LYS:HD2	2.01	0.42
1:A:305:LEU:O	1:A:307:ALA:N	2.53	0.42
1:A:346:LEU:HD23	1:A:346:LEU:HA	1.89	0.42
1:A:21:ALA:O	1:A:25:ILE:HG13	2.19	0.41
1:A:341:TYR:OH	1:A:381:VAL:HG11	2.20	0.41
1:A:399:GLY:O	1:A:403:PHE:HB2	2.20	0.41
1:A:513:ILE:CD1	1:A:555:VAL:HG13	2.50	0.41
1:A:227:GLU:O	1:A:230:GLU:N	2.50	0.41
1:A:485:ARG:HB3	1:A:486:PRO:HD3	2.03	0.41
1:A:330:PHE:HZ	1:A:377:PHE:CE2	2.38	0.41
1:A:414:LYS:C	1:A:416:PRO:HD3	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:513:ILE:HG13	1:A:514:CYS:N	2.34	0.41
1:A:579:SER:O	1:A:580:GLN:C	2.64	0.41
1:A:36:PHE:C	1:A:38:ASP:N	2.79	0.41
1:A:349:LEU:HD23	1:A:380:LEU:HD23	2.03	0.41
1:A:357:LEU:HD23	1:A:357:LEU:HA	1.93	0.41
1:A:368:GLU:HA	1:A:371:ALA:HB2	2.02	0.41
1:A:7:VAL:O	1:A:8:ALA:C	2.64	0.41
1:A:231:VAL:HG21	1:A:332:TYR:CD1	2.56	0.41
1:A:399:GLY:O	1:A:403:PHE:CB	2.69	0.41
1:A:532:LEU:HD11	1:A:583:LEU:CD1	2.51	0.41
1:A:331:LEU:HD23	1:A:331:LEU:HA	1.92	0.40
1:A:123:MET:HE2	1:A:123:MET:HB2	1.91	0.40
1:A:540:THR:HG22	1:A:541:LYS:H	1.86	0.40
1:A:30:TYR:O	1:A:32:GLN:HG3	2.22	0.40
1:A:222:ARG:HD3	1:A:293:VAL:HG12	2.04	0.40
1:A:286:LYS:HB2	3:A:2018:HOH:O	2.20	0.40
1:A:430:LEU:HD12	1:A:456:VAL:HG11	2.02	0.40
1:A:544:LEU:HD12	1:A:544:LEU:HA	1.89	0.40
1:A:571:GLU:OE1	1:A:571:GLU:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	580/585 (99%)	498 (86%)	69 (12%)	13 (2%)	5 3

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	GLU
1	A	303	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	511	ALA
1	A	95	GLU
1	A	306	ALA
1	A	481	LEU
1	A	174	LYS
1	A	312	SER
1	A	441	PRO
1	A	299	PRO
1	A	205	LYS
1	A	151	ALA
1	A	366	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	439/511 (86%)	355 (81%)	84 (19%)	1 0

All (84) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LYS
1	A	7	VAL
1	A	32	GLN
1	A	51	LYS
1	A	52	THR
1	A	57	GLU
1	A	73	LYS
1	A	74	LEU
1	A	79	THR
1	A	81	ARG
1	A	93	LYS
1	A	95	GLU
1	A	96	PRO
1	A	97	GLU
1	A	103	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	107	ASP
1	A	114	ARG
1	A	121	ASP
1	A	122	VAL
1	A	123	MET
1	A	132	GLU
1	A	136	LYS
1	A	142	ILE
1	A	144	ARG
1	A	152	PRO
1	A	166	THR
1	A	178	LEU
1	A	181	LYS
1	A	185	LEU
1	A	190	LYS
1	A	192	SER
1	A	199	LYS
1	A	205	LYS
1	A	233	LYS
1	A	236	THR
1	A	238	LEU
1	A	266	GLU
1	A	267	ASN
1	A	285	GLU
1	A	286	LYS
1	A	287	SER
1	A	293	VAL
1	A	298	MET
1	A	299	PRO
1	A	302	LEU
1	A	303	PRO
1	A	312	SER
1	A	314	ASP
1	A	315	VAL
1	A	321	GLU
1	A	329	MET
1	A	331	LEU
1	A	337	ARG
1	A	355	THR
1	A	373	VAL
1	A	383	GLU
1	A	390	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	397	GLN
1	A	410	ARG
1	A	419	SER
1	A	423	LEU
1	A	426	VAL
1	A	427	SER
1	A	430	LEU
1	A	440	HIS
1	A	441	PRO
1	A	446	MET
1	A	451	ASP
1	A	453	LEU
1	A	455	VAL
1	A	457	LEU
1	A	460	LEU
1	A	467	THR
1	A	472	ARG
1	A	474	THR
1	A	479	GLU
1	A	480	SER
1	A	496	THR
1	A	503	ASN
1	A	512	ASP
1	A	513	ILE
1	A	523	ILE
1	A	540	THR
1	A	544	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	196	GLN
1	A	242	HIS
1	A	267	ASN
1	A	288	HIS
1	A	318	ASN
1	A	338	HIS
1	A	391	ASN
1	A	440	HIS
1	A	503	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	DAO	A	1002	-	13,13,13	0.63	0	13,13,13	1.11	1 (7%)
2	DAO	A	1004	-	13,13,13	0.61	0	13,13,13	1.07	1 (7%)
2	DAO	A	1008	-	9,9,13	0.20	0	8,8,13	0.55	0
2	DAO	A	1003	-	12,12,13	0.71	0	12,12,13	1.08	1 (8%)
2	DAO	A	1001	-	12,12,13	0.67	0	12,12,13	1.06	1 (8%)
2	DAO	A	1005	-	12,12,13	0.75	0	12,12,13	0.98	1 (8%)
2	DAO	A	1007	-	11,11,13	0.37	0	10,10,13	0.57	0
2	DAO	A	1006	-	13,13,13	0.72	0	13,13,13	0.91	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAO	A	1002	-	-	6/11/11/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAO	A	1004	-	-	8/11/11/11	-
2	DAO	A	1008	-	-	1/7/7/11	-
2	DAO	A	1003	-	-	7/10/10/11	-
2	DAO	A	1001	-	-	7/10/10/11	-
2	DAO	A	1005	-	-	5/10/10/11	-
2	DAO	A	1007	-	-	8/9/9/11	-
2	DAO	A	1006	-	-	2/11/11/11	-

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1002	DAO	C4-C3-C2	-2.42	104.24	113.13
2	A	1001	DAO	C4-C3-C2	-2.35	104.51	113.13
2	A	1004	DAO	C4-C3-C2	-2.28	104.77	113.13
2	A	1005	DAO	C4-C3-C2	-2.27	104.77	113.13
2	A	1006	DAO	C4-C3-C2	-2.19	105.08	113.13
2	A	1003	DAO	C4-C3-C2	-2.04	105.61	113.13

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1003	DAO	C1-C2-C3-C4
2	A	1004	DAO	C1-C2-C3-C4
2	A	1005	DAO	C1-C2-C3-C4
2	A	1007	DAO	C7-C8-C9-C10
2	A	1004	DAO	C7-C8-C9-C10
2	A	1007	DAO	C3-C4-C5-C6
2	A	1001	DAO	C1-C2-C3-C4
2	A	1003	DAO	C3-C4-C5-C6
2	A	1003	DAO	C4-C5-C6-C7
2	A	1002	DAO	C11-C10-C9-C8
2	A	1002	DAO	C2-C3-C4-C5
2	A	1006	DAO	C3-C4-C5-C6
2	A	1001	DAO	C4-C5-C6-C7
2	A	1007	DAO	C4-C5-C6-C7
2	A	1007	DAO	C6-C7-C8-C9
2	A	1008	DAO	C5-C6-C7-C8
2	A	1002	DAO	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	1004	DAO	C5-C6-C7-C8
2	A	1007	DAO	C11-C10-C9-C8
2	A	1004	DAO	C3-C4-C5-C6
2	A	1007	DAO	C9-C10-C11-C12
2	A	1004	DAO	C9-C10-C11-C12
2	A	1001	DAO	C5-C6-C7-C8
2	A	1007	DAO	C1-C2-C3-C4
2	A	1003	DAO	C11-C10-C9-C8
2	A	1005	DAO	C5-C6-C7-C8
2	A	1004	DAO	C2-C3-C4-C5
2	A	1003	DAO	C2-C3-C4-C5
2	A	1006	DAO	C6-C7-C8-C9
2	A	1001	DAO	C6-C7-C8-C9
2	A	1005	DAO	C3-C4-C5-C6
2	A	1005	DAO	C6-C7-C8-C9
2	A	1001	DAO	O2-C1-C2-C3
2	A	1003	DAO	O1-C1-C2-C3
2	A	1002	DAO	O2-C1-C2-C3
2	A	1004	DAO	O1-C1-C2-C3
2	A	1002	DAO	O1-C1-C2-C3
2	A	1004	DAO	O2-C1-C2-C3
2	A	1001	DAO	O1-C1-C2-C3
2	A	1003	DAO	O2-C1-C2-C3
2	A	1007	DAO	C2-C3-C4-C5
2	A	1001	DAO	C11-C10-C9-C8
2	A	1005	DAO	C2-C3-C4-C5
2	A	1002	DAO	C9-C10-C11-C12

There are no ring outliers.

5 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1002	DAO	1	0
2	A	1004	DAO	1	0
2	A	1008	DAO	4	0
2	A	1005	DAO	2	0
2	A	1007	DAO	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	582/585 (99%)	-0.31	1 (0%) 91 92	32, 59, 91, 100	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	95	GLU	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	DAO	A	1007	12/14	0.81	0.08	53,60,79,81	0
2	DAO	A	1006	14/14	0.87	0.07	55,68,92,92	0
2	DAO	A	1008	10/14	0.89	0.07	64,66,75,75	0
2	DAO	A	1005	13/14	0.91	0.06	53,59,68,69	0
2	DAO	A	1001	13/14	0.91	0.07	77,81,82,83	0
2	DAO	A	1002	14/14	0.91	0.06	53,58,62,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DAO	A	1004	14/14	0.91	0.07	49,54,63,66	0
2	DAO	A	1003	13/14	0.93	0.07	55,58,63,64	0

6.5 Other polymers [i](#)

There are no such residues in this entry.