



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:23 PM UTC

PDB ID : 3E7J / pdb_00003e7j
Title : HeparinaseII H202A/Y257A double mutant complexed with a heparan sulfate tetrasaccharide substrate
Authors : Shaya, D.; Cygler, M.
Deposited on : 2008-08-18
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	749	3% 81% 16% ..
1	B	749	5% 80% 16% ..
2	C	4	50% 50%
2	D	4	25% 75%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GCU	C	2	X	-	-	-
2	NAG	C	3	X	-	-	-
2	GCU	D	2	X	-	-	-
2	NAG	D	3	X	-	-	-
2	GCD	D	4	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12784 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Heparinase II protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	743	Total	C	N	O	S	0	0	0
			5938	3823	1001	1091	23			
1	B	743	Total	C	N	O	S	0	0	0
			5938	3823	1001	1091	23			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	202	ALA	HIS	engineered mutation	UNP Q46080
A	257	ALA	TYR	engineered mutation	UNP Q46080
A	758	ALA	PRO	SEE REMARK 999	UNP Q46080
B	202	ALA	HIS	engineered mutation	UNP Q46080
B	257	ALA	TYR	engineered mutation	UNP Q46080
B	758	ALA	PRO	SEE REMARK 999	UNP Q46080

- Molecule 2 is an oligosaccharide called 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-alpha-D-glucopyranuronic acid-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	4	Total	C	N	O	0	0	0
			52	28	2	22			
2	D	4	Total	C	N	O	0	0	0
			52	28	2	22			

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0
3	B	1	Total Zn 1 1	0	0

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	480	Total O 480 480	0	0
5	B	302	Total O 302 302	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Heparinase II protein



• Molecule 1: Heparinase II protein





- Molecule 2: 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-alpha-D-glucopyranuronic acid-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%



- Molecule 2: 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-alpha-D-glucopyranuronic acid-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 25% 75%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	51.95Å 162.21Å 93.84Å 90.00° 105.97° 90.00°	Depositor
Resolution (Å)	42.52 – 2.10 42.52 – 2.10	Depositor EDS
% Data completeness (in resolution range)	82.9 (42.52-2.10) 82.9 (42.52-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.10Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.199 , 0.234 0.207 , 0.238	Depositor DCC
R_{free} test set	3630 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	36.3	Xtriage
Anisotropy	0.124	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12784	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, GCU, ACT, ZN, GCD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	1/6098 (0.0%)	0.75	3/8253 (0.0%)
1	B	0.40	3/6098 (0.0%)	0.76	7/8253 (0.1%)
All	All	0.40	4/12196 (0.0%)	0.76	10/16506 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	53	LEU	CG-CD1	-5.22	1.35	1.52
1	B	53	LEU	CG-CD1	-5.08	1.35	1.52
1	B	51	LEU	CG-CD2	-5.05	1.35	1.52
1	B	53	LEU	CG-CD2	-5.02	1.35	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	344	VAL	CG1-CB-CG2	-6.59	96.29	110.80
1	B	51	LEU	CD1-CG-CD2	-6.31	96.93	110.80
1	A	51	LEU	CD1-CG-CD2	-6.07	97.45	110.80
1	A	53	LEU	CD1-CG-CD2	-5.69	98.28	110.80
1	B	698	ALA	CB-CA-C	-5.45	110.28	116.54
1	B	133	ASP	CB-CG-OD2	5.29	130.56	118.40
1	B	91	GLU	CA-CB-CG	5.28	124.66	114.10
1	B	91	GLU	N-CA-CB	5.19	118.11	110.33
1	A	133	ASP	CB-CA-C	-5.17	102.75	110.88
1	B	53	LEU	CD1-CG-CD2	-5.17	99.42	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5938	0	5853	114	0
1	B	5938	0	5853	107	0
2	C	52	0	37	1	0
2	D	52	0	37	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	16	0	12	1	0
4	B	4	0	3	0	0
5	A	480	0	0	5	0
5	B	302	0	0	1	0
All	All	12784	0	11795	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:628:PHE:H	1:A:634:ASN:HD21	1.05	1.02
1:A:769:ARG:HH21	1:A:769:ARG:HG2	1.23	1.01
1:A:769:ARG:HH21	1:A:769:ARG:CG	1.76	0.98
1:B:522:ASP:OD1	1:B:551:LYS:NZ	2.00	0.95
1:B:628:PHE:H	1:B:634:ASN:HD21	1.06	0.94
1:A:53:LEU:HB2	1:A:57:GLN:HG3	1.46	0.93
1:B:253:GLN:HE22	1:B:405:ASN:HB3	1.34	0.92
1:A:253:GLN:HE22	1:A:405:ASN:HB3	1.34	0.90
1:A:590:GLN:NE2	1:A:607:THR:OG1	2.06	0.88
1:A:171:GLU:CD	1:A:171:GLU:H	1.86	0.83
1:B:261:ARG:HH11	1:B:261:ARG:HG3	1.42	0.83
1:B:398:VAL:O	1:B:399:ASN:HB2	1.79	0.81
1:A:269:LEU:HD23	1:A:285:GLN:HE22	1.46	0.80
1:B:191:TYR:HA	1:B:192:PRO:C	2.08	0.79
1:B:690:ASP:O	1:B:715:PHE:HB2	1.82	0.78
1:B:297:ARG:HB3	1:B:298:PRO:HD2	1.66	0.76
1:B:171:GLU:H	1:B:171:GLU:CD	1.94	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:LEU:CD2	1:A:285:GLN:HE22	1.99	0.76
1:A:628:PHE:H	1:A:634:ASN:ND2	1.84	0.75
1:B:628:PHE:H	1:B:634:ASN:ND2	1.84	0.74
1:B:53:LEU:HB2	1:B:57:GLN:HG3	1.68	0.74
1:A:261:ARG:HG3	1:A:261:ARG:HH11	1.52	0.73
1:B:546:LEU:HD22	1:B:702:VAL:HG21	1.70	0.73
1:A:39:VAL:CG1	1:A:41:MET:HE3	2.18	0.73
1:B:727:PHE:HB3	1:B:729:MET:HE3	1.70	0.73
1:B:92:VAL:HG13	1:B:92:VAL:O	1.89	0.72
1:A:455:LEU:HD11	1:A:577:LEU:HD11	1.72	0.72
1:A:297:ARG:HB3	1:A:298:PRO:HD2	1.73	0.70
1:A:398:VAL:O	1:A:399:ASN:HB2	1.90	0.70
1:A:41:MET:HE1	1:A:232:GLY:HA2	1.75	0.69
1:B:86:PRO:HA	1:B:89:ILE:HD12	1.75	0.69
1:A:416:ILE:HG21	1:A:673:ILE:HD12	1.77	0.67
1:B:455:LEU:HD11	1:B:577:LEU:HD11	1.76	0.67
1:B:573:LYS:HD3	1:B:575:PHE:CZ	2.30	0.67
1:B:92:VAL:O	1:B:92:VAL:CG1	2.42	0.66
1:A:621:ILE:N	1:A:621:ILE:HD13	2.10	0.66
1:A:610:LEU:HA	1:A:611:PRO:C	2.19	0.66
1:A:628:PHE:N	1:A:634:ASN:HD21	1.87	0.66
1:A:573:LYS:HD3	1:A:575:PHE:CZ	2.31	0.66
1:A:92:VAL:HG13	1:A:92:VAL:O	1.96	0.66
1:B:644:ASP:OD2	1:B:649:ARG:HD2	1.96	0.66
1:A:39:VAL:HG13	1:A:41:MET:HE3	1.77	0.66
1:A:644:ASP:OD2	1:A:649:ARG:HD2	1.96	0.65
1:B:269:LEU:HG	1:B:285:GLN:HE22	1.61	0.65
1:B:301:GLN:NE2	1:B:311:SER:O	2.29	0.64
1:A:301:GLN:NE2	1:A:311:SER:O	2.30	0.64
1:A:769:ARG:HG2	1:A:769:ARG:NH2	2.05	0.63
1:B:51:LEU:HD13	1:B:52:TYR:CE1	2.33	0.63
1:A:345:GLU:OE1	5:A:1211:HOH:O	2.16	0.63
1:B:610:LEU:HA	1:B:611:PRO:C	2.23	0.62
1:A:590:GLN:HE21	1:A:607:THR:HG23	1.65	0.62
1:B:261:ARG:HG3	1:B:261:ARG:NH1	2.15	0.61
1:B:365:PRO:HA	1:B:368:LEU:HD12	1.83	0.60
1:A:86:PRO:HA	1:A:89:ILE:HD12	1.84	0.59
1:B:629:TRP:CH2	1:B:632:GLY:O	2.54	0.59
1:A:416:ILE:HG21	1:A:673:ILE:CD1	2.32	0.59
1:A:620:SER:C	1:A:621:ILE:HD13	2.27	0.59
1:A:35:ASP:HB2	5:A:1234:HOH:O	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:769:ARG:CG	1:A:769:ARG:NH2	2.46	0.59
1:A:191:TYR:HA	1:A:192:PRO:C	2.29	0.58
1:A:365:PRO:HA	1:A:368:LEU:HD12	1.87	0.57
1:A:253:GLN:HE22	1:A:406:HIS:H	1.52	0.57
1:A:92:VAL:O	1:A:92:VAL:CG1	2.52	0.57
1:B:73:VAL:O	1:B:77:MET:HG3	2.05	0.57
1:B:53:LEU:CB	1:B:57:GLN:HG3	2.34	0.57
1:A:111:MET:CE	1:A:126:GLU:CD	2.78	0.56
1:A:563:ASP:HB2	1:A:667:TYR:HB2	1.86	0.56
1:A:590:GLN:NE2	1:A:607:THR:HG23	2.21	0.56
1:B:253:GLN:HE21	1:B:261:ARG:HH12	1.54	0.55
1:A:546:LEU:HD22	1:A:702:VAL:HG21	1.88	0.55
1:A:741:LYS:HA	1:A:767:THR:O	2.07	0.55
1:A:73:VAL:O	1:A:77:MET:HG3	2.07	0.55
1:B:628:PHE:N	1:B:634:ASN:HD21	1.89	0.55
1:B:296:ARG:HE	1:B:302:ILE:HD13	1.72	0.55
1:B:563:ASP:HB2	1:B:667:TYR:HB2	1.87	0.54
1:B:621:ILE:N	1:B:621:ILE:CD1	2.70	0.54
4:A:5:ACT:H3	2:C:2:GCU:H3	1.90	0.54
1:B:260:VAL:HG13	1:B:261:ARG:N	2.23	0.54
1:B:253:GLN:HE22	1:B:406:HIS:H	1.55	0.54
1:A:428:SER:H	1:A:440:HIS:HE1	1.55	0.53
1:A:253:GLN:NE2	1:A:405:ASN:HB3	2.15	0.53
1:B:689:GLY:O	1:B:706:LYS:NZ	2.41	0.53
1:B:260:VAL:CG1	1:B:261:ARG:N	2.70	0.53
1:A:244:TRP:CZ3	1:A:377:PRO:HG3	2.44	0.53
1:B:398:VAL:O	1:B:399:ASN:CB	2.54	0.53
1:B:645:GLU:CD	1:B:645:GLU:H	2.17	0.53
1:B:191:TYR:CA	1:B:192:PRO:C	2.81	0.53
1:B:312:ARG:NH1	1:B:646:ALA:HB2	2.23	0.53
1:A:359:GLN:HG3	5:A:1237:HOH:O	2.09	0.52
1:A:727:PHE:HB3	1:A:729:MET:HE3	1.90	0.52
1:B:312:ARG:HG3	1:B:312:ARG:HH11	1.74	0.52
1:B:672:GLN:OE1	1:B:681:LEU:HB3	2.09	0.52
1:A:171:GLU:CD	1:A:171:GLU:N	2.61	0.52
1:A:261:ARG:HG3	1:A:261:ARG:NH1	2.21	0.52
1:A:111:MET:HE3	1:A:126:GLU:CG	2.40	0.52
1:B:171:GLU:CD	1:B:171:GLU:N	2.67	0.52
1:B:769:ARG:HH11	1:B:769:ARG:HG2	1.73	0.52
1:B:296:ARG:HE	1:B:302:ILE:CD1	2.23	0.52
1:A:246:TYR:N	1:A:247:PRO:CD	2.73	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:LEU:HG	1:B:358:THR:HG21	1.92	0.51
1:B:428:SER:H	1:B:440:HIS:HE1	1.57	0.51
1:A:111:MET:HE3	1:A:126:GLU:CD	2.35	0.51
1:B:244:TRP:CZ3	1:B:377:PRO:HG3	2.45	0.51
1:B:246:TYR:N	1:B:247:PRO:CD	2.72	0.51
1:B:269:LEU:HG	1:B:285:GLN:NE2	2.26	0.51
1:A:35:ASP:HA	1:A:39:VAL:O	2.10	0.51
1:A:171:GLU:N	1:A:171:GLU:OE1	2.41	0.51
1:A:760:TYR:HE1	5:A:1212:HOH:O	1.95	0.50
1:B:416:ILE:HG21	1:B:673:ILE:HD12	1.94	0.50
1:A:728:VAL:HG22	1:A:760:TYR:HD1	1.76	0.50
1:B:341:ASP:OD1	1:B:343:ASN:ND2	2.43	0.50
1:B:491:ILE:HD12	1:B:492:ALA:H	1.76	0.50
1:B:553:ALA:O	1:B:554:LYS:C	2.52	0.49
1:A:590:GLN:NE2	1:A:607:THR:CB	2.75	0.49
1:A:373:TYR:CD2	1:A:512:GLN:NE2	2.80	0.49
1:B:37:ASP:HB3	1:B:236:LYS:NZ	2.28	0.49
1:A:253:GLN:NE2	1:A:406:HIS:H	2.10	0.49
1:A:70:LEU:HG	1:A:358:THR:HG21	1.94	0.49
1:A:605:VAL:HG21	1:A:681:LEU:HD11	1.94	0.48
1:A:421:PRO:HD2	1:A:595:ARG:HD2	1.95	0.48
1:A:690:ASP:O	1:A:715:PHE:HB2	2.13	0.48
1:A:714:PRO:HA	1:A:770:PHE:O	2.13	0.48
1:B:512:GLN:C	1:B:512:GLN:OE1	2.57	0.48
1:B:718:SER:OG	1:B:767:THR:HG22	2.14	0.48
1:A:440:HIS:HD2	1:A:635:TYR:O	1.97	0.47
1:A:344:VAL:HG12	1:A:349:LYS:HD3	1.96	0.47
1:A:479:ASN:C	1:A:479:ASN:HD22	2.21	0.47
1:A:590:GLN:NE2	1:A:607:THR:CG2	2.78	0.47
1:B:315:PRO:HB2	1:B:317:TYR:CZ	2.49	0.47
1:B:174:THR:O	1:B:178:LYS:HG3	2.15	0.47
1:B:296:ARG:HH12	1:B:340:LYS:HE2	1.79	0.47
1:B:440:HIS:HD2	1:B:635:TYR:O	1.97	0.47
1:B:297:ARG:HB3	1:B:298:PRO:CD	2.40	0.47
1:B:421:PRO:HD2	1:B:595:ARG:HD2	1.96	0.47
1:A:398:VAL:O	1:A:399:ASN:CB	2.60	0.46
1:A:253:GLN:HE21	1:A:261:ARG:HH12	1.61	0.46
1:A:455:LEU:CD1	1:A:577:LEU:HD11	2.45	0.46
1:A:260:VAL:HG13	1:A:261:ARG:N	2.30	0.46
1:B:253:GLN:NE2	1:B:406:HIS:H	2.14	0.46
1:A:296:ARG:HE	1:A:302:ILE:CD1	2.29	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:PRO:HB2	1:B:194:VAL:HG13	1.97	0.45
1:A:39:VAL:HG11	1:A:236:LYS:HD2	1.98	0.45
1:A:260:VAL:CG1	1:A:261:ARG:N	2.79	0.45
1:B:206:TRP:HA	1:B:264:ASN:OD1	2.16	0.45
1:B:621:ILE:HG22	1:B:626:LYS:HB3	1.97	0.45
1:B:630:VAL:O	1:B:631:PHE:C	2.60	0.45
1:A:493:PRO:HD3	1:A:504:PHE:CE2	2.52	0.45
1:A:690:ASP:O	1:A:691:LYS:HB2	2.16	0.45
1:A:680:LYS:HD3	1:A:681:LEU:O	2.17	0.45
1:B:296:ARG:NH1	1:B:340:LYS:HE2	2.32	0.45
1:B:605:VAL:HG21	1:B:681:LEU:HD11	1.99	0.45
1:B:54:ARG:O	1:B:57:GLN:HG2	2.16	0.45
1:B:738:GLN:HE21	1:B:740:LEU:HD11	1.82	0.45
1:A:312:ARG:NH1	1:A:646:ALA:HB2	2.31	0.45
1:B:690:ASP:O	1:B:691:LYS:HB2	2.17	0.44
1:B:239:LEU:HD22	1:B:243:ASN:ND2	2.32	0.44
1:A:54:ARG:O	1:A:57:GLN:HG2	2.16	0.44
1:B:36:VAL:O	1:B:37:ASP:HB2	2.17	0.44
1:A:769:ARG:HD2	1:A:769:ARG:HA	1.81	0.44
1:A:96:ARG:HD2	5:A:1209:HOH:O	2.18	0.44
1:A:111:MET:CE	1:A:126:GLU:OE1	2.66	0.44
1:A:769:ARG:HH21	1:A:769:ARG:HG3	1.74	0.44
1:B:253:GLN:NE2	1:B:405:ASN:HB3	2.16	0.44
1:A:417:TYR:CD2	1:A:417:TYR:C	2.96	0.44
1:B:620:SER:C	1:B:621:ILE:HD12	2.42	0.44
1:B:197:LYS:O	1:B:203:ALA:HB3	2.17	0.44
1:A:206:TRP:HA	1:A:264:ASN:OD1	2.17	0.43
1:A:296:ARG:HE	1:A:302:ILE:HD13	1.83	0.43
1:A:647:LEU:HD12	1:A:649:ARG:HD3	2.00	0.43
1:B:212:LEU:HD12	1:B:212:LEU:HA	1.90	0.43
1:A:550:LEU:O	1:A:551:LYS:C	2.61	0.43
1:B:416:ILE:HG21	1:B:673:ILE:CD1	2.48	0.43
1:B:35:ASP:HA	1:B:39:VAL:O	2.18	0.43
1:B:455:LEU:HB2	1:B:575:PHE:HB2	2.00	0.43
1:A:111:MET:CE	1:A:126:GLU:CG	2.97	0.43
1:B:100:ASN:HD22	1:B:346:PRO:HG2	1.83	0.43
1:A:197:LYS:O	1:A:203:ALA:HB3	2.18	0.43
1:A:296:ARG:NH1	1:A:340:LYS:HE2	2.33	0.43
1:A:760:TYR:CD2	1:A:760:TYR:C	2.97	0.43
1:B:417:TYR:C	1:B:417:TYR:CD2	2.96	0.43
1:B:621:ILE:N	1:B:621:ILE:HD12	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:647:LEU:HD12	1:B:649:ARG:HD3	1.99	0.42
1:A:52:TYR:O	1:A:53:LEU:HB3	2.19	0.42
1:A:192:PRO:HB3	1:A:229:LEU:HD13	2.01	0.42
1:A:363:ARG:NH1	1:A:367:ASP:OD2	2.52	0.42
1:A:645:GLU:H	1:A:645:GLU:CD	2.27	0.42
1:B:769:ARG:HG2	1:B:769:ARG:NH1	2.34	0.42
1:B:392:VAL:HG22	1:B:418:TYR:CD1	2.54	0.42
1:B:447:ARG:NH2	1:B:478:ALA:O	2.45	0.42
1:B:493:PRO:HD3	1:B:504:PHE:CE2	2.55	0.42
1:A:100:ASN:HA	1:A:346:PRO:HG2	2.01	0.42
1:A:174:THR:O	1:A:178:LYS:HG3	2.19	0.42
1:B:132:ILE:HD13	1:B:132:ILE:O	2.19	0.42
1:A:628:PHE:C	1:A:634:ASN:ND2	2.78	0.42
1:A:769:ARG:NH2	1:A:769:ARG:HG3	2.32	0.42
1:A:392:VAL:HG22	1:A:418:TYR:CD1	2.55	0.42
1:A:630:VAL:O	1:A:631:PHE:C	2.62	0.42
1:B:298:PRO:CB	1:B:389:PRO:HA	2.50	0.42
1:A:297:ARG:HB3	1:A:298:PRO:CD	2.46	0.42
1:B:85:LYS:O	1:B:88:ASP:N	2.45	0.42
1:A:455:LEU:HB2	1:A:575:PHE:HB2	2.02	0.41
1:A:312:ARG:HH11	1:A:312:ARG:HG3	1.86	0.41
1:A:739:VAL:HG22	1:A:770:PHE:CD2	2.55	0.41
1:A:111:MET:HE3	1:A:126:GLU:CB	2.50	0.41
1:B:440:HIS:CD2	1:B:637:ASN:HB2	2.55	0.41
1:A:315:PRO:HB2	1:A:317:TYR:CZ	2.55	0.41
1:B:37:ASP:HB3	1:B:236:LYS:HZ2	1.84	0.41
1:A:605:VAL:HG21	1:A:681:LEU:CD1	2.51	0.41
1:B:291:ASP:HB3	5:B:1352:HOH:O	2.21	0.41
1:B:753:LYS:O	1:B:757:GLY:N	2.52	0.41
1:A:441:ASN:HA	1:A:445:PHE:HB3	2.03	0.41
1:A:672:GLN:C	1:A:673:ILE:HG12	2.46	0.41
1:B:57:GLN:HE21	1:B:57:GLN:HB3	1.65	0.41
1:A:320:MET:HE3	1:A:324:LEU:HD21	2.03	0.40
1:B:747:TYR:HA	1:B:748:PRO:HD2	1.90	0.40
1:B:441:ASN:HA	1:B:445:PHE:HB3	2.03	0.40
1:B:455:LEU:CD1	1:B:577:LEU:HD11	2.48	0.40
1:B:709:GLU:HA	1:B:709:GLU:OE1	2.20	0.40
1:B:39:VAL:HG13	1:B:41:MET:HG2	2.03	0.40
1:B:282:ASN:HA	1:B:283:PRO:HD3	1.94	0.40
1:B:53:LEU:HB2	1:B:57:GLN:CG	2.45	0.40
1:B:363:ARG:NH1	1:B:367:ASP:OD2	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	741/749 (99%)	710 (96%)	30 (4%)	1 (0%)	48	50
1	B	741/749 (99%)	707 (95%)	33 (4%)	1 (0%)	48	50
All	All	1482/1498 (99%)	1417 (96%)	63 (4%)	2 (0%)	48	50

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	399	ASN
1	A	399	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	628/633 (99%)	602 (96%)	26 (4%)	27	29
1	B	628/633 (99%)	600 (96%)	28 (4%)	24	25
All	All	1256/1266 (99%)	1202 (96%)	54 (4%)	26	27

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	53	LEU
1	A	57	GLN
1	A	69	LYS
1	A	78	ILE
1	A	91	GLU
1	A	93	LYS
1	A	111	MET
1	A	114	ASN
1	A	132	ILE
1	A	133	ASP
1	A	171	GLU
1	A	212	LEU
1	A	236	LYS
1	A	239	LEU
1	A	297	ARG
1	A	344	VAL
1	A	368	LEU
1	A	479	ASN
1	A	491	ILE
1	A	512	GLN
1	A	621	ILE
1	A	673	ILE
1	A	709	GLU
1	A	729	MET
1	A	769	ARG
1	B	37	ASP
1	B	39	VAL
1	B	51	LEU
1	B	53	LEU
1	B	57	GLN
1	B	69	LYS
1	B	91	GLU
1	B	93	LYS
1	B	114	ASN
1	B	132	ILE
1	B	133	ASP
1	B	171	GLU
1	B	212	LEU
1	B	236	LYS
1	B	239	LEU
1	B	261	ARG
1	B	269	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	297	ARG
1	B	344	VAL
1	B	368	LEU
1	B	479	ASN
1	B	491	ILE
1	B	590	GLN
1	B	621	ILE
1	B	645	GLU
1	B	673	ILE
1	B	729	MET
1	B	767	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	ASN
1	A	100	ASN
1	A	114	ASN
1	A	167	GLN
1	A	253	GLN
1	A	285	GLN
1	A	335	ASN
1	A	440	HIS
1	A	479	ASN
1	A	590	GLN
1	A	634	ASN
1	B	63	ASN
1	B	100	ASN
1	B	114	ASN
1	B	167	GLN
1	B	253	GLN
1	B	285	GLN
1	B	335	ASN
1	B	440	HIS
1	B	441	ASN
1	B	590	GLN
1	B	634	ASN
1	B	682	HIS
1	B	738	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	C	1	2	15,15,15	0.50	0	21,21,21	0.93	0
2	GCU	C	2	2	12,12,13	0.81	0	14,17,19	0.74	0
2	NAG	C	3	2	14,14,15	0.46	0	17,19,21	0.94	0
2	GCD	C	4	2	10,11,12	1.62	1 (10%)	12,15,17	1.48	2 (16%)
2	NAG	D	1	2	15,15,15	0.53	0	21,21,21	1.08	1 (4%)
2	GCU	D	2	2	12,12,13	0.80	0	14,17,19	0.69	0
2	NAG	D	3	2	14,14,15	0.50	0	17,19,21	0.99	1 (5%)
2	GCD	D	4	2	10,11,12	1.63	1 (10%)	12,15,17	1.42	2 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2	-	0/6/26/26	0/1/1/1
2	GCU	C	2	2	1/1/5/6	0/4/21/24	0/1/1/1
2	NAG	C	3	2	1/1/5/7	0/6/23/26	0/1/1/1
2	GCD	C	4	2	-	0/4/17/20	0/1/1/1
2	NAG	D	1	2	-	0/6/26/26	0/1/1/1
2	GCU	D	2	2	1/1/5/6	0/4/21/24	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	3	2	1/1/5/7	2/6/23/26	0/1/1/1
2	GCD	D	4	2	1/1/4/6	0/4/17/20	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	4	GCD	O5-C5	4.31	1.43	1.37
2	C	4	GCD	O5-C5	4.29	1.43	1.37

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	4	GCD	C4-C5-C6	-2.87	117.35	123.56
2	D	4	GCD	C4-C5-C6	-2.86	117.37	123.56
2	C	4	GCD	O5-C5-C6	2.85	117.08	111.85
2	D	4	GCD	O5-C5-C6	2.62	116.66	111.85
2	D	1	NAG	C1-C2-N2	-2.61	107.70	110.73
2	D	3	NAG	C2-N2-C7	2.48	126.22	122.90

All (5) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	2	GCU	C1
2	C	3	NAG	C1
2	D	2	GCU	C1
2	D	3	NAG	C1
2	D	4	GCD	C1

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	3	NAG	C8-C7-N2-C2
2	D	3	NAG	O7-C7-N2-C2


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	GCU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ACT	A	3	-	3,3,3	0.85	0	3,3,3	1.36	0
4	ACT	A	4	-	3,3,3	0.84	0	3,3,3	1.34	0
4	ACT	A	5	-	3,3,3	0.78	0	3,3,3	1.35	0
4	ACT	A	773	-	3,3,3	0.80	0	3,3,3	1.28	0
4	ACT	B	773	-	3,3,3	0.83	0	3,3,3	1.29	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	5	ACT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	743/749 (99%)	0.77	25 (3%) 48 50	47, 50, 50, 53	0
1	B	743/749 (99%)	0.88	38 (5%) 33 35	47, 50, 50, 53	0
All	All	1486/1498 (99%)	0.83	63 (4%) 40 42	47, 50, 50, 53	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	36	VAL	4.6
1	A	553	ALA	4.3
1	B	39	VAL	4.0
1	B	361	GLY	3.5
1	B	470	GLY	3.5
1	B	37	ASP	3.4
1	B	87	ALA	3.3
1	B	553	ALA	3.3
1	A	74	TRP	3.0
1	A	760	TYR	3.0
1	B	38	GLY	2.8
1	A	38	GLY	2.8
1	A	306	GLY	2.8
1	B	74	TRP	2.8
1	A	111	MET	2.7
1	B	111	MET	2.7
1	B	140	PHE	2.7
1	A	133	ASP	2.7
1	B	91	GLU	2.6
1	B	73	VAL	2.6
1	B	200	VAL	2.6
1	B	517	ASP	2.6
1	B	680	LYS	2.5
1	A	87	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	39	VAL	2.4
1	A	269	LEU	2.4
1	A	368	LEU	2.4
1	B	368	LEU	2.4
1	B	445	PHE	2.4
1	B	133	ASP	2.4
1	B	206	TRP	2.4
1	B	472	ASP	2.4
1	B	641	PRO	2.4
1	A	35	ASP	2.3
1	A	361	GLY	2.3
1	B	690	ASP	2.3
1	A	308	VAL	2.3
1	B	622	GLY	2.3
1	B	123	VAL	2.3
1	B	142	PRO	2.3
1	A	472	ASP	2.3
1	B	34	LYS	2.3
1	B	335	ASN	2.2
1	B	640	LYS	2.2
1	A	511	ALA	2.2
1	B	370	LEU	2.2
1	A	303	LEU	2.1
1	B	70	LEU	2.1
1	B	482	GLY	2.1
1	A	296	ARG	2.1
1	A	304	ALA	2.1
1	A	344	VAL	2.1
1	A	91	GLU	2.1
1	B	290	TYR	2.1
1	B	623	GLY	2.1
1	A	93	LYS	2.0
1	B	31	VAL	2.0
1	B	92	VAL	2.0
1	A	179	ALA	2.0
1	B	135	LEU	2.0
1	A	34	LYS	2.0
1	A	247	PRO	2.0
1	B	760	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GCD	D	4	11/12	0.60	0.15	97,97,97,97	0
2	NAG	D	3	14/15	0.76	0.17	76,77,79,80	0
2	GCD	C	4	11/12	0.76	0.15	88,89,89,89	0
2	NAG	C	3	14/15	0.82	0.16	62,64,67,67	0
2	GCU	D	2	12/13	0.88	0.12	64,64,65,65	0
2	NAG	D	1	15/15	0.90	0.12	58,60,61,62	0
2	GCU	C	2	12/13	0.91	0.12	53,54,55,55	0
2	NAG	C	1	15/15	0.93	0.11	49,49,50,51	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ACT	A	4	4/4	0.63	0.22	70,70,70,70	0
4	ACT	B	773	4/4	0.71	0.20	67,67,67,67	0
4	ACT	A	5	4/4	0.86	0.18	58,58,58,58	0
4	ACT	A	3	4/4	0.86	0.16	61,61,61,61	0
4	ACT	A	773	4/4	0.87	0.17	64,64,64,64	0
3	ZN	B	2	1/1	0.99	0.10	55,55,55,55	0
3	ZN	A	1	1/1	0.99	0.11	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.