



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:22 PM UTC

PDB ID : 5E7I / pdb_00005e7i
Title : Crystal structure of the active catalytic core of the human DEAD-box protein DDX3
Authors : Floor, S.N.; Condon, K.J.; Doudna, J.A.
Deposited on : 2015-10-12
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	452	18% 81% 14% • 5%
1	B	452	14% 80% 12% • 8%
1	C	452	16% 80% 13% • 6%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 10060 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ATP-dependent RNA helicase DDX3X.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	418	Total	C	N	O	S	0	0	0
			3305	2092	570	624	19			
1	A	430	Total	C	N	O	S	0	0	0
			3404	2144	595	646	19			
1	C	424	Total	C	N	O	S	0	0	0
			3351	2113	586	633	19			


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent RNA helicase DDX3X




- Molecule 1: ATP-dependent RNA helicase DDX3X



- Molecule 1: ATP-dependent RNA helicase DDX3X





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	92.71Å 105.38Å 94.61Å 90.00° 114.54° 90.00°	Depositor
Resolution (Å)	86.06 – 2.22 86.06 – 2.22	Depositor EDS
% Data completeness (in resolution range)	97.9 (86.06-2.22) 97.9 (86.06-2.22)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.07 (at 2.22Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.226 , 0.259 0.229 , 0.262	Depositor DCC
R_{free} test set	3987 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	32.8	Xtriage
Anisotropy	0.151	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 30.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for l,-k,h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10060	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3467	0.75	1/4681 (0.0%)
1	B	0.35	0/3367	0.76	1/4548 (0.0%)
1	C	0.32	0/3413	0.74	4/4609 (0.1%)
All	All	0.33	0/10247	0.75	6/13838 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	483	ALA	N-CA-C	-8.47	103.07	113.15
1	A	414	ASN	N-CA-C	-6.06	105.19	112.59
1	C	166	ILE	CA-C-N	5.24	126.40	119.84
1	C	166	ILE	C-N-CA	5.24	126.40	119.84
1	C	246	GLY	CA-C-N	5.01	124.18	118.97
1	C	246	GLY	C-N-CA	5.01	124.18	118.97

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	481	GLU	Peptide
1	C	508	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3404	0	3394	33	0
1	B	3305	0	3306	42	0
1	C	3351	0	3353	40	0
All	All	10060	0	10053	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:436:ASN:ND2	1:A:466:TYR:OH	1.99	0.96
1:B:484:LEU:O	1:B:488:ARG:N	2.01	0.92
1:C:509:ASN:HD22	1:C:509:ASN:H	1.23	0.84
1:B:485:HIS:HA	1:B:488:ARG:HB2	1.58	0.84
1:B:481:GLU:HG3	1:B:482:GLU:N	1.97	0.80
1:C:534:ARG:HG3	1:C:537:ASN:HB3	1.65	0.76
1:A:513:VAL:HG23	1:A:532:THR:HG23	1.69	0.75
1:C:509:ASN:H	1:C:509:ASN:ND2	1.85	0.75
1:A:436:ASN:HD21	1:A:466:TYR:HH	1.33	0.74
1:A:442:SER:HA	1:A:511:LYS:HE3	1.72	0.70
1:B:572:GLU:OE2	1:C:202:ARG:NH1	2.25	0.69
1:B:223:CYS:HB3	1:B:408:VAL:HG11	1.73	0.69
1:A:251:LEU:O	1:A:255:LYS:HG2	1.93	0.68
1:B:180:GLU:O	1:B:202:ARG:NH1	2.27	0.68
1:B:482:GLU:C	1:B:484:LEU:H	2.00	0.66
1:C:179:ILE:HG23	1:C:212:PRO:HG3	1.78	0.65
1:B:489:SER:OG	1:B:491:LYS:HG2	1.97	0.64
1:B:482:GLU:CD	1:B:485:HIS:H	2.05	0.62
1:B:469:THR:OG1	1:B:483:ALA:HB1	2.00	0.60
1:C:509:ASN:HD22	1:C:509:ASN:N	1.98	0.60
1:A:411:THR:HG21	1:A:563:ALA:HB2	1.83	0.59
1:C:225:GLN:HG3	1:C:407:ARG:HH21	1.67	0.59
1:A:274:PRO:HD2	1:A:278:LEU:HD23	1.84	0.59
1:A:201:THR:OG1	1:A:202:ARG:N	2.36	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:263:ARG:HH11	1:A:263:ARG:HG3	1.68	0.58
1:A:353:LEU:HD22	1:A:358:GLU:HB2	1.85	0.58
1:C:509:ASN:HA	1:C:534:ARG:HH12	1.67	0.58
1:B:202:ARG:HH11	1:B:202:ARG:HG2	1.68	0.57
1:B:274:PRO:HD2	1:B:278:LEU:HD23	1.86	0.56
1:A:136:TRP:CZ2	1:A:247:PRO:HG3	2.41	0.56
1:C:309:GLN:OE1	1:C:326:ARG:NH1	2.39	0.55
1:B:201:THR:OG1	1:B:202:ARG:N	2.39	0.54
1:B:481:GLU:HG3	1:B:482:GLU:C	2.33	0.54
1:B:338:LEU:HD13	1:B:370:MET:HE3	1.91	0.53
1:A:203:PRO:HG2	1:A:208:LYS:HG2	1.91	0.53
1:B:144:GLU:HA	1:B:147:GLU:HB2	1.91	0.52
1:A:478:ARG:NH1	1:A:479:ASP:OD1	2.43	0.52
1:A:277:GLU:O	1:A:281:GLN:HG3	2.10	0.52
1:B:482:GLU:C	1:B:484:LEU:N	2.68	0.51
1:B:327:LEU:HD23	1:B:364:ILE:HD13	1.92	0.51
1:B:353:LEU:HD22	1:B:358:GLU:HB2	1.93	0.51
1:B:169:GLU:HG2	1:B:404:ALA:HB3	1.93	0.51
1:A:327:LEU:HD23	1:A:364:ILE:HD13	1.92	0.51
1:B:482:GLU:CD	1:B:485:HIS:ND1	2.70	0.50
1:C:415:ILE:HD12	1:C:532:THR:HG23	1.94	0.49
1:C:411:THR:O	1:C:413:GLU:HG3	2.12	0.48
1:C:509:ASN:HA	1:C:534:ARG:NH1	2.28	0.48
1:B:482:GLU:OE1	1:B:485:HIS:N	2.21	0.48
1:B:223:CYS:HA	1:B:382:SER:O	2.13	0.48
1:B:471:ILE:HD12	1:B:495:LEU:HD11	1.95	0.48
1:C:203:PRO:HB2	1:C:208:LYS:HG2	1.94	0.47
1:C:291:TYR:CZ	1:C:292:ARG:HG3	2.49	0.47
1:C:327:LEU:HD23	1:C:364:ILE:HD13	1.96	0.47
1:C:248:GLY:O	1:C:252:ARG:HG3	2.14	0.47
1:C:353:LEU:HD22	1:C:358:GLU:HB2	1.95	0.47
1:A:204:THR:O	1:A:208:LYS:HG3	2.14	0.47
1:A:385:PHE:CE2	1:A:390:GLN:HG2	2.49	0.47
1:C:338:LEU:HD13	1:C:370:MET:HE3	1.96	0.47
1:B:485:HIS:CE1	1:B:488:ARG:CZ	2.98	0.47
1:C:136:TRP:CE2	1:C:247:PRO:HG3	2.50	0.47
1:B:247:PRO:HG2	1:B:252:ARG:HG3	1.96	0.46
1:B:243:TYR:OH	1:B:290:SER:HA	2.15	0.46
1:A:256:GLU:N	1:A:256:GLU:OE1	2.48	0.46
1:B:202:ARG:NH1	1:B:202:ARG:HG2	2.30	0.46
1:A:192:MET:O	1:A:196:GLU:HG2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:472:HIS:CE1	1:C:475:ARG:HG2	2.51	0.46
1:B:482:GLU:OE2	1:B:484:LEU:HB2	2.16	0.46
1:A:178:HIS:HD2	1:A:179:ILE:O	1.99	0.45
1:C:243:TYR:OH	1:C:290:SER:HA	2.17	0.45
1:A:441:ASP:N	1:A:441:ASP:OD1	2.49	0.45
1:A:518:LEU:HD21	1:A:543:SER:HB3	1.99	0.45
1:B:469:THR:HG21	1:B:483:ALA:O	2.17	0.45
1:C:215:LYS:HA	1:C:215:LYS:HD2	1.70	0.45
1:B:310:ILE:O	1:B:314:GLU:HG3	2.16	0.44
1:B:412:SER:O	1:B:413:GLU:HB3	2.17	0.44
1:A:255:LYS:N	1:A:256:GLU:OE1	2.50	0.44
1:B:553:THR:HG22	1:B:575:ALA:HB2	2.00	0.44
1:B:554:LYS:HG2	1:C:201:THR:HB	1.99	0.44
1:B:562:GLU:HG2	1:C:208:LYS:NZ	2.33	0.44
1:C:141:PRO:HA	1:C:142:PRO:HD3	1.82	0.44
1:B:203:PRO:HG2	1:B:208:LYS:HG2	2.00	0.43
1:C:384:THR:HG21	1:C:412:SER:HA	2.00	0.43
1:A:407:ARG:HE	1:A:407:ARG:HB3	1.64	0.43
1:B:385:PHE:CE2	1:B:390:GLN:HG2	2.54	0.43
1:A:208:LYS:HG3	1:A:208:LYS:H	1.66	0.43
1:A:263:ARG:HG3	1:A:263:ARG:NH1	2.33	0.43
1:C:201:THR:OG1	1:C:202:ARG:HG2	2.19	0.43
1:B:481:GLU:HG3	1:B:482:GLU:H	1.79	0.43
1:C:263:ARG:HB2	1:C:264:LYS:H	1.57	0.43
1:C:475:ARG:O	1:C:480:ARG:NH1	2.51	0.43
1:A:135:ASP:OD2	1:A:138:LYS:HG2	2.19	0.43
1:C:410:SER:OG	1:C:562:GLU:OE2	2.37	0.42
1:C:524:GLU:OE2	1:C:528:ARG:NH2	2.53	0.42
1:B:291:TYR:CZ	1:B:292:ARG:HG3	2.54	0.42
1:A:472:HIS:CE1	1:A:474:ASP:HB2	2.54	0.42
1:A:247:PRO:HD2	1:A:252:ARG:NH1	2.34	0.42
1:B:481:GLU:O	1:B:482:GLU:HB2	2.15	0.42
1:C:194:ASN:O	1:C:198:THR:HG23	2.19	0.42
1:A:205:PRO:HA	1:A:208:LYS:NZ	2.35	0.42
1:A:166:ILE:HA	1:A:167:PRO:HD3	1.70	0.42
1:C:252:ARG:HE	1:C:252:ARG:HB3	1.56	0.42
1:C:534:ARG:CG	1:C:537:ASN:HB3	2.42	0.41
1:C:295:VAL:HG13	1:C:318:HIS:HB2	2.03	0.41
1:C:339:ASP:CG	1:C:369:THR:HG21	2.46	0.41
1:C:509:ASN:ND2	1:C:509:ASN:N	2.59	0.41
1:B:147:GLU:HG3	1:B:291:TYR:CZ	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:482:GLU:CD	1:B:485:HIS:N	2.76	0.41
1:A:411:THR:HG23	1:A:562:GLU:OE1	2.21	0.41
1:C:223:CYS:HA	1:C:382:SER:O	2.20	0.41
1:A:373:LYS:HD2	1:A:398:ASP:HB2	2.03	0.41
1:C:415:ILE:O	1:C:565:GLN:NE2	2.54	0.41
1:C:138:LYS:HA	1:C:139:PRO:HD3	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/452 (94%)	415 (98%)	8 (2%)	1 (0%)	43	50
1	B	410/452 (91%)	401 (98%)	8 (2%)	1 (0%)	43	50
1	C	418/452 (92%)	407 (97%)	10 (2%)	1 (0%)	43	50
All	All	1252/1356 (92%)	1223 (98%)	26 (2%)	3 (0%)	43	50

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	482	GLU
1	C	509	ASN
1	A	199	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/390 (95%)	355 (95%)	17 (5%)	24	30
1	B	362/390 (93%)	350 (97%)	12 (3%)	33	44
1	C	367/390 (94%)	358 (98%)	9 (2%)	42	55
All	All	1101/1170 (94%)	1063 (96%)	38 (4%)	32	41

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	134	ASP
1	B	140	LEU
1	B	255	LYS
1	B	285	GLU
1	B	405	VAL
1	B	418	LYS
1	B	471	ILE
1	B	482	GLU
1	B	486	GLN
1	B	500	VAL
1	B	540	LEU
1	B	562	GLU
1	A	140	LEU
1	A	146	LEU
1	A	208	LYS
1	A	216	GLU
1	A	225	GLN
1	A	265	GLN
1	A	277	GLU
1	A	285	GLU
1	A	391	MET
1	A	408	VAL
1	A	414	ASN
1	A	480	ARG
1	A	482	GLU
1	A	538	LEU
1	A	550	ILE
1	A	569	SER
1	A	572	GLU
1	C	196	GLU
1	C	201	THR
1	C	263	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	369	THR
1	C	408	VAL
1	C	411	THR
1	C	440	LYS
1	C	478	ARG
1	C	509	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	174	ASN
1	B	515	ASN
1	A	367	GLN
1	A	436	ASN
1	A	515	ASN
1	C	209	HIS
1	C	265	GLN
1	C	485	HIS
1	C	509	ASN
1	C	515	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	430/452 (95%)	0.82	80 (18%) 3 2	18, 40, 90, 150	0
1	B	418/452 (92%)	0.69	63 (15%) 5 4	21, 38, 88, 137	0
1	C	424/452 (93%)	0.89	72 (16%) 4 3	22, 41, 90, 129	0
All	All	1272/1356 (93%)	0.80	215 (16%) 4 3	18, 40, 90, 150	0

All (215) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	472	HIS	8.9
1	B	200	TYR	8.7
1	C	200	TYR	8.7
1	C	153	GLY	6.9
1	B	576	TYR	6.2
1	A	576	TYR	6.1
1	C	201	THR	5.9
1	C	414	ASN	5.8
1	C	412	SER	5.7
1	A	261	GLY	5.6
1	B	471	ILE	5.3
1	B	483	ALA	5.3
1	A	200	TYR	5.2
1	A	535	VAL	5.1
1	B	153	GLY	5.1
1	C	166	ILE	5.0
1	A	201	THR	4.7
1	A	255	LYS	4.7
1	C	535	VAL	4.6
1	B	201	THR	4.6
1	A	534	ARG	4.5
1	A	439	GLY	4.4
1	C	263	ARG	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	440	LYS	4.4
1	B	441	ASP	4.4
1	B	536	GLY	4.4
1	C	438	THR	4.3
1	C	167	PRO	4.3
1	A	411	THR	4.3
1	C	575	ALA	4.2
1	B	411	THR	4.2
1	B	412	SER	4.2
1	A	440	LYS	4.2
1	C	406	GLY	4.2
1	C	407	ARG	4.2
1	B	577	GLU	4.2
1	B	485	HIS	4.1
1	C	408	VAL	4.1
1	A	536	GLY	4.1
1	A	153	GLY	4.1
1	B	481	GLU	4.1
1	A	256	GLU	4.1
1	C	441	ASP	4.0
1	C	442	SER	4.0
1	B	169	GLU	4.0
1	B	406	GLY	3.9
1	A	152	SER	3.9
1	B	440	LYS	3.9
1	A	166	ILE	3.8
1	C	534	ARG	3.8
1	B	196	GLU	3.8
1	A	413	GLU	3.8
1	A	412	SER	3.8
1	C	537	ASN	3.7
1	B	534	ARG	3.7
1	A	438	THR	3.7
1	A	170	ALA	3.7
1	C	148	GLN	3.7
1	B	408	VAL	3.7
1	C	199	ARG	3.7
1	C	413	GLU	3.6
1	A	436	ASN	3.6
1	A	577	GLU	3.6
1	C	573	ASN	3.6
1	C	255	LYS	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	134	ASP	3.6
1	C	509	ASN	3.6
1	A	441	ASP	3.5
1	B	145	ARG	3.5
1	C	168	VAL	3.5
1	C	202	ARG	3.5
1	B	575	ALA	3.5
1	B	490	GLY	3.5
1	A	226	THR	3.5
1	C	405	VAL	3.5
1	B	255	LYS	3.5
1	A	263	ARG	3.5
1	C	478	ARG	3.5
1	A	387	LYS	3.4
1	A	252	ARG	3.4
1	A	165	ASP	3.4
1	C	538	LEU	3.4
1	A	179	ILE	3.4
1	C	196	GLU	3.3
1	B	561	VAL	3.3
1	A	521	ASP	3.3
1	A	196	GLU	3.3
1	B	489	SER	3.3
1	B	263	ARG	3.2
1	C	145	ARG	3.2
1	B	413	GLU	3.2
1	B	407	ARG	3.2
1	B	535	VAL	3.2
1	A	533	GLY	3.1
1	A	164	ASP	3.1
1	B	488	ARG	3.1
1	A	186	GLU	3.1
1	B	202	ARG	3.1
1	B	409	GLY	3.1
1	C	477	GLN	3.1
1	A	402	PHE	3.1
1	C	521	ASP	3.1
1	C	410	SER	3.0
1	C	146	LEU	3.0
1	C	186	GLU	3.0
1	C	508	SER	3.0
1	B	491	LYS	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	509	ASN	3.0
1	A	144	GLU	3.0
1	B	486	GLN	3.0
1	B	508	SER	3.0
1	A	551	ASN	3.0
1	A	167	PRO	3.0
1	B	148	GLN	2.9
1	A	143	SER	2.9
1	A	134	ASP	2.9
1	B	146	LEU	2.9
1	B	199	ARG	2.9
1	A	407	ARG	2.9
1	A	480	ARG	2.9
1	C	415	ILE	2.9
1	C	169	GLU	2.9
1	C	134	ASP	2.9
1	A	202	ARG	2.8
1	A	138	LYS	2.8
1	C	552	ILE	2.8
1	C	409	GLY	2.8
1	A	169	GLU	2.8
1	B	405	VAL	2.8
1	A	225	GLN	2.8
1	C	152	SER	2.8
1	B	166	ILE	2.7
1	A	405	VAL	2.7
1	A	401	ILE	2.7
1	C	533	GLY	2.7
1	B	136	TRP	2.7
1	B	256	GLU	2.7
1	C	144	GLU	2.7
1	B	503	ARG	2.7
1	C	165	ASP	2.7
1	C	551	ASN	2.7
1	B	186	GLU	2.7
1	C	285	GLU	2.7
1	A	145	ARG	2.7
1	A	216	GLU	2.6
1	A	142	PRO	2.6
1	A	391	MET	2.6
1	C	294	ARG	2.6
1	A	185	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	408	VAL	2.6
1	C	437	ALA	2.6
1	A	414	ASN	2.6
1	A	537	ASN	2.6
1	C	185	VAL	2.6
1	A	403	LEU	2.5
1	B	252	ARG	2.5
1	A	509	ASN	2.5
1	C	569	SER	2.5
1	C	141	PRO	2.5
1	C	411	THR	2.5
1	A	410	SER	2.5
1	B	482	GLU	2.5
1	B	551	ASN	2.5
1	A	199	ARG	2.4
1	C	566	GLU	2.4
1	C	140	LEU	2.4
1	C	254	MET	2.4
1	B	521	ASP	2.4
1	A	532	THR	2.4
1	B	507	ILE	2.4
1	A	385	PHE	2.4
1	B	484	LEU	2.4
1	A	244	SER	2.4
1	A	171	THR	2.3
1	C	476	SER	2.3
1	A	562	GLU	2.3
1	C	138	LYS	2.3
1	A	172	GLY	2.3
1	B	152	SER	2.3
1	B	537	ASN	2.3
1	A	227	GLY	2.3
1	A	573	ASN	2.3
1	A	177	PRO	2.3
1	B	253	ALA	2.3
1	A	151	PHE	2.2
1	B	142	PRO	2.2
1	C	351	ARG	2.2
1	C	253	ALA	2.2
1	B	550	ILE	2.2
1	A	503	ARG	2.2
1	B	143	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	569	SER	2.2
1	C	550	ILE	2.2
1	A	204	THR	2.2
1	C	150	LEU	2.2
1	C	439	GLY	2.2
1	A	538	LEU	2.1
1	A	139	PRO	2.1
1	C	485	HIS	2.1
1	C	536	GLY	2.1
1	A	208	LYS	2.1
1	C	507	ILE	2.1
1	A	148	GLN	2.1
1	C	151	PHE	2.1
1	C	308	GLN	2.1
1	B	455	ASP	2.1
1	B	439	GLY	2.1
1	B	410	SER	2.1
1	C	425	SER	2.1
1	A	315	ARG	2.1
1	A	181	SER	2.0
1	A	248	GLY	2.0
1	A	183	SER	2.0
1	B	245	ASP	2.0
1	C	329	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.