



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:56 PM UTC

PDB ID : 5E7S / pdb_00005e7s
Title : Hexameric structure of a LonA protease domain in active state
Authors : Lin, C.-C.; Su, S.-C.; Chang, C.-I.
Deposited on : 2015-10-13
Resolution : 3.03 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3685 (3.08-3.00)
Clashscore	190562	4007 (3.08-3.00)
Ramachandran outliers	187476	3834 (3.08-3.00)
Sidechain outliers	187428	3836 (3.08-3.00)
RSRZ outliers	180081	3684 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	298	 91% 5% .
1	B	298	 90% 6% .
1	C	298	 86% 9% . .
1	D	298	 88% 7% . .
1	E	298	 88% 8% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	298	90% 6% . .
1	G	298	% 87% 9% .
1	H	298	88% 7% . .
1	I	298	85% 10% . .
1	J	298	89% 8% .
1	K	298	87% 8% . .
1	L	298	3% 81% 10% . 7%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 26298 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lon protease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2199	1393	380	418	8			
1	B	288	Total	C	N	O	S	0	0	0
			2199	1393	380	418	8			
1	C	287	Total	C	N	O	S	0	0	0
			2192	1388	379	417	8			
1	D	289	Total	C	N	O	S	0	0	0
			2206	1398	381	419	8			
1	E	288	Total	C	N	O	S	0	0	0
			2202	1396	380	418	8			
1	F	287	Total	C	N	O	S	0	0	0
			2192	1388	379	417	8			
1	G	289	Total	C	N	O	S	0	0	0
			2206	1398	381	419	8			
1	H	287	Total	C	N	O	S	0	1	0
			2198	1392	379	419	8			
1	I	287	Total	C	N	O	S	0	0	0
			2192	1388	379	417	8			
1	J	289	Total	C	N	O	S	0	0	0
			2206	1398	381	419	8			
1	K	288	Total	C	N	O	S	0	0	0
			2199	1393	380	418	8			
1	L	276	Total	C	N	O	S	0	0	0
			2107	1337	364	399	7			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	490	MET	-	expression tag	UNP A0A059VAZ3
A	782	HIS	-	expression tag	UNP A0A059VAZ3
A	783	HIS	-	expression tag	UNP A0A059VAZ3
A	784	HIS	-	expression tag	UNP A0A059VAZ3
A	785	HIS	-	expression tag	UNP A0A059VAZ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	786	HIS	-	expression tag	UNP A0A059VAZ3
A	787	HIS	-	expression tag	UNP A0A059VAZ3
B	490	MET	-	expression tag	UNP A0A059VAZ3
B	782	HIS	-	expression tag	UNP A0A059VAZ3
B	783	HIS	-	expression tag	UNP A0A059VAZ3
B	784	HIS	-	expression tag	UNP A0A059VAZ3
B	785	HIS	-	expression tag	UNP A0A059VAZ3
B	786	HIS	-	expression tag	UNP A0A059VAZ3
B	787	HIS	-	expression tag	UNP A0A059VAZ3
C	490	MET	-	expression tag	UNP A0A059VAZ3
C	782	HIS	-	expression tag	UNP A0A059VAZ3
C	783	HIS	-	expression tag	UNP A0A059VAZ3
C	784	HIS	-	expression tag	UNP A0A059VAZ3
C	785	HIS	-	expression tag	UNP A0A059VAZ3
C	786	HIS	-	expression tag	UNP A0A059VAZ3
C	787	HIS	-	expression tag	UNP A0A059VAZ3
D	490	MET	-	expression tag	UNP A0A059VAZ3
D	782	HIS	-	expression tag	UNP A0A059VAZ3
D	783	HIS	-	expression tag	UNP A0A059VAZ3
D	784	HIS	-	expression tag	UNP A0A059VAZ3
D	785	HIS	-	expression tag	UNP A0A059VAZ3
D	786	HIS	-	expression tag	UNP A0A059VAZ3
D	787	HIS	-	expression tag	UNP A0A059VAZ3
E	490	MET	-	expression tag	UNP A0A059VAZ3
E	782	HIS	-	expression tag	UNP A0A059VAZ3
E	783	HIS	-	expression tag	UNP A0A059VAZ3
E	784	HIS	-	expression tag	UNP A0A059VAZ3
E	785	HIS	-	expression tag	UNP A0A059VAZ3
E	786	HIS	-	expression tag	UNP A0A059VAZ3
E	787	HIS	-	expression tag	UNP A0A059VAZ3
F	490	MET	-	expression tag	UNP A0A059VAZ3
F	782	HIS	-	expression tag	UNP A0A059VAZ3
F	783	HIS	-	expression tag	UNP A0A059VAZ3
F	784	HIS	-	expression tag	UNP A0A059VAZ3
F	785	HIS	-	expression tag	UNP A0A059VAZ3
F	786	HIS	-	expression tag	UNP A0A059VAZ3
F	787	HIS	-	expression tag	UNP A0A059VAZ3
G	490	MET	-	expression tag	UNP A0A059VAZ3
G	782	HIS	-	expression tag	UNP A0A059VAZ3
G	783	HIS	-	expression tag	UNP A0A059VAZ3
G	784	HIS	-	expression tag	UNP A0A059VAZ3
G	785	HIS	-	expression tag	UNP A0A059VAZ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	786	HIS	-	expression tag	UNP A0A059VAZ3
G	787	HIS	-	expression tag	UNP A0A059VAZ3
H	490	MET	-	expression tag	UNP A0A059VAZ3
H	782	HIS	-	expression tag	UNP A0A059VAZ3
H	783	HIS	-	expression tag	UNP A0A059VAZ3
H	784	HIS	-	expression tag	UNP A0A059VAZ3
H	785	HIS	-	expression tag	UNP A0A059VAZ3
H	786	HIS	-	expression tag	UNP A0A059VAZ3
H	787	HIS	-	expression tag	UNP A0A059VAZ3
I	490	MET	-	expression tag	UNP A0A059VAZ3
I	782	HIS	-	expression tag	UNP A0A059VAZ3
I	783	HIS	-	expression tag	UNP A0A059VAZ3
I	784	HIS	-	expression tag	UNP A0A059VAZ3
I	785	HIS	-	expression tag	UNP A0A059VAZ3
I	786	HIS	-	expression tag	UNP A0A059VAZ3
I	787	HIS	-	expression tag	UNP A0A059VAZ3
J	490	MET	-	expression tag	UNP A0A059VAZ3
J	782	HIS	-	expression tag	UNP A0A059VAZ3
J	783	HIS	-	expression tag	UNP A0A059VAZ3
J	784	HIS	-	expression tag	UNP A0A059VAZ3
J	785	HIS	-	expression tag	UNP A0A059VAZ3
J	786	HIS	-	expression tag	UNP A0A059VAZ3
J	787	HIS	-	expression tag	UNP A0A059VAZ3
K	490	MET	-	expression tag	UNP A0A059VAZ3
K	782	HIS	-	expression tag	UNP A0A059VAZ3
K	783	HIS	-	expression tag	UNP A0A059VAZ3
K	784	HIS	-	expression tag	UNP A0A059VAZ3
K	785	HIS	-	expression tag	UNP A0A059VAZ3
K	786	HIS	-	expression tag	UNP A0A059VAZ3
K	787	HIS	-	expression tag	UNP A0A059VAZ3
L	490	MET	-	expression tag	UNP A0A059VAZ3
L	782	HIS	-	expression tag	UNP A0A059VAZ3
L	783	HIS	-	expression tag	UNP A0A059VAZ3
L	784	HIS	-	expression tag	UNP A0A059VAZ3
L	785	HIS	-	expression tag	UNP A0A059VAZ3
L	786	HIS	-	expression tag	UNP A0A059VAZ3
L	787	HIS	-	expression tag	UNP A0A059VAZ3

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lon protease

Chain A: 




- Molecule 1: Lon protease

Chain B: 




- Molecule 1: Lon protease

Chain C: 




- Molecule 1: Lon protease

Chain D: 



- Molecule 1: Lon protease

Chain E: 




Chain K:

87%

8%

••



• Molecule 1: Lon protease

Chain L:


3%

81%

10%

•

7%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	116.31Å 212.79Å 178.92Å 90.00° 100.80° 90.00°	Depositor
Resolution (Å)	20.00 – 3.03 20.00 – 3.03	Depositor EDS
% Data completeness (in resolution range)	90.5 (20.00-3.03) 90.5 (20.00-3.03)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.09 (at 3.04Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.227 , 0.279 (Not available) , 0.257	Depositor DCC
R_{free} test set	3798 reflections (4.61%)	wwPDB-VP
Wilson B-factor (Å ²)	63.1	Xtriage
Anisotropy	0.061	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 12.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	26298	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2241	0.72	0/3040
1	B	0.44	0/2241	0.74	0/3040
1	C	0.44	0/2234	0.76	0/3030
1	D	0.43	0/2248	0.73	0/3050
1	E	0.43	0/2244	0.74	0/3045
1	F	0.43	0/2234	0.70	0/3030
1	G	0.44	0/2249	0.74	0/3051
1	H	0.43	0/2243	0.71	0/3042
1	I	0.42	0/2234	0.73	0/3030
1	J	0.45	0/2248	0.73	0/3050
1	K	0.45	0/2241	0.72	0/3040
1	L	0.46	0/2145	0.77	0/2909
All	All	0.44	0/26802	0.73	0/36357

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2199	0	2240	5	0
1	B	2199	0	2240	14	0
1	C	2192	0	2231	14	0
1	D	2206	0	2249	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2202	0	2246	10	0
1	F	2192	0	2231	4	0
1	G	2206	0	2248	11	0
1	H	2198	0	2237	9	0
1	I	2192	0	2231	8	0
1	J	2206	0	2249	5	0
1	K	2199	0	2240	11	0
1	L	2107	0	2156	12	0
All	All	26298	0	26798	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:665:VAL:HG11	1:C:683:MET:HE1	1.39	1.01
1:B:637:ALA:HB2	1:B:683:MET:CE	1.97	0.93
1:K:558:TRP:HZ3	1:K:562:ALA:HA	1.41	0.86
1:C:665:VAL:CG1	1:C:683:MET:HE1	2.11	0.79
1:K:637:ALA:HB2	1:K:683:MET:HE3	1.65	0.77
1:H:604:PRO:HA	1:H:605:VAL:C	2.10	0.75
1:B:637:ALA:HB2	1:B:683:MET:HE3	1.70	0.73
1:B:637:ALA:CB	1:B:683:MET:CE	2.67	0.71
1:B:637:ALA:HA	1:B:683:MET:HE2	1.73	0.70
1:C:722:LEU:HD11	1:C:733:ILE:HG21	1.74	0.69
1:B:637:ALA:HB2	1:B:683:MET:HE1	1.73	0.69
1:D:604:PRO:O	1:D:605:VAL:HG22	1.96	0.66
1:K:637:ALA:HB2	1:K:683:MET:CE	2.26	0.65
1:C:612:ILE:HG21	1:C:683:MET:HE3	1.77	0.65
1:I:681:ILE:O	1:I:685:THR:OG1	2.15	0.65
1:H:605:VAL:HG13	1:H:606:GLY:H	1.63	0.63
1:A:669:ASP:O	1:A:674:LYS:NZ	2.31	0.63
1:I:503:ARG:NH2	1:I:522:VAL:O	2.30	0.63
1:E:507:TRP:O	1:E:511:VAL:HG23	1.98	0.63
1:D:507:TRP:O	1:D:511:VAL:HG23	2.00	0.62
1:I:507:TRP:O	1:I:511:VAL:HG23	2.02	0.59
1:G:507:TRP:O	1:G:511:VAL:HG23	2.01	0.59
1:B:637:ALA:CB	1:B:683:MET:HE3	2.31	0.58
1:B:612:ILE:HG21	1:B:683:MET:HG3	1.85	0.58
1:E:681:ILE:O	1:E:685:THR:OG1	2.12	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:558:TRP:CZ3	1:K:562:ALA:HA	2.31	0.57
1:K:637:ALA:CB	1:K:683:MET:HE3	2.34	0.57
1:D:585:PRO:HB2	1:D:586:ASP:HA	1.86	0.56
1:E:603:THR:HB	1:E:604:PRO:CD	2.36	0.56
1:B:637:ALA:CA	1:B:683:MET:HE2	2.36	0.56
1:F:497:GLU:O	1:F:501:ILE:HG22	2.07	0.54
1:H:702:MET:HE1	1:H:769:LEU:HG	1.88	0.54
1:D:585:PRO:CB	1:D:586:ASP:HA	2.36	0.54
1:C:584:ARG:CZ	1:C:587:LYS:HB3	2.37	0.54
1:C:665:VAL:HG11	1:C:683:MET:CE	2.23	0.54
1:B:507:TRP:O	1:B:511:VAL:HG23	2.10	0.52
1:C:584:ARG:HB3	1:C:591:GLU:HB3	1.91	0.52
1:G:541:ARG:H	1:G:541:ARG:CD	2.24	0.51
1:D:553:LYS:HG2	1:D:577:TYR:HA	1.92	0.51
1:G:516:MET:HE1	1:G:558:TRP:HB2	1.92	0.51
1:J:609:LEU:HD21	1:J:728:ALA:HB1	1.91	0.51
1:B:637:ALA:CA	1:B:683:MET:CE	2.88	0.50
1:C:717:GLY:O	1:C:719:LYS:N	2.45	0.50
1:E:507:TRP:HB3	1:E:508:PRO:HD3	1.92	0.50
1:C:498:LYS:HA	1:C:501:ILE:CD1	2.42	0.49
1:K:550:ILE:HG13	1:K:578:LEU:HD21	1.94	0.49
1:J:609:LEU:HD21	1:J:728:ALA:CB	2.42	0.49
1:K:637:ALA:CA	1:K:683:MET:HE3	2.43	0.49
1:L:747:PRO:HD2	1:L:750:VAL:HB	1.93	0.49
1:B:747:PRO:O	1:B:749:GLU:N	2.45	0.48
1:L:746:LEU:HB2	1:L:751:LEU:CD1	2.44	0.48
1:C:584:ARG:NH2	1:C:587:LYS:O	2.46	0.48
1:L:510:GLN:HG3	1:L:548:GLY:HA2	1.96	0.48
1:D:683:MET:O	1:D:687:ILE:HG13	2.14	0.48
1:H:604:PRO:HA	1:H:605:VAL:O	2.13	0.47
1:B:613:GLU:OE2	1:C:709:ARG:NH1	2.48	0.47
1:L:502:ALA:HA	1:L:506:LEU:HB2	1.96	0.47
1:E:614:VAL:HG11	1:E:687:ILE:HA	1.97	0.47
1:A:497:GLU:O	1:A:501:ILE:HG13	2.15	0.46
1:G:529:ARG:NH1	1:G:571:ALA:O	2.48	0.46
1:K:681:ILE:HD12	1:K:765:VAL:HG21	1.97	0.46
1:G:541:ARG:H	1:G:541:ARG:HD3	1.80	0.46
1:C:612:ILE:CG2	1:C:683:MET:HE3	2.44	0.46
1:I:550:ILE:HG13	1:I:578:LEU:HD21	1.96	0.46
1:B:519:ARG:HD3	1:B:558:TRP:CZ3	2.50	0.46
1:L:602:TRP:C	1:L:602:TRP:CD1	2.93	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:596:THR:HG21	1:E:709:ARG:HD3	1.97	0.46
1:F:693:ARG:HG3	1:F:776:MET:HB2	1.98	0.46
1:D:507:TRP:HB3	1:D:508:PRO:HD3	1.98	0.45
1:E:550:ILE:HG13	1:E:578:LEU:HD21	1.98	0.45
1:E:603:THR:HB	1:E:604:PRO:HD2	1.98	0.45
1:D:587:LYS:O	1:D:589:GLU:N	2.45	0.45
1:E:693:ARG:HG3	1:E:776:MET:HB2	1.97	0.45
1:I:507:TRP:HB3	1:I:508:PRO:HD3	1.97	0.45
1:G:553:LYS:HG2	1:G:577:TYR:HA	1.99	0.45
1:D:690:ALA:O	1:D:693:ARG:NH1	2.50	0.44
1:E:724:ALA:HA	1:E:727:GLN:HE22	1.81	0.44
1:L:550:ILE:HG13	1:L:578:LEU:HD21	1.99	0.44
1:J:499:GLN:NE2	1:J:524:ASP:O	2.50	0.44
1:I:596:THR:HG21	1:J:709:ARG:HD3	1.99	0.43
1:F:557:PHE:HB3	1:F:563:TRP:HH2	1.83	0.43
1:H:507:TRP:O	1:H:511:VAL:HG23	2.18	0.43
1:L:567:ARG:O	1:L:568:THR:OG1	2.27	0.43
1:K:514:SER:O	1:K:516:MET:N	2.50	0.43
1:D:693:ARG:HG3	1:D:776:MET:HB2	2.00	0.43
1:L:507:TRP:HB3	1:L:508:PRO:HD3	2.00	0.43
1:A:586:ASP:N	1:A:586:ASP:OD1	2.51	0.43
1:G:497:GLU:O	1:G:501:ILE:HG13	2.18	0.43
1:G:541:ARG:HD3	1:G:541:ARG:N	2.32	0.43
1:A:550:ILE:HG13	1:A:578:LEU:HD21	2.00	0.43
1:L:522:VAL:HG12	1:L:569:ILE:HB	2.01	0.43
1:A:679:ALA:O	1:A:683:MET:HG2	2.19	0.42
1:H:733:ILE:HD12	1:H:754:LEU:HD13	2.01	0.42
1:K:522:VAL:HG12	1:K:569:ILE:HB	2.00	0.42
1:H:603:THR:O	1:H:606:GLY:N	2.52	0.42
1:B:614:VAL:HG11	1:B:687:ILE:HA	2.00	0.42
1:I:589:GLU:O	1:I:590:THR:HB	2.20	0.42
1:C:584:ARG:NH2	1:C:587:LYS:HB3	2.34	0.42
1:H:682:THR:HA	1:H:702:MET:SD	2.60	0.41
1:C:507:TRP:O	1:C:511:VAL:HG23	2.21	0.41
1:G:775:THR:HG23	1:G:776:MET:HG3	2.02	0.41
1:J:613:GLU:OE2	1:K:709:ARG:NH1	2.53	0.41
1:L:497:GLU:O	1:L:501:ILE:HG13	2.20	0.41
1:I:574:ILE:N	1:I:575:PRO:CD	2.83	0.41
1:H:719:LYS:O	1:H:723:LEU:HD23	2.20	0.41
1:L:553:LYS:HG2	1:L:577:TYR:HA	2.03	0.41
1:F:625:LEU:HD23	1:F:665:VAL:HB	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:511:VAL:HG12	1:G:517:GLU:HA	2.03	0.40
1:G:702:MET:HB3	1:G:734:VAL:HB	2.04	0.40
1:L:625:LEU:HD23	1:L:665:VAL:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/298 (96%)	277 (97%)	9 (3%)	0	100	100
1	B	286/298 (96%)	276 (96%)	10 (4%)	0	100	100
1	C	285/298 (96%)	272 (95%)	11 (4%)	2 (1%)	18	49
1	D	287/298 (96%)	278 (97%)	7 (2%)	2 (1%)	18	49
1	E	286/298 (96%)	277 (97%)	9 (3%)	0	100	100
1	F	285/298 (96%)	279 (98%)	6 (2%)	0	100	100
1	G	287/298 (96%)	274 (96%)	12 (4%)	1 (0%)	36	67
1	H	286/298 (96%)	275 (96%)	9 (3%)	2 (1%)	18	49
1	I	285/298 (96%)	275 (96%)	9 (3%)	1 (0%)	30	61
1	J	287/298 (96%)	279 (97%)	7 (2%)	1 (0%)	36	67
1	K	286/298 (96%)	274 (96%)	11 (4%)	1 (0%)	36	67
1	L	270/298 (91%)	258 (96%)	10 (4%)	2 (1%)	18	49
All	All	3416/3576 (96%)	3294 (96%)	110 (3%)	12 (0%)	30	61

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	718	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	605	VAL
1	G	602	TRP
1	H	605	VAL
1	K	515	GLY
1	L	568	THR
1	D	584	ARG
1	I	590	THR
1	L	567	ARG
1	C	747	PRO
1	H	604	PRO
1	J	772	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/239 (96%)	220 (96%)	9 (4%)	28	59
1	B	229/239 (96%)	220 (96%)	9 (4%)	28	59
1	C	228/239 (95%)	209 (92%)	19 (8%)	10	34
1	D	230/239 (96%)	215 (94%)	15 (6%)	15	44
1	E	230/239 (96%)	215 (94%)	15 (6%)	15	44
1	F	228/239 (95%)	214 (94%)	14 (6%)	17	46
1	G	230/239 (96%)	217 (94%)	13 (6%)	18	49
1	H	229/239 (96%)	216 (94%)	13 (6%)	18	49
1	I	228/239 (95%)	207 (91%)	21 (9%)	8	30
1	J	230/239 (96%)	214 (93%)	16 (7%)	14	41
1	K	229/239 (96%)	210 (92%)	19 (8%)	10	34
1	L	221/239 (92%)	205 (93%)	16 (7%)	13	40
All	All	2741/2868 (96%)	2562 (94%)	179 (6%)	15	44

All (179) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	501	ILE
1	A	504	GLN
1	A	622	LYS
1	A	702	MET
1	A	711	LYS
1	A	723	LEU
1	A	737	LYS
1	A	749	GLU
1	A	751	LEU
1	B	496	MET
1	B	541	ARG
1	B	549	LYS
1	B	610	LEU
1	B	683	MET
1	B	693	ARG
1	B	723	LEU
1	B	744	GLU
1	B	779	VAL
1	C	495	ASN
1	C	501	ILE
1	C	519	ARG
1	C	528	LEU
1	C	545	ARG
1	C	556	LYS
1	C	587	LYS
1	C	598	GLN
1	C	603	THR
1	C	608	THR
1	C	609	LEU
1	C	610	LEU
1	C	683	MET
1	C	715	ILE
1	C	722	LEU
1	C	742	GLN
1	C	744	GLU
1	C	745	GLU
1	C	746	LEU
1	D	511	VAL
1	D	520	ILE
1	D	535	THR
1	D	587	LYS
1	D	589	GLU
1	D	598	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	608	THR
1	D	610	LEU
1	D	648	THR
1	D	649	GLN
1	D	683	MET
1	D	693	ARG
1	D	723	LEU
1	D	742	GLN
1	D	757	LYS
1	E	497	GLU
1	E	511	VAL
1	E	513	GLU
1	E	566	LEU
1	E	590	THR
1	E	598	GLN
1	E	605	VAL
1	E	608	THR
1	E	682	THR
1	E	693	ARG
1	E	709	ARG
1	E	723	LEU
1	E	726	HIS
1	E	727	GLN
1	E	780	VAL
1	F	495	ASN
1	F	499	GLN
1	F	501	ILE
1	F	509	LYS
1	F	545	ARG
1	F	556	LYS
1	F	559	LEU
1	F	563	TRP
1	F	598	GLN
1	F	602	TRP
1	F	723	LEU
1	F	735	LEU
1	F	745	GLU
1	F	748	LYS
1	G	520	ILE
1	G	541	ARG
1	G	543	LEU
1	G	576	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	580	ILE
1	G	598	GLN
1	G	706	VAL
1	G	720	GLU
1	G	723	LEU
1	G	746	LEU
1	G	748	LYS
1	G	751	LEU
1	G	752	GLU
1	H	541	ARG
1	H	553	LYS
1	H	586	ASP
1	H	598	GLN
1	H	648	THR
1	H	660	LYS
1	H	674	LYS
1	H	687	ILE
1	H	723	LEU
1	H	742	GLN
1	H	744	GLU
1	H	746	LEU
1	H	748	LYS
1	I	496	MET
1	I	501	ILE
1	I	503	ARG
1	I	528	LEU
1	I	541	ARG
1	I	556	LYS
1	I	566	LEU
1	I	576	THR
1	I	587	LYS
1	I	593	GLN
1	I	598	GLN
1	I	608	THR
1	I	660	LYS
1	I	685	THR
1	I	707	SER
1	I	709	ARG
1	I	715	ILE
1	I	719	LYS
1	I	742	GLN
1	I	751	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	762	VAL
1	J	497	GLU
1	J	511	VAL
1	J	516	MET
1	J	537	GLU
1	J	546	GLU
1	J	564	GLU
1	J	593	GLN
1	J	602	TRP
1	J	707	SER
1	J	722	LEU
1	J	723	LEU
1	J	746	LEU
1	J	749	GLU
1	J	754	LEU
1	J	755	GLU
1	J	756	ILE
1	K	494	THR
1	K	497	GLU
1	K	501	ILE
1	K	516	MET
1	K	520	ILE
1	K	531	ILE
1	K	558	TRP
1	K	559	LEU
1	K	560	GLU
1	K	563	TRP
1	K	566	LEU
1	K	598	GLN
1	K	605	VAL
1	K	681	ILE
1	K	683	MET
1	K	723	LEU
1	K	735	LEU
1	K	744	GLU
1	K	767	GLU
1	L	556	LYS
1	L	580	ILE
1	L	587	LYS
1	L	598	GLN
1	L	602	TRP
1	L	608	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	609	LEU
1	L	649	GLN
1	L	663	LEU
1	L	693	ARG
1	L	723	LEU
1	L	746	LEU
1	L	748	LYS
1	L	751	LEU
1	L	773	GLU
1	L	780	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	495	ASN
1	A	504	GLN
1	A	598	GLN
1	A	647	HIS
1	A	726	HIS
1	B	628	GLN
1	C	598	GLN
1	C	742	GLN
1	D	495	ASN
1	E	495	ASN
1	E	504	GLN
1	E	649	GLN
1	E	727	GLN
1	F	499	GLN
1	F	726	HIS
1	G	495	ASN
1	G	598	GLN
1	G	727	GLN
1	H	510	GLN
1	H	598	GLN
1	H	628	GLN
1	I	638	GLN
1	I	731	HIS
1	J	495	ASN
1	J	504	GLN
1	K	495	ASN
1	K	499	GLN
1	K	598	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	628	GLN
1	L	495	ASN
1	L	598	GLN
1	L	628	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/298 (96%)	-0.25	1 (0%) 90 79	37, 62, 84, 101	0
1	B	288/298 (96%)	-0.22	1 (0%) 90 79	39, 68, 99, 117	0
1	C	287/298 (96%)	-0.09	0 100 100	40, 72, 103, 122	0
1	D	289/298 (96%)	-0.18	0 100 100	38, 63, 86, 108	0
1	E	288/298 (96%)	-0.13	4 (1%) 73 50	38, 69, 102, 121	0
1	F	287/298 (96%)	-0.07	1 (0%) 90 79	38, 68, 97, 116	0
1	G	289/298 (96%)	-0.15	2 (0%) 84 66	38, 69, 95, 108	0
1	H	287/298 (96%)	-0.09	0 100 100	40, 71, 92, 103	1 (0%)
1	I	287/298 (96%)	-0.03	1 (0%) 90 79	39, 80, 101, 110	0
1	J	289/298 (96%)	-0.04	1 (0%) 90 79	40, 81, 103, 115	0
1	K	288/298 (96%)	-0.02	1 (0%) 90 79	41, 83, 117, 134	0
1	L	276/298 (92%)	-0.03	9 (3%) 49 27	40, 71, 98, 119	0
All	All	3443/3576 (96%)	-0.11	21 (0%) 85 69	37, 70, 102, 134	1 (0%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	563	TRP	3.9
1	B	779	VAL	3.5
1	L	557	PHE	3.4
1	L	565	GLY	3.4
1	L	566	LEU	3.2
1	G	779	VAL	3.1
1	E	604	PRO	2.7
1	L	492	GLY	2.5
1	L	779	VAL	2.5
1	K	562	ALA	2.5
1	I	656	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	780	VAL	2.5
1	A	779	VAL	2.3
1	E	606	GLY	2.3
1	G	601	ALA	2.3
1	L	669	ASP	2.3
1	F	775	THR	2.2
1	L	780	VAL	2.2
1	L	777	PRO	2.1
1	J	750	VAL	2.1
1	E	605	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.