



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:22 PM UTC

PDB ID : 6E7K / pdb_00006e7k
Title : Structure of the lipoprotein lipase GPIHBP1 complex that mediates plasma triglyceride hydrolysis
Authors : Birrane, G.; Meiyappan, M.
Deposited on : 2018-07-26
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	448	2% 71% 19% 6%
1	B	448	% 74% 15% 6%
2	C	131	2% 31% 24% 7% 37%
2	D	131	32% 21% 7% 38%
3	E	3	33% 67%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	4	 100%
5	G	3	 100%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 8045 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipoprotein lipase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	421	Total	C	N	O	S	0	0	0
			3310	2101	568	625	16			
1	B	422	Total	C	N	O	S	0	0	0
			3321	2107	572	626	16			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	324	ALA	ARG	engineered mutation	UNP P06858
B	324	ALA	ARG	engineered mutation	UNP P06858

- Molecule 2 is a protein called Glycosylphosphatidylinositol-anchored high density lipoprotein-binding protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	83	Total	C	N	O	S	0	0	0
			627	376	112	128	11			
2	D	81	Total	C	N	O	S	0	0	0
			615	370	110	124	11			


- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	3	Total	C	N	O	0	0	0
			39	22	2	15			


- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b

eta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	F	4	Total	C	N	O	0	0	0
			49	28	2	19			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	G	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Ca	0	0
			1	1		
6	B	1	Total	Ca	0	0
			1	1		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	5	Total	O	0	0
			5	5		
8	B	9	Total	O	0	0
			9	9		
8	C	1	Total	O	0	0
			1	1		
8	D	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Lipoprotein lipase




• Molecule 1: Lipoprotein lipase





• Molecule 2: Glycosylphosphatidylinositol-anchored high density lipoprotein-binding protein 1





- Molecule 2: Glycosylphosphatidylinositol-anchored high density lipoprotein-binding protein 1



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	101.95Å 153.21Å 95.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.41 – 2.80 48.41 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.41-2.80) 99.2 (48.41-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.01	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.195 , 0.235 0.207 , 0.243	Depositor DCC
R_{free} test set	1833 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	89.6	Xtriage
Anisotropy	0.148	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 59.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8045	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CA, FUC, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.82	1/3389 (0.0%)	1.00	6/4585 (0.1%)
1	B	0.82	0/3400	1.03	6/4599 (0.1%)
2	C	0.84	1/638 (0.2%)	1.07	0/871
2	D	0.73	0/626	1.08	3/855 (0.4%)
All	All	0.82	2/8053 (0.0%)	1.03	15/10910 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	7
2	C	0	1
2	D	1	3
All	All	1	16

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	447	ARG	NE-CZ	7.16	1.41	1.33
2	C	121	VAL	N-CA	5.75	1.53	1.46

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	117	ILE	CB-CA-C	6.44	121.85	110.71
1	A	34	PHE	CA-CB-CG	6.25	120.05	113.80
2	D	91	THR	CB-CA-C	6.01	119.40	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	337	PRO	N-CA-CB	-6.01	96.94	103.25
1	A	337	PRO	N-CA-CB	-6.00	96.95	103.25
1	B	36	ASP	CA-C-N	5.78	132.37	121.97
1	B	36	ASP	C-N-CA	5.78	132.37	121.97
1	B	35	ILE	CA-C-N	5.62	127.75	120.44
1	B	35	ILE	C-N-CA	5.62	127.75	120.44
1	A	36	ASP	CA-C-N	5.44	131.76	121.97
1	A	36	ASP	C-N-CA	5.44	131.76	121.97
2	D	90	THR	CA-CB-OG1	-5.38	101.53	109.60
1	A	35	ILE	CA-C-N	5.23	127.55	120.44
1	A	35	ILE	C-N-CA	5.23	127.55	120.44
1	B	235	ASN	CB-CA-C	5.21	123.63	116.34

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	D	117	ILE	CA

All (16) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	178	ARG	Sidechain
1	A	302	CYS	Peptide
1	A	33	ASP	Peptide
1	A	336	MET	Peptide
1	A	86	GLY	Peptide
1	B	116	ARG	Sidechain
1	B	236	GLY	Peptide
1	B	302	CYS	Peptide
1	B	32	ARG	Sidechain
1	B	321	ARG	Sidechain
1	B	33	ASP	Peptide
1	B	336	MET	Peptide
2	C	64	ARG	Sidechain
2	D	101	GLY	Peptide
2	D	64	ARG	Sidechain
2	D	76	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3310	0	3240	57	0
1	B	3321	0	3250	58	0
2	C	627	0	593	34	0
2	D	615	0	583	21	0
3	E	39	0	34	0	0
4	F	49	0	43	0	0
5	G	38	0	34	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
7	B	14	0	13	0	0
7	C	14	0	13	0	0
8	A	5	0	0	0	0
8	B	9	0	0	1	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
All	All	8045	0	7803	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:359:ASN:O	1:B:380:LEU:O	1.86	0.94
2:C:65:CYS:SG	2:C:89:CYS:HB3	2.13	0.88
1:B:447:ARG:HH11	1:B:447:ARG:HB3	1.38	0.87
1:A:350:SER:OG	1:A:427:ALA:O	1.96	0.82
2:C:91:THR:HG23	2:C:108:THR:HG22	1.62	0.81
1:A:467:ASP:HB2	2:C:109:TRP:HE1	1.46	0.81
1:A:447:ARG:HH12	2:C:96:GLY:H	1.28	0.80
1:A:447:ARG:HH21	2:C:105:THR:HG22	1.45	0.80
1:B:412:ASP:O	1:B:413:SER:HB2	1.84	0.78
1:B:45:THR:OG1	1:B:47:GLU:O	2.04	0.75
2:C:89:CYS:SG	2:C:131:CYS:O	2.45	0.74
2:D:91:THR:HG23	2:D:129:THR:OG1	1.91	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:GLU:H	1:A:353:GLU:CD	2.01	0.69
1:B:72:SER:O	1:B:73:SER:HB3	1.93	0.69
1:A:447:ARG:HH12	2:C:96:GLY:N	1.91	0.68
1:A:303:LEU:O	1:A:304:SER:HB3	1.95	0.67
2:C:89:CYS:SG	2:C:131:CYS:C	2.78	0.67
1:B:303:LEU:O	1:B:304:SER:HB3	1.97	0.65
1:B:336:MET:O	1:B:338:TYR:N	2.29	0.65
1:B:35:ILE:HG22	1:B:35:ILE:O	1.95	0.65
1:B:335:GLN:O	1:B:336:MET:O	2.16	0.63
1:A:336:MET:O	1:A:338:TYR:N	2.30	0.63
2:C:89:CYS:HB2	2:C:137:ASN:HB3	1.80	0.63
1:B:411:SER:HA	1:B:455:LYS:HE3	1.79	0.63
1:A:335:GLN:O	1:A:336:MET:O	2.17	0.63
1:A:178:ARG:NH1	1:A:207:ASP:OD1	2.31	0.62
1:A:35:ILE:O	1:A:35:ILE:HG22	2.00	0.61
1:A:48:ASP:OD2	1:A:53:THR:HG21	2.00	0.61
1:A:447:ARG:NH2	2:C:105:THR:HG22	2.14	0.61
2:D:67:THR:HG21	2:D:81:GLN:HG3	1.84	0.60
1:B:48:ASP:OD2	1:B:53:THR:HG21	2.02	0.60
1:A:361:ALA:HA	1:A:379:THR:HG22	1.84	0.59
2:C:67:THR:HG21	2:C:81:GLN:HG3	1.83	0.59
2:C:133:SER:O	2:C:136:CYS:SG	2.61	0.59
1:A:469:SER:C	1:A:470:LEU:HG	2.28	0.58
1:A:467:ASP:HB2	2:C:109:TRP:NE1	2.16	0.58
1:B:439:GLN:O	1:B:470:LEU:HD12	2.04	0.58
2:C:118:THR:HG22	2:C:127:THR:HG23	1.86	0.58
1:B:36:ASP:CG	1:B:37:ILE:N	2.62	0.58
1:B:326:SER:O	1:B:327:LYS:HB2	2.03	0.58
1:B:404:MET:HE2	2:D:121:VAL:HG12	1.86	0.57
1:A:206:VAL:H	1:A:229:HIS:HD2	1.52	0.57
2:C:112:ASP:O	2:C:113:SER:C	2.48	0.56
1:B:206:VAL:H	1:B:229:HIS:HD2	1.52	0.56
2:D:133:SER:O	2:D:136:CYS:SG	2.63	0.56
1:B:177:ASN:ND2	8:B:601:HOH:O	2.35	0.56
1:B:32:ARG:O	1:B:33:ASP:OD1	2.24	0.55
2:D:98:THR:HG23	2:D:101:GLY:N	2.20	0.55
1:A:247:GLU:O	1:A:248:ALA:C	2.50	0.54
1:B:247:GLU:O	1:B:248:ALA:C	2.51	0.54
1:B:447:ARG:HH12	2:D:103:LEU:HB3	1.73	0.54
1:B:454:GLN:HG2	1:B:457:LYS:HG3	1.89	0.54
1:A:219:ARG:CZ	1:B:424:PRO:HB3	2.37	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:THR:HG22	1:B:426:PHE:HE1	1.74	0.53
2:D:92:LEU:HD22	2:D:128:MET:HG3	1.90	0.53
1:A:405:LEU:HD23	1:A:405:LEU:C	2.35	0.52
2:D:94:ALA:HB3	2:D:105:THR:CG2	2.40	0.52
2:D:112:ASP:O	2:D:113:SER:C	2.52	0.52
1:B:405:LEU:C	1:B:405:LEU:HD23	2.34	0.52
2:D:92:LEU:HD22	2:D:128:MET:CG	2.40	0.52
1:B:153:VAL:HB	1:B:176:VAL:HG22	1.91	0.51
1:A:80:HIS:CE1	1:A:113:TRP:CD1	2.99	0.51
2:C:102:LEU:HD12	2:C:102:LEU:C	2.35	0.51
1:B:72:SER:O	1:B:73:SER:CB	2.58	0.51
1:A:384:SER:OG	1:A:389:TYR:OH	2.28	0.50
2:C:63:LEU:HD21	2:C:133:SER:C	2.36	0.50
1:A:367:TYR:CZ	2:C:122:GLU:HG3	2.47	0.50
1:A:158:TYR:CG	1:A:272:ILE:HD11	2.46	0.49
1:B:113:TRP:CE3	1:B:131:VAL:HG21	2.48	0.49
1:A:447:ARG:NH2	2:C:94:ALA:O	2.46	0.49
1:B:368:GLY:HA3	1:B:399:ILE:HG22	1.94	0.49
1:A:368:GLY:HA3	1:A:399:ILE:HG22	1.95	0.49
1:A:248:ALA:HB1	1:A:262:GLN:OE1	2.13	0.48
1:A:447:ARG:HH21	2:C:105:THR:CG2	2.23	0.48
1:B:80:HIS:CE1	1:B:113:TRP:CD1	3.02	0.48
2:C:78:ASN:O	2:C:78:ASN:OD1	2.32	0.48
1:B:158:TYR:CG	1:B:272:ILE:HD11	2.49	0.47
2:D:65:CYS:SG	2:D:83:CYS:SG	3.11	0.47
2:C:94:ALA:HB3	2:C:105:THR:CG2	2.43	0.47
2:C:98:THR:OG1	2:C:99:GLU:N	2.47	0.47
1:A:358:THR:O	1:A:359:ASN:C	2.57	0.47
1:A:36:ASP:CG	1:A:37:ILE:N	2.73	0.47
1:B:353:GLU:O	1:B:385:THR:HG21	2.15	0.47
1:A:113:TRP:CE3	1:A:131:VAL:HG21	2.49	0.46
1:A:259:ASP:O	1:A:262:GLN:NE2	2.48	0.46
1:B:35:ILE:O	1:B:35:ILE:CG2	2.61	0.46
1:B:36:ASP:OD2	1:B:37:ILE:N	2.48	0.46
1:B:92:VAL:N	1:B:93:PRO:HD2	2.31	0.46
2:D:67:THR:HG22	2:D:109:TRP:HA	1.96	0.46
1:A:163:HIS:O	1:A:167:ILE:HG13	2.15	0.46
1:B:320:VAL:HG23	1:B:321:ARG:N	2.31	0.46
2:C:65:CYS:SG	2:C:89:CYS:CB	2.97	0.45
1:A:353:GLU:O	1:A:385:THR:HG21	2.17	0.45
1:A:353:GLU:CD	1:A:353:GLU:N	2.72	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:GLU:HB2	1:B:53:THR:HG22	1.99	0.45
2:C:92:LEU:HD22	2:C:128:MET:CG	2.46	0.45
2:D:98:THR:OG1	2:D:99:GLU:N	2.49	0.45
1:B:36:ASP:CG	1:B:37:ILE:H	2.24	0.45
2:C:62:LEU:C	2:C:62:LEU:HD23	2.42	0.45
1:A:36:ASP:OD1	1:A:37:ILE:N	2.50	0.45
1:A:77:MET:HE1	1:A:139:ILE:HG12	1.98	0.44
1:B:91:TRP:CD2	1:B:272:ILE:HD13	2.52	0.44
1:A:92:VAL:HB	1:A:93:PRO:HD3	1.98	0.44
1:B:194:ALA:N	1:B:195:PRO:CD	2.81	0.44
2:D:92:LEU:C	2:D:92:LEU:CD1	2.90	0.44
1:A:91:TRP:CD2	1:A:272:ILE:HD13	2.53	0.44
1:A:320:VAL:HG23	1:A:321:ARG:N	2.32	0.44
1:B:307:LYS:O	1:B:307:LYS:CD	2.64	0.44
1:A:194:ALA:N	1:A:195:PRO:CD	2.80	0.44
2:C:67:THR:HG22	2:C:109:TRP:HA	1.99	0.44
1:A:411:SER:HA	1:A:455:LYS:HE3	1.99	0.44
1:A:335:GLN:C	1:A:336:MET:O	2.60	0.43
1:A:362:PHE:CE2	1:A:380:LEU:HD12	2.53	0.43
1:B:362:PHE:CE2	1:B:380:LEU:HD12	2.53	0.43
2:D:116:PRO:O	2:D:117:ILE:HD13	2.18	0.43
2:C:78:ASN:O	2:C:78:ASN:CG	2.60	0.43
1:B:206:VAL:N	1:B:229:HIS:HD2	2.16	0.43
2:C:64:ARG:O	2:C:134:SER:HA	2.19	0.43
1:B:239:PHE:CE2	1:B:243:CYS:O	2.72	0.43
1:B:335:GLN:C	1:B:336:MET:O	2.61	0.43
2:C:92:LEU:HD22	2:C:128:MET:HG3	2.01	0.43
1:A:313:LEU:C	1:A:313:LEU:HD23	2.44	0.43
2:C:84:SER:O	2:C:85:HIS:C	2.61	0.43
2:D:84:SER:O	2:D:85:HIS:C	2.62	0.42
1:A:378:PHE:CZ	1:A:391:PHE:CZ	3.07	0.42
1:B:406:LYS:HG2	1:B:461:VAL:HG22	2.01	0.42
1:B:453:LEU:O	1:B:454:GLN:CB	2.66	0.42
2:D:89:CYS:HB3	2:D:137:ASN:HB3	2.02	0.42
1:A:35:ILE:O	1:A:35:ILE:CG2	2.66	0.42
1:A:219:ARG:HH11	1:A:219:ARG:HG2	1.85	0.42
1:A:232:ILE:HG22	1:A:234:PRO:HD3	2.00	0.42
1:B:378:PHE:CZ	1:B:391:PHE:CZ	3.07	0.42
1:A:219:ARG:NH1	1:B:424:PRO:HB3	2.34	0.42
1:B:64:VAL:HG13	1:B:69:PHE:HB3	2.01	0.42
1:B:439:GLN:C	1:B:470:LEU:HD12	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:ILE:CG2	1:A:150:LEU:HD22	2.50	0.42
1:A:183:ASP:OD2	1:A:268:HIS:HD2	2.02	0.42
2:D:117:ILE:CG1	2:D:118:THR:H	2.33	0.42
1:B:247:GLU:H	1:B:247:GLU:CD	2.28	0.42
1:B:341:PHE:O	1:B:394:TYR:HA	2.19	0.42
1:A:341:PHE:O	1:A:394:TYR:HA	2.20	0.41
1:A:367:TYR:HB3	2:C:121:VAL:HG23	2.02	0.41
1:B:183:ASP:OD2	1:B:268:HIS:HD2	2.03	0.41
1:B:307:LYS:O	1:B:307:LYS:HD2	2.21	0.41
2:D:76:ARG:HG2	2:D:142:GLN:OE1	2.20	0.41
1:A:386:ASN:O	1:A:387:LYS:HD2	2.21	0.41
1:A:239:PHE:CE2	1:A:243:CYS:O	2.74	0.41
1:B:79:ILE:HD12	1:B:165:ALA:HB2	2.03	0.41
2:D:117:ILE:HG13	2:D:118:THR:H	1.86	0.41
1:A:260:VAL:HG13	1:A:261:ASP:OD1	2.21	0.41
2:C:92:LEU:CD1	2:C:92:LEU:C	2.94	0.41
1:B:158:TYR:CD1	1:B:272:ILE:HD11	2.56	0.40
2:C:106:HIS:CG	2:C:139:PRO:HG3	2.56	0.40
1:B:47:GLU:H	1:B:47:GLU:CD	2.28	0.40
2:D:63:LEU:HD21	2:D:133:SER:CA	2.51	0.40
1:B:336:MET:HB3	1:B:337:PRO:CD	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/448 (93%)	378 (91%)	30 (7%)	7 (2%)	7	25
1	B	416/448 (93%)	371 (89%)	33 (8%)	12 (3%)	3	13
2	C	81/131 (62%)	76 (94%)	3 (4%)	2 (2%)	4	16
2	D	79/131 (60%)	73 (92%)	4 (5%)	2 (2%)	4	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	991/1158 (86%)	898 (91%)	70 (7%)	23 (2%)	5	18

All (23) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	37	ILE
1	A	336	MET
1	A	337	PRO
1	A	423	SER
1	B	33	ASP
1	B	37	ILE
1	B	336	MET
1	B	337	PRO
1	B	423	SER
1	B	453	LEU
2	C	121	VAL
2	D	113	SER
1	B	73	SER
2	C	113	SER
2	D	121	VAL
1	A	359	ASN
1	B	454	GLN
1	A	327	LYS
1	B	327	LYS
1	B	360	GLN
1	A	304	SER
1	B	304	SER
1	B	35	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/388 (94%)	334 (92%)	31 (8%)	10	31
1	B	366/388 (94%)	343 (94%)	23 (6%)	16	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	C	78/122 (64%)	63 (81%)	15 (19%)	1	5
2	D	76/122 (62%)	62 (82%)	14 (18%)	1	6
All	All	885/1020 (87%)	802 (91%)	83 (9%)	8	27

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	THR
1	A	56	LEU
1	A	83	THR
1	A	143	GLU
1	A	152	ASN
1	A	178	ARG
1	A	238	THR
1	A	245	ILE
1	A	263	LEU
1	A	303	LEU
1	A	307	LYS
1	A	323	LYS
1	A	326	SER
1	A	334	SER
1	A	337	PRO
1	A	340	VAL
1	A	352	THR
1	A	353	GLU
1	A	358	THR
1	A	384	SER
1	A	385	THR
1	A	390	SER
1	A	412	ASP
1	A	413	SER
1	A	429	GLN
1	A	430	LYS
1	A	450	VAL
1	A	451	SER
1	A	454	GLN
1	A	467	ASP
1	A	470	LEU
1	B	32	ARG
1	B	35	ILE
1	B	47	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	53	THR
1	B	152	ASN
1	B	176	VAL
1	B	238	THR
1	B	245	ILE
1	B	303	LEU
1	B	310	CYS
1	B	323	LYS
1	B	326	SER
1	B	334	SER
1	B	337	PRO
1	B	350	SER
1	B	379	THR
1	B	385	THR
1	B	388	THR
1	B	412	ASP
1	B	413	SER
1	B	450	VAL
1	B	453	LEU
1	B	470	LEU
2	C	63	LEU
2	C	70	SER
2	C	78	ASN
2	C	79	LEU
2	C	90	THR
2	C	91	THR
2	C	92	LEU
2	C	98	THR
2	C	99	GLU
2	C	103	LEU
2	C	115	GLN
2	C	124	THR
2	C	125	GLN
2	C	134	SER
2	C	143	SER
2	D	63	LEU
2	D	70	SER
2	D	85	HIS
2	D	91	THR
2	D	92	LEU
2	D	98	THR
2	D	100	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	102	LEU
2	D	103	LEU
2	D	104	THR
2	D	117	ILE
2	D	124	THR
2	D	130	CYS
2	D	134	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	147	ASN
1	A	173	ASN
1	A	224	GLN
1	A	229	HIS
1	A	244	ASN
1	A	268	HIS
1	A	308	ASN
1	A	454	GLN
1	A	466	HIS
1	B	229	HIS
1	B	262	GLN
1	B	268	HIS
1	B	308	ASN
1	B	375	ASN
2	C	97	ASN
2	C	106	HIS
2	D	95	HIS
2	D	106	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	E	1	3,1	14,14,15	0.44	0	17,19,21	1.84	4 (23%)
3	NAG	E	2	3	14,14,15	0.58	0	17,19,21	1.60	2 (11%)
3	BMA	E	3	3	11,11,12	0.43	0	15,15,17	0.84	0
4	NAG	F	1	4,1	14,14,15	0.41	0	17,19,21	1.29	2 (11%)
4	NAG	F	2	4	14,14,15	0.55	0	17,19,21	1.76	1 (5%)
4	BMA	F	3	4	11,11,12	0.50	0	15,15,17	0.98	1 (6%)
4	FUC	F	4	4	10,10,11	0.31	0	14,14,16	1.17	2 (14%)
5	NAG	G	1	5,1	14,14,15	0.51	0	17,19,21	1.40	2 (11%)
5	NAG	G	2	5	14,14,15	0.48	0	17,19,21	1.66	2 (11%)
5	FUC	G	3	5	10,10,11	0.27	0	14,14,16	0.82	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	BMA	E	3	3	-	2/2/19/22	0/1/1/1
4	NAG	F	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	F	2	4	-	2/6/23/26	0/1/1/1
4	BMA	F	3	4	-	2/2/19/22	0/1/1/1
4	FUC	F	4	4	-	-	0/1/1/1
5	NAG	G	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	1/6/23/26	0/1/1/1
5	FUC	G	3	5	-	-	0/1/1/1

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	2	NAG	C1-O5-C5	6.74	121.22	112.19
5	G	2	NAG	C1-O5-C5	5.82	119.98	112.19
3	E	1	NAG	C3-C4-C5	4.37	118.16	110.23
3	E	2	NAG	C4-C3-C2	3.97	116.83	111.02
5	G	1	NAG	C1-C2-N2	-3.63	104.71	110.43
4	F	1	NAG	C1-C2-N2	-3.53	104.87	110.43
5	G	1	NAG	C4-C3-C2	3.48	116.12	111.02
3	E	1	NAG	C1-C2-N2	3.16	115.42	110.43
3	E	1	NAG	C1-O5-C5	3.08	116.31	112.19
3	E	1	NAG	O5-C1-C2	-2.98	106.68	111.29
3	E	2	NAG	C1-O5-C5	-2.47	108.88	112.19
5	G	2	NAG	O5-C5-C6	2.28	112.10	107.66
4	F	4	FUC	C2-C3-C4	-2.16	107.07	110.86
5	G	3	FUC	O5-C5-C6	2.07	111.89	107.40
4	F	3	BMA	O5-C1-C2	-2.06	105.87	110.79
4	F	4	FUC	O5-C1-C2	-2.05	105.89	110.79
4	F	1	NAG	O5-C1-C2	-2.01	108.18	111.29

There are no chirality outliers.



All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	E	2	NAG	O5-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6
4	F	2	NAG	O5-C5-C6-O6
4	F	3	BMA	C4-C5-C6-O6
4	F	3	BMA	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
3	E	3	BMA	C4-C5-C6-O6
4	F	2	NAG	C4-C5-C6-O6
3	E	3	BMA	O5-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
5	G	2	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	C	201	2	14,14,15	0.65	0	17,19,21	1.70	3 (17%)
7	NAG	B	504	1	14,14,15	0.65	0	17,19,21	2.28	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	C	201	2	-	2/6/23/26	0/1/1/1
7	NAG	B	504	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	504	NAG	C1-O5-C5	8.62	123.74	112.19
7	C	201	NAG	C1-O5-C5	5.29	119.28	112.19
7	C	201	NAG	C3-C4-C5	2.52	114.80	110.23
7	C	201	NAG	C1-C2-N2	2.02	113.61	110.43

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	504	NAG	O5-C5-C6-O6
7	B	504	NAG	C4-C5-C6-O6
7	C	201	NAG	C4-C5-C6-O6
7	C	201	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/448 (93%)	0.01	8 (1%) 66 57	69, 91, 132, 149	0
1	B	422/448 (94%)	-0.11	3 (0%) 84 77	59, 85, 125, 145	0
2	C	83/131 (63%)	0.05	2 (2%) 59 49	88, 110, 137, 161	0
2	D	81/131 (61%)	0.02	0 100 100	79, 107, 138, 151	0
All	All	1007/1158 (86%)	-0.04	13 (1%) 75 66	59, 91, 133, 161	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	422	SER	4.9
1	A	422	SER	4.5
1	A	470	LEU	3.3
1	A	245	ILE	3.3
1	A	246	GLY	3.0
2	C	62	LEU	2.9
2	C	144	SER	2.8
1	B	245	ILE	2.6
1	A	34	PHE	2.6
1	A	289	TYR	2.4
1	A	248	ALA	2.3
1	A	209	LEU	2.1
1	B	34	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BMA	F	3	11/12	0.35	0.11	158,167,169,169	0
3	BMA	E	3	11/12	0.45	0.11	141,152,157,159	0
3	NAG	E	2	14/15	0.65	0.12	139,150,155,156	0
3	NAG	E	1	14/15	0.66	0.11	105,118,131,142	0
5	NAG	G	2	14/15	0.73	0.10	119,130,135,138	0
4	NAG	F	2	14/15	0.85	0.08	120,126,136,148	0
5	FUC	G	3	10/11	0.85	0.09	112,113,116,116	0
5	NAG	G	1	14/15	0.86	0.10	97,112,121,121	0
4	FUC	F	4	10/11	0.88	0.09	106,113,116,119	0
4	NAG	F	1	14/15	0.89	0.07	93,102,109,113	0


The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	NAG	C	201	14/15	0.38	0.15	139,153,159,159	0
7	NAG	B	504	14/15	0.55	0.12	107,117,125,127	0
6	CA	A	501	1/1	0.99	0.03	98,98,98,98	0
6	CA	B	505	1/1	0.99	0.03	96,96,96,96	0

6.5 Other polymers [i](#)

There are no such residues in this entry.