



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:08 AM UTC

PDB ID : 8E71 / pdb_00008e71
Title : Staphylococcus aureus ClpP in complex with compound 3471
Authors : Lee, R.E.; Griffith, E.C.
Deposited on : 2022-08-23
Resolution : 1.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1094 (1.58-1.58)
Clashscore	190562	1105 (1.58-1.58)
Ramachandran outliers	187476	1082 (1.58-1.58)
Sidechain outliers	187428	1081 (1.58-1.58)
RSRZ outliers	180081	1094 (1.58-1.58)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	203	4% 87% • 9%
1	B	203	3% 85% • 10%
1	C	203	3% 85% • 10%
1	D	203	3% 86% • 11%
1	E	203	3% 86% • 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	203	
1	G	203	
1	I	203	
1	K	203	
1	L	203	
1	M	203	
1	N	203	
1	S	203	
1	T	203	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MPD	C	301	-	-	X	-
2	MPD	E	301	-	-	X	-
2	MPD	G	302	-	-	X	-
2	MPD	I	301	-	-	X	-
2	MPD	K	301	-	-	X	-
2	MPD	L	301	-	-	X	-
2	MPD	M	301	-	-	X	-
2	MPD	N	301	-	-	X	-
2	MPD	S	301	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 22593 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	185	Total	C	N	O	S	0	0	0
			1397	883	237	271	6			
1	B	182	Total	C	N	O	S	0	0	0
			1394	881	236	271	6			
1	C	182	Total	C	N	O	S	0	0	0
			1391	878	236	271	6			
1	D	181	Total	C	N	O	S	0	1	0
			1385	875	239	265	6			
1	E	182	Total	C	N	O	S	0	0	0
			1390	878	235	271	6			
1	F	185	Total	C	N	O	S	0	0	0
			1401	885	238	272	6			
1	G	182	Total	C	N	O	S	0	1	0
			1405	887	240	272	6			
1	I	182	Total	C	N	O	S	0	0	0
			1386	876	235	269	6			
1	K	182	Total	C	N	O	S	0	0	0
			1391	878	236	271	6			
1	L	181	Total	C	N	O	S	0	1	0
			1398	883	237	272	6			
1	M	182	Total	C	N	O	S	0	0	0
			1394	881	236	271	6			
1	N	185	Total	C	N	O	S	0	0	0
			1405	887	238	274	6			
1	S	186	Total	C	N	O	S	0	0	0
			1410	890	239	275	6			
1	T	182	Total	C	N	O	S	0	0	0
			1386	876	234	270	6			

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	196	LEU	-	expression tag	UNP Q2G036

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	197	GLU	-	expression tag	UNP Q2G036
A	198	HIS	-	expression tag	UNP Q2G036
A	199	HIS	-	expression tag	UNP Q2G036
A	200	HIS	-	expression tag	UNP Q2G036
A	201	HIS	-	expression tag	UNP Q2G036
A	202	HIS	-	expression tag	UNP Q2G036
A	203	HIS	-	expression tag	UNP Q2G036
B	196	LEU	-	expression tag	UNP Q2G036
B	197	GLU	-	expression tag	UNP Q2G036
B	198	HIS	-	expression tag	UNP Q2G036
B	199	HIS	-	expression tag	UNP Q2G036
B	200	HIS	-	expression tag	UNP Q2G036
B	201	HIS	-	expression tag	UNP Q2G036
B	202	HIS	-	expression tag	UNP Q2G036
B	203	HIS	-	expression tag	UNP Q2G036
C	196	LEU	-	expression tag	UNP Q2G036
C	197	GLU	-	expression tag	UNP Q2G036
C	198	HIS	-	expression tag	UNP Q2G036
C	199	HIS	-	expression tag	UNP Q2G036
C	200	HIS	-	expression tag	UNP Q2G036
C	201	HIS	-	expression tag	UNP Q2G036
C	202	HIS	-	expression tag	UNP Q2G036
C	203	HIS	-	expression tag	UNP Q2G036
D	196	LEU	-	expression tag	UNP Q2G036
D	197	GLU	-	expression tag	UNP Q2G036
D	198	HIS	-	expression tag	UNP Q2G036
D	199	HIS	-	expression tag	UNP Q2G036
D	200	HIS	-	expression tag	UNP Q2G036
D	201	HIS	-	expression tag	UNP Q2G036
D	202	HIS	-	expression tag	UNP Q2G036
D	203	HIS	-	expression tag	UNP Q2G036
E	196	LEU	-	expression tag	UNP Q2G036
E	197	GLU	-	expression tag	UNP Q2G036
E	198	HIS	-	expression tag	UNP Q2G036
E	199	HIS	-	expression tag	UNP Q2G036
E	200	HIS	-	expression tag	UNP Q2G036
E	201	HIS	-	expression tag	UNP Q2G036
E	202	HIS	-	expression tag	UNP Q2G036
E	203	HIS	-	expression tag	UNP Q2G036
F	196	LEU	-	expression tag	UNP Q2G036
F	197	GLU	-	expression tag	UNP Q2G036
F	198	HIS	-	expression tag	UNP Q2G036

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	199	HIS	-	expression tag	UNP Q2G036
F	200	HIS	-	expression tag	UNP Q2G036
F	201	HIS	-	expression tag	UNP Q2G036
F	202	HIS	-	expression tag	UNP Q2G036
F	203	HIS	-	expression tag	UNP Q2G036
G	196	LEU	-	expression tag	UNP Q2G036
G	197	GLU	-	expression tag	UNP Q2G036
G	198	HIS	-	expression tag	UNP Q2G036
G	199	HIS	-	expression tag	UNP Q2G036
G	200	HIS	-	expression tag	UNP Q2G036
G	201	HIS	-	expression tag	UNP Q2G036
G	202	HIS	-	expression tag	UNP Q2G036
G	203	HIS	-	expression tag	UNP Q2G036
I	196	LEU	-	expression tag	UNP Q2G036
I	197	GLU	-	expression tag	UNP Q2G036
I	198	HIS	-	expression tag	UNP Q2G036
I	199	HIS	-	expression tag	UNP Q2G036
I	200	HIS	-	expression tag	UNP Q2G036
I	201	HIS	-	expression tag	UNP Q2G036
I	202	HIS	-	expression tag	UNP Q2G036
I	203	HIS	-	expression tag	UNP Q2G036
K	196	LEU	-	expression tag	UNP Q2G036
K	197	GLU	-	expression tag	UNP Q2G036
K	198	HIS	-	expression tag	UNP Q2G036
K	199	HIS	-	expression tag	UNP Q2G036
K	200	HIS	-	expression tag	UNP Q2G036
K	201	HIS	-	expression tag	UNP Q2G036
K	202	HIS	-	expression tag	UNP Q2G036
K	203	HIS	-	expression tag	UNP Q2G036
L	196	LEU	-	expression tag	UNP Q2G036
L	197	GLU	-	expression tag	UNP Q2G036
L	198	HIS	-	expression tag	UNP Q2G036
L	199	HIS	-	expression tag	UNP Q2G036
L	200	HIS	-	expression tag	UNP Q2G036
L	201	HIS	-	expression tag	UNP Q2G036
L	202	HIS	-	expression tag	UNP Q2G036
L	203	HIS	-	expression tag	UNP Q2G036
M	196	LEU	-	expression tag	UNP Q2G036
M	197	GLU	-	expression tag	UNP Q2G036
M	198	HIS	-	expression tag	UNP Q2G036
M	199	HIS	-	expression tag	UNP Q2G036
M	200	HIS	-	expression tag	UNP Q2G036

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	201	HIS	-	expression tag	UNP Q2G036
M	202	HIS	-	expression tag	UNP Q2G036
M	203	HIS	-	expression tag	UNP Q2G036
N	196	LEU	-	expression tag	UNP Q2G036
N	197	GLU	-	expression tag	UNP Q2G036
N	198	HIS	-	expression tag	UNP Q2G036
N	199	HIS	-	expression tag	UNP Q2G036
N	200	HIS	-	expression tag	UNP Q2G036
N	201	HIS	-	expression tag	UNP Q2G036
N	202	HIS	-	expression tag	UNP Q2G036
N	203	HIS	-	expression tag	UNP Q2G036
S	196	LEU	-	expression tag	UNP Q2G036
S	197	GLU	-	expression tag	UNP Q2G036
S	198	HIS	-	expression tag	UNP Q2G036
S	199	HIS	-	expression tag	UNP Q2G036
S	200	HIS	-	expression tag	UNP Q2G036
S	201	HIS	-	expression tag	UNP Q2G036
S	202	HIS	-	expression tag	UNP Q2G036
S	203	HIS	-	expression tag	UNP Q2G036
T	196	LEU	-	expression tag	UNP Q2G036
T	197	GLU	-	expression tag	UNP Q2G036
T	198	HIS	-	expression tag	UNP Q2G036
T	199	HIS	-	expression tag	UNP Q2G036
T	200	HIS	-	expression tag	UNP Q2G036
T	201	HIS	-	expression tag	UNP Q2G036
T	202	HIS	-	expression tag	UNP Q2G036
T	203	HIS	-	expression tag	UNP Q2G036

- Molecule 2 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			8	6	2		
2	B	1	Total	C	O	0	0
			8	6	2		
2	C	1	Total	C	O	0	0
			8	6	2		
2	D	1	Total	C	O	0	0
			8	6	2		
2	E	1	Total	C	O	0	0
			8	6	2		
2	F	1	Total	C	O	0	0
			8	6	2		
2	G	1	Total	C	O	0	0
			8	6	2		
2	G	1	Total	C	O	0	0
			8	6	2		
2	I	1	Total	C	O	0	0
			8	6	2		
2	K	1	Total	C	O	0	0
			8	6	2		
2	L	1	Total	C	O	0	0
			8	6	2		
2	M	1	Total	C	O	0	0
			8	6	2		
2	N	1	Total	C	O	0	0
			8	6	2		
2	S	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	S	1	Total	C	O	0	0
			8	6	2		
2	T	1	Total	C	O	0	0
			8	6	2		

- Molecule 3 is (5S,6S,9aS)-N-[(4-fluorophenyl)methyl]-6-methyl-8-[(naphthalen-1-yl)methyl]-4,7-dioxohexahydro-2H-pyrazino[1,2-a]pyrimidine-1(6H)-carboxamide (CCD ID: USU) (formula: C₂₇H₂₇FN₄O₃) (labeled as "Ligand of Interest" by depositor).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	K	1	Total	C	F	N	O	0	0
			35	27	1	4	3		
3	L	1	Total	C	F	N	O	0	0
			35	27	1	4	3		
3	M	1	Total	C	F	N	O	0	0
			35	27	1	4	3		
3	N	1	Total	C	F	N	O	0	0
			35	27	1	4	3		
3	S	1	Total	C	F	N	O	0	0
			35	27	1	4	3		
3	T	1	Total	C	F	N	O	0	0
			35	27	1	4	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	193	Total	O	0	0
			193	193		
4	B	175	Total	O	0	0
			175	175		
4	C	144	Total	O	0	0
			144	144		
4	D	161	Total	O	0	0
			161	161		
4	E	170	Total	O	0	0
			170	170		
4	F	175	Total	O	0	0
			175	175		
4	G	191	Total	O	0	0
			191	191		
4	I	170	Total	O	0	0
			170	170		
4	K	172	Total	O	0	0
			172	172		
4	L	154	Total	O	0	0
			154	154		
4	M	160	Total	O	0	0
			160	160		
4	N	189	Total	O	0	0
			189	189		
4	S	186	Total	O	0	0
			186	186		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	T	202	Total 202	O 202	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit





- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit



● Molecule 1: ATP-dependent Clp protease proteolytic subunit



● Molecule 1: ATP-dependent Clp protease proteolytic subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.68Å 126.99Å 145.85Å 90.00° 93.97° 90.00°	Depositor
Resolution (Å)	31.54 – 1.57 31.54 – 1.57	Depositor EDS
% Data completeness (in resolution range)	99.2 (31.54-1.57) 99.5 (31.54-1.57)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.19 (at 1.57Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.155 , 0.171 0.168 , 0.180	Depositor DCC
R_{free} test set	23990 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	20.0	Xtriage
Anisotropy	0.027	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	22593	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, USU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	1/1415 (0.1%)	1.15	1/1914 (0.1%)
1	B	1.10	0/1412	1.15	0/1907
1	C	1.04	0/1409	1.11	0/1903
1	D	1.09	0/1403	1.18	0/1895
1	E	1.03	0/1408	1.11	0/1903
1	F	1.07	0/1419	1.14	0/1919
1	G	1.08	0/1423	1.13	0/1921
1	I	1.08	1/1404 (0.1%)	1.11	0/1898
1	K	1.04	0/1409	1.10	1/1903 (0.1%)
1	L	1.07	0/1416	1.14	2/1912 (0.1%)
1	M	1.02	0/1412	1.10	0/1907
1	N	1.09	0/1423	1.12	0/1924
1	S	1.07	0/1428	1.15	1/1931 (0.1%)
1	T	1.14	0/1404	1.19	3/1898 (0.2%)
All	All	1.07	2/19785 (0.0%)	1.13	8/26735 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	130	GLN	C-O	6.02	1.30	1.23
1	A	53	ALA	C-O	5.52	1.30	1.24

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	T	163	GLU	CB-CG-CD	7.81	125.87	112.60
1	L	57	GLU	CB-CG-CD	6.69	123.98	112.60
1	L	182	GLU	CB-CG-CD	6.24	123.20	112.60
1	T	42	ASN	OD1-CG-ND2	6.00	128.60	122.60
1	A	57	GLU	CB-CG-CD	5.49	121.94	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	S	163	GLU	CB-CG-CD	5.20	121.44	112.60
1	T	124	GLN	CB-CA-C	5.14	118.76	109.45
1	K	54	GLN	CB-CG-CD	-5.05	104.02	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1397	0	1393	6	0
1	B	1394	0	1408	8	0
1	C	1391	0	1399	10	0
1	D	1385	0	1397	5	0
1	E	1390	0	1397	9	0
1	F	1401	0	1399	8	0
1	G	1405	0	1420	8	0
1	I	1386	0	1393	20	0
1	K	1391	0	1399	8	0
1	L	1398	0	1413	10	0
1	M	1394	0	1408	9	0
1	N	1405	0	1403	8	0
1	S	1410	0	1405	11	0
1	T	1386	0	1391	12	0
2	A	8	0	14	4	0
2	B	8	0	14	5	0
2	C	8	0	14	7	0
2	D	8	0	14	4	0
2	E	8	0	14	6	0
2	F	8	0	14	5	0
2	G	16	0	28	6	0
2	I	8	0	14	6	0
2	K	8	0	14	7	0
2	L	8	0	14	6	0
2	M	8	0	14	7	0
2	N	8	0	14	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	S	16	0	28	9	0
2	T	8	0	14	5	0
3	A	35	0	0	0	0
3	B	35	0	0	0	0
3	C	35	0	0	0	0
3	D	35	0	0	0	0
3	E	35	0	0	0	0
3	F	35	0	0	0	0
3	G	35	0	0	0	0
3	I	35	0	0	0	0
3	K	35	0	0	0	0
3	L	35	0	0	0	0
3	M	35	0	0	0	0
3	N	35	0	0	0	0
3	S	35	0	0	0	0
3	T	35	0	0	0	0
4	A	193	0	0	1	0
4	B	175	0	0	0	0
4	C	144	0	0	1	0
4	D	161	0	0	0	0
4	E	170	0	0	1	0
4	F	175	0	0	3	0
4	G	191	0	0	1	0
4	I	170	0	0	6	0
4	K	172	0	0	3	0
4	L	154	0	0	0	0
4	M	160	0	0	3	0
4	N	189	0	0	2	0
4	S	186	0	0	0	0
4	T	202	0	0	1	0
All	All	22593	0	19849	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:S:23:ARG:HH21	2:S:302:MPD:HM3	1.28	0.97
1:T:91:ILE:HD11	1:T:115:LEU:HD11	1.48	0.95
1:T:91:ILE:HD11	1:T:115:LEU:CD1	2.09	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:98:SER:HA	2:M:301:MPD:H11	1.78	0.64
1:T:123:HIS:H	2:T:301:MPD:C1	2.10	0.64
4:I:465:HOH:O	1:T:95:MET:HE1	1.99	0.62
1:L:98:SER:HA	2:L:301:MPD:H11	1.81	0.61
1:E:98:SER:HA	2:E:301:MPD:H11	1.82	0.61
1:G:123:HIS:H	2:G:302:MPD:C1	2.14	0.61
1:E:123:HIS:H	2:E:301:MPD:C1	2.14	0.60
1:G:98:SER:HA	2:G:302:MPD:H11	1.82	0.60
1:C:123:HIS:H	2:C:301:MPD:C1	2.14	0.60
1:K:98:SER:HA	2:K:301:MPD:H11	1.84	0.60
1:T:123:HIS:O	2:T:301:MPD:H13	2.02	0.60
1:N:98:SER:HA	2:N:301:MPD:H11	1.84	0.59
1:I:123:HIS:H	2:I:301:MPD:C1	2.15	0.59
1:T:98:SER:HA	2:T:301:MPD:H11	1.83	0.59
1:T:123:HIS:H	2:T:301:MPD:H12	1.67	0.59
1:M:123:HIS:H	2:M:301:MPD:C1	2.16	0.58
1:D:98:SER:HA	2:D:301:MPD:H11	1.86	0.58
1:L:123:HIS:H	2:L:301:MPD:C1	2.16	0.58
1:T:93:ILE:HG12	1:T:115:LEU:HD13	1.85	0.58
1:F:123:HIS:H	2:F:301:MPD:C1	2.15	0.58
1:S:122:ILE:HA	2:S:301:MPD:H12	1.86	0.57
1:A:123:HIS:H	2:A:301:MPD:C1	2.18	0.57
1:I:98:SER:HA	2:I:301:MPD:H11	1.86	0.57
1:S:123:HIS:H	2:S:301:MPD:C1	2.17	0.57
1:C:152:ARG:NE	4:C:405:HOH:O	2.37	0.57
1:E:95:MET:HE1	4:F:463:HOH:O	2.06	0.56
1:N:123:HIS:H	2:N:301:MPD:C1	2.19	0.56
1:F:123:HIS:H	2:F:301:MPD:H13	1.71	0.56
1:I:95:MET:CG	4:K:508:HOH:O	2.54	0.55
1:F:98:SER:HA	2:F:301:MPD:H11	1.87	0.55
1:B:98:SER:HA	2:B:301:MPD:H11	1.88	0.55
1:D:122:ILE:HA	2:D:301:MPD:H12	1.88	0.54
1:S:123:HIS:H	2:S:301:MPD:H13	1.73	0.54
1:N:95:MET:HB2	4:N:507:HOH:O	2.07	0.54
1:A:122:ILE:HA	2:A:301:MPD:H12	1.89	0.53
1:G:123:HIS:H	2:G:302:MPD:H12	1.73	0.53
1:E:123:HIS:O	2:E:301:MPD:H13	2.09	0.53
1:K:123:HIS:H	2:K:301:MPD:C1	2.21	0.53
1:I:123:HIS:H	2:I:301:MPD:H13	1.74	0.53
1:C:98:SER:HA	2:C:301:MPD:H11	1.90	0.53
1:E:122:ILE:HA	2:E:301:MPD:H12	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:HIS:H	2:B:301:MPD:C1	2.22	0.52
1:S:98:SER:HA	2:S:301:MPD:H11	1.92	0.52
1:K:122:ILE:HA	2:K:301:MPD:H12	1.92	0.52
1:M:95:MET:HE1	4:N:494:HOH:O	2.09	0.52
1:A:109:LYS:HE3	4:A:428:HOH:O	2.10	0.52
1:A:123:HIS:H	2:A:301:MPD:H13	1.74	0.52
1:D:123:HIS:H	2:D:301:MPD:C1	2.23	0.52
1:G:167:LYS:HE3	4:G:571:HOH:O	2.09	0.52
1:I:109:LYS:N	1:I:109:LYS:HD3	2.25	0.52
1:A:98:SER:HA	2:A:301:MPD:H11	1.91	0.51
1:M:123:HIS:O	2:M:301:MPD:H13	2.10	0.51
1:G:123:HIS:O	2:G:302:MPD:H13	2.11	0.51
1:B:122:ILE:HA	2:B:301:MPD:H12	1.92	0.51
1:B:95:MET:HE2	1:B:97:ALA:HB2	1.93	0.50
1:C:123:HIS:O	2:C:301:MPD:H13	2.11	0.50
1:I:123:HIS:O	2:I:301:MPD:H13	2.11	0.50
1:I:122:ILE:HA	2:I:301:MPD:H12	1.93	0.50
1:F:15:GLU:N	4:F:405:HOH:O	2.44	0.50
1:S:23:ARG:NH2	2:S:302:MPD:HM3	2.12	0.50
1:G:122:ILE:HA	2:G:302:MPD:H12	1.94	0.50
1:C:95:MET:HE2	1:C:97:ALA:HB2	1.94	0.49
1:S:95:MET:HE1	4:T:464:HOH:O	2.12	0.49
1:E:123:HIS:H	2:E:301:MPD:H13	1.76	0.49
1:I:109:LYS:HD3	1:I:109:LYS:H	1.76	0.49
1:N:123:HIS:O	2:N:301:MPD:H13	2.11	0.49
1:I:95:MET:HE2	1:I:97:ALA:HB2	1.94	0.49
1:M:123:HIS:H	2:M:301:MPD:H12	1.77	0.49
1:C:123:HIS:H	2:C:301:MPD:H12	1.78	0.49
1:F:122:ILE:HA	2:F:301:MPD:H12	1.94	0.48
4:I:465:HOH:O	1:T:95:MET:CE	2.60	0.48
1:L:123:HIS:O	2:L:301:MPD:H13	2.14	0.48
1:N:122:ILE:HA	2:N:301:MPD:H12	1.95	0.48
1:A:115:LEU:HD23	1:A:190:MET:HB3	1.96	0.48
1:C:123:HIS:H	2:C:301:MPD:H13	1.79	0.48
1:E:123:HIS:H	2:E:301:MPD:H12	1.79	0.47
1:B:123:HIS:H	2:B:301:MPD:H13	1.79	0.47
1:D:123:HIS:H	2:D:301:MPD:H13	1.79	0.47
1:E:115:LEU:HD23	1:E:190:MET:HB3	1.96	0.47
1:I:95:MET:CE	4:I:491:HOH:O	2.63	0.47
1:L:123:HIS:H	2:L:301:MPD:H12	1.78	0.47
1:S:123:HIS:O	2:S:301:MPD:H13	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:115:LEU:HD23	1:G:190:MET:HB3	1.97	0.47
1:F:182:GLU:CD	4:F:408:HOH:O	2.57	0.47
1:S:115:LEU:HD23	1:S:190:MET:HB3	1.96	0.47
2:S:302:MPD:O4	2:S:302:MPD:HM1	2.15	0.46
2:C:301:MPD:H13	2:C:301:MPD:O4	2.15	0.46
1:I:115:LEU:HD23	1:I:190:MET:HB3	1.98	0.46
1:K:115:LEU:HD23	1:K:190:MET:HB3	1.96	0.46
1:M:122:ILE:HA	2:M:301:MPD:H12	1.97	0.46
1:F:123:HIS:O	2:F:301:MPD:H13	2.15	0.46
1:I:95:MET:HE3	4:I:491:HOH:O	2.16	0.45
1:D:115:LEU:HD23	1:D:190:MET:HB3	1.98	0.45
1:F:115:LEU:HD23	1:F:190:MET:HB3	1.98	0.45
1:M:115:LEU:HD23	1:M:190:MET:HB3	1.97	0.45
1:M:123:HIS:H	2:M:301:MPD:H13	1.81	0.45
1:N:115:LEU:HD23	1:N:190:MET:HB3	1.97	0.45
1:G:123:HIS:H	2:G:302:MPD:H13	1.81	0.45
1:N:123:HIS:H	2:N:301:MPD:H13	1.81	0.45
1:B:109:LYS:HE3	1:B:112:ARG:CZ	2.47	0.44
1:C:115:LEU:HD23	1:C:190:MET:HB3	1.98	0.44
1:T:123:HIS:H	2:T:301:MPD:H13	1.82	0.44
1:E:173:ASN:OD1	4:E:401:HOH:O	2.20	0.44
1:I:109:LYS:CE	4:I:509:HOH:O	2.65	0.44
1:I:109:LYS:H	1:I:109:LYS:CD	2.31	0.44
1:L:95:MET:HE1	4:M:429:HOH:O	2.17	0.44
1:I:85:LYS:HE3	1:I:85:LYS:HB3	1.76	0.44
1:L:115:LEU:HD23	1:L:190:MET:HB3	2.00	0.44
1:B:123:HIS:O	2:B:301:MPD:H13	2.17	0.43
1:L:122:ILE:HA	2:L:301:MPD:H12	2.00	0.43
1:L:123:HIS:H	2:L:301:MPD:H13	1.82	0.43
1:B:115:LEU:HD23	1:B:190:MET:HB3	2.00	0.43
1:N:123:HIS:H	2:N:301:MPD:H12	1.84	0.43
1:I:123:HIS:H	2:I:301:MPD:H12	1.83	0.42
1:K:123:HIS:H	2:K:301:MPD:H13	1.84	0.42
1:K:123:HIS:H	2:K:301:MPD:H12	1.83	0.42
1:K:123:HIS:O	2:K:301:MPD:H13	2.19	0.42
1:I:95:MET:HB2	4:I:491:HOH:O	2.18	0.42
2:K:301:MPD:H13	2:K:301:MPD:O4	2.20	0.42
1:I:95:MET:HG2	4:K:508:HOH:O	2.18	0.42
1:I:95:MET:SD	4:K:508:HOH:O	2.62	0.42
2:M:301:MPD:H13	2:M:301:MPD:O4	2.20	0.41
1:L:95:MET:CE	4:M:429:HOH:O	2.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:T:91:ILE:CD1	1:T:115:LEU:HD11	2.34	0.41
1:M:173:ASN:OD1	4:M:401:HOH:O	2.21	0.41
1:S:123:HIS:H	2:S:301:MPD:H12	1.86	0.41
1:C:91:ILE:O	1:C:91:ILE:HG23	2.21	0.41
1:I:75:PHE:CE2	1:I:149:LYS:HE3	2.56	0.41
1:L:75:PHE:CE2	1:L:149:LYS:HE3	2.56	0.40
1:T:75:PHE:CE2	1:T:149:LYS:HE3	2.56	0.40
1:K:91:ILE:O	1:K:91:ILE:HG23	2.21	0.40
1:S:91:ILE:O	1:S:91:ILE:HG23	2.21	0.40
1:C:122:ILE:HA	2:C:301:MPD:H12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	181/203 (89%)	179 (99%)	2 (1%)	0	100	100
1	B	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
1	C	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
1	D	178/203 (88%)	176 (99%)	2 (1%)	0	100	100
1	E	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
1	F	181/203 (89%)	178 (98%)	3 (2%)	0	100	100
1	G	179/203 (88%)	176 (98%)	3 (2%)	0	100	100
1	I	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
1	K	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
1	L	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
1	M	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
1	N	181/203 (89%)	178 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	S	182/203 (90%)	179 (98%)	3 (2%)	0	100	100
1	T	178/203 (88%)	175 (98%)	3 (2%)	0	100	100
All	All	2506/2842 (88%)	2466 (98%)	40 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	146/171 (85%)	145 (99%)	1 (1%)	76	61
1	B	149/171 (87%)	147 (99%)	2 (1%)	61	37
1	C	148/171 (86%)	146 (99%)	2 (1%)	59	34
1	D	146/171 (85%)	144 (99%)	2 (1%)	59	34
1	E	148/171 (86%)	146 (99%)	2 (1%)	59	34
1	F	147/171 (86%)	146 (99%)	1 (1%)	76	61
1	G	150/171 (88%)	148 (99%)	2 (1%)	61	37
1	I	147/171 (86%)	144 (98%)	3 (2%)	48	20
1	K	148/171 (86%)	146 (99%)	2 (1%)	59	34
1	L	150/171 (88%)	148 (99%)	2 (1%)	61	37
1	M	149/171 (87%)	147 (99%)	2 (1%)	61	37
1	N	148/171 (86%)	147 (99%)	1 (1%)	76	61
1	S	148/171 (86%)	146 (99%)	2 (1%)	59	34
1	T	147/171 (86%)	145 (99%)	2 (1%)	59	34
All	All	2071/2394 (86%)	2045 (99%)	26 (1%)	61	37

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	27	ASP
1	B	95	MET
1	C	27	ASP
1	C	95	MET
1	D	27	ASP
1	D	95	MET
1	E	27	ASP
1	E	95	MET
1	F	27	ASP
1	G	27	ASP
1	G	95	MET
1	I	27	ASP
1	I	95	MET
1	I	109	LYS
1	K	27	ASP
1	K	95	MET
1	L	27	ASP
1	L	95	MET
1	M	27	ASP
1	M	95	MET
1	N	27	ASP
1	S	27	ASP
1	S	95	MET
1	T	27	ASP
1	T	95	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	ASN
1	B	42	ASN
1	C	117	ASN
1	E	151	ASN
1	G	54	GLN
1	G	151	ASN
1	K	151	ASN
1	L	117	ASN
1	M	65	ASN
1	M	117	ASN
1	N	42	ASN
1	N	151	ASN
1	S	151	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	USU	G	303	-	38,39,39	2.09	7 (18%)	47,56,56	1.68	13 (27%)
3	USU	M	302	-	38,39,39	2.50	10 (26%)	47,56,56	2.23	18 (38%)
2	MPD	E	301	-	7,7,7	0.41	0	9,10,10	0.90	0
2	MPD	G	302	-	7,7,7	0.60	0	9,10,10	0.90	0
3	USU	S	303	-	38,39,39	2.36	12 (31%)	47,56,56	1.68	11 (23%)
2	MPD	K	301	-	7,7,7	0.37	0	9,10,10	0.72	0
2	MPD	S	301	-	7,7,7	0.53	0	9,10,10	1.01	0
3	USU	F	302	-	38,39,39	1.94	11 (28%)	47,56,56	1.97	14 (29%)
2	MPD	L	301	-	7,7,7	0.28	0	9,10,10	0.80	0
3	USU	T	302	-	38,39,39	1.97	8 (21%)	47,56,56	2.04	14 (29%)
3	USU	K	302	-	38,39,39	1.89	9 (23%)	47,56,56	1.85	12 (25%)
3	USU	E	302	-	38,39,39	2.35	8 (21%)	47,56,56	1.85	11 (23%)
2	MPD	T	301	-	7,7,7	0.48	0	9,10,10	1.05	1 (11%)
2	MPD	S	302	-	7,7,7	0.33	0	9,10,10	0.78	0
3	USU	C	302	-	38,39,39	1.92	9 (23%)	47,56,56	1.75	12 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	USU	I	302	-	38,39,39	2.10	9 (23%)	47,56,56	1.54	8 (17%)
2	MPD	M	301	-	7,7,7	0.41	0	9,10,10	0.58	0
2	MPD	C	301	-	7,7,7	0.45	0	9,10,10	0.35	0
2	MPD	G	301	-	7,7,7	0.27	0	9,10,10	0.50	0
2	MPD	D	301	-	7,7,7	0.52	0	9,10,10	0.55	0
2	MPD	N	301	-	7,7,7	0.53	0	9,10,10	0.80	0
3	USU	L	302	-	38,39,39	1.93	8 (21%)	47,56,56	1.84	9 (19%)
2	MPD	B	301	-	7,7,7	0.58	0	9,10,10	1.17	1 (11%)
2	MPD	I	301	-	7,7,7	0.59	0	9,10,10	1.08	1 (11%)
3	USU	A	302	-	38,39,39	2.26	11 (28%)	47,56,56	1.78	13 (27%)
3	USU	B	302	-	38,39,39	2.21	11 (28%)	47,56,56	2.02	14 (29%)
2	MPD	F	301	-	7,7,7	0.84	1 (14%)	9,10,10	1.05	1 (11%)
2	MPD	A	301	-	7,7,7	0.43	0	9,10,10	1.05	0
3	USU	D	302	-	38,39,39	2.52	11 (28%)	47,56,56	1.77	7 (14%)
3	USU	N	302	-	38,39,39	2.04	7 (18%)	47,56,56	1.65	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	USU	G	303	-	-	0/13/46/46	0/5/5/5
3	USU	M	302	-	-	0/13/46/46	0/5/5/5
2	MPD	E	301	-	-	0/5/5/5	-
2	MPD	G	302	-	-	0/5/5/5	-
3	USU	S	303	-	-	0/13/46/46	0/5/5/5
2	MPD	K	301	-	-	0/5/5/5	-
2	MPD	S	301	-	-	0/5/5/5	-
3	USU	F	302	-	-	0/13/46/46	0/5/5/5
2	MPD	L	301	-	-	0/5/5/5	-
3	USU	T	302	-	-	0/13/46/46	0/5/5/5
3	USU	K	302	-	-	0/13/46/46	0/5/5/5
3	USU	E	302	-	-	0/13/46/46	0/5/5/5
2	MPD	T	301	-	-	0/5/5/5	-
2	MPD	S	302	-	-	0/5/5/5	-
3	USU	C	302	-	-	0/13/46/46	0/5/5/5
3	USU	I	302	-	-	0/13/46/46	0/5/5/5
2	MPD	M	301	-	-	0/5/5/5	-
2	MPD	C	301	-	-	0/5/5/5	-
2	MPD	G	301	-	-	0/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MPD	D	301	-	-	0/5/5/5	-
2	MPD	N	301	-	-	0/5/5/5	-
3	USU	L	302	-	-	0/13/46/46	0/5/5/5
2	MPD	B	301	-	-	0/5/5/5	-
2	MPD	I	301	-	-	0/5/5/5	-
3	USU	A	302	-	-	0/13/46/46	0/5/5/5
3	USU	B	302	-	-	0/13/46/46	0/5/5/5
2	MPD	F	301	-	-	0/5/5/5	-
2	MPD	A	301	-	-	0/5/5/5	-
3	USU	D	302	-	-	0/13/46/46	0/5/5/5
3	USU	N	302	-	-	0/13/46/46	0/5/5/5

All (132) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	M	302	USU	C23-N03	10.20	1.44	1.35
3	D	302	USU	C23-N03	9.44	1.43	1.35
3	E	302	USU	C23-N03	9.25	1.43	1.35
3	S	303	USU	C23-N03	8.44	1.42	1.35
3	A	302	USU	C23-N03	7.87	1.42	1.35
3	N	302	USU	C23-N03	7.82	1.42	1.35
3	G	303	USU	C23-N03	7.21	1.41	1.35
3	T	302	USU	C23-N03	6.86	1.41	1.35
3	S	303	USU	C02-N03	-6.57	1.39	1.49
3	B	302	USU	C02-C18	6.55	1.61	1.51
3	G	303	USU	C02-N03	-6.40	1.39	1.49
3	C	302	USU	C23-N03	6.00	1.40	1.35
3	K	302	USU	C23-N03	5.94	1.40	1.35
3	L	302	USU	C23-N03	5.78	1.40	1.35
3	D	302	USU	C02-N03	-5.77	1.40	1.49
3	A	302	USU	C04-N03	-5.72	1.40	1.47
3	E	302	USU	C04-N20	-5.59	1.40	1.46
3	B	302	USU	C23-N03	5.53	1.40	1.35
3	M	302	USU	C02-N03	-5.44	1.40	1.49
3	I	302	USU	C04-N20	-5.38	1.40	1.46
3	I	302	USU	C02-N03	-5.33	1.41	1.49
3	F	302	USU	C02-N03	-5.06	1.41	1.49
3	L	302	USU	C02-N03	-5.03	1.41	1.49
3	T	302	USU	C02-N03	-4.98	1.41	1.49
3	M	302	USU	C04-N20	-4.89	1.41	1.46
3	C	302	USU	C02-C18	4.84	1.58	1.51
3	D	302	USU	C02-C18	4.83	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	302	USU	C02-N03	-4.77	1.41	1.49
3	I	302	USU	C02-C18	4.75	1.58	1.51
3	B	302	USU	C04-N20	-4.72	1.41	1.46
3	F	302	USU	C23-N03	4.69	1.39	1.35
3	N	302	USU	C02-N03	-4.57	1.42	1.49
3	I	302	USU	C23-N03	4.49	1.39	1.35
3	T	302	USU	C02-C18	4.27	1.57	1.51
3	A	302	USU	C02-C18	4.18	1.57	1.51
3	B	302	USU	C02-N03	-4.06	1.43	1.49
3	K	302	USU	C02-N03	-4.03	1.43	1.49
3	F	302	USU	C02-C18	3.97	1.57	1.51
3	C	302	USU	C02-N03	-3.95	1.43	1.49
3	A	302	USU	C02-N03	-3.84	1.43	1.49
3	N	302	USU	C09-C14	-3.82	1.35	1.43
3	K	302	USU	C04-N20	-3.77	1.42	1.46
3	S	303	USU	C04-N20	-3.70	1.42	1.46
3	D	302	USU	C18-N06	3.64	1.43	1.35
3	L	302	USU	C02-C18	3.44	1.56	1.51
3	N	302	USU	C04-N20	-3.41	1.43	1.46
3	M	302	USU	C18-N06	3.40	1.42	1.35
3	L	302	USU	C04-N20	-3.34	1.43	1.46
3	B	302	USU	C12-C13	3.33	1.43	1.36
3	K	302	USU	C02-C18	3.32	1.56	1.51
3	F	302	USU	C04-N20	-3.31	1.43	1.46
3	E	302	USU	C02-C18	3.29	1.56	1.51
3	B	302	USU	C09-C14	-3.28	1.36	1.43
3	D	302	USU	C16-C17	3.27	1.44	1.38
3	D	302	USU	C04-N20	-3.25	1.43	1.46
3	S	303	USU	C16-C15	3.24	1.43	1.36
3	L	302	USU	C16-C17	3.22	1.44	1.38
3	L	302	USU	C18-N06	3.15	1.42	1.35
3	G	303	USU	C07-N06	-3.11	1.42	1.46
3	I	302	USU	C17-C08	3.11	1.43	1.37
3	M	302	USU	C35-C34	-3.07	1.33	1.38
3	C	302	USU	C18-N06	3.04	1.41	1.35
3	I	302	USU	C18-N06	2.99	1.41	1.35
3	E	302	USU	C18-N06	2.98	1.41	1.35
3	S	303	USU	C31-C32	2.98	1.43	1.37
3	N	302	USU	C16-C17	2.98	1.44	1.38
3	S	303	USU	C02-C18	2.97	1.56	1.51
3	F	302	USU	C25-N20	2.97	1.45	1.37
3	E	302	USU	C34-C32	2.87	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	USU	C28-C29	-2.82	1.45	1.51
3	C	302	USU	C04-N20	-2.80	1.43	1.46
3	K	302	USU	C12-C13	2.79	1.42	1.36
3	C	302	USU	C07-N06	-2.78	1.42	1.46
3	D	302	USU	O19-C18	2.77	1.27	1.22
3	M	302	USU	C02-C18	2.75	1.55	1.51
3	K	302	USU	C04-N03	2.75	1.50	1.47
3	G	303	USU	C02-C18	2.72	1.55	1.51
3	C	302	USU	C17-C08	2.69	1.42	1.37
3	A	302	USU	C16-C15	2.68	1.42	1.36
3	F	302	USU	C09-C14	-2.68	1.38	1.43
3	N	302	USU	C02-C18	2.61	1.55	1.51
3	D	302	USU	C04-N03	2.60	1.50	1.47
3	S	303	USU	O19-C18	2.58	1.27	1.22
3	F	302	USU	C28-C29	-2.58	1.45	1.51
3	B	302	USU	C08-C09	2.56	1.48	1.42
3	I	302	USU	O19-C18	2.55	1.26	1.22
3	F	302	USU	C16-C15	2.54	1.42	1.36
3	L	302	USU	C13-C14	-2.54	1.36	1.42
3	I	302	USU	C25-N20	2.53	1.44	1.37
3	B	302	USU	C18-N06	2.53	1.40	1.35
3	I	302	USU	C04-N03	2.49	1.50	1.47
3	F	302	USU	C01-C02	-2.48	1.45	1.52
3	T	302	USU	C16-C17	2.46	1.43	1.38
3	S	303	USU	C35-C34	-2.45	1.34	1.38
3	D	302	USU	C11-C10	2.43	1.41	1.36
3	D	302	USU	C12-C13	2.40	1.41	1.36
3	T	302	USU	C31-C30	-2.38	1.35	1.38
3	S	303	USU	C28-C29	-2.37	1.46	1.51
3	M	302	USU	C16-C15	2.34	1.41	1.36
3	K	302	USU	C16-C15	2.33	1.41	1.36
3	G	303	USU	O19-C18	2.31	1.26	1.22
3	M	302	USU	F33-C32	-2.31	1.30	1.36
3	D	302	USU	C10-C09	2.30	1.46	1.42
3	S	303	USU	C25-N20	2.30	1.43	1.37
3	A	302	USU	C35-C34	-2.28	1.35	1.38
3	G	303	USU	C25-N20	2.25	1.43	1.37
3	N	302	USU	C04-N03	2.25	1.50	1.47
3	A	302	USU	C04-N20	-2.24	1.44	1.46
3	G	303	USU	C35-C34	-2.23	1.35	1.38
3	T	302	USU	C35-C34	-2.23	1.35	1.38
3	S	303	USU	C16-C17	2.22	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	USU	C09-C14	-2.18	1.38	1.43
3	B	302	USU	C25-N20	2.17	1.43	1.37
3	F	302	USU	C18-N06	2.17	1.39	1.35
3	K	302	USU	C18-N06	2.17	1.39	1.35
3	B	302	USU	C07-C08	-2.14	1.46	1.52
2	F	301	MPD	O2-C2	2.13	1.49	1.44
3	E	302	USU	C09-C14	-2.11	1.39	1.43
3	F	302	USU	F33-C32	-2.11	1.31	1.36
3	K	302	USU	C15-C14	2.09	1.46	1.42
3	B	302	USU	C16-C15	2.09	1.41	1.36
3	A	302	USU	O19-C18	2.09	1.26	1.22
3	T	302	USU	C28-C29	-2.08	1.46	1.51
3	M	302	USU	C11-C10	2.08	1.41	1.36
3	A	302	USU	F33-C32	-2.08	1.31	1.36
3	M	302	USU	C05-N06	2.06	1.49	1.46
3	C	302	USU	C15-C14	2.06	1.46	1.42
3	T	302	USU	C09-C14	-2.06	1.39	1.43
3	E	302	USU	C16-C17	2.06	1.42	1.38
3	L	302	USU	C12-C11	2.02	1.42	1.38
3	S	303	USU	C05-N06	2.01	1.49	1.46
3	C	302	USU	C12-C13	2.01	1.41	1.36

All (168) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	302	USU	O24-C23-N03	-6.67	113.62	122.36
3	I	302	USU	C01-C02-C18	-5.99	103.20	109.99
3	T	302	USU	C01-C02-C18	-5.73	103.50	109.99
3	E	302	USU	O24-C23-N03	-5.67	114.93	122.36
3	F	302	USU	O24-C23-N03	-5.67	114.93	122.36
3	K	302	USU	C01-C02-C18	-5.67	103.56	109.99
3	M	302	USU	O24-C23-N03	-5.47	115.19	122.36
3	L	302	USU	O24-C23-N03	-5.33	115.38	122.36
3	B	302	USU	O24-C23-N03	-5.25	115.48	122.36
3	K	302	USU	O24-C23-N03	-5.10	115.67	122.36
3	T	302	USU	O24-C23-N03	-4.94	115.89	122.36
3	N	302	USU	O19-C18-N06	-4.71	117.04	122.53
3	C	302	USU	C01-C02-C18	-4.59	104.78	109.99
3	T	302	USU	O19-C18-N06	-4.58	117.19	122.53
3	L	302	USU	C01-C02-C18	-4.40	105.00	109.99
3	C	302	USU	C07-N06-C18	-4.40	115.65	119.80
3	F	302	USU	C01-C02-C18	-4.33	105.08	109.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	USU	C15-C14-C09	4.33	124.71	119.12
3	M	302	USU	C30-C31-C32	4.33	122.82	118.38
3	T	302	USU	C15-C14-C09	4.31	124.69	119.12
3	B	302	USU	C01-C02-C18	-4.25	105.17	109.99
3	M	302	USU	O19-C18-N06	-4.17	117.67	122.53
3	S	303	USU	F33-C32-C34	4.16	125.22	118.55
3	E	302	USU	C01-C02-C18	-4.15	105.28	109.99
3	B	302	USU	C15-C14-C09	4.08	124.39	119.12
3	G	303	USU	O24-C23-N03	-4.06	117.04	122.36
3	F	302	USU	C35-C34-C32	4.02	122.51	118.38
3	E	302	USU	C22-C21-N20	-3.90	99.72	111.52
3	L	302	USU	C01-C02-N03	3.87	118.89	112.58
3	B	302	USU	C16-C15-C14	-3.86	115.12	120.48
3	A	302	USU	C35-C34-C32	3.84	122.32	118.38
3	M	302	USU	C11-C10-C09	-3.77	115.82	120.91
3	M	302	USU	C16-C15-C14	-3.63	115.44	120.48
3	B	302	USU	C15-C14-C13	-3.58	114.85	123.01
3	M	302	USU	C15-C14-C13	-3.57	114.87	123.01
3	B	302	USU	O19-C18-N06	-3.50	118.45	122.53
3	D	302	USU	C17-C08-C09	3.49	124.25	119.06
3	M	302	USU	C12-C13-C14	-3.48	115.64	120.48
3	M	302	USU	C22-C21-N20	-3.46	101.04	111.52
3	A	302	USU	C16-C15-C14	-3.46	115.68	120.48
3	N	302	USU	O24-C23-N03	-3.46	117.83	122.36
3	T	302	USU	C35-C34-C32	3.45	121.92	118.38
3	S	303	USU	F33-C32-C31	-3.44	113.03	118.55
3	K	302	USU	O19-C18-N06	-3.41	118.56	122.53
3	C	302	USU	C07-N06-C05	3.41	121.16	115.82
3	B	302	USU	C12-C13-C14	-3.41	115.75	120.48
3	D	302	USU	C22-C21-N20	-3.38	101.28	111.52
3	M	302	USU	C15-C14-C09	3.38	123.48	119.12
3	T	302	USU	C34-C32-C31	-3.32	118.44	122.80
3	M	302	USU	C31-C30-C29	-3.31	116.65	121.00
3	A	302	USU	C15-C14-C13	-3.27	115.56	123.01
3	F	302	USU	C15-C14-C13	-3.27	115.56	123.01
3	F	302	USU	C15-C14-C09	3.26	123.33	119.12
3	C	302	USU	O24-C23-N03	-3.25	118.11	122.36
3	N	302	USU	C07-N06-C18	-3.21	116.77	119.80
3	N	302	USU	C07-N06-C05	3.21	120.85	115.82
3	S	303	USU	C15-C14-C13	-3.20	115.71	123.01
3	F	302	USU	C22-C21-N20	-3.20	101.85	111.52
3	A	302	USU	C22-C21-N20	-3.18	101.90	111.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	USU	C10-C09-C14	3.17	122.02	117.92
3	F	302	USU	F33-C32-C34	3.15	123.59	118.55
3	E	302	USU	C07-N06-C18	-3.12	116.85	119.80
3	S	303	USU	O24-C23-N03	-3.11	118.28	122.36
3	E	302	USU	O19-C18-N06	-3.10	118.92	122.53
3	S	303	USU	O19-C18-N06	-3.10	118.92	122.53
3	S	303	USU	C16-C15-C14	-3.08	116.21	120.48
3	T	302	USU	F33-C32-C34	3.06	123.45	118.55
3	G	303	USU	C16-C15-C14	-3.05	116.25	120.48
3	G	303	USU	C22-C21-N20	-3.04	102.33	111.52
3	S	303	USU	C15-C14-C09	3.03	123.03	119.12
3	M	302	USU	O24-C23-C22	3.02	128.10	121.35
3	L	302	USU	C07-N06-C18	-3.02	116.95	119.80
3	G	303	USU	C34-C32-C31	-3.01	118.85	122.80
3	C	302	USU	C22-C21-N20	-3.00	102.43	111.52
3	D	302	USU	C01-C02-C18	-2.97	106.63	109.99
3	M	302	USU	C10-C09-C14	2.96	121.75	117.92
3	L	302	USU	C22-C21-N20	-2.95	102.58	111.52
3	A	302	USU	C10-C09-C14	2.94	121.72	117.92
3	N	302	USU	C22-C21-N20	-2.92	102.69	111.52
3	K	302	USU	C22-C21-N20	-2.92	102.70	111.52
3	E	302	USU	O24-C23-C22	2.90	127.82	121.35
3	C	302	USU	C15-C14-C13	-2.89	116.41	123.01
3	G	303	USU	C01-C02-C18	-2.84	106.77	109.99
3	E	302	USU	C12-C13-C14	-2.82	116.56	120.48
3	F	302	USU	C01-C02-N03	2.81	117.15	112.58
3	K	302	USU	C34-C35-C29	-2.78	117.35	121.00
3	A	302	USU	C11-C10-C09	-2.76	117.18	120.91
3	B	302	USU	C07-N06-C18	-2.74	117.22	119.80
2	B	301	MPD	CM-C2-C1	-2.73	104.52	110.63
3	G	303	USU	C15-C14-C13	-2.72	116.81	123.01
3	M	302	USU	C07-N06-C18	-2.71	117.24	119.80
3	G	303	USU	O19-C18-N06	-2.71	119.37	122.53
3	K	302	USU	C07-N06-C18	-2.69	117.26	119.80
3	F	302	USU	O24-C23-C22	2.68	127.33	121.35
3	A	302	USU	O24-C23-N03	-2.66	118.87	122.36
3	B	302	USU	C28-N27-C25	-2.65	117.92	120.79
3	T	302	USU	C04-C05-N06	2.63	114.18	111.04
3	A	302	USU	C07-N06-C18	-2.63	117.32	119.80
3	N	302	USU	C01-C02-C18	-2.62	107.02	109.99
3	M	302	USU	C07-N06-C05	2.62	119.93	115.82
2	F	301	MPD	CM-C2-C1	-2.62	104.76	110.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	303	USU	C15-C14-C09	2.62	122.50	119.12
3	I	302	USU	C07-N06-C18	-2.62	117.33	119.80
3	M	302	USU	C01-C02-C18	-2.60	107.05	109.99
3	T	302	USU	C22-C21-N20	-2.59	103.67	111.52
3	L	302	USU	F33-C32-C34	2.59	122.70	118.55
3	A	302	USU	C34-C32-C31	-2.56	119.45	122.80
3	G	303	USU	C28-N27-C25	-2.53	118.05	120.79
3	C	302	USU	C13-C14-C09	2.49	122.34	119.12
3	S	303	USU	C22-C21-N20	-2.48	104.00	111.52
3	D	302	USU	C07-N06-C18	-2.48	117.45	119.80
3	K	302	USU	C15-C14-C13	-2.46	117.39	123.01
3	C	302	USU	O19-C18-N06	-2.45	119.67	122.53
3	M	302	USU	C34-C32-C31	-2.45	119.59	122.80
3	F	302	USU	O19-C18-N06	-2.45	119.68	122.53
3	L	302	USU	C17-C08-C09	2.44	122.69	119.06
3	S	303	USU	C01-C02-N03	2.41	116.51	112.58
3	N	302	USU	C15-C14-C13	-2.40	117.54	123.01
3	E	302	USU	C15-C14-C13	-2.39	117.56	123.01
3	F	302	USU	C16-C15-C14	-2.38	117.17	120.48
3	B	302	USU	C11-C12-C13	2.37	123.57	120.40
3	C	302	USU	C35-C29-C30	2.33	121.70	118.23
3	T	302	USU	C30-C31-C32	2.33	120.77	118.38
3	D	302	USU	C11-C10-C09	-2.31	117.79	120.91
3	G	303	USU	C12-C13-C14	-2.31	117.28	120.48
3	C	302	USU	C34-C35-C29	-2.30	117.97	121.00
3	D	302	USU	C16-C17-C08	-2.30	117.43	121.50
3	K	302	USU	C16-C15-C14	-2.28	117.31	120.48
3	E	302	USU	C15-C16-C17	-2.27	117.51	121.00
3	N	302	USU	F33-C32-C34	2.24	122.14	118.55
3	L	302	USU	C15-C14-C13	-2.24	117.91	123.01
3	C	302	USU	C04-C05-N06	2.24	113.70	111.04
3	M	302	USU	C11-C12-C13	2.23	123.38	120.40
3	I	302	USU	C22-C21-N20	-2.22	104.79	111.52
3	T	302	USU	C05-C04-N20	2.22	116.43	112.61
3	F	302	USU	C12-C13-C14	-2.22	117.40	120.48
3	A	302	USU	C28-N27-C25	-2.21	118.39	120.79
3	I	302	USU	C35-C34-C32	2.21	120.65	118.38
3	G	303	USU	C07-N06-C18	-2.21	117.71	119.80
3	B	302	USU	C11-C10-C09	-2.20	117.94	120.91
3	G	303	USU	F33-C32-C34	2.20	122.06	118.55
3	I	302	USU	C15-C14-C09	2.19	121.95	119.12
3	K	302	USU	C07-C08-C09	2.18	123.75	119.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	S	303	USU	C01-C02-C18	-2.18	107.52	109.99
2	I	301	MPD	CM-C2-C1	-2.17	105.76	110.63
3	F	302	USU	C17-C08-C09	2.15	122.27	119.06
3	M	302	USU	C05-C04-N20	2.15	116.31	112.61
3	E	302	USU	C11-C12-C13	2.14	123.27	120.40
2	T	301	MPD	CM-C2-C1	-2.13	105.86	110.63
3	K	302	USU	C21-C22-C23	-2.12	107.99	117.67
3	F	302	USU	C34-C35-C29	-2.12	118.21	121.00
3	K	302	USU	C01-C02-N03	2.11	116.02	112.58
3	I	302	USU	C07-C08-C09	2.11	123.61	119.95
3	B	302	USU	C22-C21-N20	-2.10	105.16	111.52
3	G	303	USU	C07-N06-C05	2.10	119.11	115.82
3	B	302	USU	C10-C09-C08	-2.08	119.07	122.55
3	L	302	USU	F33-C32-C31	-2.08	115.22	118.55
3	E	302	USU	C15-C14-C09	2.08	121.81	119.12
3	C	302	USU	C16-C15-C14	-2.05	117.63	120.48
3	I	302	USU	C15-C14-C13	-2.05	118.33	123.01
3	S	303	USU	C12-C13-C14	-2.04	117.65	120.48
3	T	302	USU	C15-C14-C13	-2.04	118.36	123.01
3	T	302	USU	O24-C23-C22	2.04	125.90	121.35
3	I	302	USU	F33-C32-C34	2.04	121.81	118.55
3	A	302	USU	C01-C02-N03	2.04	115.90	112.58
3	T	302	USU	C10-C09-C14	2.02	120.54	117.92
3	A	302	USU	C07-N06-C05	2.02	118.99	115.82
3	K	302	USU	C12-C13-C14	-2.01	117.68	120.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

15 monomers are involved in 83 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	301	MPD	6	0
2	G	302	MPD	6	0
2	K	301	MPD	7	0
2	S	301	MPD	6	0
2	L	301	MPD	6	0
2	T	301	MPD	5	0
2	S	302	MPD	3	0
2	M	301	MPD	7	0
2	C	301	MPD	7	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	301	MPD	4	0
2	N	301	MPD	6	0
2	B	301	MPD	5	0
2	I	301	MPD	6	0
2	F	301	MPD	5	0
2	A	301	MPD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand USU S 303




Bond lengths



Bond angles




Torsions




Rings


Ligand USU F 302




Bond lengths




Bond angles





Torsions




Rings












Ligand USU I 302




Bond lengths




Bond angles





Torsions





Rings











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	185/203 (91%)	0.04	8 (4%)	40	52	14, 19, 31, 51	0
1	B	182/203 (89%)	0.12	6 (3%)	49	62	15, 21, 35, 58	0
1	C	182/203 (89%)	0.40	7 (3%)	44	55	18, 24, 39, 50	0
1	D	181/203 (89%)	0.45	6 (3%)	49	62	17, 24, 36, 57	1 (0%)
1	E	182/203 (89%)	0.27	6 (3%)	49	62	18, 23, 36, 45	0
1	F	185/203 (91%)	0.03	8 (4%)	40	52	14, 19, 31, 55	0
1	G	182/203 (89%)	-0.03	5 (2%)	56	68	13, 18, 30, 41	1 (0%)
1	I	182/203 (89%)	-0.02	6 (3%)	49	62	14, 19, 32, 55	0
1	K	182/203 (89%)	0.17	8 (4%)	39	51	17, 22, 36, 46	0
1	L	181/203 (89%)	0.34	7 (3%)	43	55	13, 23, 37, 48	1 (0%)
1	M	182/203 (89%)	0.24	6 (3%)	49	62	18, 23, 37, 48	0
1	N	185/203 (91%)	0.05	6 (3%)	50	63	14, 20, 31, 48	0
1	S	186/203 (91%)	0.03	8 (4%)	40	52	14, 18, 32, 45	0
1	T	182/203 (89%)	0.02	7 (3%)	44	55	13, 18, 30, 48	0
All	All	2559/2842 (90%)	0.15	94 (3%)	45	56	13, 21, 35, 58	3 (0%)

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	17	ALA	6.0
1	I	193	GLU	5.7
1	C	8	ILE	5.5
1	K	8	ILE	5.4
1	D	193	GLU	4.3
1	S	10	THR	4.2
1	L	17	ALA	4.2
1	G	8	ILE	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	16	ARG	4.0
1	N	8	ILE	4.0
1	A	10	THR	4.0
1	N	194	THR	3.9
1	T	193	GLU	3.9
1	F	15	GLU	3.9
1	C	193	GLU	3.8
1	A	193	GLU	3.8
1	B	193	GLU	3.8
1	B	8	ILE	3.7
1	K	193	GLU	3.6
1	G	17	ALA	3.6
1	F	193	GLU	3.5
1	E	8	ILE	3.5
1	N	9	GLU	3.4
1	S	193	GLU	3.4
1	S	130	GLN	3.4
1	E	17	ALA	3.3
1	L	8	ILE	3.2
1	D	191	VAL	3.2
1	K	17	ALA	3.2
1	C	17	ALA	3.1
1	F	4	ILE	3.0
1	M	4	ILE	3.0
1	S	191	VAL	3.0
1	F	130	GLN	3.0
1	F	8	ILE	3.0
1	I	8	ILE	3.0
1	B	17	ALA	2.9
1	L	191	VAL	2.9
1	B	130	GLN	2.9
1	L	4	ILE	2.8
1	K	191	VAL	2.8
1	T	130	GLN	2.8
1	C	4	ILE	2.7
1	S	18	TYR	2.6
1	D	130	GLN	2.6
1	T	8	ILE	2.6
1	B	191	VAL	2.6
1	C	57	GLU	2.6
1	L	130	GLN	2.6
1	C	192	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	193	GLU	2.5
1	A	191	VAL	2.5
1	F	95	MET	2.5
1	A	4	ILE	2.5
1	S	4	ILE	2.4
1	E	18	TYR	2.4
1	T	191	VAL	2.4
1	M	8	ILE	2.4
1	T	4	ILE	2.4
1	G	191	VAL	2.4
1	E	4	ILE	2.4
1	N	16	ARG	2.4
1	E	193	GLU	2.4
1	T	17	ALA	2.3
1	L	123	HIS	2.3
1	I	191	VAL	2.3
1	F	57	GLU	2.3
1	D	4	ILE	2.3
1	M	57	GLU	2.3
1	L	192	PRO	2.2
1	S	15	GLU	2.2
1	D	18	TYR	2.2
1	B	129	ALA	2.2
1	A	130	GLN	2.2
1	I	130	GLN	2.2
1	K	4	ILE	2.2
1	E	129	ALA	2.2
1	T	129	ALA	2.2
1	N	57	GLU	2.2
1	I	17	ALA	2.1
1	I	4	ILE	2.1
1	A	134	THR	2.1
1	K	6	THR	2.1
1	K	152	ARG	2.1
1	M	17	ALA	2.1
1	A	17	ALA	2.1
1	M	193	GLU	2.1
1	N	119	GLU	2.1
1	G	152[A]	ARG	2.0
1	F	18	TYR	2.0
1	K	18	TYR	2.0
1	C	130	GLN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	9	GLU	2.0
1	M	18	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MPD	G	301	8/8	0.82	0.14	31,34,40,40	0
2	MPD	S	302	8/8	0.85	0.17	31,48,51,52	0
2	MPD	T	301	8/8	0.86	0.12	23,30,37,38	0
2	MPD	K	301	8/8	0.87	0.11	21,32,38,42	0
2	MPD	F	301	8/8	0.87	0.11	20,28,32,34	0
2	MPD	I	301	8/8	0.87	0.10	22,28,35,35	0
2	MPD	G	302	8/8	0.88	0.11	19,30,35,37	0
2	MPD	D	301	8/8	0.89	0.11	27,33,41,43	0
2	MPD	M	301	8/8	0.89	0.11	24,33,39,40	0
2	MPD	N	301	8/8	0.90	0.10	22,29,35,37	0
2	MPD	S	301	8/8	0.90	0.09	21,30,34,36	0
2	MPD	L	301	8/8	0.90	0.10	25,34,42,43	0
2	MPD	B	301	8/8	0.90	0.10	20,28,33,33	0
2	MPD	E	301	8/8	0.91	0.12	24,33,41,42	0
2	MPD	C	301	8/8	0.91	0.10	27,34,38,42	0
2	MPD	A	301	8/8	0.91	0.10	20,28,38,40	0
3	USU	C	302	35/35	0.93	0.08	22,25,31,35	0
3	USU	D	302	35/35	0.94	0.07	22,24,31,32	0
3	USU	N	302	35/35	0.94	0.07	19,21,27,28	0
3	USU	E	302	35/35	0.95	0.06	20,23,28,32	0
3	USU	G	303	35/35	0.95	0.07	17,19,25,26	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	USU	K	302	35/35	0.95	0.07	20,24,30,32	0
3	USU	M	302	35/35	0.95	0.07	21,23,28,31	0
3	USU	B	302	35/35	0.95	0.07	20,23,28,30	0
3	USU	L	302	35/35	0.96	0.06	20,24,32,32	0
3	USU	I	302	35/35	0.96	0.06	19,22,28,30	0
3	USU	F	302	35/35	0.96	0.06	18,21,27,29	0
3	USU	S	303	35/35	0.96	0.06	16,18,25,27	0
3	USU	A	302	35/35	0.97	0.06	17,21,27,28	0
3	USU	T	302	35/35	0.97	0.05	17,20,27,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around USU C 302:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU N 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU G 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU K 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU M 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU I 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU F 302:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around USU S 303:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around USU A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.