



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 10:09 PM UTC

PDB ID : 4E8W / pdb_00004e8w
Title : Crystal Structure of Burkholderia cenocepacia HldA in Complex with an ATP-competitive Inhibitor
Authors : Lee, T.-W.; Verhey, T.B.; Junop, M.S.
Deposited on : 2012-03-20
Resolution : 2.87 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	352	 3% 63% 20% 15%
1	B	352	 2% 65% 18% 14%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4788 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-beta-D-heptose 7-phosphate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	299	2287	1436	421	422	8	0	5	0
1	B	302	2301	1445	423	425	8	0	4	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-35	MET	-	expression tag	UNP B4EB35
A	-34	SER	-	expression tag	UNP B4EB35
A	-33	TYR	-	expression tag	UNP B4EB35
A	-32	TYR	-	expression tag	UNP B4EB35
A	-31	HIS	-	expression tag	UNP B4EB35
A	-30	HIS	-	expression tag	UNP B4EB35
A	-29	HIS	-	expression tag	UNP B4EB35
A	-28	HIS	-	expression tag	UNP B4EB35
A	-27	HIS	-	expression tag	UNP B4EB35
A	-26	HIS	-	expression tag	UNP B4EB35
A	-25	LEU	-	expression tag	UNP B4EB35
A	-24	GLU	-	expression tag	UNP B4EB35
A	-23	SER	-	expression tag	UNP B4EB35
A	-22	THR	-	expression tag	UNP B4EB35
A	-21	SER	-	expression tag	UNP B4EB35
A	-20	LEU	-	expression tag	UNP B4EB35
A	-19	TYR	-	expression tag	UNP B4EB35
A	-18	LYS	-	expression tag	UNP B4EB35
A	-17	LYS	-	expression tag	UNP B4EB35
A	-16	ALA	-	expression tag	UNP B4EB35
A	-15	GLY	-	expression tag	UNP B4EB35
A	-14	LEU	-	expression tag	UNP B4EB35
A	-13	ASP	-	expression tag	UNP B4EB35
A	-12	TYR	-	expression tag	UNP B4EB35
A	-11	ASP	-	expression tag	UNP B4EB35

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	ILE	-	expression tag	UNP B4EB35
A	-9	PRO	-	expression tag	UNP B4EB35
A	-8	THR	-	expression tag	UNP B4EB35
A	-7	THR	-	expression tag	UNP B4EB35
A	-6	GLU	-	expression tag	UNP B4EB35
A	-5	ASN	-	expression tag	UNP B4EB35
A	-4	LEU	-	expression tag	UNP B4EB35
A	-3	TYR	-	expression tag	UNP B4EB35
A	-2	PHE	-	expression tag	UNP B4EB35
A	-1	GLN	-	expression tag	UNP B4EB35
A	0	GLY	-	expression tag	UNP B4EB35
B	-35	MET	-	expression tag	UNP B4EB35
B	-34	SER	-	expression tag	UNP B4EB35
B	-33	TYR	-	expression tag	UNP B4EB35
B	-32	TYR	-	expression tag	UNP B4EB35
B	-31	HIS	-	expression tag	UNP B4EB35
B	-30	HIS	-	expression tag	UNP B4EB35
B	-29	HIS	-	expression tag	UNP B4EB35
B	-28	HIS	-	expression tag	UNP B4EB35
B	-27	HIS	-	expression tag	UNP B4EB35
B	-26	HIS	-	expression tag	UNP B4EB35
B	-25	LEU	-	expression tag	UNP B4EB35
B	-24	GLU	-	expression tag	UNP B4EB35
B	-23	SER	-	expression tag	UNP B4EB35
B	-22	THR	-	expression tag	UNP B4EB35
B	-21	SER	-	expression tag	UNP B4EB35
B	-20	LEU	-	expression tag	UNP B4EB35
B	-19	TYR	-	expression tag	UNP B4EB35
B	-18	LYS	-	expression tag	UNP B4EB35
B	-17	LYS	-	expression tag	UNP B4EB35
B	-16	ALA	-	expression tag	UNP B4EB35
B	-15	GLY	-	expression tag	UNP B4EB35
B	-14	LEU	-	expression tag	UNP B4EB35
B	-13	ASP	-	expression tag	UNP B4EB35
B	-12	TYR	-	expression tag	UNP B4EB35
B	-11	ASP	-	expression tag	UNP B4EB35
B	-10	ILE	-	expression tag	UNP B4EB35
B	-9	PRO	-	expression tag	UNP B4EB35
B	-8	THR	-	expression tag	UNP B4EB35
B	-7	THR	-	expression tag	UNP B4EB35
B	-6	GLU	-	expression tag	UNP B4EB35
B	-5	ASN	-	expression tag	UNP B4EB35

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	LEU	-	expression tag	UNP B4EB35
B	-3	TYR	-	expression tag	UNP B4EB35
B	-2	PHE	-	expression tag	UNP B4EB35
B	-1	GLN	-	expression tag	UNP B4EB35
B	0	GLY	-	expression tag	UNP B4EB35

- Molecule 2 is {[2-({[5-(2,6-dimethoxyphenyl)-1,2,4-triazin-3-yl]amino}methyl)-1,3-benzothiazol-5-yl]oxy}acetic acid (CCD ID: IHA) (formula: C₂₁H₁₉N₅O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	32	21	5	5	1	0	0
2	B	1	32	21	5	5	1	0	0

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total 1 K 1	0	0
3	B	1	Total 1 K 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	62	Total 62	O 62	0	0
4	B	72	Total 72	O 72	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: D-beta-D-heptose 7-phosphate kinase



- Molecule 1: D-beta-D-heptose 7-phosphate kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	69.58Å 69.58Å 336.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.20 – 2.87 49.20 – 2.87	Depositor EDS
% Data completeness (in resolution range)	(Not available) (49.20-2.87) 89.7 (49.20-2.87)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.24 (at 2.86Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.219 , 0.258 0.216 , 0.259	Depositor DCC
R_{free} test set	929 reflections (4.61%)	wwPDB-VP
Wilson B-factor (Å ²)	63.9	Xtrriage
Anisotropy	0.347	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4788	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, IHA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2334	0.76	0/3168
1	B	0.34	0/2346	0.75	0/3187
All	All	0.35	0/4680	0.76	0/6355

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2287	0	2358	44	0
1	B	2301	0	2368	45	0
2	A	32	0	18	4	0
2	B	32	0	18	3	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	62	0	0	1	0
4	B	72	0	0	5	0
All	All	4788	0	4762	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:ARG:NH2	1:A:249:ALA:HB2	1.92	0.84
1:B:217:ASP:HA	1:B:220:ARG:HD2	1.61	0.82
1:A:227:ARG:HH22	1:A:249:ALA:HB2	1.51	0.74
1:A:216:GLU:O	1:A:220:ARG:HB2	1.88	0.73
1:B:200:THR:HG22	1:B:236:LEU:HB3	1.71	0.70
1:B:26:VAL:HG23	1:B:61:ALA:HB2	1.75	0.68
1:A:256:PRO:O	1:A:294:ASN:ND2	2.25	0.68
1:B:158:ASP:OD2	1:B:192[A]:ARG:NH2	2.28	0.67
1:A:171:ILE:HG12	1:A:181:VAL:HG11	1.76	0.67
1:A:104:ARG:HG3	1:B:104:ARG:HG3	1.77	0.65
1:A:243:GLY:HA2	2:A:501:IHA:H9	1.61	0.65
1:B:69:THR:HG21	1:B:308:THR:HG21	1.81	0.63
1:A:192[A]:ARG:NH2	4:A:626:HOH:O	2.31	0.63
1:A:26:VAL:HG23	1:A:61:ALA:HB2	1.82	0.61
1:B:7:VAL:HG21	1:B:295:ARG:HH22	1.66	0.60
1:B:194:ARG:NH1	1:B:229:GLU:O	2.37	0.57
1:A:248:SER:O	1:A:251:GLY:O	2.23	0.57
1:A:78:CYS:SG	1:A:102:LEU:HD23	2.46	0.55
1:B:49:HIS:ND1	1:B:51:GLN:OE1	2.40	0.55
1:B:52[B]:ARG:NH2	4:B:654:HOH:O	2.40	0.55
1:A:265:VAL:HA	1:A:301:VAL:HG12	1.89	0.54
1:B:19:ARG:NH2	4:B:614:HOH:O	2.39	0.53
1:A:207:ARG:O	1:A:211:GLY:N	2.28	0.53
1:A:220:ARG:NH1	1:A:252:GLU:OE1	2.42	0.52
1:B:203[B]:ARG:NH2	4:B:627:HOH:O	2.43	0.52
1:A:203:ARG:O	1:A:207:ARG:HG3	2.10	0.52
1:A:303:LYS:HD2	1:A:307:ALA:HB1	1.92	0.51
1:B:175:ARG:NH2	1:B:233:ASP:OD1	2.44	0.51
1:B:223:VAL:HG13	1:B:235:LEU:HD13	1.92	0.51
1:B:238:THR:HB	2:B:501:IHA:C20	2.41	0.51
1:B:203[A]:ARG:NH1	1:B:239:ARG:O	2.44	0.50
1:A:300:VAL:HG13	1:A:309:VAL:HG23	1.94	0.50
1:A:103:GLU:OE1	1:A:143:ARG:NE	2.45	0.49
1:A:105:ASP:HB3	1:A:108:LEU:HB3	1.94	0.49
1:B:85:PRO:HB2	1:B:110:THR:HB	1.95	0.49
1:A:225:ASN:OD1	1:A:226:LEU:N	2.45	0.49
1:B:148:LEU:HD11	1:B:174:ALA:HA	1.94	0.48
1:B:265:VAL:CG2	2:B:501:IHA:H15	2.43	0.48
1:B:215:SER:HB3	1:B:218:ASP:H	1.77	0.48
1:A:203:ARG:HD3	1:A:239:ARG:HB3	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:169:THR:O	1:B:172:GLU:HG2	2.14	0.47
1:B:265:VAL:HG23	1:B:301:VAL:HG12	1.97	0.47
1:A:20:VAL:HG22	1:A:153:VAL:HG13	1.97	0.47
1:B:182:LEU:HB3	1:B:273:ILE:HD11	1.97	0.46
1:B:213:TRP:CD1	1:B:219:LEU:HB2	2.50	0.46
1:A:25:ASP:HB2	1:A:159:TYR:HB2	1.97	0.46
1:A:244:MET:HG3	2:A:501:IHA:H8	1.97	0.46
1:B:182:LEU:HD22	1:B:277:ALA:HB2	1.97	0.46
1:B:68:VAL:HA	1:B:72:GLY:O	2.17	0.46
1:A:103:GLU:HG2	1:A:136:VAL:HG13	1.98	0.45
1:B:212:GLN:NE2	1:B:213:TRP:O	2.49	0.45
1:B:112:ILE:HG23	1:B:128:PHE:HB2	1.99	0.45
1:A:138:LEU:HA	1:A:138:LEU:HD23	1.85	0.45
1:B:159:TYR:HA	1:B:186:LYS:HD2	1.97	0.45
1:B:109:PRO:HD2	1:B:130:ALA:HB3	1.98	0.45
1:B:265:VAL:HG22	2:B:501:IHA:H15	1.98	0.44
1:A:215:SER:O	1:A:218:ASP:N	2.48	0.44
1:B:68:VAL:HG11	1:B:96:SER:O	2.18	0.44
1:B:246:LEU:HD22	1:B:290:VAL:HG21	2.00	0.44
1:A:12:ARG:HB3	1:A:311:TYR:CZ	2.53	0.44
1:B:65:ARG:O	1:B:68:VAL:HG12	2.18	0.44
1:A:202:ASN:ND2	2:A:501:IHA:O26	2.45	0.43
1:A:239:ARG:NH1	1:A:245:THR:OG1	2.44	0.43
1:B:55:GLU:OE1	1:B:88:ARG:NE	2.47	0.43
1:A:175:ARG:NH1	1:A:195:GLY:O	2.52	0.43
1:B:103:GLU:HG2	1:B:136:VAL:HG13	2.00	0.43
1:A:246:LEU:HD22	1:A:290:VAL:HG21	1.99	0.43
1:A:182:LEU:HD22	1:A:277:ALA:HB2	2.00	0.43
1:A:192[A]:ARG:H	1:A:192[A]:ARG:HG2	1.46	0.43
1:A:215:SER:C	1:A:217:ASP:N	2.75	0.43
1:B:258:LEU:HD21	1:B:295:ARG:HA	2.01	0.42
1:A:184:ASP:HA	1:A:185:PRO:HD3	1.88	0.42
1:A:148:LEU:HD21	1:A:174:ALA:HA	2.01	0.42
1:A:215:SER:C	1:A:217:ASP:H	2.27	0.42
1:B:10:VAL:O	1:B:311:TYR:OH	2.27	0.42
1:B:119[A]:ARG:HD2	4:B:615:HOH:O	2.19	0.42
1:B:308:THR:OG1	1:B:309:VAL:N	2.53	0.41
1:A:279:MET:O	1:A:284:VAL:HG13	2.20	0.41
1:B:90:VAL:HG21	1:B:104:ARG:HH12	1.85	0.41
1:A:111:THR:HA	1:A:128:PHE:O	2.21	0.41
1:A:229:GLU:HG3	1:A:230:LEU:HD13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:ARG:NH2	4:B:638:HOH:O	2.47	0.41
1:A:255:ALA:HA	1:A:256:PRO:HD3	1.91	0.41
1:B:105:ASP:HB2	1:B:136:VAL:HG21	2.03	0.41
1:B:206:LEU:HD12	1:B:237:LEU:HD13	2.03	0.41
1:B:255:ALA:HA	1:B:256:PRO:HD3	1.94	0.41
1:A:62:ASN:O	1:A:66:ASN:ND2	2.51	0.40
1:A:265:VAL:HG23	2:A:501:IHA:H17	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	298/352 (85%)	286 (96%)	12 (4%)	0	100	100
1	B	300/352 (85%)	289 (96%)	11 (4%)	0	100	100
All	All	598/704 (85%)	575 (96%)	23 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/284 (84%)	224 (93%)	16 (7%)	15	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	242/284 (85%)	228 (94%)	14 (6%)	18	38
All	All	482/568 (85%)	452 (94%)	30 (6%)	18	34

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	ARG
1	A	102	LEU
1	A	112	ILE
1	A	153	VAL
1	A	192[A]	ARG
1	A	192[B]	ARG
1	A	210	VAL
1	A	214	LYS
1	A	219	LEU
1	A	237	LEU
1	A	239	ARG
1	A	241	GLU
1	A	258	LEU
1	A	284	VAL
1	A	310	ASP
1	A	312	ASP
1	B	7	VAL
1	B	48	VAL
1	B	56	ARG
1	B	112	ILE
1	B	119[A]	ARG
1	B	119[B]	ARG
1	B	148	LEU
1	B	186	LYS
1	B	206	LEU
1	B	212	GLN
1	B	220	ARG
1	B	284	VAL
1	B	308	THR
1	B	310	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	101	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	225	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	IHA	B	501	-	35,35,35	1.67	4 (11%)	47,48,48	2.76	16 (34%)
2	IHA	A	501	-	35,35,35	1.84	4 (11%)	47,48,48	3.10	19 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IHA	B	501	-	-	2/18/18/18	0/4/4/4
2	IHA	A	501	-	-	6/18/18/18	0/4/4/4

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	IHA	C18-S31	-6.43	1.67	1.74
2	A	501	IHA	C30-S31	-6.30	1.61	1.74
2	B	501	IHA	C30-S31	-5.84	1.62	1.74
2	B	501	IHA	C18-S31	-5.61	1.68	1.74
2	B	501	IHA	N13-N14	3.91	1.40	1.34
2	A	501	IHA	N13-N14	3.90	1.40	1.34
2	A	501	IHA	C18-N19	2.40	1.37	1.29
2	B	501	IHA	C18-N19	2.31	1.36	1.29

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	IHA	C17-C18-N19	14.72	134.90	124.00
2	B	501	IHA	C17-C18-N19	12.42	133.20	124.00
2	A	501	IHA	C17-C18-S31	-6.54	114.21	121.32
2	B	501	IHA	C11-N32-C15	5.49	121.03	116.81
2	A	501	IHA	C11-N32-C15	5.40	120.96	116.81
2	B	501	IHA	C17-C18-S31	-4.97	115.91	121.32
2	A	501	IHA	C30-S31-C18	4.40	92.68	89.06
2	B	501	IHA	S31-C18-N19	-4.24	110.88	116.34
2	A	501	IHA	S31-C18-N19	-4.23	110.89	116.34
2	B	501	IHA	O2-C3-C10	4.07	120.74	115.45
2	B	501	IHA	C30-S31-C18	3.81	92.19	89.06
2	A	501	IHA	C15-N14-N13	3.58	119.76	117.22
2	A	501	IHA	C11-C12-N13	-3.55	118.82	121.83
2	A	501	IHA	N16-C15-N14	3.51	121.55	117.70
2	B	501	IHA	C15-N14-N13	3.29	119.55	117.22
2	B	501	IHA	O2-C3-C4	-3.19	118.93	124.30
2	B	501	IHA	C30-C20-N19	-3.13	109.74	115.20
2	A	501	IHA	C30-C20-N19	-3.06	109.87	115.20
2	B	501	IHA	O8-C7-C10	2.88	119.19	115.45
2	B	501	IHA	C10-C11-N32	2.87	120.29	116.02
2	A	501	IHA	O8-C7-C10	2.82	119.11	115.45
2	A	501	IHA	O2-C3-C10	2.78	119.06	115.45
2	B	501	IHA	C20-C30-S31	2.75	113.80	109.75
2	A	501	IHA	C20-C30-S31	2.64	113.64	109.75
2	A	501	IHA	C1-O2-C3	2.56	121.27	117.51
2	B	501	IHA	C20-N19-C18	2.52	113.38	110.22
2	B	501	IHA	O8-C7-C6	-2.48	120.11	124.30
2	B	501	IHA	C11-C12-N13	-2.36	119.83	121.83
2	A	501	IHA	C20-N19-C18	2.15	112.92	110.22
2	A	501	IHA	O2-C3-C4	-2.14	120.70	124.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	IHA	N16-C15-N32	2.12	120.82	117.16
2	A	501	IHA	C21-C20-C30	-2.11	117.81	120.08
2	A	501	IHA	C9-O8-C7	2.09	120.57	117.51
2	A	501	IHA	C17-N16-C15	-2.07	119.10	121.96
2	A	501	IHA	O8-C7-C6	-2.04	120.86	124.30

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	IHA	N16-C17-C18-N19
2	A	501	IHA	N14-C15-N16-C17
2	A	501	IHA	N32-C15-N16-C17
2	A	501	IHA	C4-C3-O2-C1
2	A	501	IHA	C10-C3-O2-C1
2	A	501	IHA	N16-C17-C18-S31
2	B	501	IHA	C28-C22-O23-C24
2	B	501	IHA	C21-C22-O23-C24

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	IHA	3	0
2	A	501	IHA	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	299/352 (84%)	0.01	9 (3%) 52 44	25, 61, 115, 136	5 (1%)
1	B	302/352 (85%)	-0.09	6 (1%) 65 57	27, 61, 119, 140	4 (1%)
All	All	601/704 (85%)	-0.04	15 (2%) 58 49	25, 61, 117, 140	9 (1%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	248	SER	5.5
1	A	246	LEU	4.2
1	B	7	VAL	3.6
1	B	258	LEU	3.1
1	A	265	VAL	2.8
1	A	225	ASN	2.7
1	A	253	LEU	2.6
1	B	8	VAL	2.5
1	B	303	LYS	2.4
1	A	231	ASP	2.3
1	A	306	THR	2.3
1	B	310	ASP	2.1
1	A	189	ASP	2.1
1	A	214	LYS	2.0
1	B	308	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	K	A	502	1/1	0.67	0.16	128,128,128,128	0
3	K	B	502	1/1	0.80	0.15	122,122,122,122	0
2	IHA	A	501	32/32	0.84	0.14	85,96,101,126	0
2	IHA	B	501	32/32	0.91	0.10	66,77,79,80	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.