



Full wwPDB X-ray Structure Validation Report ⓘ

May 7, 2026 – 08:08 AM EDT

PDB ID : 5E8N / pdb_00005e8n
Title : The structure of the TEIPP associated Trh4 peptide in complex with H-2D(b)
Authors : Hafstrand, I.; Doorduijn, E.; Duru, A.D.; Buratto, J.; Oliveira, C.C.; Sandalova, T.; van Hall, T.; Achour, A.
Deposited on : 2015-10-14
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	20% 76% 21% ..
1	D	276	20% 77% 21% .
1	G	276	17% 79% 18% .
1	J	276	32% 66% 25% 7%
2	B	99	2% 86% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	99	6% 85% 15%
2	H	99	3% 86% 14%
2	K	99	44% 71% 27%
3	C	9	78% 22%
3	F	9	78% 22%
3	I	9	11% 67% 33%
3	L	9	22% 78%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12495 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H-2 class I histocompatibility antigen, D-B alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	272	Total	C	N	O	S	0	0	0
			2227	1408	391	419	9			
1	D	272	Total	C	N	O	S	0	1	0
			2237	1410	397	421	9			
1	G	269	Total	C	N	O	S	0	1	0
			2208	1394	389	416	9			
1	J	258	Total	C	N	O	S	0	0	0
			2113	1338	368	399	8			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	1	0
			825	526	138	153	8			
2	E	99	Total	C	N	O	S	0	1	0
			821	523	137	153	8			
2	H	99	Total	C	N	O	S	0	1	0
			825	526	138	153	8			
2	K	99	Total	C	N	O	S	0	1	0
			817	520	136	153	8			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	85	ASP	ALA	conflict	UNP P01887
E	85	ASP	ALA	conflict	UNP P01887
H	85	ASP	ALA	conflict	UNP P01887
K	85	ASP	ALA	conflict	UNP P01887

- Molecule 3 is a protein called Ceramide synthase 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			69	42	12	11	4			
3	F	9	Total	C	N	O	S	0	0	0
			69	42	12	11	4			
3	I	9	Total	C	N	O	S	0	0	0
			69	42	12	11	4			
3	L	9	Total	C	N	O	S	0	0	0
			69	42	12	11	4			

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	G	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	18	Total	O	0	0
			18	18		
6	B	22	Total	O	0	0
			22	22		
6	C	5	Total	O	0	0
			5	5		
6	D	22	Total	O	0	0
			22	22		
6	E	13	Total	O	0	0
			13	13		
6	F	5	Total	O	0	0
			5	5		
6	G	10	Total	O	0	0
			10	10		
6	H	17	Total	O	0	0
			17	17		
6	J	20	Total	O	0	0
			20	20		
6	K	1	Total	O	0	0
			1	1		
6	L	2	Total	O	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain




- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain




- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain









- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain





- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin





● Molecule 3: Ceramide synthase 5




● Molecule 3: Ceramide synthase 5



● Molecule 3: Ceramide synthase 5



● Molecule 3: Ceramide synthase 5



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	92.51Å 124.25Å 99.29Å 90.00° 103.26° 90.00°	Depositor
Resolution (Å)	52.26 – 2.25 52.26 – 2.25	Depositor EDS
% Data completeness (in resolution range)	98.8 (52.26-2.25) 98.9 (52.26-2.25)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 2.25Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.239 , 0.286 0.241 , 0.288	Depositor DCC
R_{free} test set	5031 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	39.4	Xtriage
Anisotropy	0.228	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	12495	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/2293	0.60	0/3112
1	D	0.42	0/2306	0.58	0/3129
1	G	0.36	0/2276	0.56	0/3089
1	J	0.44	1/2173 (0.0%)	0.63	3/2945 (0.1%)
2	B	0.48	0/851	0.65	0/1154
2	E	0.43	0/847	0.63	0/1150
2	H	0.38	0/851	0.60	0/1154
2	K	0.40	0/843	0.71	2/1146 (0.2%)
3	C	0.64	0/68	0.76	0/87
3	F	0.59	0/68	0.73	0/87
3	I	0.49	0/68	0.59	0/87
3	L	0.56	0/68	0.86	0/87
All	All	0.42	1/12712 (0.0%)	0.61	5/17227 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	18	GLU	C-N	6.25	1.46	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	17	ASN	N-CA-C	8.66	121.66	111.71
1	J	87	GLN	N-CA-C	-7.74	97.70	110.17
2	K	16	GLU	N-CA-C	-7.56	98.31	110.32
1	J	255	GLN	N-CA-C	6.24	119.74	111.75
1	J	274	TRP	N-CA-C	5.73	118.26	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2227	0	2089	46	0
1	D	2237	0	2089	51	0
1	G	2208	0	2053	39	0
1	J	2113	0	1956	66	1
2	B	825	0	793	9	0
2	E	821	0	782	14	0
2	H	825	0	793	9	1
2	K	817	0	771	20	0
3	C	69	0	79	3	0
3	F	69	0	79	3	0
3	I	69	0	79	3	0
3	L	69	0	79	10	0
4	B	6	0	8	2	0
5	G	5	0	0	0	0
6	A	18	0	0	2	0
6	B	22	0	0	1	0
6	C	5	0	0	0	0
6	D	22	0	0	0	0
6	E	13	0	0	0	0
6	F	5	0	0	0	0
6	G	10	0	0	0	0
6	H	17	0	0	0	0
6	J	20	0	0	2	0
6	K	1	0	0	0	0
6	L	2	0	0	0	0
All	All	12495	0	11650	241	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (241) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:253:LYS:HD3	1:J:257:TYR:CE2	1.03	1.56
1:J:253:LYS:CD	1:J:257:TYR:CE2	1.87	1.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:253:LYS:CD	1:J:257:TYR:HE2	1.39	1.06
1:J:253:LYS:HD3	1:J:257:TYR:CD2	1.92	1.04
1:J:253:LYS:CD	1:J:257:TYR:CD2	2.40	1.04
1:J:220:ASN:HB3	1:J:222:GLU:N	1.73	1.03
1:D:251:LEU:HD12	1:D:254:GLU:OE2	1.62	1.00
1:J:250:PRO:N	1:J:253:LYS:HG2	1.78	0.97
1:J:253:LYS:CE	1:J:257:TYR:CE2	2.49	0.96
1:J:274:TRP:O	1:J:274:TRP:HD1	1.51	0.92
1:J:274:TRP:O	1:J:274:TRP:CD1	2.33	0.82
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.66	0.77
2:E:45:LYS:H	2:E:45:LYS:HD3	1.48	0.77
1:J:185:PRO:HB3	1:J:208:PHE:HB3	1.64	0.77
1:J:274:TRP:CD1	1:J:274:TRP:C	2.63	0.76
1:J:253:LYS:HD2	1:J:257:TYR:CD2	2.19	0.74
1:A:124:ILE:HG13	1:A:135:ALA:HB2	1.69	0.73
2:K:73:THR:OG1	2:K:76:ASP:OD2	2.08	0.72
2:H:83:LYS:HG2	2:H:90:PRO:HB3	1.72	0.72
1:J:219:LEU:C	1:J:219:LEU:HD12	2.15	0.71
1:G:55:GLU:OE1	1:G:170:ARG:NH2	2.25	0.69
1:D:251:LEU:CD1	1:D:254:GLU:OE2	2.38	0.69
2:B:87:MET:HE1	2:B:91:LYS:HD2	1.74	0.68
1:J:70:GLN:OE1	3:L:4:ARG:NH1	2.28	0.66
1:J:88:SER:O	6:J:301:HOH:O	2.13	0.66
1:J:14:ARG:HB2	1:J:17:LEU:HD13	1.77	0.66
1:J:244:TRP:NE1	2:K:99:MET:O	2.29	0.66
1:A:119:GLU:OE1	6:A:301:HOH:O	2.13	0.66
1:A:73:TRP:CD1	3:C:8:VAL:HG12	2.31	0.65
2:K:25:CYS:HB2	2:K:39:MET:HE3	1.79	0.64
1:J:253:LYS:HE3	1:J:257:TYR:CZ	2.33	0.64
1:J:253:LYS:HE3	1:J:257:TYR:CE2	2.30	0.64
1:J:66:LYS:NZ	3:L:1:MET:SD	2.71	0.64
1:G:141:GLN:OE1	1:G:144[B]:ARG:NH2	2.30	0.63
1:J:50:PRO:O	1:J:53:GLU:HG3	1.98	0.63
1:G:45:TYR:CE2	1:G:67:ALA:HB2	2.34	0.63
1:D:203:CYS:HB2	1:D:217:TRP:CZ2	2.34	0.62
2:H:7:ILE:HD12	2:H:91:LYS:HE3	1.82	0.62
1:G:228:MET:HE3	1:G:230:LEU:HD23	1.82	0.61
1:A:119:GLU:OE1	1:A:119:GLU:HA	2.01	0.61
1:A:194:ARG:HG3	1:A:195:SER:H	1.66	0.60
1:J:250:PRO:N	1:J:253:LYS:HZ2	1.99	0.60
2:K:17:ASN:OD1	2:K:73:THR:HA	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:16:GLU:OE1	2:H:19:LYS:NZ	2.35	0.59
2:E:54[B]:MET:HE2	2:E:62:PHE:HB3	1.84	0.59
1:G:191:HIS:NE2	1:G:254:GLU:OE2	2.36	0.59
1:D:55:GLU:OE1	1:D:170:ARG:NH2	2.26	0.58
1:J:250:PRO:O	1:J:252:GLY:N	2.37	0.58
1:J:252:GLY:N	1:J:254:GLU:OE2	2.36	0.58
1:D:58:GLU:OE2	1:D:62:ARG:NH2	2.32	0.58
1:A:107:TRP:HE3	1:A:169:HIS:CD2	2.22	0.57
1:D:103:LEU:HD21	1:D:165:VAL:HG12	1.85	0.57
1:J:202:ARG:HD2	1:J:244:TRP:CD2	2.40	0.57
1:D:261:VAL:HB	1:D:270:LEU:HB2	1.86	0.57
1:A:202:ARG:HD2	1:A:244:TRP:CD2	2.39	0.57
2:E:25:CYS:HB2	2:E:39:MET:HE3	1.86	0.57
1:D:218:GLN:HB2	1:D:260:ARG:HH21	1.69	0.57
2:K:17:ASN:O	2:K:72:PRO:O	2.23	0.57
2:K:17:ASN:ND2	2:K:74:GLU:HG3	2.20	0.57
1:G:23:ILE:HD12	2:H:54[A]:MET:HE2	1.85	0.57
1:D:191:HIS:NE2	1:D:199:VAL:HG21	2.21	0.56
2:E:45:LYS:H	2:E:45:LYS:CD	2.18	0.56
1:G:111:ARG:HD3	1:G:113:TYR:CZ	2.41	0.56
2:E:83:LYS:HG2	2:E:90:PRO:HB3	1.88	0.56
1:A:194:ARG:HD3	1:A:200:THR:HG23	1.88	0.56
1:G:50:PRO:O	1:G:53:GLU:HG3	2.06	0.55
1:A:200:THR:HG22	1:A:248:VAL:HG22	1.88	0.55
1:D:63:GLU:OE2	1:D:66:LYS:NZ	2.36	0.55
1:G:10:THR:HG23	1:G:96:GLN:HG2	1.89	0.55
1:A:194:ARG:HG3	1:A:195:SER:N	2.22	0.55
2:K:70:PHE:HD2	2:K:78:TYR:CZ	2.24	0.54
2:K:83:LYS:HG3	2:K:90:PRO:HG3	1.89	0.54
1:A:41:GLU:CD	1:A:42:ASN:H	2.16	0.54
1:D:252:GLY:CA	1:D:254:GLU:OE1	2.56	0.54
1:A:108:ARG:HD3	1:D:262:TYR:CG	2.43	0.54
1:D:259:CYS:HB3	1:D:272:LEU:CD1	2.38	0.54
1:A:107:TRP:CE3	1:A:169:HIS:CD2	2.95	0.54
1:J:255:GLN:O	1:J:255:GLN:HG2	2.06	0.54
1:J:47:PRO:HG3	1:J:60:TRP:CZ2	2.43	0.53
2:K:78:TYR:O	2:K:95:TRP:N	2.37	0.53
1:A:64:THR:HG22	1:A:68:LYS:HE3	1.91	0.53
1:A:107:TRP:HB3	1:A:169:HIS:NE2	2.22	0.53
1:A:193:PRO:HA	1:A:199:VAL:HG12	1.90	0.53
1:A:45:TYR:CE2	1:A:67:ALA:HB2	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:21:ASN:OD1	2:H:22:ILE:N	2.39	0.53
1:D:194:ARG:HB2	1:D:200:THR:HG23	1.90	0.53
1:D:19:GLU:OE1	1:D:75:ARG:HD2	2.08	0.53
1:J:231:VAL:O	1:J:243:LYS:HE2	2.09	0.53
1:D:141:GLN:OE1	1:D:144[A]:ARG:NH1	2.43	0.52
1:D:203:CYS:SG	1:D:272:LEU:HD11	2.49	0.51
1:J:185:PRO:HD2	1:J:266:LEU:HD21	1.92	0.51
1:D:66:LYS:HD2	3:F:2:CYS:SG	2.50	0.51
1:G:66:LYS:HE3	3:I:2:CYS:SG	2.50	0.51
1:G:191:HIS:NE2	1:G:199:VAL:HG21	2.25	0.51
1:A:192:HIS:HB2	1:A:200:THR:OG1	2.10	0.51
1:D:252:GLY:H	1:D:254:GLU:CD	2.18	0.51
1:D:42:ASN:O	1:D:44:ARG:HG3	2.10	0.51
1:G:55:GLU:CD	1:G:170:ARG:HH21	2.19	0.51
1:J:81:LEU:HD11	3:L:9:MET:HE3	1.93	0.50
1:D:44:ARG:NH2	1:D:46:GLU:OE2	2.45	0.50
1:A:163:GLU:O	1:A:167:TRP:N	2.43	0.50
2:K:79:ALA:HB2	2:K:94:TYR:CD2	2.47	0.50
1:J:192:HIS:O	1:J:200:THR:N	2.44	0.50
2:E:36:GLU:OE2	2:E:83:LYS:NZ	2.43	0.49
1:G:226:GLN:O	1:G:227:ASP:OD1	2.29	0.49
1:G:244:TRP:CZ2	2:H:99:MET:HE2	2.48	0.49
1:J:55:GLU:HG2	1:J:59:TYR:CD2	2.47	0.49
1:J:185:PRO:CB	1:J:208:PHE:HB3	2.39	0.49
1:D:191:HIS:CE1	1:D:199:VAL:HG21	2.48	0.49
1:J:21:ARG:NH2	1:J:37:ASP:OD2	2.46	0.49
1:D:202:ARG:HD3	1:D:244:TRP:CD2	2.46	0.48
2:E:89:GLU:HB3	2:E:90:PRO:HD2	1.94	0.48
1:J:81:LEU:HD11	3:L:9:MET:CE	2.42	0.48
1:A:51:TRP:H	1:A:51:TRP:CD1	2.30	0.48
2:B:12:ARG:HB3	2:B:22:ILE:HB	1.95	0.48
1:G:44:ARG:HA	1:G:64:THR:HG23	1.94	0.48
1:A:158:ALA:O	1:A:162:GLY:N	2.42	0.48
1:J:183:ASP:O	1:J:208:PHE:HA	2.14	0.48
1:J:107:TRP:O	1:J:169:HIS:NE2	2.34	0.48
1:D:109:LEU:HB2	1:D:165:VAL:HG11	1.95	0.48
1:G:51:TRP:H	1:G:51:TRP:CD1	2.31	0.48
1:D:255:GLN:NE2	1:D:274:TRP:O	2.46	0.47
1:J:48:ARG:NH2	2:K:53:ASP:OD2	2.47	0.47
1:A:168:LEU:O	1:A:171:TYR:N	2.46	0.47
1:J:202:ARG:NH2	2:K:98:ASP:O	2.46	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:103:LEU:HD23	1:G:109:LEU:HA	1.97	0.47
1:J:45:TYR:CE2	1:J:67:ALA:HB2	2.48	0.47
1:G:6:ARG:NH2	1:G:113:TYR:CE1	2.83	0.47
1:A:99:SER:HB3	1:A:114:LEU:HD13	1.97	0.47
1:A:268:GLU:OE1	1:D:173:LYS:HE2	2.15	0.47
2:B:34:HIS:CE1	4:B:101:GOL:H12	2.50	0.47
1:D:7:TYR:CE2	3:F:2:CYS:HB3	2.48	0.47
1:G:55:GLU:CD	1:G:170:ARG:NH2	2.73	0.47
1:G:141:GLN:OE1	1:G:144[A]:ARG:NH1	2.46	0.47
2:K:4:THR:HA	2:K:86:SER:OG	2.14	0.47
2:B:36:GLU:HB2	2:B:83:LYS:HB3	1.97	0.46
1:J:40:ALA:O	1:J:43:PRO:HD3	2.15	0.46
1:J:189:VAL:HB	1:J:274:TRP:HA	1.97	0.46
1:D:19:GLU:OE2	1:D:19:GLU:HA	2.16	0.46
1:D:205:ALA:O	1:D:206:LEU:HD23	2.16	0.46
2:E:40:LEU:HD23	2:E:45:LYS:HA	1.98	0.46
2:H:41:LYS:HE3	2:H:78:TYR:OH	2.15	0.46
2:K:21:ASN:HB3	2:K:70:PHE:CE1	2.51	0.46
1:J:98:MET:HE3	1:J:115:GLN:HE21	1.81	0.46
1:A:99:SER:HA	1:A:113:TYR:O	2.15	0.46
1:J:77:SER:HB3	3:L:9:MET:HE2	1.98	0.46
1:D:98:MET:HG3	2:E:60:TRP:CZ3	2.50	0.46
1:A:250:PRO:HG2	1:A:253:LYS:HE2	1.98	0.46
2:K:52:SER:HB2	2:K:65:LEU:O	2.16	0.46
1:A:202:ARG:HG2	1:A:204:TRP:NE1	2.31	0.45
1:G:81:LEU:HD11	3:I:9:MET:SD	2.56	0.45
1:A:19:GLU:OE1	1:A:75:ARG:NH1	2.50	0.45
1:A:44:ARG:O	1:A:46:GLU:HG2	2.17	0.45
1:G:108:ARG:CZ	1:J:214:THR:HG21	2.46	0.45
1:G:270:LEU:HD23	1:G:270:LEU:HA	1.72	0.45
1:J:73:TRP:CD1	3:L:8:VAL:HG12	2.52	0.45
1:D:117:ALA:HB2	2:E:60:TRP:CE2	2.51	0.45
1:D:163:GLU:OE1	1:D:163:GLU:N	2.39	0.45
1:G:209:TYR:CD2	1:G:210:PRO:HA	2.51	0.45
1:G:261:VAL:HB	1:G:270:LEU:HB2	1.99	0.45
1:J:205:ALA:C	1:J:206:LEU:HD23	2.42	0.45
1:D:252:GLY:N	1:D:254:GLU:OE1	2.50	0.45
1:A:258:THR:HG22	1:A:273:ARG:HG3	1.99	0.45
1:A:107:TRP:CE3	1:A:169:HIS:HD2	2.36	0.44
1:J:117:ALA:HB2	2:K:60:TRP:CE2	2.52	0.44
2:B:34:HIS:HE1	4:B:101:GOL:H12	1.83	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:51:MET:SD	2:B:66:ALA:HB2	2.58	0.44
2:K:17:ASN:ND2	2:K:74:GLU:CG	2.80	0.44
1:A:72:GLN:NE2	6:A:302:HOH:O	2.34	0.44
2:B:23:LEU:HB2	2:B:70:PHE:CD1	2.53	0.44
1:J:261:VAL:HB	1:J:270:LEU:HB2	1.97	0.44
2:B:29:GLN:HA	2:B:61:SER:HB2	2.00	0.44
2:E:54[B]:MET:HE3	2:E:54[B]:MET:HA	2.00	0.44
1:A:84:TYR:OH	3:C:9:MET:O	2.22	0.44
1:J:76:VAL:HG22	1:J:79:ARG:NH1	2.33	0.44
1:J:216:THR:OG1	1:J:260:ARG:HB2	2.17	0.44
1:A:152:ALA:HB1	1:A:156:TYR:CE2	2.53	0.44
1:J:7:TYR:OH	3:L:1:MET:N	2.32	0.44
1:G:35:ARG:O	1:G:45:TYR:HA	2.18	0.43
1:G:264:GLU:H	1:G:264:GLU:HG3	1.59	0.43
1:A:73:TRP:NE1	3:C:8:VAL:HA	2.34	0.43
1:D:131:LYS:HZ1	1:D:154:GLU:HA	1.84	0.43
1:D:191:HIS:NE2	1:D:254:GLU:HG2	2.33	0.43
2:E:49:VAL:HG22	2:E:68:THR:HB	2.00	0.43
1:J:211:ALA:HB1	1:J:233:THR:HG21	2.00	0.43
1:A:49:ALA:HB1	1:A:50:PRO:HD2	2.01	0.43
1:A:81:LEU:HD23	1:A:84:TYR:HD2	1.84	0.43
1:D:201:LEU:CD2	1:D:274:TRP:HB2	2.48	0.43
1:J:219:LEU:C	1:J:219:LEU:CD1	2.85	0.43
1:J:219:LEU:HD12	1:J:219:LEU:O	2.16	0.43
2:E:38:GLN:OE1	2:E:45:LYS:HG3	2.18	0.43
1:G:226:GLN:C	1:G:227:ASP:OD1	2.61	0.43
3:L:6:THR:OG1	3:L:7:ALA:N	2.45	0.43
1:G:5:MET:O	1:G:100:GLY:HA3	2.18	0.42
1:J:66:LYS:HE3	3:L:2:CYS:SG	2.58	0.42
1:J:102:ASP:O	1:J:110:LEU:N	2.42	0.42
1:J:222:GLU:OE1	1:J:222:GLU:HA	2.19	0.42
1:G:19:GLU:OE1	1:G:75:ARG:NE	2.52	0.42
1:G:52:MET:O	1:G:55:GLU:HG2	2.20	0.42
1:A:19:GLU:HA	1:A:19:GLU:OE2	2.19	0.42
1:D:205:ALA:C	1:D:206:LEU:HD23	2.45	0.42
1:D:274:TRP:NE1	1:D:276:PRO:HG3	2.34	0.42
1:A:272:LEU:HD23	1:A:272:LEU:HA	1.85	0.42
1:D:201:LEU:HD21	1:D:274:TRP:HB2	2.00	0.42
2:K:56:PHE:HB3	2:K:62:PHE:CD2	2.54	0.42
1:D:259:CYS:HB3	1:D:272:LEU:HD12	2.01	0.42
2:B:31:HIS:ND1	6:B:201:HOH:O	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:97:GLN:HB2	1:G:116:PHE:CE2	2.55	0.42
2:H:41:LYS:HG3	2:H:78:TYR:CE2	2.55	0.42
1:J:147:TRP:CZ2	3:L:9:MET:HG2	2.54	0.42
1:D:185:PRO:HD2	1:D:266:LEU:CD1	2.50	0.42
1:G:11:ALA:HA	1:G:21:ARG:O	2.19	0.41
1:J:147:TRP:O	6:J:302:HOH:O	2.22	0.41
1:A:238:ASP:OD1	1:A:240:THR:OG1	2.34	0.41
1:D:194:ARG:HD3	1:D:248:VAL:CG2	2.51	0.41
1:A:254:GLU:HB3	1:A:274:TRP:HD1	1.85	0.41
1:G:14:ARG:HB2	1:G:17:LEU:HD13	2.02	0.41
1:D:45:TYR:CE2	1:D:67:ALA:HB2	2.55	0.41
1:D:259:CYS:HB3	1:D:272:LEU:HD11	2.02	0.41
2:E:45:LYS:HB2	2:E:45:LYS:HE2	1.88	0.41
1:D:182:THR:HB	1:D:209:TYR:O	2.20	0.41
1:J:209:TYR:HA	1:J:210:PRO:C	2.46	0.41
1:A:108:ARG:HD3	1:D:262:TYR:CD1	2.56	0.41
1:A:205:ALA:O	1:A:206:LEU:HD23	2.21	0.41
1:D:66:LYS:O	1:D:70:GLN:HG2	2.21	0.41
1:D:209:TYR:CG	1:D:210:PRO:HA	2.56	0.41
1:G:167:TRP:CD1	3:I:1:MET:HG2	2.56	0.41
1:G:224:LEU:O	1:G:228:MET:HB2	2.20	0.41
1:G:226:GLN:O	1:G:227:ASP:CB	2.68	0.41
1:J:229:GLU:O	1:J:245:ALA:HA	2.21	0.41
1:J:236:ALA:HB1	2:K:12:ARG:HG3	2.02	0.41
1:J:250:PRO:O	1:J:253:LYS:N	2.54	0.41
1:A:129:ASP:O	1:A:131:LYS:HG3	2.20	0.40
1:J:174:ASN:OD1	1:J:174:ASN:N	2.54	0.40
1:D:192:HIS:HB2	1:D:200:THR:OG1	2.21	0.40
1:A:119:GLU:OE1	1:A:119:GLU:CA	2.64	0.40
1:D:189:VAL:HG23	1:D:272:LEU:HD13	2.04	0.40
2:K:23:LEU:O	2:K:39:MET:HE1	2.22	0.40
1:D:167:TRP:CD1	3:F:1:MET:HG2	2.56	0.40
1:G:35:ARG:NH2	2:H:53:ASP:HB3	2.36	0.40
1:G:104:GLY:N	1:G:110:LEU:HG	2.37	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:88:ALA:O	1:J:62:ARG:NH1[2_658]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	268/276 (97%)	246 (92%)	21 (8%)	1 (0%)	30	31
1	D	269/276 (98%)	257 (96%)	12 (4%)	0	100	100
1	G	264/276 (96%)	249 (94%)	15 (6%)	0	100	100
1	J	246/276 (89%)	232 (94%)	11 (4%)	3 (1%)	10	7
2	B	98/99 (99%)	95 (97%)	3 (3%)	0	100	100
2	E	98/99 (99%)	94 (96%)	3 (3%)	1 (1%)	12	10
2	H	98/99 (99%)	95 (97%)	3 (3%)	0	100	100
2	K	98/99 (99%)	92 (94%)	6 (6%)	0	100	100
3	C	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	F	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	I	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
3	L	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
All	All	1467/1536 (96%)	1382 (94%)	80 (6%)	5 (0%)	36	40

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	J	254	GLU
1	J	251	LEU
1	A	149	GLN
1	J	223	GLU
2	E	47	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/234 (98%)	226 (99%)	3 (1%)	61	72
1	D	230/234 (98%)	230 (100%)	0	100	100
1	G	226/234 (97%)	224 (99%)	2 (1%)	70	79
1	J	215/234 (92%)	209 (97%)	6 (3%)	38	48
2	B	94/94 (100%)	94 (100%)	0	100	100
2	E	93/94 (99%)	93 (100%)	0	100	100
2	H	94/94 (100%)	94 (100%)	0	100	100
2	K	92/94 (98%)	90 (98%)	2 (2%)	45	56
3	C	8/8 (100%)	8 (100%)	0	100	100
3	F	8/8 (100%)	8 (100%)	0	100	100
3	I	8/8 (100%)	8 (100%)	0	100	100
3	L	8/8 (100%)	8 (100%)	0	100	100
All	All	1305/1344 (97%)	1292 (99%)	13 (1%)	68	77

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	115	GLN
1	A	169	HIS
1	G	264	GLU
1	G	272	LEU
1	J	92	SER
1	J	219	LEU
1	J	222	GLU
1	J	253	LYS
1	J	254	GLU
1	J	275	GLU
2	K	52	SER
2	K	55	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	97	GLN
1	A	255	GLN
2	B	6	GLN
2	B	34	HIS
1	D	70	GLN
1	D	87	GLN
2	E	29	GLN
1	G	72	GLN
2	K	31	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	B	101	-	5,5,5	0.37	0	5,5,5	0.37	0
5	SO4	G	301	-	4,4,4	0.26	0	6,6,6	0.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	101	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	101	GOL	O1-C1-C2-C3
4	B	101	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	101	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	272/276 (98%)	1.11	55 (20%) 3 2	23, 48, 89, 106	0
1	D	272/276 (98%)	0.89	56 (20%) 2 2	23, 43, 96, 110	1 (0%)
1	G	269/276 (97%)	1.11	48 (17%) 4 3	27, 51, 94, 111	1 (0%)
1	J	258/276 (93%)	1.48	87 (33%) 1 0	24, 62, 115, 145	0
2	B	99/99 (100%)	0.10	2 (2%) 65 65	20, 33, 49, 58	1 (1%)
2	E	99/99 (100%)	0.63	6 (6%) 27 25	19, 40, 61, 74	1 (1%)
2	H	99/99 (100%)	0.45	3 (3%) 52 53	24, 41, 56, 73	1 (1%)
2	K	99/99 (100%)	1.98	44 (44%) 0 0	25, 64, 85, 95	1 (1%)
3	C	9/9 (100%)	0.94	0 100 100	33, 39, 47, 57	0
3	F	9/9 (100%)	-0.25	0 100 100	23, 29, 33, 40	0
3	I	9/9 (100%)	0.52	1 (11%) 10 9	32, 35, 48, 53	0
3	L	9/9 (100%)	0.34	0 100 100	33, 37, 50, 58	0
All	All	1503/1536 (97%)	1.03	302 (20%) 3 2	19, 47, 93, 145	6 (0%)

All (302) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	224	LEU	8.4
1	D	248	VAL	6.9
1	J	1	GLY	6.5
1	A	180	LEU	6.5
1	D	199	VAL	5.7
1	D	253	LYS	5.7
1	G	197	GLY	5.7
1	J	251	LEU	5.7
1	J	219	LEU	5.6
2	K	73	THR	5.2
1	G	248	VAL	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	249	VAL	5.1
1	J	274	TRP	5.1
1	A	224	LEU	5.0
1	J	218	GLN	4.9
2	K	79	ALA	4.8
1	D	193	PRO	4.8
1	A	16	GLY	4.8
1	G	1	GLY	4.8
1	A	50	PRO	4.7
1	D	207	GLY	4.7
1	J	225	THR	4.6
2	K	19	LYS	4.6
1	J	224	LEU	4.6
1	D	17	LEU	4.5
2	K	18	GLY	4.5
1	G	199	VAL	4.5
1	J	191	HIS	4.5
1	A	41	GLU	4.4
1	J	257	TYR	4.4
2	K	70	PHE	4.4
1	J	192	HIS	4.4
1	D	217	TRP	4.4
1	A	59	TYR	4.4
2	K	71	THR	4.2
1	G	220	ASN	4.2
1	J	217	TRP	4.2
1	J	49	ALA	4.2
1	G	221	GLY	4.1
1	J	105	SER	4.1
2	K	77	THR	4.0
1	A	195	SER	4.0
1	G	253	LYS	4.0
2	K	43	GLY	4.0
2	K	42	ASN	4.0
1	A	172	LEU	4.0
2	K	22	ILE	4.0
1	D	201	LEU	3.9
2	B	54[A]	MET	3.9
1	J	252	GLY	3.9
1	G	193	PRO	3.9
1	A	17	LEU	3.9
2	K	10	TYR	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	K	72	PRO	3.8
2	H	1	ILE	3.8
1	J	250	PRO	3.8
1	A	175	GLY	3.8
2	K	40	LEU	3.8
1	G	225	THR	3.7
1	A	193	PRO	3.7
1	D	247	VAL	3.7
1	D	273	ARG	3.7
1	J	201	LEU	3.7
2	K	95	TRP	3.7
1	G	250	PRO	3.7
1	J	256	ASN	3.6
1	A	51	TRP	3.6
1	J	60	TRP	3.6
2	K	93	VAL	3.6
2	K	15	PRO	3.5
1	G	17	LEU	3.5
1	G	224	LEU	3.5
2	K	9	VAL	3.5
1	J	200	THR	3.4
2	K	23	LEU	3.4
1	A	219	LEU	3.4
2	E	1	ILE	3.4
2	K	14	PRO	3.4
1	J	59	TYR	3.4
2	K	82	VAL	3.4
1	D	267	PRO	3.3
1	G	194	ARG	3.3
1	A	197	GLY	3.3
1	A	47	PRO	3.3
1	D	250	PRO	3.3
1	A	58	GLU	3.3
1	A	61	GLU	3.3
1	D	219	LEU	3.3
1	J	103	LEU	3.3
1	D	254	GLU	3.3
2	H	54[A]	MET	3.3
1	J	270	LEU	3.3
1	G	42	ASN	3.2
1	J	272	LEU	3.2
1	D	246	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	K	99	MET	3.2
1	G	249	VAL	3.2
2	K	78	TYR	3.2
1	J	167	TRP	3.2
1	J	172	LEU	3.2
1	D	276	PRO	3.2
1	D	200	THR	3.2
2	K	54[A]	MET	3.2
2	B	1	ILE	3.2
1	A	254	GLU	3.1
1	J	16	GLY	3.1
1	A	249	VAL	3.1
1	G	57	PRO	3.1
1	A	274	TRP	3.1
1	G	51	TRP	3.1
1	D	198	GLU	3.1
2	K	11	SER	3.1
1	D	257	TYR	3.1
1	G	60	TRP	3.1
1	J	50	PRO	3.1
1	J	267	PRO	3.1
1	D	274	TRP	3.1
1	J	56	GLY	3.1
1	J	255	GLN	3.1
1	J	44	ARG	3.0
1	D	216	THR	3.0
1	D	181	ARG	3.0
1	J	189	VAL	3.0
1	A	169	HIS	3.0
1	D	258	THR	3.0
1	A	255	GLN	3.0
1	A	42	ASN	3.0
1	G	256	ASN	3.0
1	J	261	VAL	3.0
1	J	258	THR	3.0
1	D	176	ASN	3.0
1	G	217	TRP	3.0
1	J	244	TRP	3.0
2	K	21	ASN	2.9
1	D	191	HIS	2.9
1	J	247	VAL	2.9
1	G	16	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	48	LYS	2.9
2	K	13	HIS	2.9
1	D	189	VAL	2.9
1	G	200	THR	2.9
2	K	75	THR	2.9
1	G	104	GLY	2.9
1	G	175	GLY	2.9
1	J	175	GLY	2.9
1	D	225	THR	2.9
1	G	227	ASP	2.9
1	G	219	LEU	2.8
1	J	104	GLY	2.8
2	K	47	PRO	2.8
1	J	230	LEU	2.8
1	D	256	ASN	2.8
1	J	276	PRO	2.8
1	J	17	LEU	2.8
1	G	274	TRP	2.8
1	D	221	GLY	2.8
1	J	237	GLY	2.8
1	J	2	PRO	2.8
1	J	181	ARG	2.8
1	D	220	ASN	2.7
1	D	203	CYS	2.7
1	J	53	GLU	2.7
1	A	40	ALA	2.7
1	D	272	LEU	2.7
1	A	49	ALA	2.7
1	G	257	TYR	2.7
1	J	271	THR	2.7
2	H	47	PRO	2.7
2	K	44	LYS	2.7
1	A	167	TRP	2.7
2	K	20	PRO	2.7
1	J	273	ARG	2.7
1	A	272	LEU	2.7
1	J	208	PHE	2.6
1	J	190	THR	2.6
1	D	259	CYS	2.6
1	J	259	CYS	2.6
1	D	226	GLN	2.6
1	G	59	TYR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	47	PRO	2.6
1	J	220	ASN	2.6
1	A	45	TYR	2.6
1	A	56	GLY	2.6
1	G	247	VAL	2.6
2	E	49	VAL	2.6
2	K	94	TYR	2.6
1	J	213	ILE	2.6
1	G	272	LEU	2.6
1	J	32	GLU	2.6
1	J	211	ALA	2.6
1	A	199	VAL	2.6
1	G	276	PRO	2.6
2	K	46	ILE	2.6
1	D	204	TRP	2.5
1	A	57	PRO	2.5
1	D	190	THR	2.5
1	D	192	HIS	2.5
2	K	17	ASN	2.5
2	E	72	PRO	2.5
1	A	60	TRP	2.5
1	J	241	PHE	2.5
1	D	266	LEU	2.5
1	D	255	GLN	2.5
1	A	33	PHE	2.5
1	G	246	SER	2.5
1	J	231	VAL	2.5
1	G	251	LEU	2.5
1	J	31	LYS	2.5
1	D	245	ALA	2.5
1	A	250	PRO	2.5
1	D	16	GLY	2.5
2	K	69	GLU	2.4
1	G	105	SER	2.4
1	J	34	VAL	2.4
1	D	251	LEU	2.4
1	J	173	LYS	2.4
1	G	155	HIS	2.4
1	J	41	GLU	2.4
1	J	269	PRO	2.4
1	G	53	GLU	2.4
1	G	252	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	K	1	ILE	2.4
1	J	51	TRP	2.4
1	J	262	TYR	2.4
2	K	97	ARG	2.4
1	J	30	ASN	2.4
1	J	253	LYS	2.4
1	G	226	GLN	2.4
1	J	43	PRO	2.3
1	A	1	GLY	2.3
1	D	144[A]	ARG	2.3
1	G	54	GLN	2.3
1	J	18	GLU	2.3
2	K	24	ASN	2.3
1	G	2	PRO	2.3
1	J	171	TYR	2.3
1	D	271	THR	2.3
2	K	92	THR	2.3
1	G	58	GLU	2.3
1	J	55	GLU	2.3
1	A	201	LEU	2.3
1	J	110	LEU	2.3
1	J	266	LEU	2.3
1	A	227	ASP	2.3
2	K	76	ASP	2.3
1	G	192	HIS	2.3
1	A	226	GLN	2.3
2	K	80	CYS	2.3
1	G	30	ASN	2.3
1	A	67	ALA	2.3
1	A	107	TRP	2.3
1	A	191	HIS	2.3
1	A	239	GLY	2.2
1	J	202	ARG	2.2
3	I	4	ARG	2.2
1	J	27	TYR	2.2
1	J	209	TYR	2.2
2	E	88	ALA	2.2
1	D	18	GLU	2.2
1	A	196	LYS	2.2
1	J	246	SER	2.2
1	D	208	PHE	2.2
1	G	56	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	233	THR	2.2
1	A	168	LEU	2.2
1	D	270	LEU	2.2
1	A	220	ASN	2.2
2	K	90	PRO	2.2
1	J	239	GLY	2.2
1	D	230	LEU	2.1
1	J	204	TRP	2.1
1	A	34	VAL	2.1
1	A	267	PRO	2.1
1	J	47	PRO	2.1
1	J	90	GLY	2.1
1	A	170	ARG	2.1
1	D	269	PRO	2.1
2	K	34	HIS	2.1
1	D	1	GLY	2.1
1	J	111	ARG	2.1
2	K	88	ALA	2.1
1	A	166	GLU	2.1
1	D	275	GLU	2.1
1	J	229	GLU	2.1
1	J	254	GLU	2.1
1	D	252	GLY	2.1
2	K	12	ARG	2.1
1	J	182	THR	2.1
1	A	155	HIS	2.1
1	D	197	GLY	2.1
1	A	200	THR	2.0
1	G	214	THR	2.0
1	G	218	GLN	2.0
1	J	57	PRO	2.0
1	A	189	VAL	2.0
1	A	248	VAL	2.0
1	D	194	ARG	2.0
1	J	112	GLY	2.0
1	A	253	LYS	2.0
1	G	92	SER	2.0
1	A	276	PRO	2.0
1	J	235	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	B	101	6/6	0.78	0.13	66,69,71,73	0
5	SO4	G	301	5/5	0.78	0.11	75,83,91,92	0

6.5 Other polymers [i](#)

There are no such residues in this entry.