



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:27 AM UTC

PDB ID : 8E8P / pdb_00008e8p
Title : GSTZ1A
Authors : McKenna, R.; Combs, J.E.
Deposited on : 2022-08-25
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	19% 60% 34% • •
1	B	216	23% 62% 31% • •

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3274 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Maleylacetoacetate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	0	0
			1637	1045	282	301	9			
1	B	208	Total	C	N	O	S	0	0	0
			1637	1045	282	301	9			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	82	THR	MET	variant	UNP O43708
B	82	THR	MET	variant	UNP O43708


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Maleylacetoacetate isomerase



• Molecule 1: Maleylacetoacetate isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	42.06Å 50.08Å 54.65Å 83.47° 69.76° 73.68°	Depositor
Resolution (Å)	26.68 – 2.28 26.68 – 2.28	Depositor EDS
% Data completeness (in resolution range)	95.3 (26.68-2.28) 95.2 (26.68-2.28)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.31 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.14 _3260	Depositor
R, R_{free}	0.252 , 0.296 0.254 , 0.295	Depositor DCC
R_{free} test set	861 reflections (4.71%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.800	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.007 for -h,-k,-h+l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3274	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/1669	0.97	8/2268 (0.4%)
1	B	0.79	2/1669 (0.1%)	1.04	7/2268 (0.3%)
All	All	0.67	2/3338 (0.1%)	1.01	15/4536 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	204	PRO	N-CD	-22.38	1.16	1.47
1	B	167	VAL	CA-CB	-7.59	1.50	1.54

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	53	LEU	CB-CG-CD2	15.42	156.95	110.70
1	B	144	GLN	CA-CB-CG	-10.79	92.51	114.10
1	B	53	LEU	CB-CG-CD1	-10.70	78.59	110.70
1	A	53	LEU	CA-C-N	-10.05	109.10	122.56
1	A	53	LEU	C-N-CA	-10.05	109.10	122.56
1	B	53	LEU	CD1-CG-CD2	-9.22	90.51	110.80
1	A	63	LYS	CB-CG-CD	6.83	127.01	111.30
1	B	206	ARG	CG-CD-NE	5.82	124.81	112.00
1	A	53	LEU	N-CA-C	-5.68	104.99	111.07
1	A	116	LEU	CA-C-N	-5.65	110.64	121.94
1	A	116	LEU	C-N-CA	-5.65	110.64	121.94
1	B	59	VAL	CG1-CB-CG2	-5.64	98.38	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	121	GLN	CB-CG-CD	-5.63	103.03	112.60
1	A	210	THR	CA-C-N	-5.39	113.10	119.84
1	A	210	THR	C-N-CA	-5.39	113.10	119.84

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	209	ASP	Peptide
1	A	46	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1637	0	1691	92	5
1	B	1637	0	1691	87	4
All	All	3274	0	3382	175	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:VAL:HG12	1:B:119:LEU:HD23	1.35	1.05
1:B:119:LEU:HD22	1:B:122:VAL:HG11	1.37	1.04
1:A:45:GLN:O	1:A:51:GLN:NE2	1.96	0.97
1:A:53:LEU:HD11	1:A:68:THR:HG21	1.45	0.95
1:A:114:GLN:HE22	1:A:172:ASN:HD22	1.12	0.93
1:A:46:PHE:O	1:A:48:LYS:NZ	2.01	0.93
1:B:203:HIS:ND1	1:B:204:PRO:HD2	1.86	0.90
1:A:202:SER:HA	1:A:207:GLN:HE21	1.35	0.89
1:A:119:LEU:HA	1:A:122:VAL:HG13	1.57	0.87
1:A:114:GLN:HE22	1:A:172:ASN:ND2	1.73	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:58:GLN:HE21	1:B:115:ASN:HD21	1.26	0.83
1:B:22:ILE:HG21	1:B:164:LEU:HD22	1.61	0.82
1:B:46:PHE:HA	1:B:51:GLN:HE21	1.45	0.81
1:A:114:GLN:NE2	1:A:172:ASN:HD22	1.79	0.80
1:B:203:HIS:CG	1:B:204:PRO:HD2	2.18	0.79
1:B:56:MET:O	1:B:56:MET:SD	2.41	0.78
1:A:118:VAL:HG12	1:A:119:LEU:HD23	1.68	0.76
1:B:190:ASN:O	1:B:194:LEU:HD13	1.86	0.76
1:B:111:GLN:OE1	1:B:115:ASN:HB2	1.87	0.75
1:A:124:GLU:HA	1:A:127:GLN:HG3	1.69	0.74
1:B:36:ILE:HG22	1:B:44:GLN:HB3	1.68	0.74
1:B:136:THR:O	1:B:140:ASN:ND2	2.19	0.74
1:A:53:LEU:HD21	1:A:61:THR:HG21	1.70	0.74
1:A:10:SER:HB2	1:A:17:SER:OG	1.86	0.74
1:B:36:ILE:CG2	1:B:44:GLN:HB3	2.18	0.72
1:A:207:GLN:OE1	1:A:208:PRO:HD3	1.89	0.71
1:B:22:ILE:CG2	1:B:164:LEU:HD22	2.21	0.69
1:B:46:PHE:HA	1:B:51:GLN:NE2	2.07	0.69
1:A:53:LEU:O	1:A:70:HIS:NE2	2.26	0.69
1:A:11:TYR:HB3	1:A:14:SER:HB2	1.75	0.68
1:A:56:MET:CG	1:B:105:LEU:HD13	2.23	0.68
1:A:143:GLU:O	1:A:147:GLN:HG3	1.93	0.68
1:A:22:ILE:HG21	1:A:164:LEU:HD22	1.76	0.68
1:B:119:LEU:HA	1:B:122:VAL:HG13	1.75	0.67
1:A:47:SER:C	1:A:49:ASP:H	2.00	0.67
1:B:51:GLN:OE1	1:B:57:LYS:HG2	1.95	0.67
1:A:22:ILE:CG2	1:A:164:LEU:HD22	2.25	0.67
1:B:117:SER:HA	1:B:120:LYS:HD2	1.76	0.66
1:A:13:ARG:HH12	1:A:175:ARG:NE	1.93	0.66
1:B:33:THR:HB	1:B:208:PRO:HG2	1.77	0.66
1:A:54:ASN:HB2	1:A:70:HIS:ND1	2.11	0.65
1:B:207:GLN:HA	1:B:207:GLN:OE1	1.97	0.64
1:A:115:ASN:O	1:A:118:VAL:HB	1.97	0.64
1:B:202:SER:HA	1:B:207:GLN:HE21	1.63	0.64
1:A:38:LEU:HD13	1:A:58:GLN:HE22	1.62	0.63
1:B:204:PRO:O	1:B:206:ARG:N	2.32	0.63
1:A:56:MET:HG3	1:B:105:LEU:HD13	1.80	0.63
1:B:47:SER:C	1:B:49:ASP:H	2.07	0.62
1:A:119:LEU:O	1:A:122:VAL:HG22	1.99	0.62
1:A:122:VAL:HG21	1:A:127:GLN:HA	1.81	0.62
1:B:111:GLN:OE1	1:B:115:ASN:CB	2.47	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:ASN:O	1:B:118:VAL:HB	2.00	0.62
1:B:64:ILE:HD11	1:B:83:ARG:NH2	2.15	0.62
1:B:119:LEU:HD22	1:B:122:VAL:CG1	2.23	0.61
1:A:136:THR:O	1:A:140:ASN:ND2	2.33	0.60
1:B:38:LEU:C	1:B:43:GLY:HA3	2.26	0.60
1:A:27:LYS:HE2	1:A:88:LEU:HG	1.84	0.60
1:A:144:GLN:HA	1:A:144:GLN:OE1	1.99	0.59
1:B:12:PHE:CE2	1:B:204:PRO:O	2.56	0.59
1:A:51:GLN:CD	1:A:57:LYS:HG2	2.27	0.59
1:A:11:TYR:HB3	1:A:14:SER:CB	2.33	0.58
1:B:144:GLN:OE1	1:B:144:GLN:HA	2.03	0.58
1:A:132:GLN:HG2	1:A:178:VAL:HG22	1.86	0.58
1:A:38:LEU:HB3	1:A:45:GLN:HG2	1.86	0.57
1:A:207:GLN:HB3	1:A:208:PRO:CD	2.35	0.57
1:A:202:SER:HA	1:A:207:GLN:NE2	2.15	0.56
1:B:48:LYS:HA	1:B:51:GLN:HG3	1.86	0.56
1:B:115:ASN:HB3	1:B:118:VAL:HG23	1.87	0.56
1:B:36:ILE:HG21	1:B:50:PHE:CD2	2.40	0.56
1:A:200:GLN:O	1:A:206:ARG:HG3	2.06	0.56
1:A:56:MET:CE	1:A:71:GLN:HE21	2.18	0.56
1:B:119:LEU:O	1:B:122:VAL:HG22	2.05	0.56
1:A:54:ASN:HD21	1:A:56:MET:HE2	1.70	0.56
1:A:26:LEU:HD12	1:A:198:ALA:HB1	1.87	0.55
1:B:50:PHE:HA	1:B:53:LEU:HB2	1.88	0.55
1:B:119:LEU:HD13	1:B:127:GLN:HA	1.89	0.55
1:A:54:ASN:HB2	1:A:70:HIS:CE1	2.41	0.55
1:A:54:ASN:OD1	1:A:56:MET:SD	2.65	0.55
1:B:54:ASN:ND2	1:B:58:GLN:O	2.40	0.54
1:A:114:GLN:O	1:A:114:GLN:OE1	2.26	0.54
1:A:47:SER:HB3	1:A:49:ASP:HB3	1.90	0.53
1:A:38:LEU:C	1:A:43:GLY:HA3	2.33	0.53
1:A:54:ASN:HB2	1:A:70:HIS:CG	2.44	0.53
1:B:27:LYS:HE2	1:B:88:LEU:HG	1.91	0.52
1:B:38:LEU:CD2	1:B:45:GLN:HB3	2.40	0.52
1:A:11:TYR:CG	1:A:38:LEU:HG	2.44	0.52
1:B:12:PHE:CZ	1:B:204:PRO:C	2.87	0.52
1:B:112:PRO:O	1:B:118:VAL:HG21	2.09	0.52
1:B:144:GLN:HA	1:B:147:GLN:HG3	1.91	0.52
1:B:124:GLU:O	1:B:127:GLN:HG3	2.10	0.52
1:A:203:HIS:ND1	1:A:204:PRO:HD2	2.26	0.51
1:B:50:PHE:CD2	1:B:53:LEU:HD12	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:LEU:O	1:A:70:HIS:CE1	2.64	0.51
1:A:143:GLU:CG	1:A:147:GLN:HE21	2.22	0.51
1:B:53:LEU:O	1:B:70:HIS:CE1	2.64	0.51
1:A:54:ASN:ND2	1:A:70:HIS:HB3	2.26	0.51
1:B:37:ASN:O	1:B:44:GLN:HB2	2.11	0.51
1:A:51:GLN:O	1:A:55:PRO:HA	2.11	0.50
1:B:122:VAL:HG23	1:B:127:GLN:HG2	1.94	0.50
1:A:18:TRP:CD2	1:A:204:PRO:HD3	2.46	0.50
1:B:143:GLU:O	1:B:147:GLN:HG3	2.11	0.50
1:A:51:GLN:NE2	1:A:57:LYS:HB3	2.28	0.49
1:A:89:LEU:HD23	1:A:99:VAL:HG11	1.94	0.49
1:A:56:MET:HE3	1:B:105:LEU:HB2	1.94	0.49
1:A:33:THR:HB	1:A:208:PRO:HG2	1.95	0.48
1:A:56:MET:HE3	1:A:71:GLN:HE21	1.79	0.48
1:B:11:TYR:CG	1:B:38:LEU:HD12	2.47	0.48
1:A:122:VAL:HG23	1:A:123:GLY:O	2.13	0.48
1:A:38:LEU:HD13	1:A:58:GLN:NE2	2.27	0.48
1:B:122:VAL:CG2	1:B:127:GLN:HG2	2.43	0.48
1:B:50:PHE:CD2	1:B:53:LEU:CD1	2.96	0.47
1:A:128:LEU:HD12	1:A:176:PHE:HD2	1.78	0.47
1:B:36:ILE:HG23	1:B:44:GLN:HB3	1.94	0.47
1:A:42:ARG:O	1:A:42:ARG:HG3	2.15	0.47
1:A:93:PRO:HA	1:A:96:ARG:HD3	1.95	0.47
1:A:109:GLY:O	1:A:113:LEU:HD13	2.14	0.47
1:A:13:ARG:HH12	1:A:175:ARG:HE	1.59	0.47
1:A:53:LEU:HD21	1:A:61:THR:CG2	2.44	0.47
1:B:47:SER:C	1:B:49:ASP:N	2.69	0.47
1:B:58:GLN:NE2	1:B:115:ASN:HD21	2.04	0.47
1:B:36:ILE:HD12	1:B:50:PHE:HD2	1.81	0.46
1:B:204:PRO:C	1:B:206:ARG:H	2.22	0.46
1:A:119:LEU:HD11	1:A:131:ALA:HB2	1.97	0.46
1:A:33:THR:CB	1:A:208:PRO:HG2	2.46	0.46
1:A:51:GLN:OE1	1:A:57:LYS:HG2	2.15	0.46
1:A:116:LEU:O	1:A:119:LEU:N	2.46	0.46
1:A:21:ARG:NE	1:A:207:GLN:HG3	2.30	0.46
1:B:181:THR:OG1	1:B:182:PRO:HD3	2.16	0.46
1:A:47:SER:C	1:A:49:ASP:N	2.68	0.46
1:B:118:VAL:CG1	1:B:119:LEU:HD23	2.26	0.46
1:B:38:LEU:HD22	1:B:45:GLN:HB3	1.97	0.46
1:A:38:LEU:HD22	1:A:45:GLN:HB3	1.98	0.46
1:A:56:MET:HG2	1:B:105:LEU:HD13	1.95	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:89:LEU:HD23	1:B:99:VAL:HG11	1.98	0.45
1:B:203:HIS:CE1	1:B:204:PRO:HD2	2.48	0.45
1:B:166:LEU:O	1:B:170:VAL:HG23	2.17	0.45
1:B:172:ASN:OD1	1:B:175:ARG:NH2	2.50	0.45
1:A:49:ASP:C	1:A:49:ASP:OD2	2.60	0.45
1:B:207:GLN:HB3	1:B:208:PRO:HD3	1.99	0.44
1:A:207:GLN:HB3	1:A:208:PRO:HD3	1.99	0.44
1:A:11:TYR:HE1	1:A:37:ASN:CG	2.25	0.44
1:B:33:THR:CB	1:B:208:PRO:HG2	2.48	0.44
1:A:119:LEU:HD22	1:A:122:VAL:HG11	2.00	0.44
1:B:50:PHE:HE1	1:B:57:LYS:C	2.25	0.44
1:B:203:HIS:O	1:B:204:PRO:C	2.60	0.44
1:B:54:ASN:HB2	1:B:61:THR:OG1	2.17	0.44
1:B:39:ILE:HG22	1:B:116:LEU:HD21	1.99	0.43
1:B:45:GLN:HG3	1:B:46:PHE:N	2.32	0.43
1:A:205:CYS:C	1:A:206:ARG:HG2	2.43	0.43
1:A:26:LEU:HD12	1:A:198:ALA:CB	2.48	0.43
1:A:11:TYR:HE1	1:A:37:ASN:ND2	2.16	0.43
1:B:207:GLN:HB3	1:B:208:PRO:CD	2.49	0.43
1:A:46:PHE:CD1	1:A:48:LYS:HE3	2.54	0.43
1:B:64:ILE:HD11	1:B:83:ARG:HH22	1.83	0.42
1:A:58:GLN:OE1	1:A:58:GLN:HA	2.19	0.42
1:B:12:PHE:CZ	1:B:205:CYS:HA	2.54	0.42
1:B:208:PRO:C	1:B:210:THR:HG23	2.45	0.42
1:B:122:VAL:HG23	1:B:123:GLY:N	2.35	0.42
1:A:56:MET:HE2	1:A:71:GLN:HE21	1.83	0.41
1:B:10:SER:HB3	1:B:21:ARG:NH1	2.35	0.41
1:B:37:ASN:O	1:B:44:GLN:N	2.38	0.41
1:B:53:LEU:HB3	1:B:54:ASN:H	1.68	0.41
1:A:47:SER:O	1:A:51:GLN:HG3	2.21	0.41
1:B:45:GLN:HA	1:B:50:PHE:CD1	2.54	0.41
1:B:45:GLN:NE2	1:B:46:PHE:HB2	2.36	0.41
1:A:115:ASN:OD1	1:A:116:LEU:N	2.52	0.41
1:B:205:CYS:O	1:B:206:ARG:HD3	2.20	0.41
1:A:181:THR:HB	1:A:182:PRO:HD3	2.03	0.41
1:A:45:GLN:HB2	1:A:57:LYS:O	2.21	0.41
1:A:116:LEU:HD12	1:A:116:LEU:HA	1.87	0.41
1:B:122:VAL:HG21	1:B:127:GLN:HA	2.03	0.41
1:B:131:ALA:O	1:B:135:ILE:HD12	2.22	0.40
1:A:5:LYS:HA	1:A:6:PRO:HD3	1.95	0.40
1:A:18:TRP:CE2	1:A:204:PRO:HD3	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:GLU:OE2	1:A:125:GLU:N	2.54	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:ASP:O	1:A:144:GLN:NE2[1_655]	1.83	0.37
1:A:33:THR:O	1:B:206:ARG:NH2[1_556]	1.88	0.32
1:A:53:LEU:N	1:A:144:GLN:OE1[1_655]	1.91	0.29
1:B:49:ASP:O	1:B:144:GLN:NE2[1_455]	1.91	0.29
1:A:63:LYS:NZ	1:A:150:ALA:O[1_655]	1.94	0.26
1:A:5:LYS:NZ	1:B:197:GLU:OE2[1_556]	2.06	0.14
1:B:83:ARG:NH2	1:B:125:GLU:OE2[1_545]	2.19	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/216 (95%)	194 (94%)	11 (5%)	1 (0%)	24	29
1	B	206/216 (95%)	189 (92%)	15 (7%)	2 (1%)	12	13
All	All	412/432 (95%)	383 (93%)	26 (6%)	3 (1%)	18	21

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	205	CYS
1	A	208	PRO
1	B	208	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/190 (97%)	185 (100%)	0	100	100
1	B	185/190 (97%)	184 (100%)	1 (0%)	81	89
All	All	370/380 (97%)	369 (100%)	1 (0%)	86	92

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	53	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	GLN
1	A	91	GLN
1	A	114	GLN
1	A	140	ASN
1	A	147	GLN
1	B	58	GLN
1	B	121	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	208/216 (96%)	1.19	42 (20%)	3 3	25, 46, 105, 123	0
1	B	208/216 (96%)	1.18	50 (24%)	2 2	23, 45, 107, 117	0
All	All	416/432 (96%)	1.18	92 (22%)	2 2	23, 46, 107, 123	0

All (92) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	50	PHE	7.2
1	A	49	ASP	7.0
1	B	49	ASP	6.9
1	B	53	LEU	6.8
1	A	53	LEU	6.4
1	A	55	PRO	6.2
1	B	47	SER	6.2
1	B	50	PHE	6.1
1	A	46	PHE	5.8
1	A	36	ILE	5.7
1	A	128	LEU	5.3
1	B	55	PRO	5.3
1	B	208	PRO	5.2
1	A	35	PRO	5.2
1	B	118	VAL	5.0
1	A	119	LEU	5.0
1	B	209	ASP	4.8
1	A	47	SER	4.8
1	B	38	LEU	4.7
1	B	59	VAL	4.7
1	B	39	ILE	4.6
1	B	52	ALA	4.5
1	A	208	PRO	4.5
1	A	12	PHE	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	52	ALA	4.3
1	A	122	VAL	4.3
1	A	130	TRP	4.2
1	A	212	THR	4.1
1	B	144	GLN	4.0
1	A	56	MET	4.0
1	A	59	VAL	3.9
1	A	116	LEU	3.9
1	B	119	LEU	3.9
1	B	36	ILE	3.9
1	A	54	ASN	3.8
1	B	116	LEU	3.7
1	B	46	PHE	3.7
1	B	123	GLY	3.7
1	B	51	GLN	3.7
1	A	209	ASP	3.7
1	B	54	ASN	3.5
1	A	207	GLN	3.5
1	A	58	GLN	3.4
1	B	12	PHE	3.4
1	B	10	SER	3.4
1	B	212	THR	3.3
1	A	118	VAL	3.3
1	B	126	MET	3.2
1	B	34	VAL	3.2
1	A	39	ILE	3.2
1	B	117	SER	3.1
1	A	211	PRO	3.1
1	B	11	TYR	3.0
1	B	44	GLN	3.0
1	A	48	LYS	3.0
1	B	211	PRO	3.0
1	B	207	GLN	2.9
1	A	205	CYS	2.9
1	A	57	LYS	2.8
1	B	40	LYS	2.8
1	A	203	HIS	2.8
1	A	144	GLN	2.7
1	A	210	THR	2.7
1	B	37	ASN	2.7
1	B	115	ASN	2.7
1	A	113	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	176	PHE	2.6
1	B	68	THR	2.6
1	A	204	PRO	2.6
1	B	35	PRO	2.6
1	A	13	ARG	2.6
1	B	122	VAL	2.5
1	B	124	GLU	2.5
1	A	38	LEU	2.5
1	A	11	TYR	2.5
1	B	9	TYR	2.5
1	B	48	LYS	2.5
1	B	210	THR	2.4
1	B	13	ARG	2.4
1	B	128	LEU	2.4
1	B	204	PRO	2.3
1	A	37	ASN	2.3
1	B	58	GLN	2.3
1	B	56	MET	2.2
1	A	42	ARG	2.2
1	B	203	HIS	2.1
1	A	206	ARG	2.1
1	A	10	SER	2.1
1	B	45	GLN	2.1
1	B	127	GLN	2.1
1	B	194	LEU	2.0
1	B	112	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.