



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 07:33 AM UTC

PDB ID : 9E8K / pdb_00009e8k
EMDB ID : EMD-47723
Title : Nub1/Fat10-processing human 26S proteasome with Rpt6 at top of spiral staircase (AAA+ motor locally refined)
Authors : Arkinson, C.; Gee, C.L.; Martin, A.
Deposited on : 2024-11-05
Resolution : 4.08 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	6428 (3.58 - 4.58)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	44% 47% 36% 17%
2	C	406	16% 54% 35% 11%
3	H	246	72% 67% 30%
4	J	234	66% 74% 25%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	K	261	
6	L	248	
7	M	263	
8	N	255	
9	v	8	
10	D	418	
11	E	389	
12	F	439	
13	B	440	
14	P	241	
15	c	424	

2 Entry composition [i](#)

There are 19 unique types of molecules in this entry. The entry contains 31852 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	359	Total	C	N	O	S	0	0
			2800	1762	495	526	17		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	156	ILE	LYS	conflict	UNP P35998
A	157	ALA	ILE	conflict	UNP P35998

- Molecule 2 is a protein called 26S protease regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	363	Total	C	N	O	S	0	0
			2876	1813	516	530	17		

- Molecule 3 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	239	Total	C	N	O	S	0	0
			1820	1157	304	346	13		

- Molecule 4 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	J	230	Total	C	N	O	S	0	0
			1717	1091	291	330	5		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	163	HIS	MET	conflict	UNP P25787
J	176	HIS	LYS	conflict	UNP P25787
J	177	HIS	ARG	conflict	UNP P25787

- Molecule 5 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	K	248	Total	C	N	O	S	0	0
			1895	1195	324	368	8		

- Molecule 6 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	L	239	Total	C	N	O	S	0	0
			1704	1056	308	335	5		

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	M	238	Total	C	N	O	S	0	0
			1850	1159	334	346	11		

- Molecule 8 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	N	240	Total	C	N	O	S	0	0
			1856	1178	314	353	11		

- Molecule 9 is a protein called substrate peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	v	8	Total	C	N	O	0	0
			40	24	8	8		

- Molecule 10 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	364	Total	C	N	O	S	0	0
			2894	1833	503	547	11		

- Molecule 11 is a protein called 26S protease regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	E	368	Total	C	N	O	S	0	0
			2932	1846	522	548	16		

- Molecule 12 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F	367	Total	C	N	O	S	0	0
			2877	1818	498	544	17		

- Molecule 13 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	B	326	Total	C	N	O	S	0	0
			2544	1600	435	498	11		

- Molecule 14 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	P	228	Total	C	N	O	S	0	0
			1729	1086	284	349	10		

- Molecule 15 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	c	271	Total	C	N	O	S	0	0
			2145	1359	368	401	17		

There are 114 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	311	LEU	-	expression tag	UNP O00487
c	312	ILE	-	expression tag	UNP O00487
c	313	ASN	-	expression tag	UNP O00487
c	314	HIS	-	expression tag	UNP O00487
c	315	HIS	-	expression tag	UNP O00487
c	316	HIS	-	expression tag	UNP O00487
c	317	HIS	-	expression tag	UNP O00487
c	318	HIS	-	expression tag	UNP O00487
c	319	HIS	-	expression tag	UNP O00487
c	320	ASP	-	expression tag	UNP O00487
c	321	TYR	-	expression tag	UNP O00487
c	322	ASP	-	expression tag	UNP O00487
c	323	ILE	-	expression tag	UNP O00487
c	324	PRO	-	expression tag	UNP O00487
c	325	THR	-	expression tag	UNP O00487
c	326	THR	-	expression tag	UNP O00487
c	327	ALA	-	expression tag	UNP O00487
c	328	SER	-	expression tag	UNP O00487
c	329	GLU	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	330	ASN	-	expression tag	UNP O00487
c	331	LEU	-	expression tag	UNP O00487
c	332	TYR	-	expression tag	UNP O00487
c	333	PHE	-	expression tag	UNP O00487
c	334	GLN	-	expression tag	UNP O00487
c	335	GLY	-	expression tag	UNP O00487
c	336	GLU	-	expression tag	UNP O00487
c	337	LEU	-	expression tag	UNP O00487
c	338	GLY	-	expression tag	UNP O00487
c	339	MET	-	expression tag	UNP O00487
c	340	ARG	-	expression tag	UNP O00487
c	341	GLY	-	expression tag	UNP O00487
c	342	SER	-	expression tag	UNP O00487
c	343	ALA	-	expression tag	UNP O00487
c	344	GLY	-	expression tag	UNP O00487
c	345	LYS	-	expression tag	UNP O00487
c	346	ALA	-	expression tag	UNP O00487
c	347	GLY	-	expression tag	UNP O00487
c	348	GLU	-	expression tag	UNP O00487
c	349	GLY	-	expression tag	UNP O00487
c	350	GLU	-	expression tag	UNP O00487
c	351	ILE	-	expression tag	UNP O00487
c	352	PRO	-	expression tag	UNP O00487
c	353	ALA	-	expression tag	UNP O00487
c	354	PRO	-	expression tag	UNP O00487
c	355	LEU	-	expression tag	UNP O00487
c	356	ALA	-	expression tag	UNP O00487
c	357	GLY	-	expression tag	UNP O00487
c	358	THR	-	expression tag	UNP O00487
c	359	VAL	-	expression tag	UNP O00487
c	360	SER	-	expression tag	UNP O00487
c	361	LYS	-	expression tag	UNP O00487
c	362	ILE	-	expression tag	UNP O00487
c	363	LEU	-	expression tag	UNP O00487
c	364	VAL	-	expression tag	UNP O00487
c	365	LYS	-	expression tag	UNP O00487
c	366	GLU	-	expression tag	UNP O00487
c	367	GLY	-	expression tag	UNP O00487
c	368	ASP	-	expression tag	UNP O00487
c	369	THR	-	expression tag	UNP O00487
c	370	VAL	-	expression tag	UNP O00487
c	371	LYS	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
c	372	ALA	-	expression tag	UNP O00487
c	373	GLY	-	expression tag	UNP O00487
c	374	GLN	-	expression tag	UNP O00487
c	375	THR	-	expression tag	UNP O00487
c	376	VAL	-	expression tag	UNP O00487
c	377	LEU	-	expression tag	UNP O00487
c	378	VAL	-	expression tag	UNP O00487
c	379	LEU	-	expression tag	UNP O00487
c	380	GLU	-	expression tag	UNP O00487
c	381	ALA	-	expression tag	UNP O00487
c	382	MET	-	expression tag	UNP O00487
c	383	LYS	-	expression tag	UNP O00487
c	384	MET	-	expression tag	UNP O00487
c	385	GLU	-	expression tag	UNP O00487
c	386	THR	-	expression tag	UNP O00487
c	387	GLU	-	expression tag	UNP O00487
c	388	ILE	-	expression tag	UNP O00487
c	389	ASN	-	expression tag	UNP O00487
c	390	ALA	-	expression tag	UNP O00487
c	391	PRO	-	expression tag	UNP O00487
c	392	THR	-	expression tag	UNP O00487
c	393	ASP	-	expression tag	UNP O00487
c	394	GLY	-	expression tag	UNP O00487
c	395	LYS	-	expression tag	UNP O00487
c	396	VAL	-	expression tag	UNP O00487
c	397	GLU	-	expression tag	UNP O00487
c	398	LYS	-	expression tag	UNP O00487
c	399	VAL	-	expression tag	UNP O00487
c	400	LEU	-	expression tag	UNP O00487
c	401	VAL	-	expression tag	UNP O00487
c	402	LYS	-	expression tag	UNP O00487
c	403	GLU	-	expression tag	UNP O00487
c	404	ARG	-	expression tag	UNP O00487
c	405	ASP	-	expression tag	UNP O00487
c	406	ALA	-	expression tag	UNP O00487
c	407	VAL	-	expression tag	UNP O00487
c	408	GLN	-	expression tag	UNP O00487
c	409	GLY	-	expression tag	UNP O00487
c	410	GLY	-	expression tag	UNP O00487
c	411	GLN	-	expression tag	UNP O00487
c	412	GLY	-	expression tag	UNP O00487
c	413	LEU	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
c	414	ILE	-	expression tag	UNP O00487
c	415	LYS	-	expression tag	UNP O00487
c	416	ILE	-	expression tag	UNP O00487
c	417	GLY	-	expression tag	UNP O00487
c	418	VAL	-	expression tag	UNP O00487
c	419	HIS	-	expression tag	UNP O00487
c	420	HIS	-	expression tag	UNP O00487
c	421	HIS	-	expression tag	UNP O00487
c	422	HIS	-	expression tag	UNP O00487
c	423	HIS	-	expression tag	UNP O00487
c	424	HIS	-	expression tag	UNP O00487

- Molecule 16 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					AltConf
16	A	1	Total	C	N	O	P	0
			27	10	5	10	2	
16	E	1	Total	C	N	O	P	0
			27	10	5	10	2	
16	F	1	Total	C	N	O	P	0
			27	10	5	10	2	
16	B	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 17 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					AltConf
17	C	1	Total 31	C 10	N 5	O 13	P 3	0
17	D	1	Total 31	C 10	N 5	O 13	P 3	0

- Molecule 18 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
18	C	1	Total Mg 1 1	0
18	D	1	Total Mg 1 1	0


- Molecule 19 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
19	c	1	Total Zn 1 1	0




• Molecule 3: Proteasome subunit alpha type-6


Chain H: 72% 67% 30%





• Molecule 4: Proteasome subunit alpha type-2

Chain J: 66% 74% 25%








• Molecule 5: Proteasome subunit alpha type-4




• Molecule 6: Proteasome subunit alpha type-7





• Molecule 7: Proteasome subunit alpha type-1





• Molecule 8: Proteasome subunit alpha type-3




• Molecule 9: substrate peptide




• Molecule 10: 26S proteasome regulatory subunit 6B







• Molecule 11: 26S protease regulatory subunit 10B





• Molecule 12: 26S proteasome regulatory subunit 6A






• Molecule 13: 26S proteasome regulatory subunit 4



• Molecule 14: Proteasome subunit alpha type-5





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	10722	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.468	Depositor
Minimum map value	-0.275	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.13	Depositor
Map size (Å)	356.32, 356.32, 356.32	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.048, 1.048, 1.048	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ATP, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.19	0/2847	0.56	1/3845 (0.0%)
2	C	0.19	0/2913	0.54	0/3917
3	H	0.16	0/1853	0.42	0/2515
4	J	0.14	0/1756	0.41	0/2389
5	K	0.15	0/1925	0.44	0/2606
6	L	0.15	0/1728	0.45	1/2358 (0.0%)
7	M	0.15	0/1885	0.41	0/2552
8	N	0.17	0/1891	0.48	0/2552
10	D	0.21	0/2940	0.54	0/3969
11	E	0.21	0/2976	0.55	1/4004 (0.0%)
12	F	0.22	0/2914	0.57	0/3925
13	B	0.19	0/2576	0.54	0/3474
14	P	0.17	0/1755	0.54	0/2375
15	c	0.17	0/2185	0.46	0/2951
All	All	0.18	0/32144	0.51	3/43432 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	E	0	1
12	F	0	1
All	All	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	258	ARG	CA-CB-CG	6.07	126.24	114.10
6	L	73	PHE	N-CA-C	5.17	116.96	110.91
11	E	263	GLN	N-CA-C	-5.14	105.85	111.82

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	E	93	LYS	Mainchain
12	F	146	LYS	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2800	0	2848	137	0
2	C	2876	0	2994	137	0
3	H	1820	0	1789	56	0
4	J	1717	0	1617	47	0
5	K	1895	0	1833	48	0
6	L	1704	0	1517	46	0
7	M	1850	0	1822	50	0
8	N	1856	0	1814	49	0
9	v	40	0	11	0	0
10	D	2894	0	2933	198	0
11	E	2932	0	3012	138	0
12	F	2877	0	2978	147	0
13	B	2544	0	2597	136	0
14	P	1729	0	1680	58	0
15	c	2145	0	2150	63	0
16	A	27	0	12	3	0
16	B	27	0	12	6	0
16	E	27	0	12	3	0
16	F	27	0	12	3	0
17	C	31	0	12	4	0
17	D	31	0	12	7	0
18	C	1	0	0	0	0
18	D	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	c	1	0	0	0	0
All	All	31852	0	31667	1175	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 1175 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:80:MET:HE1	3:H:136:CYS:HB2	1.46	0.97
14:P:202:LEU:HA	14:P:205:VAL:HG22	1.58	0.85
10:D:243:GLY:HA2	10:D:246:MET:HE2	1.58	0.84
10:D:252:ARG:HA	10:D:255:LYS:HD2	1.59	0.84
8:N:50:GLU:HB2	8:N:209:PHE:HE1	1.43	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	357/433 (82%)	318 (89%)	37 (10%)	2 (1%)	21	58
2	C	357/406 (88%)	317 (89%)	35 (10%)	5 (1%)	9	39
3	H	237/246 (96%)	227 (96%)	10 (4%)	0	100	100
4	J	228/234 (97%)	227 (100%)	1 (0%)	0	100	100
5	K	246/261 (94%)	235 (96%)	11 (4%)	0	100	100
6	L	237/248 (96%)	218 (92%)	18 (8%)	1 (0%)	30	65
7	M	236/263 (90%)	225 (95%)	10 (4%)	1 (0%)	30	65
8	N	238/255 (93%)	221 (93%)	17 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	D	360/418 (86%)	320 (89%)	37 (10%)	3 (1%)	16	52
11	E	364/389 (94%)	337 (93%)	24 (7%)	3 (1%)	16	52
12	F	361/439 (82%)	327 (91%)	28 (8%)	6 (2%)	7	36
13	B	318/440 (72%)	285 (90%)	31 (10%)	2 (1%)	21	58
14	P	224/241 (93%)	211 (94%)	13 (6%)	0	100	100
15	c	265/424 (62%)	239 (90%)	25 (9%)	1 (0%)	30	65
All	All	4028/4697 (86%)	3707 (92%)	297 (7%)	24 (1%)	23	58

5 of 24 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	242	ALA
10	D	85	ILE
11	E	116	ASP
12	F	86	LEU
12	F	279	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/371 (82%)	304 (100%)	0	100	100
2	C	319/352 (91%)	319 (100%)	0	100	100
3	H	192/210 (91%)	192 (100%)	0	100	100
4	J	168/191 (88%)	168 (100%)	0	100	100
5	K	191/221 (86%)	191 (100%)	0	100	100
6	L	152/211 (72%)	150 (99%)	2 (1%)	61	72
7	M	198/224 (88%)	198 (100%)	0	100	100
8	N	192/212 (91%)	192 (100%)	0	100	100
10	D	314/366 (86%)	314 (100%)	0	100	100
11	E	324/341 (95%)	324 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	F	315/379 (83%)	315 (100%)	0	100	100
13	B	284/385 (74%)	284 (100%)	0	100	100
14	P	187/203 (92%)	187 (100%)	0	100	100
15	c	240/359 (67%)	240 (100%)	0	100	100
All	All	3380/4025 (84%)	3378 (100%)	2 (0%)	87	89

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	L	146	GLN
6	L	215	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

Mol	Chain	Res	Type
8	N	110	HIS
12	F	367	GLN
10	D	175	GLN
14	P	13	ASN
3	H	193	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 3 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
16	ADP	E	401	-	28,29,29	1.42	4 (14%)	43,45,45	1.86	8 (18%)
16	ADP	F	501	-	28,29,29	1.39	3 (10%)	43,45,45	1.91	9 (20%)
17	ATP	C	501	18	32,33,33	0.37	0	48,52,52	0.38	0
16	ADP	A	501	-	28,29,29	1.42	4 (14%)	43,45,45	1.96	8 (18%)
17	ATP	D	501	18	32,33,33	0.37	0	48,52,52	0.33	0
16	ADP	B	501	-	28,29,29	1.41	4 (14%)	43,45,45	1.88	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	ADP	E	401	-	-	2/16/32/32	0/3/3/3
16	ADP	F	501	-	-	5/16/32/32	0/3/3/3
17	ATP	C	501	18	-	1/22/38/38	0/3/3/3
16	ADP	A	501	-	-	8/16/32/32	0/3/3/3
17	ATP	D	501	18	-	4/22/38/38	0/3/3/3
16	ADP	B	501	-	-	0/16/32/32	0/3/3/3

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	A	501	ADP	C5-C4	4.90	1.47	1.39
16	B	501	ADP	C5-C4	4.78	1.47	1.39
16	E	401	ADP	C5-C4	4.77	1.47	1.39
16	F	501	ADP	C5-C4	4.75	1.47	1.39
16	A	501	ADP	C5-C6	2.70	1.48	1.41

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	A	501	ADP	C5-C4-N3	-6.87	117.26	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	F	501	ADP	C5-C4-N3	-6.22	118.15	126.72
16	E	401	ADP	C5-C4-N3	-6.14	118.26	126.72
16	B	501	ADP	C5-C4-N3	-6.04	118.40	126.72
16	A	501	ADP	N3-C4-N9	5.48	136.48	127.17

There are no chirality outliers.

5 of 20 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
16	A	501	ADP	C5'-O5'-PA-O1A
16	A	501	ADP	O4'-C4'-C5'-O5'
16	A	501	ADP	C3'-C4'-C5'-O5'
16	A	501	ADP	C2'-C1'-N9-C4
16	F	501	ADP	C5'-O5'-PA-O2A

There are no ring outliers.


6 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	E	401	ADP	3	0
16	F	501	ADP	3	0
17	C	501	ATP	4	0
16	A	501	ADP	3	0
17	D	501	ATP	7	0
16	B	501	ADP	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand ATP C 501




Ligand ADP A 501



Ligand ATP D 501



Ligand ADP B 501



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47723. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 170




Y Index: 170




Z Index: 170


6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 185




Y Index: 152




Z Index: 180


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.13. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 239 nm³; this corresponds to an approximate mass of 216 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.245 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.245 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.08	-	-
Author-provided FSC curve	4.08	7.13	4.14
Unmasked-calculated*	8.54	17.06	8.80

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.54 differs from the reported value 4.08 by more than 10 %

9 Map-model fit ⓘ


This section contains information regarding the fit between EMDB map EMD-47723 and PDB model 9E8K. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay ⓘ



The images above show the 3D surface view of the map at the recommended contour level 0.13 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 60% of all backbone atoms, 40% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.13) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4040	0.2650
A	0.3790	0.2220
B	0.3860	0.2490
C	0.5750	0.2990
D	0.6040	0.3200
E	0.6140	0.3200
F	0.5800	0.2950
H	0.2670	0.2510
J	0.2770	0.2600
K	0.1810	0.2250
L	0.1820	0.2470
M	0.1650	0.1990
N	0.1650	0.2070
P	0.1940	0.2300
c	0.5990	0.3070
v	0.6500	0.4310

1.0

0.0

<0.0