



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 12:27 PM UTC

PDB ID : 2E98 / pdb_00002e98
Title : E. coli undecaprenyl pyrophosphate synthase in complex with BPH-629
Authors : Guo, R.T.; Ko, T.P.; Cao, R.; Liang, P.H.; Oldfield, E.; Wang, A.H.J.
Deposited on : 2007-01-24
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.


Mol	Chain	Length	Quality of chain
1	A	253	
1	B	253	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	B29	A	504	-	-	X	-

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 2 is [2-(3-DIBENZOFURAN-4-YL-PHENYL)-1-HYDROXY-1-PHOSPHONO-ETHYL]-PHOSPHONIC ACID (CCD ID: B29) (formula: $C_{20}H_{18}O_8P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 30	C 20	O 8	P 2	0	0
2	A	1	Total 30	C 20	O 8	P 2	0	0
2	A	1	Total 30	C 20	O 8	P 2	0	0
2	A	1	Total 30	C 20	O 8	P 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	O	P	0	0
			30	20	8	2		
2	B	1	Total	C	O	P	0	0
			30	20	8	2		
2	B	1	Total	C	O	P	0	0
			12	3	7	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	233	Total	O	0	0
			233	233		
3	B	225	Total	O	0	0
			225	225		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Undecaprenyl pyrophosphate synthetase

Chain A: 



• Molecule 1: Undecaprenyl pyrophosphate synthetase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.98Å 67.76Å 110.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.90 30.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.1 (30.00-1.90) 97.1 (30.00-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 1.89Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.187 , 0.236 0.204 , 0.255	Depositor DCC
R_{free} test set	1905 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtriage
Anisotropy	0.241	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.016 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4185	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: B29

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	1/1839 (0.1%)	1.15	4/2485 (0.2%)
1	B	1.09	2/1766 (0.1%)	1.14	5/2380 (0.2%)
All	All	1.08	3/3605 (0.1%)	1.15	9/4865 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	47	ALA	CA-CB	5.81	1.62	1.53
1	B	57	ALA	CA-CB	5.67	1.62	1.53
1	B	17	GLY	N-CA	5.25	1.53	1.45

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	204	PHE	N-CA-C	-6.93	96.03	110.80
1	A	52	ARG	NE-CZ-NH2	-6.64	113.23	119.20
1	B	204	PHE	N-CA-C	-6.05	97.92	110.80
1	B	171	GLN	N-CA-C	-5.69	105.68	113.30
1	A	62	ILE	N-CA-C	-5.60	102.35	109.58
1	B	197	GLY	N-CA-C	5.45	121.56	115.08
1	B	116	PHE	N-CA-C	-5.19	103.68	110.53
1	B	45	ALA	N-CA-C	-5.08	105.93	111.82
1	A	52	ARG	NE-CZ-NH1	5.02	126.52	121.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1802	0	1759	57	0
1	B	1733	0	1705	26	1
2	A	120	0	56	17	0
2	B	72	0	31	1	0
3	A	233	0	0	8	1
3	B	225	0	0	8	0
All	All	4185	0	3551	89	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:504:B29:HAL	2:A:504:B29:OAG	1.41	1.15
1:A:91:TRP:HD1	1:A:123:ARG:HH22	1.05	0.98
1:B:243:PHE:C	3:B:722:HOH:O	2.08	0.96
2:A:504:B29:HAL	2:A:504:B29:PBD	2.15	0.86
1:A:91:TRP:CD1	1:A:123:ARG:HH22	1.94	0.84
1:B:126:LYS:HE2	3:B:670:HOH:O	1.78	0.83
1:A:161:LYS:HE2	3:A:584:HOH:O	1.86	0.75
1:A:52:ARG:HD2	3:A:553:HOH:O	1.87	0.73
1:A:115:ARG:HG2	1:A:115:ARG:HH11	1.58	0.69
2:A:504:B29:OAG	2:A:504:B29:CAL	2.31	0.68
1:B:150:ASP:O	1:B:153:GLN:HG3	1.94	0.68
1:B:201:ILE:HD13	1:B:209:ILE:HD11	1.77	0.67
1:A:108:ARG:NH2	3:A:694:HOH:O	2.27	0.66
1:B:103:HIS:HD2	3:B:683:HOH:O	1.79	0.65
1:A:93:LEU:O	1:A:97:VAL:HG23	1.96	0.65
1:A:99:SER:OG	2:A:504:B29:OAF	2.15	0.64
1:A:52:ARG:HD3	1:A:225:ASP:HA	1.82	0.62
1:A:160:GLU:O	1:A:164:GLN:HG2	2.00	0.62
1:B:213:GLU:OE2	1:B:239:ARG:HD3	2.01	0.61
1:A:52:ARG:CD	3:A:553:HOH:O	2.47	0.61
1:A:169:PRO:HA	1:A:172:ILE:HD13	1.81	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:ASN:HD22	1:A:77:ARG:HD2	1.67	0.60
1:A:213:GLU:OE2	1:A:239:ARG:HD2	2.02	0.59
1:A:91:TRP:HD1	1:A:123:ARG:NH2	1.88	0.59
1:A:93:LEU:HD21	1:A:109:ILE:HD11	1.83	0.59
1:A:103:HIS:HB2	2:A:504:B29:OAD	2.03	0.59
1:B:93:LEU:O	1:B:97:VAL:HG23	2.03	0.59
1:A:103:HIS:CB	2:A:504:B29:OAD	2.50	0.59
1:B:157:GLN:OE1	1:B:180:HIS:HD2	1.86	0.58
1:A:172:ILE:HD12	1:A:172:ILE:N	2.21	0.56
1:A:93:LEU:HD12	2:A:504:B29:HAQ	1.89	0.55
1:A:117:ASN:OD1	1:A:120:LEU:HD13	2.06	0.55
1:B:86:MET:HE1	1:B:116:PHE:HA	1.90	0.54
1:A:115:ARG:HG2	1:A:115:ARG:NH1	2.22	0.54
1:A:51:ARG:NH2	3:A:713:HOH:O	2.41	0.54
2:A:504:B29:HAM	2:A:504:B29:OAT	2.08	0.54
1:A:82:VAL:O	1:A:85:LEU:HB2	2.07	0.53
1:B:141:ILE:HD12	2:B:505:B29:HAH	1.90	0.53
1:A:93:LEU:O	1:A:97:VAL:CG2	2.56	0.53
1:A:108:ARG:HB2	1:A:140:ASN:HD22	1.74	0.53
1:A:74:ASN:ND2	1:A:77:ARG:HH11	2.07	0.52
1:B:160:GLU:OE1	1:B:160:GLU:HA	2.10	0.51
1:B:57:ALA:HA	1:B:62:ILE:HD12	1.92	0.51
1:B:160:GLU:O	1:B:164:GLN:HG3	2.11	0.50
1:A:51:ARG:HE	2:A:504:B29:HAJ	1.76	0.50
1:A:115:ARG:HG2	1:A:115:ARG:O	2.12	0.49
1:A:91:TRP:CD1	1:A:123:ARG:NH2	2.72	0.49
1:B:51:ARG:NH1	3:B:510:HOH:O	2.40	0.49
1:B:156:ARG:O	1:B:160:GLU:HG2	2.14	0.48
1:A:86:MET:CA	1:A:86:MET:HE3	2.44	0.48
1:B:102:ARG:HH11	1:B:102:ARG:HG3	1.77	0.48
1:A:151:ILE:O	1:A:155:VAL:HG23	2.14	0.47
1:A:86:MET:HE2	1:A:116:PHE:CE2	2.50	0.47
1:B:166:ASN:ND2	3:B:691:HOH:O	2.47	0.47
1:A:239:ARG:NH1	3:A:702:HOH:O	2.36	0.47
1:B:103:HIS:CD2	3:B:683:HOH:O	2.60	0.47
1:B:130:LEU:O	1:B:130:LEU:HG	2.11	0.46
1:A:161:LYS:HE3	1:A:161:LYS:HB3	1.78	0.46
1:A:51:ARG:HG2	2:A:504:B29:CAJ	2.46	0.46
1:A:103:HIS:CG	2:A:504:B29:OAD	2.69	0.45
1:A:160:GLU:HA	1:A:160:GLU:OE1	2.17	0.45
1:B:213:GLU:OE2	3:B:576:HOH:O	2.21	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:LYS:HD2	1:A:41:PHE:CD2	2.51	0.45
1:A:96:GLU:HG3	2:A:504:B29:CAY	2.48	0.44
1:A:30:ARG:O	1:A:34:LYS:HG3	2.17	0.44
1:B:83:SER:HB3	3:B:648:HOH:O	2.18	0.44
1:A:96:GLU:HG3	2:A:504:B29:CAZ	2.48	0.44
1:A:169:PRO:O	1:A:172:ILE:HD13	2.18	0.44
2:A:504:B29:PBD	2:A:504:B29:CAL	2.98	0.44
1:A:25:MET:HB2	2:A:501:B29:HAJ	2.00	0.43
1:A:201:ILE:HD13	1:A:201:ILE:HA	1.76	0.43
1:B:113:THR:HG22	1:B:116:PHE:CE2	2.53	0.43
1:A:86:MET:HE2	1:A:116:PHE:CZ	2.54	0.42
1:A:161:LYS:CE	3:A:584:HOH:O	2.58	0.42
1:B:112:ASP:HB2	1:B:149:TRP:CE2	2.54	0.42
1:A:74:ASN:HD22	1:A:77:ARG:HH11	1.67	0.42
1:B:201:ILE:CD1	1:B:209:ILE:HD11	2.48	0.42
1:A:86:MET:HE3	1:A:86:MET:O	2.20	0.41
2:A:504:B29:OAB	2:A:504:B29:OAE	2.39	0.41
1:A:81:GLU:OE2	2:A:502:B29:OAE	2.39	0.41
1:B:19:ARG:HE	1:B:63:GLU:CD	2.28	0.41
1:A:76:ASN:ND2	3:A:654:HOH:O	2.54	0.41
1:B:145:TYR:CD1	1:B:145:TYR:C	2.99	0.41
1:A:116:PHE:N	1:A:116:PHE:CD1	2.89	0.41
1:A:235:ALA:O	1:A:239:ARG:CG	2.69	0.40
1:A:203:ASN:C	1:A:204:PHE:O	2.63	0.40
1:A:80:GLN:H	1:A:80:GLN:HG3	1.59	0.40
1:A:111:GLY:HA3	1:A:143:ALA:O	2.21	0.40
1:A:172:ILE:N	1:A:172:ILE:CD1	2.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:GLU:OE2	3:A:699:HOH:O[2_564]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/253 (88%)	219 (98%)	5 (2%)	0	100	100
1	B	213/253 (84%)	207 (97%)	6 (3%)	0	100	100
All	All	437/506 (86%)	426 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	184/206 (89%)	180 (98%)	4 (2%)	45	42
1	B	177/206 (86%)	175 (99%)	2 (1%)	65	67
All	All	361/412 (88%)	355 (98%)	6 (2%)	53	52

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	ASN
1	A	80	GLN
1	A	125	ARG
1	A	172	ILE
1	B	85	LEU
1	B	102	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	74	ASN
1	A	140	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	180	HIS
1	A	238	ASN
1	B	59	ASN
1	B	103	HIS
1	B	157	GLN
1	B	166	ASN
1	B	180	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	B29	B	507	-	11,11,33	3.48	8 (72%)	17,19,52	1.63	5 (29%)
2	B29	A	503	-	33,33,33	2.33	10 (30%)	52,52,52	2.13	13 (25%)
2	B29	A	501	-	33,33,33	2.19	9 (27%)	52,52,52	1.96	10 (19%)
2	B29	A	502	-	33,33,33	2.28	10 (30%)	52,52,52	1.96	10 (19%)
2	B29	A	504	-	33,33,33	2.30	10 (30%)	52,52,52	2.25	14 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	B29	B	505	-	33,33,33	2.32	10 (30%)	52,52,52	1.99	11 (21%)
2	B29	B	506	-	33,33,33	2.30	10 (30%)	52,52,52	2.08	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B29	B	507	-	-	3/21/21/27	-
2	B29	A	503	-	-	5/27/27/27	0/4/4/4
2	B29	A	501	-	-	0/27/27/27	0/4/4/4
2	B29	A	502	-	-	1/27/27/27	0/4/4/4
2	B29	A	504	-	-	6/27/27/27	0/4/4/4
2	B29	B	505	-	-	1/27/27/27	0/4/4/4
2	B29	B	506	-	-	1/27/27/27	0/4/4/4

All (67) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	507	B29	PBC-OAD	6.87	1.61	1.50
2	B	505	B29	PBD-OAF	6.86	1.61	1.50
2	A	503	B29	PBC-OAD	6.81	1.61	1.50
2	A	502	B29	PBC-OAD	6.78	1.61	1.50
2	A	503	B29	PBD-OAF	6.78	1.61	1.50
2	B	505	B29	PBC-OAD	6.77	1.61	1.50
2	B	507	B29	PBD-OAF	6.75	1.61	1.50
2	B	506	B29	PBD-OAF	6.74	1.61	1.50
2	B	506	B29	PBC-OAD	6.72	1.61	1.50
2	A	504	B29	PBD-OAF	6.70	1.61	1.50
2	A	504	B29	PBC-OAD	6.62	1.61	1.50
2	A	502	B29	PBD-OAF	6.61	1.61	1.50
2	A	501	B29	PBC-OAD	6.33	1.60	1.50
2	A	501	B29	PBD-OAF	6.24	1.60	1.50
2	B	506	B29	CAW-CAV	-5.35	1.39	1.49
2	B	505	B29	CAW-CAV	-5.34	1.39	1.49
2	A	503	B29	CAW-CAV	-5.31	1.39	1.49
2	A	501	B29	CAW-CAV	-5.31	1.39	1.49
2	A	504	B29	CAW-CAV	-5.30	1.39	1.49
2	A	502	B29	CAW-CAV	-5.24	1.40	1.49
2	A	504	B29	PBC-CBB	3.04	1.87	1.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	505	B29	PBD-CBB	3.03	1.87	1.85
2	A	503	B29	PBC-CBB	2.99	1.87	1.85
2	A	503	B29	CAZ-CAY	-2.80	1.39	1.46
2	A	504	B29	CAZ-CAY	-2.80	1.39	1.46
2	B	506	B29	CAZ-CAY	-2.77	1.39	1.46
2	A	501	B29	PBD-CBB	2.75	1.87	1.85
2	A	501	B29	CAZ-CAY	-2.71	1.39	1.46
2	A	504	B29	PBD-CBB	2.71	1.87	1.85
2	A	502	B29	PBC-CBB	2.70	1.87	1.85
2	B	505	B29	CAZ-CAY	-2.70	1.39	1.46
2	A	502	B29	CAZ-CAY	-2.68	1.39	1.46
2	B	507	B29	PBC-CBB	2.66	1.87	1.85
2	B	506	B29	PBC-CBB	2.65	1.87	1.85
2	B	507	B29	PBD-CBB	2.62	1.87	1.85
2	A	503	B29	PBD-OAG	2.58	1.61	1.54
2	B	507	B29	PBC-OAE	2.57	1.61	1.54
2	A	503	B29	PBC-OAE	2.57	1.61	1.54
2	B	505	B29	PBC-CBB	2.56	1.87	1.85
2	B	507	B29	PBD-OAG	2.55	1.61	1.54
2	A	503	B29	PBD-CBB	2.54	1.87	1.85
2	B	506	B29	PBD-CBB	2.53	1.87	1.85
2	A	502	B29	PBC-OAE	2.52	1.61	1.54
2	A	504	B29	PBC-OAE	2.52	1.61	1.54
2	A	504	B29	PBD-OAG	2.52	1.61	1.54
2	B	506	B29	PBD-OAG	2.51	1.61	1.54
2	B	506	B29	PBC-OAE	2.51	1.61	1.54
2	B	505	B29	PBD-OAB	-2.49	1.48	1.54
2	B	505	B29	PBC-OAA	-2.49	1.48	1.54
2	B	507	B29	PBD-OAB	-2.48	1.48	1.54
2	A	504	B29	PBD-OAB	-2.47	1.48	1.54
2	B	507	B29	PBC-OAA	-2.47	1.48	1.54
2	A	504	B29	PBC-OAA	-2.47	1.48	1.54
2	A	503	B29	PBD-OAB	-2.46	1.48	1.54
2	B	506	B29	PBC-OAA	-2.46	1.48	1.54
2	B	505	B29	PBD-OAG	2.46	1.61	1.54
2	B	506	B29	PBD-OAB	-2.45	1.48	1.54
2	A	502	B29	PBD-OAB	-2.44	1.48	1.54
2	A	502	B29	PBC-OAA	-2.43	1.48	1.54
2	A	502	B29	PBD-CBB	2.41	1.86	1.85
2	A	502	B29	PBD-OAG	2.40	1.61	1.54
2	A	501	B29	PBC-OAE	2.38	1.61	1.54
2	A	501	B29	PBD-OAB	-2.38	1.48	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	B29	PBC-OAA	-2.38	1.48	1.54
2	A	503	B29	PBC-OAA	-2.37	1.48	1.54
2	A	501	B29	PBD-OAG	2.31	1.61	1.54
2	B	505	B29	PBC-OAE	2.11	1.60	1.54

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	504	B29	OAT-CBA-CAW	6.97	132.45	124.57
2	A	503	B29	OAT-CBA-CAW	6.80	132.26	124.57
2	A	504	B29	OAT-CAX-CAO	6.51	132.46	124.12
2	A	503	B29	OAT-CAX-CAO	6.38	132.29	124.12
2	B	506	B29	OAT-CBA-CAW	6.28	131.68	124.57
2	A	501	B29	OAT-CAX-CAO	6.18	132.03	124.12
2	A	501	B29	OAT-CBA-CAW	6.15	131.53	124.57
2	A	504	B29	CAX-OAT-CBA	6.00	109.81	105.24
2	B	506	B29	OAT-CAX-CAO	5.97	131.76	124.12
2	B	505	B29	OAT-CAX-CAO	5.86	131.62	124.12
2	B	506	B29	CAX-OAT-CBA	5.85	109.70	105.24
2	A	503	B29	CAX-OAT-CBA	5.72	109.60	105.24
2	A	502	B29	CAX-OAT-CBA	5.67	109.56	105.24
2	A	502	B29	OAT-CAX-CAO	5.65	131.35	124.12
2	B	505	B29	OAT-CBA-CAW	5.54	130.83	124.57
2	B	505	B29	CAX-OAT-CBA	5.51	109.44	105.24
2	A	502	B29	OAT-CBA-CAW	5.50	130.79	124.57
2	A	501	B29	CAX-OAT-CBA	5.37	109.33	105.24
2	A	502	B29	OAT-CAX-CAY	-4.17	107.52	111.70
2	B	506	B29	OAT-CAX-CAY	-4.12	107.57	111.70
2	A	504	B29	OAT-CAX-CAY	-4.00	107.69	111.70
2	A	504	B29	CAO-CAX-CAY	-3.97	119.85	123.69
2	A	504	B29	PBD-CBB-PBC	-3.97	105.60	112.72
2	B	505	B29	OAT-CAX-CAY	-3.92	107.76	111.70
2	A	503	B29	OAT-CAX-CAY	-3.91	107.78	111.70
2	A	503	B29	CAO-CAX-CAY	-3.89	119.93	123.69
2	A	504	B29	OAA-PBC-CBB	3.84	114.64	106.19
2	A	501	B29	OAT-CAX-CAY	-3.77	107.92	111.70
2	A	501	B29	CAO-CAX-CAY	-3.77	120.05	123.69
2	B	506	B29	OAA-PBC-CBB	3.64	114.20	106.19
2	A	504	B29	OAT-CBA-CAZ	-3.63	107.00	111.52
2	A	503	B29	OAT-CBA-CAZ	-3.43	107.25	111.52
2	A	502	B29	PBD-CBB-PBC	-3.40	106.64	112.72
2	B	506	B29	CAO-CAX-CAY	-3.39	120.42	123.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	505	B29	OAB-PBD-CBB	3.31	113.46	106.19
2	B	506	B29	OAT-CBA-CAZ	-3.30	107.41	111.52
2	B	505	B29	CAO-CAX-CAY	-3.18	120.62	123.69
2	A	501	B29	OAT-CBA-CAZ	-3.16	107.59	111.52
2	B	506	B29	PBD-CBB-PBC	-3.08	107.20	112.72
2	A	502	B29	OAE-PBC-OAD	-3.02	105.55	112.96
2	B	505	B29	OAT-CBA-CAZ	-2.98	107.81	111.52
2	B	507	B29	OAE-PBC-OAD	-2.97	105.69	112.96
2	A	502	B29	OAA-PBC-CBB	2.95	112.67	106.19
2	A	503	B29	OAB-PBD-CBB	2.94	112.67	106.19
2	A	503	B29	OAA-PBC-CBB	2.86	112.49	106.19
2	A	502	B29	OAT-CBA-CAZ	-2.85	107.97	111.52
2	B	506	B29	OAB-PBD-CBB	2.77	112.29	106.19
2	A	503	B29	OAE-PBC-OAD	-2.70	106.36	112.96
2	B	507	B29	OAG-PBD-OAF	-2.68	106.39	112.96
2	B	507	B29	OAB-PBD-CBB	2.68	112.09	106.19
2	A	502	B29	CAO-CAX-CAY	-2.64	121.14	123.69
2	A	504	B29	OAB-PBD-CBB	2.63	111.98	106.19
2	A	501	B29	OAE-PBC-OAD	-2.59	106.63	112.96
2	B	505	B29	PBD-CBB-PBC	-2.58	108.11	112.72
2	B	507	B29	OAA-PBC-CBB	2.57	111.85	106.19
2	A	503	B29	OAG-PBD-OAF	-2.53	106.77	112.96
2	B	506	B29	OAE-PBC-OAD	-2.51	106.80	112.96
2	A	503	B29	CBB-CAS-CAU	-2.51	112.09	116.21
2	A	503	B29	CAZ-CBA-CAW	-2.46	120.49	124.23
2	A	504	B29	OAG-PBD-OAF	-2.43	107.01	112.96
2	A	504	B29	CAZ-CBA-CAW	-2.42	120.55	124.23
2	A	501	B29	PBD-CBB-PBC	-2.41	108.39	112.72
2	A	502	B29	OAB-PBD-CBB	2.38	111.43	106.19
2	A	504	B29	CAY-CAZ-CBA	2.37	108.18	105.75
2	B	505	B29	OAA-PBC-CBB	2.31	111.26	106.19
2	A	501	B29	CAZ-CBA-CAW	-2.29	120.75	124.23
2	A	504	B29	CAM-CAV-CAW	-2.28	117.14	120.91
2	B	506	B29	CAZ-CBA-CAW	-2.21	120.86	124.23
2	A	503	B29	CAY-CAZ-CBA	2.20	108.00	105.75
2	A	504	B29	OAE-PBC-OAD	-2.15	107.68	112.96
2	B	506	B29	OAG-PBD-OAF	-2.15	107.69	112.96
2	B	505	B29	OAG-PBD-OAF	-2.13	107.74	112.96
2	B	505	B29	OAE-PBC-OAD	-2.11	107.78	112.96
2	B	507	B29	PBD-CBB-PBC	-2.08	108.99	112.72
2	A	501	B29	OAB-PBD-OAG	2.07	114.07	108.24

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	504	B29	CBB-CAS-CAU-CAR
2	A	504	B29	CBB-CAS-CAU-CAL
2	B	506	B29	OAC-CBB-PBD-OAF
2	A	504	B29	CAR-CAV-CAW-CBA
2	A	503	B29	CAM-CAV-CAW-CAN
2	A	504	B29	CAM-CAV-CAW-CBA
2	A	503	B29	CAM-CAV-CAW-CBA
2	A	503	B29	CAR-CAV-CAW-CAN
2	A	504	B29	CAR-CAV-CAW-CAN
2	A	503	B29	CAR-CAV-CAW-CBA
2	A	502	B29	CAS-CBB-PBC-OAD
2	A	503	B29	CAS-CBB-PBD-OAF
2	A	504	B29	PBD-CBB-PBC-OAE
2	B	505	B29	CAS-CBB-PBC-OAD
2	B	507	B29	CAS-CBB-PBC-OAD
2	B	507	B29	PBD-CBB-PBC-OAD
2	B	507	B29	OAC-CBB-PBC-OAD

There are no ring outliers.


4 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	B29	1	0
2	A	502	B29	1	0
2	A	504	B29	15	0
2	B	505	B29	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand B29 A 503




Bond lengths



Bond angles




Torsions




Rings


Ligand B29 A 501




Bond lengths



Bond angles




Torsions




Rings


Ligand B29 A 502




Bond lengths



Bond angles




Torsions




Rings


Ligand B29 A 504




Bond lengths



Bond angles




Torsions




Rings


Ligand B29 B 505




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	226/253 (89%)	0.22	6 (2%) 56 60	18, 30, 57, 71	0
1	B	217/253 (85%)	0.08	5 (2%) 61 65	17, 28, 52, 62	0
All	All	443/506 (87%)	0.15	11 (2%) 58 62	17, 29, 56, 71	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	75	TRP	3.9
1	A	91	TRP	3.8
1	B	243	PHE	3.4
1	B	160	GLU	2.3
1	A	82	VAL	2.3
1	B	72	SER	2.2
1	B	115	ARG	2.1
1	B	85	LEU	2.1
1	A	76	ASN	2.1
1	A	84	ALA	2.0
1	A	16	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	B29	A	504	30/30	0.61	0.21	71,79,85,86	0
2	B29	B	507	12/30	0.82	0.11	67,68,70,71	0
2	B29	A	503	30/30	0.86	0.10	42,46,53,54	0
2	B29	B	506	30/30	0.88	0.10	39,43,54,54	0
2	B29	A	502	30/30	0.94	0.07	26,30,35,37	0
2	B29	A	501	30/30	0.97	0.06	20,24,29,30	0
2	B29	B	505	30/30	0.97	0.05	23,27,31,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around B29 A 504:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B29 B 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B29 A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around B29 B 506:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B29 A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around B29 A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around B29 B 505:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.