



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:41 PM UTC

PDB ID : 8E9E / pdb_00008e9e
Title : Rat protein farnesyltransferase in complex with FPP and inhibitor 2f
Authors : Wang, Y.; Shi, Y.; Beese, L.S.
Deposited on : 2022-08-26
Resolution : 2.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1520 (2.86-2.82)
Clashscore	190562	1559 (2.86-2.82)
Ramachandran outliers	187476	1517 (2.86-2.82)
Sidechain outliers	187428	1518 (2.86-2.82)
RSRZ outliers	180081	1521 (2.86-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	377	
2	B	437	

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6207 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein farnesyltransferase/geranylgeranyltransferase type-1 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	0	0	0
			2745	1746	481	513	5			

- Molecule 2 is a protein called Protein farnesyltransferase subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	407	Total	C	N	O	S	0	0	0
			3203	2050	550	580	23			

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is FARNESYL DIPHOSPHATE (CCD ID: FPP) (formula: $C_{15}H_{28}O_7P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	P	0	0
			24	15	7	2		

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Zn	0	0
			1	1		

- Molecule 7 is (5S)-4-({1-[(4-bromophenyl)methyl]-1H-imidazol-5-yl}methyl)-5-butyl-1-[3-(trifluoromethoxy)phenyl]piperazin-2-one (CCD ID: XMY) (formula: $C_{26}H_{28}BrF_3N_4O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
7	B	1	Total	Br	C	F	N	O	0	0
			36	1	26	3	4	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	66	Total	O	0	0
			66	66		
8	B	64	Total	O	0	0
			64	64		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein farnesyltransferase/geranylgeranyltransferase type-1 subunit alpha



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	169.90Å 169.90Å 69.34Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.38 – 2.84 43.38 – 2.84	Depositor EDS
% Data completeness (in resolution range)	97.0 (43.38-2.84) 88.2 (43.38-2.84)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.14 (at 2.86Å)	Xtriage
Refinement program	PHENIX 1.14 _3260	Depositor
R, R_{free}	0.176 , 0.194 0.179 , 0.199	Depositor DCC
R_{free} test set	1996 reflections (7.40%)	wwPDB-VP
Wilson B-factor (Å ²)	41.0	Xtriage
Anisotropy	0.320	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.038 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6207	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, XMY, TRS, ZN, FPP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	3/2812 (0.1%)	0.53	0/3817
2	B	0.38	1/3292 (0.0%)	0.53	0/4473
All	All	0.39	4/6104 (0.1%)	0.53	0/8290

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	309	PRO	C-O	-6.44	1.16	1.24
1	A	89	GLN	C-O	-5.56	1.17	1.24
1	A	88	VAL	C-O	-5.40	1.17	1.24
1	A	181	ASP	C-N	-5.21	1.29	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2745	0	2666	32	0
2	B	3203	0	3130	34	0
3	A	24	0	36	1	0
3	B	8	0	12	0	0
4	A	12	0	18	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	24	0	36	3	0
5	B	24	0	25	2	0
6	B	1	0	0	0	0
7	B	36	0	0	0	0
8	A	66	0	0	2	0
8	B	64	0	0	4	0
All	All	6207	0	5923	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:ILE:HG22	1:A:172:ARG:HH12	1.30	0.96
1:A:173:ARG:HD3	4:B:508:EDO:H21	1.80	0.64
1:A:156:ILE:HG22	1:A:172:ARG:NH1	2.08	0.63
2:B:75:ARG:NH2	2:B:393:VAL:O	2.30	0.63
1:A:346:LYS:HE3	1:A:357:ARG:HH22	1.64	0.62
1:A:96:PHE:HA	1:A:126:LEU:HD13	1.82	0.61
2:B:202:ARG:HH12	4:B:506:EDO:H11	1.68	0.58
1:A:152:MET:O	1:A:156:ILE:HG23	2.03	0.58
1:A:77:PRO:HG3	1:A:102:TYR:CZ	2.39	0.57
2:B:260:VAL:HG22	2:B:265:GLU:HG2	1.86	0.57
1:A:312:ILE:HB	1:A:344:LEU:HD21	1.86	0.57
2:B:87:ARG:NH2	2:B:125:ASP:OD2	2.33	0.57
2:B:283:ARG:NH1	8:B:603:HOH:O	2.40	0.55
1:A:294:ASN:O	1:A:298:GLN:HG3	2.08	0.53
1:A:148:LEU:HB2	1:A:179:LEU:HD21	1.89	0.53
2:B:306:GLY:O	2:B:309:PRO:HD2	2.08	0.52
1:A:156:ILE:O	1:A:160:GLU:HG2	2.10	0.51
1:A:189:ILE:HD11	1:A:205:HIS:CD2	2.46	0.51
2:B:250:GLY:HA3	5:B:501:FPP:C8	2.41	0.50
2:B:253:PHE:HA	2:B:307:LEU:HD21	1.94	0.49
1:A:189:ILE:HD11	1:A:205:HIS:HD2	1.78	0.48
2:B:254:CYS:SG	5:B:501:FPP:H143	2.53	0.48
1:A:303:GLN:O	1:A:307:SER:HB2	2.13	0.48
2:B:333:GLN:HG3	2:B:387:MET:SD	2.54	0.47
2:B:99:SER:O	2:B:102:TRP:HB2	2.14	0.47
2:B:239:ILE:HB	2:B:252:THR:HA	1.95	0.47
2:B:297:ASP:HB3	2:B:300:TYR:CD1	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:ILE:HG21	1:A:206:ARG:HB2	1.96	0.46
1:A:358:TYR:OH	2:B:320:ASP:OD2	2.33	0.46
2:B:299:CYS:HB3	2:B:362:HIS:CD2	2.49	0.46
1:A:121:ARG:O	1:A:125:GLU:HG3	2.16	0.46
2:B:308:LEU:HD13	2:B:330:PHE:HD2	1.80	0.46
2:B:308:LEU:HD13	2:B:330:PHE:HB3	1.98	0.46
1:A:152:MET:HE3	1:A:152:MET:HB3	1.85	0.46
1:A:204:GLN:HG3	2:B:245:MET:HG3	1.97	0.46
1:A:86:PRO:HB3	8:B:634:HOH:O	2.15	0.46
2:B:304:GLN:O	2:B:307:LEU:HB2	2.15	0.45
1:A:241:HIS:HA	1:A:250:TYR:OH	2.16	0.45
2:B:62:TYR:CD2	2:B:69:PRO:HA	2.51	0.45
4:B:507:EDO:H21	8:B:659:HOH:O	2.16	0.45
1:A:117:PHE:CE2	1:A:146:LYS:HE2	2.52	0.45
1:A:241:HIS:O	1:A:245:SER:HB2	2.17	0.45
1:A:269:LEU:HD23	4:A:405:EDO:H12	1.99	0.44
2:B:192:LEU:HD23	2:B:199:VAL:HG23	1.98	0.44
2:B:34:ARG:HD3	2:B:284:PHE:CZ	2.53	0.44
2:B:194:HIS:CD2	2:B:197:GLY:HA3	2.52	0.44
2:B:368:SER:O	2:B:372:ILE:HG12	2.18	0.44
1:A:308:SER:O	1:A:312:ILE:HG12	2.18	0.43
2:B:87:ARG:HD3	8:B:605:HOH:O	2.18	0.43
2:B:150:LEU:HD23	2:B:150:LEU:HA	1.73	0.43
1:A:58:LEU:HD22	1:A:95:LYS:HE3	2.00	0.43
1:A:291:ARG:HH11	1:A:291:ARG:HA	1.81	0.43
2:B:308:LEU:HD13	2:B:330:PHE:CD2	2.53	0.43
3:A:402:TRS:H12	8:A:565:HOH:O	2.18	0.43
1:A:208:TRP:NE1	1:A:212:GLU:HG3	2.34	0.43
2:B:34:ARG:HD3	2:B:284:PHE:CE1	2.54	0.43
1:A:346:LYS:HE3	1:A:357:ARG:NH2	2.32	0.43
2:B:282:MET:HG3	2:B:296:VAL:HB	2.01	0.42
2:B:185:LYS:HD3	2:B:191:PHE:CZ	2.55	0.42
1:A:156:ILE:HG13	1:A:157:ALA:N	2.35	0.42
2:B:352:ASP:OD1	2:B:352:ASP:C	2.63	0.42
1:A:184:GLN:NE2	8:A:503:HOH:O	2.41	0.41
2:B:308:LEU:N	2:B:309:PRO:CD	2.83	0.41
2:B:256:LEU:O	2:B:260:VAL:HG23	2.21	0.41
1:A:152:MET:HG2	1:A:175:LEU:HD13	2.03	0.41
2:B:192:LEU:HD23	2:B:199:VAL:CG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/377 (85%)	310 (97%)	11 (3%)	0	100	100
2	B	405/437 (93%)	397 (98%)	8 (2%)	0	100	100
All	All	726/814 (89%)	707 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/338 (89%)	287 (95%)	14 (5%)	23	47
2	B	344/371 (93%)	335 (97%)	9 (3%)	40	65
All	All	645/709 (91%)	622 (96%)	23 (4%)	31	56

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	SER
1	A	58	LEU
1	A	75	ILE
1	A	121	ARG
1	A	156	ILE
1	A	162	GLN
1	A	245	SER
1	A	257	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	287	ARG
1	A	291	ARG
1	A	303	GLN
1	A	334	LEU
1	A	346	LYS
1	A	362	SER
2	B	18	VAL
2	B	29	GLU
2	B	68	VAL
2	B	71	LEU
2	B	87	ARG
2	B	121	ILE
2	B	201	VAL
2	B	265	GLU
2	B	352	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	241	HIS
1	A	367	HIS
2	B	36	GLN
2	B	56	GLN
2	B	146	GLN
2	B	215	ASN
2	B	293	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 16 ligands modelled in this entry, 1 is monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TRS	B	505	-	7,7,7	0.58	0	9,9,9	1.40	2 (22%)
4	EDO	B	504	-	3,3,3	0.51	0	2,2,2	0.12	0
4	EDO	B	508	-	3,3,3	0.53	0	2,2,2	0.34	0
7	XMY	B	503	6	39,39,39	2.68	14 (35%)	45,55,55	1.14	4 (8%)
3	TRS	A	403	-	7,7,7	0.30	0	9,9,9	0.44	0
3	TRS	A	401	-	7,7,7	0.40	0	9,9,9	0.61	0
4	EDO	A	404	-	3,3,3	0.54	0	2,2,2	0.23	0
4	EDO	B	506	-	3,3,3	0.57	0	2,2,2	0.29	0
4	EDO	B	509	-	3,3,3	0.47	0	2,2,2	0.39	0
5	FPP	B	501	-	22,23,23	1.23	2 (9%)	27,31,31	1.83	4 (14%)
3	TRS	A	402	-	7,7,7	0.37	0	9,9,9	0.37	0
4	EDO	B	510	-	3,3,3	0.45	0	2,2,2	0.34	0
4	EDO	A	406	-	3,3,3	0.53	0	2,2,2	0.19	0
4	EDO	A	405	-	3,3,3	0.57	0	2,2,2	0.04	0
4	EDO	B	507	-	3,3,3	0.52	0	2,2,2	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	B	505	-	-	4/9/9/9	-
4	EDO	B	504	-	-	0/1/1/1	-
4	EDO	B	508	-	-	0/1/1/1	-
7	XMY	B	503	6	-	2/21/37/37	0/4/4/4
3	TRS	A	403	-	-	4/9/9/9	-
3	TRS	A	401	-	-	3/9/9/9	-
4	EDO	A	404	-	-	1/1/1/1	-
4	EDO	B	506	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	509	-	-	1/1/1/1	-
5	FPP	B	501	-	-	7/25/25/25	-
3	TRS	A	402	-	-	1/9/9/9	-
4	EDO	B	510	-	-	1/1/1/1	-
4	EDO	A	406	-	-	0/1/1/1	-
4	EDO	A	405	-	-	1/1/1/1	-
4	EDO	B	507	-	-	0/1/1/1	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	503	XYM	C12-N11	-7.45	1.29	1.47
7	B	503	XYM	C12-C13	6.37	1.58	1.50
7	B	503	XYM	C08-N07	5.62	1.46	1.36
7	B	503	XYM	C05-N11	-5.05	1.39	1.48
7	B	503	XYM	C10-N11	-4.68	1.36	1.47
7	B	503	XYM	C10-C08	4.45	1.59	1.51
7	B	503	XYM	O09-C08	-3.86	1.14	1.23
5	B	501	FPP	PA-O3A	3.74	1.63	1.59
7	B	503	XYM	C13-N17	-3.26	1.34	1.38
7	B	503	XYM	C18-C19	2.68	1.56	1.51
5	B	501	FPP	O1-C1	-2.54	1.40	1.44
7	B	503	XYM	C31-C26	-2.48	1.34	1.39
7	B	503	XYM	C04-C05	2.29	1.61	1.52
7	B	503	XYM	BR23-C22	2.17	1.94	1.90
7	B	503	XYM	C26-N07	2.07	1.47	1.43
7	B	503	XYM	C06-C05	-2.03	1.48	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	501	FPP	C10-C8-C9	6.16	125.92	115.23
5	B	501	FPP	C9-C8-C7	-4.49	111.09	121.17
7	B	503	XYM	C14-C13-N17	3.77	107.34	105.08
3	B	505	TRS	O1-C1-C	2.87	118.87	110.88
7	B	503	XYM	C06-N07-C08	-2.46	118.69	122.27
7	B	503	XYM	C14-N15-C16	2.29	108.24	105.24
3	B	505	TRS	O3-C3-C	2.22	117.07	110.88
5	B	501	FPP	C15-C13-C14	2.16	119.56	114.59
5	B	501	FPP	C1-C2-C3	-2.11	122.73	126.20
7	B	503	XYM	BR23-C22-C24	2.06	122.10	119.30

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	505	TRS	C3-C-C1-O1
5	B	501	FPP	C12-C11-C9-C8
5	B	501	FPP	C10-C8-C9-C11
5	B	501	FPP	C7-C8-C9-C11
3	B	505	TRS	C2-C-C1-O1
4	B	510	EDO	O1-C1-C2-O2
4	A	405	EDO	O1-C1-C2-O2
3	A	401	TRS	C3-C-C1-O1
3	A	401	TRS	N-C-C1-O1
3	A	403	TRS	N-C-C3-O3
3	B	505	TRS	N-C-C1-O1
5	B	501	FPP	C4-C3-C5-C6
5	B	501	FPP	C2-C3-C5-C6
3	A	401	TRS	C2-C-C1-O1
3	A	403	TRS	C1-C-C3-O3
3	A	403	TRS	C2-C-C3-O3
5	B	501	FPP	PB-O3A-PA-O2A
4	A	404	EDO	O1-C1-C2-O2
3	A	402	TRS	N-C-C1-O1
3	A	403	TRS	C3-C-C2-O2
3	B	505	TRS	C1-C-C2-O2
4	B	509	EDO	O1-C1-C2-O2
7	B	503	XYM	C27-C28-O32-C33
7	B	503	XYM	C29-C28-O32-C33
5	B	501	FPP	PB-O3A-PA-O1A


There are no ring outliers.

6 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	508	EDO	1	0
4	B	506	EDO	1	0
5	B	501	FPP	2	0
3	A	402	TRS	1	0
4	A	405	EDO	1	0
4	B	507	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	323/377 (85%)	-0.17	2 (0%) 85 83	34, 45, 72, 104	0
2	B	407/437 (93%)	-0.25	2 (0%) 87 85	31, 42, 64, 95	0
All	All	730/814 (89%)	-0.21	4 (0%) 87 85	31, 44, 67, 104	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	377	VAL	3.2
2	B	423	PHE	3.0
2	B	19	TRP	2.6
1	A	373	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	TRS	A	401	8/8	0.66	0.18	62,64,79,82	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	B	510	4/4	0.70	0.16	59,61,63,63	0
3	TRS	A	402	8/8	0.71	0.16	67,77,82,86	0
4	EDO	B	509	4/4	0.75	0.20	68,71,71,74	0
4	EDO	A	406	4/4	0.79	0.22	64,64,65,70	0
4	EDO	B	507	4/4	0.79	0.20	64,65,69,73	0
4	EDO	B	504	4/4	0.84	0.14	48,53,55,64	0
3	TRS	B	505	8/8	0.84	0.14	44,56,62,65	0
4	EDO	A	404	4/4	0.85	0.14	53,60,63,68	0
3	TRS	A	403	8/8	0.85	0.13	55,70,73,75	0
4	EDO	A	405	4/4	0.87	0.17	62,62,66,71	0
4	EDO	B	506	4/4	0.89	0.14	49,50,50,57	0
4	EDO	B	508	4/4	0.89	0.19	53,59,63,65	0
7	XMY	B	503	36/36	0.97	0.08	32,39,43,62	0
6	ZN	B	502	1/1	0.98	0.03	35,35,35,35	0
5	FPP	B	501	24/24	0.98	0.07	24,34,41,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XMY B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FPP B 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.