



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:07 PM UTC

PDB ID : 3EAS / pdb\_00003eas  
Title : Novel dimerization motif in the DEAD box RNA helicase Hera: form 1, complete dimer, asymmetric  
Authors : Klostermeier, D.; Rudolph, M.G.  
Deposited on : 2008-08-26  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	212	
1	B	212	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3301 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hera.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	206	Total 1642	C 1030	N 319	O 292	S 1	0	0	0
1	B	209	Total 1659	C 1041	N 322	O 295	S 1	0	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hera



- Molecule 1: Hera



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	46.12Å 70.77Å 181.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.30 – 2.80 45.30 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.1 (45.30-2.80) 99.5 (45.30-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.01	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.65 (at 2.81Å)	Xtrriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, $R_{free}$	0.228 , 0.314 0.225 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	99.7	Xtrriage
Anisotropy	0.180	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 115.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	3301	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	121.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/1670	1.02	8/2256 (0.4%)
1	B	0.55	0/1688	1.01	11/2284 (0.5%)
All	All	0.55	0/3358	1.01	19/4540 (0.4%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	337	ARG	CB-CA-C	8.81	125.18	110.03
1	A	338	VAL	N-CA-CB	7.41	123.45	111.23
1	A	365	ASN	CA-C-N	7.27	124.97	119.66
1	A	365	ASN	C-N-CA	7.27	124.97	119.66
1	A	343	GLY	CA-C-N	6.71	126.49	119.05
1	A	343	GLY	C-N-CA	6.71	126.49	119.05
1	B	220	ALA	CA-C-N	6.37	127.81	119.84
1	B	220	ALA	C-N-CA	6.37	127.81	119.84
1	B	333	GLY	N-CA-C	-6.13	106.95	114.92
1	A	346	GLU	N-CA-C	-6.07	106.20	113.97
1	B	343	GLY	CA-C-N	6.04	125.93	119.28
1	B	343	GLY	C-N-CA	6.04	125.93	119.28
1	B	218	VAL	CA-C-N	5.94	126.14	119.90
1	B	218	VAL	C-N-CA	5.94	126.14	119.90
1	B	381	LEU	N-CA-C	-5.90	105.35	112.54
1	B	291	VAL	N-CA-C	5.37	115.71	107.77
1	B	263	HIS	CA-C-N	5.11	126.22	119.84
1	B	263	HIS	C-N-CA	5.11	126.22	119.84
1	A	280	VAL	CB-CA-C	-5.01	105.55	111.81

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1642	0	1673	141	0
1	B	1659	0	1693	105	0
All	All	3301	0	3366	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

All (226) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:GLU:HG3	1:B:256:GLN:HE22	1.21	1.01
1:B:222:VAL:HA	1:B:225:ARG:HD2	1.47	0.93
1:A:275:GLY:HA2	1:A:278:GLU:OE1	1.73	0.88
1:B:328:ARG:HG2	1:B:328:ARG:HH11	1.39	0.86
1:A:246:ARG:HG3	1:A:246:ARG:HH11	1.39	0.86
1:A:359:ARG:HG3	1:A:359:ARG:HH11	1.40	0.85
1:A:396:GLN:HG3	1:B:408:VAL:HG12	1.60	0.84
1:B:276:GLU:HG2	1:B:279:ARG:NH2	1.94	0.83
1:B:330:GLY:HA2	1:B:335:GLY:O	1.80	0.82
1:A:396:GLN:HG3	1:B:408:VAL:CG1	2.11	0.81
1:B:247:THR:OG1	1:B:250:GLU:HG3	1.80	0.81
1:A:246:ARG:HH11	1:A:246:ARG:CG	1.93	0.80
1:A:306:GLN:O	1:A:331:ARG:HD3	1.82	0.80
1:B:368:THR:H	1:B:371:GLU:HG3	1.47	0.80
1:A:403:PHE:HE2	1:B:403:PHE:HA	1.46	0.79
1:A:368:THR:HG22	1:A:370:GLU:H	1.46	0.79
1:A:219:PRO:HG2	1:A:366:PRO:HD3	1.64	0.78
1:B:326:SER:O	1:B:329:THR:HG22	1.85	0.76
1:A:359:ARG:HH11	1:A:359:ARG:CG	1.98	0.75
1:A:310:VAL:CG2	1:A:329:THR:HB	2.18	0.74
1:A:297:VAL:HA	1:A:300:ARG:NH1	2.01	0.74
1:B:331:ARG:HH11	1:B:331:ARG:HB3	1.52	0.74
1:B:266:GLN:HG3	1:B:289:VAL:HG21	1.71	0.72
1:B:368:THR:OG1	1:B:371:GLU:HG2	1.89	0.72
1:A:368:THR:HG22	1:A:370:GLU:N	2.05	0.72

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:213:TYR:HB2	1:B:336:GLY:O	1.91	0.71
1:B:328:ARG:HH11	1:B:328:ARG:CG	2.02	0.70
1:B:331:ARG:HB3	1:B:331:ARG:NH1	2.06	0.69
1:A:406:GLY:HA2	1:B:403:PHE:CE1	2.27	0.69
1:B:379:HIS:O	1:B:382:ALA:HB3	1.93	0.69
1:A:276:GLU:HG2	1:A:279:ARG:NH2	2.07	0.68
1:A:268:LEU:HD12	1:A:298:ALA:HB1	1.75	0.68
1:B:368:THR:N	1:B:371:GLU:HG3	2.07	0.68
1:B:319:ALA:HB2	1:B:356:ALA:HB1	1.76	0.68
1:B:396:GLN:HE21	1:B:396:GLN:HA	1.59	0.68
1:B:252:GLU:HG3	1:B:256:GLN:NE2	2.04	0.67
1:B:268:LEU:HB3	1:B:294:ALA:HB2	1.75	0.67
1:A:247:THR:HG23	1:A:250:GLU:OE1	1.95	0.66
1:A:368:THR:O	1:A:372:VAL:HG23	1.95	0.66
1:B:250:GLU:O	1:B:254:ILE:HG13	1.95	0.66
1:A:241:ALA:HB3	1:A:291:VAL:HG22	1.78	0.66
1:B:396:GLN:HE21	1:B:396:GLN:CA	2.08	0.66
1:A:275:GLY:O	1:A:278:GLU:HG3	1.96	0.66
1:A:306:GLN:C	1:A:331:ARG:HD3	2.21	0.65
1:A:403:PHE:CE2	1:B:403:PHE:HA	2.30	0.64
1:A:379:HIS:O	1:A:382:ALA:HB3	1.98	0.64
1:A:228:VAL:HG11	1:A:366:PRO:HB3	1.80	0.64
1:A:272:LEU:HD13	1:A:276:GLU:HB2	1.80	0.64
1:A:243:VAL:HB	1:A:293:VAL:HG13	1.81	0.63
1:A:246:ARG:HH12	1:A:314:ARG:HD2	1.64	0.63
1:A:310:VAL:HG23	1:A:329:THR:HB	1.82	0.62
1:A:418:LEU:HD11	1:B:418:LEU:HD11	1.80	0.62
1:A:359:ARG:HG3	1:A:359:ARG:NH1	2.05	0.62
1:A:346:GLU:O	1:A:350:VAL:HG23	1.99	0.62
1:A:389:GLU:OE2	1:A:393:ARG:HD3	1.99	0.61
1:B:380:LEU:HD22	1:B:419:LEU:HD21	1.83	0.61
1:B:225:ARG:HD3	1:B:314:ARG:NH2	2.17	0.60
1:B:410:VAL:O	1:B:413:ALA:HB3	2.02	0.60
1:A:252:GLU:O	1:A:256:GLN:HG2	2.02	0.59
1:A:310:VAL:HG21	1:A:329:THR:HB	1.85	0.58
1:A:374:GLU:O	1:A:377:TRP:HB3	2.03	0.58
1:B:249:ALA:O	1:B:253:GLU:HG3	2.03	0.58
1:A:222:VAL:HA	1:A:225:ARG:HD3	1.86	0.58
1:A:272:LEU:HD12	1:A:277:ARG:HG3	1.86	0.58
1:A:406:GLY:HA2	1:B:403:PHE:HE1	1.67	0.58
1:A:395:TYR:CE2	1:B:416:ALA:HA	2.39	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:318:ARG:NH2	1:B:321:ALA:H	2.02	0.57
1:B:219:PRO:HD2	1:B:364:VAL:O	2.03	0.57
1:A:246:ARG:HH11	1:A:246:ARG:CB	2.17	0.57
1:A:246:ARG:HG3	1:A:246:ARG:NH1	2.14	0.57
1:A:347:ARG:HD3	1:A:347:ARG:C	2.30	0.55
1:B:389:GLU:HA	1:B:392:TYR:CE1	2.41	0.55
1:B:389:GLU:HA	1:B:392:TYR:CZ	2.42	0.55
1:A:413:ALA:O	1:A:417:LEU:HG	2.06	0.55
1:B:328:ARG:CG	1:B:328:ARG:NH1	2.66	0.55
1:B:389:GLU:OE2	1:B:393:ARG:HD2	2.07	0.55
1:A:343:GLY:H	1:A:346:GLU:CD	2.15	0.54
1:A:408:VAL:HG13	1:B:399:ALA:CB	2.36	0.54
1:A:248:LYS:O	1:A:252:GLU:HB2	2.07	0.54
1:A:283:ALA:HB1	1:A:289:VAL:HG23	1.88	0.54
1:A:362:LYS:HD3	1:A:363:ARG:O	2.08	0.54
1:A:240:ARG:HG3	1:A:331:ARG:NH2	2.22	0.54
1:A:377:TRP:O	1:A:381:LEU:HD23	2.08	0.54
1:A:414:LEU:O	1:A:418:LEU:HD12	2.07	0.54
1:B:363:ARG:HG3	1:B:363:ARG:HH11	1.71	0.54
1:A:237:SER:N	1:A:238:PRO:HD3	2.23	0.54
1:A:318:ARG:CG	1:A:321:ALA:H	2.21	0.54
1:A:310:VAL:HG23	1:A:329:THR:CB	2.39	0.53
1:A:353:LEU:O	1:A:353:LEU:HD22	2.09	0.52
1:A:353:LEU:HA	1:A:356:ALA:HB3	1.92	0.52
1:A:230:SER:HA	1:A:233:LEU:HD12	1.90	0.52
1:A:389:GLU:HA	1:A:392:TYR:CE1	2.45	0.52
1:A:315:LEU:N	1:A:315:LEU:HD23	2.25	0.52
1:B:275:GLY:O	1:B:279:ARG:HG2	2.10	0.52
1:B:407:ARG:HB3	1:B:410:VAL:HG23	1.91	0.52
1:A:394:LEU:N	1:A:394:LEU:HD23	2.25	0.52
1:B:219:PRO:HG2	1:B:366:PRO:HD3	1.91	0.52
1:A:368:THR:HB	1:A:371:GLU:HG3	1.91	0.51
1:A:246:ARG:NH1	1:A:246:ARG:HB2	2.25	0.51
1:A:240:ARG:HH11	1:A:305:PRO:HB2	1.75	0.51
1:B:220:ALA:O	1:B:343:GLY:HA2	2.11	0.51
1:A:213:TYR:HB3	1:A:335:GLY:O	2.09	0.51
1:B:217:ALA:HB3	1:B:363:ARG:HD2	1.93	0.51
1:B:247:THR:O	1:B:251:THR:HG23	2.11	0.50
1:B:330:GLY:C	1:B:332:ALA:H	2.18	0.50
1:A:317:ASP:O	1:A:318:ARG:HB3	2.10	0.50
1:A:354:GLU:O	1:A:357:VAL:HG12	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:383:ARG:HA	1:A:386:ARG:HH11	1.77	0.50
1:B:330:GLY:CA	1:B:335:GLY:O	2.57	0.50
1:A:299:ALA:O	1:A:304:ILE:HG13	2.11	0.49
1:A:216:GLU:O	1:A:340:LEU:HD12	2.12	0.49
1:A:323:GLN:HE21	1:A:359:ARG:HH22	1.59	0.49
1:B:389:GLU:HG2	1:B:393:ARG:HB2	1.94	0.49
1:B:256:GLN:O	1:B:259:LEU:HB3	2.12	0.49
1:A:329:THR:HG23	1:A:336:GLY:HA3	1.94	0.49
1:A:273:SER:HB3	1:A:276:GLU:CD	2.38	0.48
1:A:322:TYR:HE1	1:A:340:LEU:HD23	1.78	0.48
1:A:219:PRO:HD2	1:A:364:VAL:O	2.13	0.48
1:A:318:ARG:HG2	1:A:321:ALA:H	1.77	0.48
1:A:411:VAL:O	1:A:414:LEU:HB2	2.12	0.48
1:B:318:ARG:HH22	1:B:321:ALA:H	1.60	0.48
1:A:419:LEU:HD12	1:B:395:TYR:CD2	2.48	0.48
1:B:234:TYR:CE1	1:B:263:HIS:NE2	2.81	0.48
1:B:363:ARG:HD3	1:B:363:ARG:N	2.29	0.48
1:A:399:ALA:HB3	1:B:408:VAL:HG13	1.96	0.48
1:B:418:LEU:C	1:B:419:LEU:HD23	2.39	0.48
1:B:413:ALA:O	1:B:416:ALA:HB3	2.14	0.48
1:A:240:ARG:NH1	1:A:305:PRO:HB2	2.29	0.47
1:A:325:ARG:O	1:A:328:ARG:HG3	2.14	0.47
1:A:408:VAL:HG13	1:B:399:ALA:HB3	1.96	0.47
1:A:242:MET:HE2	1:A:244:PHE:CE2	2.49	0.47
1:B:264:PRO:HG2	1:B:290:ARG:HG3	1.97	0.47
1:B:417:LEU:HD23	1:B:417:LEU:HA	1.69	0.47
1:A:245:THR:HB	1:A:250:GLU:OE2	2.15	0.47
1:A:284:PHE:CG	1:A:292:LEU:HD13	2.50	0.47
1:A:240:ARG:HG3	1:A:331:ARG:HH21	1.79	0.47
1:B:220:ALA:HA	1:B:221:PRO:HD3	1.67	0.47
1:B:318:ARG:HG2	1:B:319:ALA:N	2.28	0.47
1:A:407:ARG:O	1:A:408:VAL:C	2.58	0.47
1:B:345:ARG:C	1:B:347:ARG:H	2.23	0.47
1:A:297:VAL:HA	1:A:300:ARG:HH12	1.76	0.47
1:A:276:GLU:O	1:A:280:VAL:HG23	2.15	0.47
1:A:368:THR:HB	1:A:371:GLU:CG	2.45	0.47
1:B:355:ARG:HG2	1:B:355:ARG:HH11	1.80	0.47
1:A:409:GLU:H	1:A:409:GLU:CD	2.19	0.46
1:A:322:TYR:HE1	1:A:340:LEU:CD2	2.28	0.46
1:A:340:LEU:HD12	1:A:340:LEU:H	1.80	0.46
1:A:220:ALA:O	1:A:343:GLY:HA2	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:396:GLN:HG3	1:B:408:VAL:HG11	1.95	0.46
1:A:247:THR:C	1:A:249:ALA:N	2.73	0.46
1:B:234:TYR:CE1	1:B:263:HIS:CE1	3.04	0.46
1:B:274:GLN:HG3	1:B:278:GLU:OE2	2.16	0.46
1:A:247:THR:OG1	1:A:249:ALA:HB3	2.15	0.46
1:A:306:GLN:O	1:A:331:ARG:CD	2.59	0.46
1:B:269:HIS:HA	1:B:298:ALA:HB2	1.99	0.45
1:B:297:VAL:C	1:B:299:ALA:H	2.24	0.45
1:B:269:HIS:ND1	1:B:271:ASP:HB2	2.31	0.45
1:A:407:ARG:O	1:A:410:VAL:N	2.49	0.45
1:B:414:LEU:HD12	1:B:414:LEU:O	2.16	0.45
1:B:240:ARG:NH1	1:B:331:ARG:HE	2.15	0.45
1:A:304:ILE:HA	1:A:305:PRO:HD3	1.67	0.45
1:A:409:GLU:OE1	1:A:409:GLU:N	2.39	0.45
1:B:357:VAL:CG1	1:B:359:ARG:HH12	2.29	0.45
1:A:418:LEU:CD1	1:B:414:LEU:HD11	2.47	0.45
1:B:368:THR:O	1:B:371:GLU:HB2	2.17	0.45
1:A:408:VAL:HG13	1:B:399:ALA:HB1	1.98	0.45
1:A:246:ARG:CG	1:A:246:ARG:NH1	2.63	0.44
1:A:229:LEU:O	1:A:233:LEU:HG	2.18	0.44
1:A:316:PRO:HB3	1:A:321:ALA:HB3	1.99	0.44
1:A:414:LEU:HD23	1:A:414:LEU:HA	1.75	0.44
1:A:359:ARG:HH11	1:A:359:ARG:CB	2.30	0.44
1:A:362:LYS:HD3	1:A:363:ARG:C	2.43	0.44
1:B:370:GLU:O	1:B:374:GLU:HG2	2.18	0.44
1:B:217:ALA:N	1:B:362:LYS:O	2.44	0.44
1:B:415:LEU:O	1:B:416:ALA:C	2.61	0.44
1:A:268:LEU:CD1	1:A:298:ALA:HB1	2.46	0.44
1:A:380:LEU:O	1:A:381:LEU:C	2.59	0.44
1:A:247:THR:O	1:A:250:GLU:OE2	2.36	0.44
1:A:284:PHE:CD1	1:A:292:LEU:HD13	2.52	0.44
1:A:225:ARG:HG2	1:A:313:TYR:CE1	2.53	0.43
1:A:246:ARG:HH22	1:A:314:ARG:HD3	1.84	0.43
1:B:252:GLU:O	1:B:253:GLU:C	2.59	0.43
1:A:309:LEU:HD13	1:A:337:ARG:HG2	2.00	0.43
1:A:417:LEU:HD21	1:B:387:VAL:HG21	2.00	0.43
1:A:272:LEU:CD1	1:A:276:GLU:HB2	2.48	0.43
1:A:277:ARG:O	1:A:278:GLU:C	2.61	0.43
1:B:297:VAL:C	1:B:299:ALA:N	2.73	0.43
1:B:223:ARG:C	1:B:225:ARG:H	2.27	0.43
1:B:347:ARG:H	1:B:347:ARG:HG2	1.61	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:406:GLY:HA2	1:B:403:PHE:CZ	2.52	0.42
1:B:221:PRO:O	1:B:223:ARG:N	2.51	0.42
1:B:272:LEU:HD23	1:B:272:LEU:HA	1.86	0.42
1:B:380:LEU:O	1:B:384:LEU:HG	2.19	0.42
1:A:218:VAL:HA	1:A:219:PRO:HD2	1.90	0.42
1:A:398:PHE:CD1	1:A:401:ARG:NH1	2.87	0.42
1:A:418:LEU:HD13	1:B:414:LEU:HD11	2.02	0.42
1:B:370:GLU:HA	1:B:373:LEU:HB2	2.02	0.42
1:A:304:ILE:H	1:A:304:ILE:HG12	1.61	0.42
1:A:398:PHE:HD1	1:A:401:ARG:NH1	2.18	0.42
1:B:251:THR:HA	1:B:293:VAL:CG1	2.49	0.42
1:A:320:GLU:O	1:A:324:HIS:HB2	2.20	0.42
1:A:273:SER:HB3	1:A:276:GLU:OE2	2.20	0.42
1:A:406:GLY:CA	1:B:403:PHE:HE1	2.31	0.42
1:B:386:ARG:O	1:B:387:VAL:C	2.63	0.41
1:A:346:GLU:C	1:A:350:VAL:HG23	2.45	0.41
1:B:309:LEU:HD12	1:B:337:ARG:O	2.19	0.41
1:B:218:VAL:HA	1:B:219:PRO:HD2	1.84	0.41
1:A:274:GLN:HG3	1:A:275:GLY:N	2.35	0.41
1:A:318:ARG:NH2	1:A:321:ALA:HB2	2.35	0.41
1:B:266:GLN:HG3	1:B:289:VAL:CG2	2.45	0.41
1:A:250:GLU:O	1:A:251:THR:C	2.64	0.41
1:A:354:GLU:HG2	1:A:359:ARG:O	2.21	0.41
1:A:407:ARG:HB3	1:A:410:VAL:HG23	2.02	0.41
1:B:261:LEU:HD23	1:B:261:LEU:HA	1.77	0.41
1:A:368:THR:HB	1:A:371:GLU:H	1.86	0.41
1:A:419:LEU:HD12	1:B:395:TYR:CE2	2.56	0.41
1:B:319:ALA:O	1:B:322:TYR:HB3	2.21	0.40
1:A:318:ARG:HG3	1:A:320:GLU:H	1.86	0.40
1:A:316:PRO:HG2	1:A:322:TYR:HB2	2.03	0.40
1:B:281:LEU:HD23	1:B:281:LEU:HA	1.91	0.40
1:B:391:ASP:O	1:B:395:TYR:HE1	2.04	0.40
1:A:316:PRO:CB	1:A:321:ALA:HB3	2.52	0.40
1:A:228:VAL:O	1:A:232:LEU:N	2.49	0.40
1:A:409:GLU:O	1:A:412:ALA:HB3	2.21	0.40
1:B:222:VAL:O	1:B:225:ARG:HB2	2.22	0.40
1:B:344:PRO:O	1:B:347:ARG:HD3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	202/212 (95%)	174 (86%)	28 (14%)	0	100	100
1	B	207/212 (98%)	184 (89%)	22 (11%)	1 (0%)	24	55
All	All	409/424 (96%)	358 (88%)	50 (12%)	1 (0%)	43	72

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	222	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/170 (97%)	135 (82%)	30 (18%)	2	6
1	B	167/170 (98%)	150 (90%)	17 (10%)	7	23
All	All	332/340 (98%)	285 (86%)	47 (14%)	3	12

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	225	ARG
1	A	228	VAL
1	A	246	ARG
1	A	247	THR
1	A	248	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	250	GLU
1	A	268	LEU
1	A	272	LEU
1	A	278	GLU
1	A	279	ARG
1	A	280	VAL
1	A	291	VAL
1	A	292	LEU
1	A	293	VAL
1	A	304	ILE
1	A	315	LEU
1	A	324	HIS
1	A	329	THR
1	A	331	ARG
1	A	340	LEU
1	A	349	ASP
1	A	353	LEU
1	A	355	ARG
1	A	359	ARG
1	A	373	LEU
1	A	381	LEU
1	A	389	GLU
1	A	394	LEU
1	A	396	GLN
1	A	414	LEU
1	B	211	VAL
1	B	212	THR
1	B	232	LEU
1	B	286	GLN
1	B	296	ASP
1	B	317	ASP
1	B	318	ARG
1	B	320	GLU
1	B	323	GLN
1	B	328	ARG
1	B	347	ARG
1	B	359	ARG
1	B	360	ARG
1	B	363	ARG
1	B	370	GLU
1	B	396	GLN
1	B	409	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	306	GLN
1	A	323	GLN
1	A	396	GLN
1	B	286	GLN
1	B	306	GLN
1	B	324	HIS
1	B	396	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	206/212 (97%)	-0.09	3 (1%) 72 63	73, 116, 177, 230	0
1	B	209/212 (98%)	-0.15	3 (1%) 73 64	74, 110, 170, 203	0
All	All	415/424 (97%)	-0.12	6 (1%) 73 64	73, 113, 173, 230	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	222	VAL	2.3
1	A	223	ARG	2.1
1	B	417	LEU	2.1
1	B	331	ARG	2.1
1	A	222	VAL	2.0
1	A	315	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers

There are no such residues in this entry.