



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:20 PM UTC

PDB ID : 3EBL / pdb_00003eb1
Title : Crystal Structure of Rice GID1 complexed with GA4
Authors : Shimada, A.; Nakatsu, T.; Ueguchi-Tanaka, M.; Kato, H.; Matsuoka, M.
Deposited on : 2008-08-28
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	365	3% 81% 7% 12%
1	B	365	7% 81% 6% 13%
1	C	365	4% 73% 9% 18%
1	D	365	7% 79% 8% 14%
1	E	365	15% 77% 9% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	365	5% 74% 10% 16%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16004 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gibberellin receptor GID1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	0	5	0
			2538	1608	453	467	10			
1	B	318	Total	C	N	O	S	0	2	0
			2483	1575	442	456	10			
1	C	301	Total	C	N	O	S	0	2	0
			2360	1503	415	432	10			
1	D	315	Total	C	N	O	S	0	0	0
			2450	1561	429	450	10			
1	E	315	Total	C	N	O	S	0	2	0
			2392	1527	415	440	10			
1	F	305	Total	C	N	O	S	0	2	0
			2374	1516	414	435	9			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	355	GLY	-	expression tag	UNP Q6L545
A	356	SER	-	expression tag	UNP Q6L545
A	357	HIS	-	expression tag	UNP Q6L545
A	358	HIS	-	expression tag	UNP Q6L545
A	359	HIS	-	expression tag	UNP Q6L545
A	360	HIS	-	expression tag	UNP Q6L545
A	361	HIS	-	expression tag	UNP Q6L545
A	362	HIS	-	expression tag	UNP Q6L545
A	363	HIS	-	expression tag	UNP Q6L545
A	364	HIS	-	expression tag	UNP Q6L545
A	365	HIS	-	expression tag	UNP Q6L545
A	366	HIS	-	expression tag	UNP Q6L545
B	355	GLY	-	expression tag	UNP Q6L545
B	356	SER	-	expression tag	UNP Q6L545
B	357	HIS	-	expression tag	UNP Q6L545
B	358	HIS	-	expression tag	UNP Q6L545
B	359	HIS	-	expression tag	UNP Q6L545

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	360	HIS	-	expression tag	UNP Q6L545
B	361	HIS	-	expression tag	UNP Q6L545
B	362	HIS	-	expression tag	UNP Q6L545
B	363	HIS	-	expression tag	UNP Q6L545
B	364	HIS	-	expression tag	UNP Q6L545
B	365	HIS	-	expression tag	UNP Q6L545
B	366	HIS	-	expression tag	UNP Q6L545
C	355	GLY	-	expression tag	UNP Q6L545
C	356	SER	-	expression tag	UNP Q6L545
C	357	HIS	-	expression tag	UNP Q6L545
C	358	HIS	-	expression tag	UNP Q6L545
C	359	HIS	-	expression tag	UNP Q6L545
C	360	HIS	-	expression tag	UNP Q6L545
C	361	HIS	-	expression tag	UNP Q6L545
C	362	HIS	-	expression tag	UNP Q6L545
C	363	HIS	-	expression tag	UNP Q6L545
C	364	HIS	-	expression tag	UNP Q6L545
C	365	HIS	-	expression tag	UNP Q6L545
C	366	HIS	-	expression tag	UNP Q6L545
D	355	GLY	-	expression tag	UNP Q6L545
D	356	SER	-	expression tag	UNP Q6L545
D	357	HIS	-	expression tag	UNP Q6L545
D	358	HIS	-	expression tag	UNP Q6L545
D	359	HIS	-	expression tag	UNP Q6L545
D	360	HIS	-	expression tag	UNP Q6L545
D	361	HIS	-	expression tag	UNP Q6L545
D	362	HIS	-	expression tag	UNP Q6L545
D	363	HIS	-	expression tag	UNP Q6L545
D	364	HIS	-	expression tag	UNP Q6L545
D	365	HIS	-	expression tag	UNP Q6L545
D	366	HIS	-	expression tag	UNP Q6L545
E	355	GLY	-	expression tag	UNP Q6L545
E	356	SER	-	expression tag	UNP Q6L545
E	357	HIS	-	expression tag	UNP Q6L545
E	358	HIS	-	expression tag	UNP Q6L545
E	359	HIS	-	expression tag	UNP Q6L545
E	360	HIS	-	expression tag	UNP Q6L545
E	361	HIS	-	expression tag	UNP Q6L545
E	362	HIS	-	expression tag	UNP Q6L545
E	363	HIS	-	expression tag	UNP Q6L545
E	364	HIS	-	expression tag	UNP Q6L545
E	365	HIS	-	expression tag	UNP Q6L545

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	366	HIS	-	expression tag	UNP Q6L545
F	355	GLY	-	expression tag	UNP Q6L545
F	356	SER	-	expression tag	UNP Q6L545
F	357	HIS	-	expression tag	UNP Q6L545
F	358	HIS	-	expression tag	UNP Q6L545
F	359	HIS	-	expression tag	UNP Q6L545
F	360	HIS	-	expression tag	UNP Q6L545
F	361	HIS	-	expression tag	UNP Q6L545
F	362	HIS	-	expression tag	UNP Q6L545
F	363	HIS	-	expression tag	UNP Q6L545
F	364	HIS	-	expression tag	UNP Q6L545
F	365	HIS	-	expression tag	UNP Q6L545
F	366	HIS	-	expression tag	UNP Q6L545

- Molecule 2 is GIBBERELLIN A4 (CCD ID: GA4) (formula: $C_{19}H_{24}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			24	19	5		
2	B	1	Total	C	O	0	0
			24	19	5		
2	C	1	Total	C	O	0	0
			24	19	5		
2	D	1	Total	C	O	0	0
			24	19	5		
2	E	1	Total	C	O	0	0
			24	19	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	F	1	Total	C	O	0	0
			24	19	5		

- Molecule 3 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	6	2		
3	B	1	Total	C	O	0	0
			8	6	2		
3	C	1	Total	C	O	0	0
			8	6	2		
3	D	1	Total	C	O	0	0
			8	6	2		
3	E	1	Total	C	O	0	0
			8	6	2		
3	F	1	Total	C	O	0	0
			8	6	2		

- Molecule 4 is NITRATE ION (CCD ID: NO3) (formula: NO_3).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	A	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	B	1	Total	N	O	0	0
			4	1	3		
4	C	1	Total	N	O	0	0
			4	1	3		
4	C	1	Total	N	O	0	0
			4	1	3		
4	C	1	Total	N	O	0	0
			4	1	3		
4	C	1	Total	N	O	0	0
			4	1	3		
4	D	1	Total	N	O	0	0
			4	1	3		
4	D	1	Total	N	O	0	0
			4	1	3		
4	D	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	E	1	Total	N	O	0	0
			4	1	3		
4	F	1	Total	N	O	0	0
			4	1	3		
4	F	1	Total	N	O	0	0
			4	1	3		
4	F	1	Total	N	O	0	0
			4	1	3		

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		
5	E	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	249	Total	O	0	0
			249	249		
6	B	204	Total	O	0	0
			204	204		
6	C	183	Total	O	0	0
			183	183		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	204	Total 204	O 204	0	0
6	E	124	Total 124	O 124	0	0
6	F	169	Total 169	O 169	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Gibberellin receptor GID1





• Molecule 1: Gibberellin receptor GID1



• Molecule 1: Gibberellin receptor GID1



Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.76Å 133.90Å 118.89Å 90.00° 104.95° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-1.90) 98.6 (20.00-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 1.89Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.200 , 0.244 0.202 , 0.245	Depositor DCC
R_{free} test set	9765 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.345	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16004	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GA4, MPD, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	1/2630 (0.0%)	0.92	0/3573
1	B	0.85	0/2554	0.90	0/3471
1	C	0.82	1/2430 (0.0%)	0.94	4/3301 (0.1%)
1	D	0.84	0/2514	0.91	2/3419 (0.1%)
1	E	0.73	0/2463	0.90	0/3359
1	F	0.78	0/2445	0.88	1/3324 (0.0%)
All	All	0.82	2/15036 (0.0%)	0.91	7/20447 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	153	ASN	CA-C	-5.28	1.47	1.53
1	A	24	ILE	CA-CB	5.22	1.61	1.54

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	192	VAL	N-CA-C	7.36	118.89	108.36
1	F	120	HIS	N-CA-C	5.70	118.10	110.35
1	D	144	LEU	CB-CA-C	-5.34	101.77	110.85
1	C	274	GLY	CA-C-N	5.33	126.50	119.84
1	C	274	GLY	C-N-CA	5.33	126.50	119.84
1	D	129	ALA	N-CA-C	-5.33	106.04	112.54
1	C	153	ASN	CB-CA-C	-5.07	104.51	112.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2538	0	2417	16	0
1	B	2483	0	2362	11	0
1	C	2360	0	2243	19	0
1	D	2450	0	2313	14	0
1	E	2392	0	2215	20	0
1	F	2374	0	2233	17	0
2	A	24	0	23	0	0
2	B	24	0	23	0	0
2	C	24	0	23	0	0
2	D	24	0	23	0	0
2	E	24	0	23	0	0
2	F	24	0	23	0	0
3	A	8	0	14	1	0
3	B	8	0	14	1	0
3	C	8	0	14	1	0
3	D	8	0	14	1	0
3	E	8	0	14	1	0
3	F	8	0	14	1	0
4	A	16	0	0	1	0
4	B	12	0	0	0	0
4	C	16	0	0	2	0
4	D	12	0	0	0	0
4	E	4	0	0	0	0
4	F	12	0	0	1	0
5	B	5	0	0	0	0
5	E	5	0	0	0	0
6	A	249	0	0	2	0
6	B	204	0	0	0	0
6	C	183	0	0	3	0
6	D	204	0	0	0	0
6	E	124	0	0	0	0
6	F	169	0	0	0	0
All	All	16004	0	14005	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:144:LEU:CD1	1:E:345:SER:HB2	2.15	0.77
3:E:501:MPD:H13	3:F:501:MPD:H13	1.67	0.77
1:A:26:ASN:HD22	1:B:26:ASN:HD22	1.35	0.74
1:C:177:MET:HE2	1:C:216:VAL:CG1	2.21	0.70
1:A:231:THR:HG22	4:A:602:NO3:O3	1.92	0.70
1:F:232:GLU:O	1:F:301:ARG:NH2	2.25	0.69
1:A:173:LEU:HD11	1:A:177:MET:HE2	1.75	0.69
1:E:290:ILE:HG13	1:E:290:ILE:O	1.94	0.67
1:C:177:MET:HE2	1:C:216:VAL:HG13	1.78	0.65
1:F:283:LEU:O	1:F:314:HIS:HE1	1.81	0.64
1:C:232:GLU:O	1:C:301:ARG:NH2	2.33	0.62
1:D:279:ARG:HH12	1:D:311:GLU:HB2	1.64	0.61
1:E:144:LEU:HD11	1:E:345:SER:HB2	1.84	0.60
3:A:501:MPD:HM2	3:B:501:MPD:H13	1.84	0.60
1:A:177:MET:HE3	1:A:216:VAL:CG1	2.33	0.59
1:F:180:PRO:HA	1:F:183:ARG:NH1	2.17	0.59
1:A:177:MET:HE3	1:A:216:VAL:HG13	1.85	0.58
1:C:26:ASN:HD22	1:D:26:ASN:HD22	1.51	0.58
1:B:175:TRP:O	1:B:179:GLN:HG2	2.05	0.57
1:D:279:ARG:HD2	1:D:312:ASP:OD2	2.04	0.57
1:B:115:VAL:HG11	1:B:176:VAL:HG11	1.90	0.54
1:C:177:MET:CE	1:C:216:VAL:HG13	2.38	0.53
1:A:307:ASP:OD1	1:A:310[B]:ARG:NH2	2.41	0.53
1:D:232:GLU:O	1:D:301:ARG:NH2	2.42	0.52
3:C:501:MPD:H13	3:D:501:MPD:H13	1.92	0.52
1:E:140:ARG:HD3	1:E:337:TYR:OH	2.11	0.51
1:C:71:ASP:HB3	1:C:76:LEU:HB3	1.92	0.50
1:B:232:GLU:O	1:B:301:ARG:NH2	2.44	0.50
1:C:175:TRP:O	1:C:179:GLN:HG2	2.12	0.50
1:D:65:SER:HA	1:D:80:ILE:O	2.12	0.49
1:E:225:ASN:HA	1:E:302:GLN:OE1	2.12	0.49
1:E:235:GLU:OE1	1:E:239:ARG:NH2	2.45	0.49
1:E:321:CYS:HB3	1:E:336:HIS:CG	2.47	0.49
1:C:197:ASP:HA	1:C:224:LEU:O	2.13	0.49
1:D:157:ALA:HB1	1:D:158:PRO:HA	1.94	0.48
1:A:157:ALA:HB1	1:A:158:PRO:HA	1.96	0.48
4:C:604:NO3:O3	1:D:19:HIS:NE2	2.43	0.48
1:F:227:MET:HG2	1:F:255:TRP:CZ2	2.50	0.47
1:C:157:ALA:HB1	1:C:158:PRO:HA	1.97	0.47
1:E:232:GLU:O	1:E:301:ARG:NH2	2.48	0.47
1:F:175:TRP:O	1:F:179:GLN:HG2	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:279:ARG:HA	1:F:279:ARG:HD2	1.78	0.47
1:B:227:MET:HG2	1:B:255:TRP:CZ2	2.50	0.47
1:E:26:ASN:HD22	1:F:26:ASN:HD22	1.63	0.46
1:E:306:ALA:HB1	1:E:316:VAL:HG11	1.97	0.46
1:E:177:MET:HE3	1:E:216:VAL:CG1	2.45	0.46
1:A:232:GLU:O	1:A:301:ARG:NH2	2.49	0.45
1:A:310[A]:ARG:NH2	6:A:810:HOH:O	2.30	0.45
1:A:59:PRO:HG3	1:A:84:ALA:HB3	1.98	0.45
1:F:237:GLU:HB3	1:F:248:LEU:HD21	1.98	0.45
1:E:144:LEU:HD12	1:E:345:SER:HB2	1.96	0.45
1:B:213:ASP:CG	1:B:278:ARG:HH22	2.24	0.45
1:D:311:GLU:C	1:D:313:GLY:H	2.25	0.44
1:F:208:ALA:CB	1:F:221:ASN:HD21	2.29	0.44
1:C:231:THR:HG22	4:C:602:NO3:O2	2.17	0.44
1:A:140[B]:ARG:NE	6:A:853:HOH:O	2.50	0.44
1:B:229:GLY:HA2	1:B:301:ARG:HD3	1.99	0.44
1:C:140:ARG:HG3	6:C:787:HOH:O	2.16	0.44
1:F:180:PRO:HA	1:F:183:ARG:HH11	1.81	0.44
1:A:187:ASP:O	1:A:188:ALA:C	2.60	0.43
1:C:144:LEU:C	1:C:144:LEU:HD12	2.42	0.43
1:B:197:ASP:HA	1:B:224:LEU:O	2.17	0.43
1:C:140:ARG:HD3	1:C:337:TYR:OH	2.17	0.43
1:E:271:ASN:HA	1:E:272:PRO:HD3	1.78	0.43
1:B:301:ARG:HH11	1:B:301:ARG:HG2	1.84	0.43
1:C:194:LEU:O	1:C:221:ASN:HA	2.19	0.43
1:C:227:MET:HG2	1:C:255:TRP:CZ2	2.54	0.43
1:D:175:TRP:O	1:D:179:GLN:HG2	2.19	0.43
1:F:223:LEU:HB3	1:F:226:ALA:HB2	2.01	0.42
1:A:197:ASP:HA	1:A:224:LEU:O	2.20	0.42
1:F:68:HIS:HD2	1:F:70:ILE:HG22	1.84	0.42
1:D:197:ASP:HA	1:D:224:LEU:O	2.19	0.42
1:A:227:MET:HG2	1:A:255:TRP:CZ2	2.54	0.42
1:C:140:ARG:HD2	6:C:626:HOH:O	2.18	0.42
1:E:285:PHE:CE1	1:E:309:LEU:HD22	2.55	0.42
1:B:170:TRP:CE3	1:B:210:ARG:HG2	2.54	0.42
1:E:203:ILE:O	1:E:207:VAL:HG23	2.20	0.42
1:F:162:TYR:HB3	1:F:260:PRO:HD3	2.02	0.42
1:E:230:GLY:HA2	1:E:265:ARG:O	2.19	0.41
1:C:128:SER:HB2	6:C:670:HOH:O	2.20	0.41
1:D:279:ARG:HH12	1:D:311:GLU:CB	2.32	0.41
1:E:280:LEU:N	1:E:312:ASP:OD1	2.32	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:ALA:HB3	1:A:153[B]:ASN:ND2	2.36	0.41
1:F:225:ASN:HA	1:F:302:GLN:OE1	2.21	0.41
1:F:231:THR:HG22	4:F:602:NO3:O3	2.21	0.41
1:E:71:ASP:HB3	1:E:76:LEU:HB3	2.04	0.40
1:F:191:ARG:NH1	1:F:352:LEU:O	2.53	0.40
1:C:223:LEU:HB3	1:C:226:ALA:HB2	2.03	0.40
1:D:225:ASN:HA	1:D:302:GLN:OE1	2.22	0.40
1:E:119:PHE:O	1:E:200:GLY:HA3	2.21	0.40
1:B:293:SER:HB3	1:B:324:ALA:O	2.21	0.40
1:E:208:ALA:CB	1:E:221:ASN:HD21	2.35	0.40
1:A:129:ALA:HB3	1:A:153[B]:ASN:HD21	1.86	0.40
1:C:225:ASN:HA	1:C:302:GLN:OE1	2.22	0.40
1:D:58:ARG:HA	1:D:59:PRO:HD3	1.95	0.40
1:D:283:LEU:HA	1:D:284:PRO:HD3	1.96	0.40
1:F:195:SER:HB3	1:F:222:ILE:HB	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	324/365 (89%)	315 (97%)	9 (3%)	0	100	100
1	B	314/365 (86%)	300 (96%)	14 (4%)	0	100	100
1	C	297/365 (81%)	287 (97%)	9 (3%)	1 (0%)	36	29
1	D	311/365 (85%)	301 (97%)	10 (3%)	0	100	100
1	E	311/365 (85%)	297 (96%)	14 (4%)	0	100	100
1	F	301/365 (82%)	294 (98%)	6 (2%)	1 (0%)	36	29
All	All	1858/2190 (85%)	1794 (97%)	62 (3%)	2 (0%)	48	40

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	286	ALA
1	F	73	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/302 (88%)	261 (98%)	4 (2%)	57	56
1	B	256/302 (85%)	253 (99%)	3 (1%)	63	63
1	C	245/302 (81%)	241 (98%)	4 (2%)	55	54
1	D	248/302 (82%)	244 (98%)	4 (2%)	55	54
1	E	237/302 (78%)	234 (99%)	3 (1%)	61	61
1	F	239/302 (79%)	234 (98%)	5 (2%)	47	44
All	All	1490/1812 (82%)	1467 (98%)	23 (2%)	57	56

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	VAL
1	A	69	ILE
1	A	128	SER
1	A	261	GLU
1	B	60	LEU
1	B	261	GLU
1	B	262	ASP
1	C	33	ILE
1	C	74	VAL
1	C	128	SER
1	C	322	GLU
1	D	77	GLU
1	D	159	GLU
1	D	262	ASP
1	D	276	ASN
1	E	144	LEU
1	E	261	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	290	ILE
1	F	69	ILE
1	F	72	GLN
1	F	159[A]	GLU
1	F	159[B]	GLU
1	F	262	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	221	ASN
1	B	26	ASN
1	B	160	HIS
1	B	315	HIS
1	C	26	ASN
1	C	221	ASN
1	D	68	HIS
1	D	221	ASN
1	E	206	HIS
1	E	221	ASN
1	F	26	ASN
1	F	68	HIS
1	F	72	GLN
1	F	179	GLN
1	F	221	ASN
1	F	315	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MPD	A	501	-	7,7,7	0.38	0	9,10,10	0.38	0
4	NO3	B	601	-	1,3,3	3.63	1 (100%)	0,3,3	-	-
2	GA4	C	401	-	28,28,28	1.18	3 (10%)	46,49,49	1.97	10 (21%)
4	NO3	D	601	-	1,3,3	3.38	1 (100%)	0,3,3	-	-
2	GA4	F	401	-	28,28,28	1.36	3 (10%)	46,49,49	1.67	7 (15%)
3	MPD	C	501	-	7,7,7	0.32	0	9,10,10	0.52	0
4	NO3	C	601	-	1,3,3	3.50	1 (100%)	0,3,3	-	-
4	NO3	F	602	-	1,3,3	3.28	1 (100%)	0,3,3	-	-
4	NO3	F	603	-	1,3,3	3.32	1 (100%)	0,3,3	-	-
4	NO3	C	602	-	1,3,3	3.33	1 (100%)	0,3,3	-	-
3	MPD	B	501	-	7,7,7	0.36	0	9,10,10	0.40	0
3	MPD	D	501	-	7,7,7	0.44	0	9,10,10	0.25	0
4	NO3	A	604	-	1,3,3	3.40	1 (100%)	0,3,3	-	-
3	MPD	F	501	-	7,7,7	0.23	0	9,10,10	0.45	0
3	MPD	E	501	-	7,7,7	0.29	0	9,10,10	0.45	0
5	PO4	B	701	-	4,4,4	0.81	0	6,6,6	0.45	0
4	NO3	C	604	-	1,3,3	3.17	1 (100%)	0,3,3	-	-
4	NO3	A	601	-	1,3,3	3.11	1 (100%)	0,3,3	-	-
5	PO4	E	701	-	4,4,4	0.84	0	6,6,6	0.53	0
4	NO3	E	601	-	1,3,3	3.32	1 (100%)	0,3,3	-	-
4	NO3	B	604	-	1,3,3	3.23	1 (100%)	0,3,3	-	-
4	NO3	D	602	-	1,3,3	3.37	1 (100%)	0,3,3	-	-
4	NO3	C	603	-	1,3,3	3.30	1 (100%)	0,3,3	-	-
2	GA4	B	401	-	28,28,28	1.46	4 (14%)	46,49,49	1.85	9 (19%)
4	NO3	D	603	-	1,3,3	3.33	1 (100%)	0,3,3	-	-
4	NO3	F	601	-	1,3,3	3.31	1 (100%)	0,3,3	-	-
4	NO3	B	602	-	1,3,3	3.23	1 (100%)	0,3,3	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GA4	D	401	-	28,28,28	1.36	3 (10%)	46,49,49	1.87	10 (21%)
2	GA4	E	401	-	28,28,28	1.33	3 (10%)	46,49,49	2.18	13 (28%)
2	GA4	A	401	-	28,28,28	1.27	4 (14%)	46,49,49	2.07	13 (28%)
4	NO3	A	602	-	1,3,3	3.51	1 (100%)	0,3,3	-	-
4	NO3	A	603	-	1,3,3	3.45	1 (100%)	0,3,3	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MPD	A	501	-	-	0/5/5/5	-
3	MPD	D	501	-	-	0/5/5/5	-
3	MPD	F	501	-	-	0/5/5/5	-
2	GA4	B	401	-	-	0/4/80/80	-
2	GA4	C	401	-	-	0/4/80/80	-
2	GA4	A	401	-	-	0/4/80/80	-
3	MPD	E	501	-	-	0/5/5/5	-
2	GA4	D	401	-	-	0/4/80/80	-
2	GA4	F	401	-	-	0/4/80/80	-
3	MPD	C	501	-	-	0/5/5/5	-
2	GA4	E	401	-	-	0/4/80/80	-
3	MPD	B	501	-	-	0/5/5/5	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	GA4	O92-C10	-4.82	1.41	1.47
2	F	401	GA4	O92-C19	4.41	1.44	1.36
2	B	401	GA4	O92-C19	4.34	1.44	1.36
2	E	401	GA4	O92-C19	4.24	1.44	1.36
4	B	601	NO3	O1-N	3.63	1.42	1.24
4	A	602	NO3	O1-N	3.51	1.41	1.24
4	C	601	NO3	O1-N	3.50	1.41	1.24
2	D	401	GA4	O92-C19	3.46	1.43	1.36
4	A	603	NO3	O1-N	3.45	1.41	1.24
2	E	401	GA4	O92-C10	-3.40	1.43	1.47
4	A	604	NO3	O1-N	3.40	1.41	1.24
2	B	401	GA4	O92-C10	-3.39	1.43	1.47
4	D	601	NO3	O1-N	3.38	1.41	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	602	NO3	O1-N	3.37	1.40	1.24
4	C	602	NO3	O1-N	3.33	1.40	1.24
4	D	603	NO3	O1-N	3.33	1.40	1.24
4	F	603	NO3	O1-N	3.32	1.40	1.24
4	E	601	NO3	O1-N	3.32	1.40	1.24
4	F	601	NO3	O1-N	3.31	1.40	1.24
4	C	603	NO3	O1-N	3.30	1.40	1.24
4	F	602	NO3	O1-N	3.28	1.40	1.24
4	B	604	NO3	O1-N	3.23	1.40	1.24
4	B	602	NO3	O1-N	3.23	1.40	1.24
4	C	604	NO3	O1-N	3.17	1.39	1.24
4	A	601	NO3	O1-N	3.11	1.39	1.24
2	C	401	GA4	O92-C19	2.99	1.42	1.36
2	F	401	GA4	O92-C10	-2.88	1.43	1.47
2	A	401	GA4	O92-C19	2.86	1.41	1.36
2	A	401	GA4	C2-C3	2.67	1.56	1.52
2	C	401	GA4	C2-C3	2.65	1.56	1.52
2	B	401	GA4	C2-C3	2.61	1.56	1.52
2	A	401	GA4	O72-C7	-2.32	1.23	1.30
2	B	401	GA4	O72-C7	-2.18	1.23	1.30
2	E	401	GA4	O72-C7	-2.17	1.23	1.30
2	A	401	GA4	C1-C10	2.15	1.56	1.52
2	D	401	GA4	O72-C7	-2.14	1.23	1.30
2	C	401	GA4	C1-C10	2.14	1.56	1.52
2	F	401	GA4	O72-C7	-2.02	1.24	1.30

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	GA4	C15-C16-C13	8.15	114.27	107.46
2	B	401	GA4	C15-C16-C13	7.94	114.10	107.46
2	E	401	GA4	C15-C16-C13	7.26	113.53	107.46
2	A	401	GA4	C15-C16-C13	7.13	113.42	107.46
2	D	401	GA4	C15-C16-C13	6.55	112.94	107.46
2	E	401	GA4	C14-C8-C15	6.53	106.03	100.18
2	F	401	GA4	C15-C16-C13	6.27	112.71	107.46
2	A	401	GA4	O92-C10-C1	5.39	110.72	107.36
2	A	401	GA4	C1-C10-C9	-4.52	114.39	118.72
2	C	401	GA4	O92-C10-C9	3.92	113.35	108.75
2	A	401	GA4	C15-C16-C17	-3.75	121.17	126.33
2	E	401	GA4	C1-C10-C9	-3.58	115.28	118.72
2	D	401	GA4	C14-C13-C16	-3.57	97.90	102.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	GA4	C10-C9-C8	-3.53	103.46	106.07
2	D	401	GA4	O92-C10-C1	3.48	109.53	107.36
2	C	401	GA4	C13-C16-C17	-3.43	121.77	126.01
2	E	401	GA4	O92-C10-C1	3.40	109.48	107.36
2	D	401	GA4	C1-C10-C9	-3.37	115.49	118.72
2	B	401	GA4	C8-C15-C16	-3.33	98.46	104.58
2	E	401	GA4	C8-C6-C7	3.30	117.28	112.17
2	E	401	GA4	C15-C16-C17	-3.25	121.86	126.33
2	F	401	GA4	C14-C8-C15	3.24	103.09	100.18
2	D	401	GA4	C10-C5-C6	-3.24	100.61	104.02
2	B	401	GA4	C14-C8-C15	3.16	103.01	100.18
2	D	401	GA4	C15-C16-C17	-3.16	121.98	126.33
2	B	401	GA4	C10-C5-C6	-3.11	100.74	104.02
2	C	401	GA4	O92-C10-C1	3.10	109.29	107.36
2	A	401	GA4	O92-C10-C9	3.07	112.36	108.75
2	C	401	GA4	C14-C8-C15	3.04	102.90	100.18
2	A	401	GA4	C4-C5-C6	2.93	121.78	117.12
2	E	401	GA4	C15-C8-C9	-2.93	105.06	109.86
2	A	401	GA4	O92-C19-C4	-2.87	107.03	110.17
2	F	401	GA4	C8-C6-C7	2.81	116.52	112.17
2	C	401	GA4	C1-C2-C3	2.80	115.58	111.48
2	F	401	GA4	C8-C15-C16	-2.80	99.42	104.58
2	C	401	GA4	C14-C13-C16	-2.72	98.94	102.24
2	A	401	GA4	C8-C15-C16	-2.70	99.61	104.58
2	C	401	GA4	C1-C10-C9	-2.70	116.13	118.72
2	E	401	GA4	C8-C15-C16	-2.70	99.62	104.58
2	C	401	GA4	C8-C15-C16	-2.69	99.62	104.58
2	B	401	GA4	C1-C10-C9	-2.67	116.16	118.72
2	A	401	GA4	C14-C13-C16	-2.63	99.04	102.24
2	F	401	GA4	O92-C19-O91	2.63	124.90	121.56
2	F	401	GA4	C15-C16-C17	-2.62	122.73	126.33
2	B	401	GA4	C15-C16-C17	-2.54	122.83	126.33
2	E	401	GA4	C10-C5-C6	-2.47	101.42	104.02
2	D	401	GA4	O92-C10-C5	2.41	103.66	101.61
2	B	401	GA4	C13-C16-C17	-2.38	123.06	126.01
2	A	401	GA4	C8-C6-C7	2.36	115.82	112.17
2	E	401	GA4	C10-C9-C8	-2.36	104.33	106.07
2	F	401	GA4	C1-C2-C3	2.33	114.89	111.48
2	E	401	GA4	C14-C13-C12	-2.28	104.57	108.42
2	E	401	GA4	C14-C8-C9	-2.28	106.99	110.00
2	C	401	GA4	C8-C6-C7	2.26	115.67	112.17
2	D	401	GA4	C8-C15-C16	-2.26	100.42	104.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	GA4	C2-C3-C4	2.23	114.93	112.28
2	B	401	GA4	C1-C2-C3	2.22	114.72	111.48
2	E	401	GA4	C1-C2-C3	2.14	114.61	111.48
2	A	401	GA4	O92-C19-O91	2.12	124.26	121.56
2	A	401	GA4	C10-C5-C6	-2.12	101.79	104.02
2	D	401	GA4	C11-C12-C13	2.07	114.83	111.18
2	A	401	GA4	C1-C10-C5	-2.06	109.20	111.98

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.


10 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	MPD	1	0
3	C	501	MPD	1	0
4	F	602	NO3	1	0
4	C	602	NO3	1	0
3	B	501	MPD	1	0
3	D	501	MPD	1	0
3	F	501	MPD	1	0
3	E	501	MPD	1	0
4	C	604	NO3	1	0
4	A	602	NO3	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand GA4 F 401




Ligand GA4 B 401




Ligand GA4 D 401



Ligand GA4 E 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	323/365 (88%)	0.03	11 (3%)	48	51	17, 28, 48, 64	5 (1%)
1	B	318/365 (87%)	0.38	25 (7%)	18	20	18, 31, 55, 73	2 (0%)
1	C	301/365 (82%)	0.43	15 (4%)	34	36	17, 34, 52, 62	2 (0%)
1	D	315/365 (86%)	0.37	24 (7%)	20	21	18, 31, 52, 60	0
1	E	315/365 (86%)	1.14	55 (17%)	4	4	18, 42, 62, 84	2 (0%)
1	F	305/365 (83%)	0.42	19 (6%)	26	28	21, 35, 54, 65	2 (0%)
All	All	1877/2190 (85%)	0.46	149 (7%)	18	20	17, 33, 56, 84	13 (0%)

All (149) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	104	LEU	5.8
1	B	103	PHE	5.6
1	B	188	ALA	5.0
1	E	101	LEU	4.8
1	A	101	LEU	4.5
1	A	15	VAL	4.5
1	C	282	GLY	4.5
1	B	105	THR	4.3
1	D	280	LEU	4.1
1	E	313	GLY	3.9
1	B	14	THR	3.9
1	E	181	PHE	3.8
1	E	106	ASP	3.7
1	A	353	TYR	3.7
1	E	105	THR	3.7
1	D	15	VAL	3.6
1	E	275	PRO	3.6
1	E	110	ALA	3.6
1	D	109	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	103	PHE	3.4
1	B	104	LEU	3.3
1	B	107	ALA	3.3
1	E	184	SER	3.3
1	D	313	GLY	3.2
1	E	162	TYR	3.2
1	F	352	LEU	3.2
1	F	270	CYS	3.2
1	A	105	THR	3.2
1	F	353	TYR	3.2
1	E	283	LEU	3.2
1	D	274	GLY	3.2
1	D	74	VAL	3.1
1	E	109	ALA	3.1
1	D	282	GLY	3.1
1	F	15	VAL	3.1
1	E	107	ALA	3.1
1	E	170	TRP	3.1
1	F	216	VAL	3.1
1	B	189	GLN	3.1
1	E	285	PHE	3.1
1	E	272	PRO	3.1
1	B	177	MET	3.0
1	C	113	PHE	3.0
1	E	240	LEU	2.9
1	E	177	MET	2.9
1	E	276	ASN	2.9
1	C	73	SER	2.9
1	D	181	PHE	2.9
1	E	212	ALA	2.9
1	F	74	VAL	2.9
1	B	108	PRO	2.9
1	D	66	PHE	2.8
1	C	283	LEU	2.8
1	E	108	PRO	2.8
1	E	209	VAL	2.8
1	F	273	PHE	2.8
1	A	186	GLY	2.8
1	B	277	GLY	2.8
1	E	112	PRO	2.8
1	D	273	PHE	2.8
1	E	229	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	74	VAL	2.8
1	C	190	ALA	2.7
1	D	211	ALA	2.7
1	B	190	ALA	2.7
1	E	273	PHE	2.7
1	C	170	TRP	2.7
1	D	275	PRO	2.7
1	D	84	ALA	2.6
1	F	274	GLY	2.6
1	A	104	LEU	2.6
1	E	280	LEU	2.6
1	E	352	LEU	2.6
1	D	281	GLY	2.6
1	B	15	VAL	2.6
1	D	162	TYR	2.6
1	C	181	PHE	2.6
1	E	263	ALA	2.6
1	E	113	PHE	2.5
1	E	349	ASN	2.5
1	E	216	VAL	2.5
1	E	234	THR	2.5
1	B	176	VAL	2.5
1	B	112	PRO	2.5
1	C	281	GLY	2.4
1	E	215	GLY	2.4
1	F	181	PHE	2.4
1	B	73	SER	2.4
1	F	70	ILE	2.4
1	D	308	ALA	2.4
1	E	207	VAL	2.4
1	F	66	PHE	2.4
1	E	310	ARG	2.4
1	C	175	TRP	2.4
1	E	73	SER	2.4
1	E	70	ILE	2.3
1	F	275	PRO	2.3
1	E	277	GLY	2.3
1	D	310	ARG	2.3
1	A	84	ALA	2.3
1	D	279	ARG	2.3
1	E	315	HIS	2.3
1	A	103	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	208	ALA	2.3
1	C	183	ARG	2.3
1	C	215	GLY	2.3
1	D	73	SER	2.3
1	E	314	HIS	2.3
1	F	276	ASN	2.3
1	F	283	LEU	2.3
1	E	183	ARG	2.2
1	B	180	PRO	2.2
1	D	353	TYR	2.2
1	E	308	ALA	2.2
1	C	214	GLU	2.2
1	E	180	PRO	2.2
1	B	110	ALA	2.2
1	E	228	PHE	2.2
1	B	60	LEU	2.2
1	B	215	GLY	2.2
1	F	62	GLY	2.2
1	B	66	PHE	2.2
1	F	349	ASN	2.2
1	C	209	VAL	2.2
1	A	188	ALA	2.2
1	B	212	ALA	2.2
1	E	213	ASP	2.1
1	B	216	VAL	2.1
1	F	73	SER	2.1
1	E	169	GLY	2.1
1	E	260	PRO	2.1
1	C	313	GLY	2.1
1	E	74	VAL	2.1
1	A	60	LEU	2.1
1	E	284	PRO	2.1
1	E	309	LEU	2.1
1	F	190	ALA	2.1
1	D	213	ASP	2.1
1	D	262	ASP	2.1
1	E	203	ILE	2.1
1	A	185	GLY	2.1
1	D	276	ASN	2.1
1	E	268	PRO	2.1
1	C	219	CYS	2.1
1	D	309	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	181	PHE	2.0
1	B	75	GLY	2.0
1	E	76	LEU	2.0
1	F	277	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NO3	D	602	4/4	0.78	0.23	58,58,58,58	0
5	PO4	B	701	5/5	0.79	0.15	79,80,81,82	0
4	NO3	E	601	4/4	0.81	0.15	80,80,80,80	0
4	NO3	A	604	4/4	0.82	0.19	58,58,59,59	0
4	NO3	B	601	4/4	0.83	0.15	54,55,55,55	0
4	NO3	A	602	4/4	0.83	0.19	42,44,45,46	0
4	NO3	C	601	4/4	0.84	0.16	55,56,56,57	0
4	NO3	D	601	4/4	0.84	0.13	62,62,62,63	0
3	MPD	B	501	8/8	0.84	0.14	37,40,41,41	0
3	MPD	D	501	8/8	0.84	0.14	39,42,44,44	0
4	NO3	A	601	4/4	0.84	0.13	48,49,50,50	0
4	NO3	C	602	4/4	0.85	0.21	48,49,50,50	0
4	NO3	B	602	4/4	0.87	0.20	48,48,48,49	0
4	NO3	F	601	4/4	0.87	0.13	63,63,63,63	0
4	NO3	F	602	4/4	0.87	0.17	56,56,57,57	0
4	NO3	F	603	4/4	0.87	0.16	54,54,55,55	0
4	NO3	C	603	4/4	0.87	0.17	63,63,63,63	0
5	PO4	E	701	5/5	0.87	0.11	81,82,82,83	0
4	NO3	B	604	4/4	0.88	0.14	54,55,55,55	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NO3	A	603	4/4	0.88	0.12	56,56,56,56	0
4	NO3	C	604	4/4	0.89	0.13	51,53,53,54	0
3	MPD	A	501	8/8	0.90	0.11	31,37,39,40	0
4	NO3	D	603	4/4	0.90	0.11	54,54,54,54	0
3	MPD	C	501	8/8	0.91	0.10	34,37,38,39	0
3	MPD	F	501	8/8	0.91	0.10	35,37,38,41	0
3	MPD	E	501	8/8	0.93	0.09	41,44,47,47	0
2	GA4	E	401	24/24	0.95	0.07	26,29,31,33	0
2	GA4	B	401	24/24	0.96	0.05	17,19,21,22	0
2	GA4	F	401	24/24	0.96	0.06	18,22,27,29	0
2	GA4	C	401	24/24	0.97	0.05	17,21,23,26	0
2	GA4	D	401	24/24	0.97	0.05	17,21,23,26	0
2	GA4	A	401	24/24	0.98	0.05	15,18,21,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GA4 E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GA4 B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GA4 F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GA4 C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around GA4 D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GA4 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**6.5 Other polymers** [i](#)

There are no such residues in this entry.