



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:23 PM UTC

PDB ID : 4EBP / pdb_00004ebp
Title : BlaC E166A Cefotaxime Acyl-Intermediate Complex
Authors : Mire, J.A.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2012-03-23
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	265	6% 87% 13%
1	B	265	6% 77% 16% • •
1	C	265	9% 74% 22% • •
1	D	265	8% 82% 15% •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	304	-	X	-	-
2	PO4	D	303	-	X	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-lactamase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	265	Total	C	N	O	S	0	0	0
			1971	1234	348	383	6			
1	B	257	Total	C	N	O	S	0	0	0
			1895	1189	337	363	6			
1	C	259	Total	C	N	O	S	0	0	0
			1908	1196	337	369	6			
1	D	265	Total	C	N	O	S	0	0	0
			1956	1228	346	376	6			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	166	ALA	GLU	engineered mutation	UNP P0C5C1
B	166	ALA	GLU	engineered mutation	UNP P0C5C1
C	166	ALA	GLU	engineered mutation	UNP P0C5C1
D	166	ALA	GLU	engineered mutation	UNP P0C5C1

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is CEFOTAXIME, C3' cleaved, open, bound form (CCD ID: CEF) (formula: $C_{14}H_{15}N_5O_5S_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	S	0	0
			26	14	5	5	2		
3	C	1	Total	C	N	O	S	0	0
			26	14	5	5	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	32	Total	O	0	0
			32	32		
4	B	37	Total	O	0	0
			37	37		
4	C	33	Total	O	0	0
			33	33		
4	D	19	Total	O	0	0
			19	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-lactamase





• Molecule 1: Beta-lactamase



• Molecule 1: Beta-lactamase



• Molecule 1: Beta-lactamase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.82Å 96.15Å 107.09Å 90.00° 106.34° 90.00°	Depositor
Resolution (Å)	45.32 – 2.29 45.32 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.7 (45.32-2.29) 97.7 (45.32-2.29)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.211 , 0.240 0.210 , 0.241	Depositor DCC
R_{free} test set	3420 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	(Not available)	Xtriage
Anisotropy	(Not available)	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 42.1	EDS
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7948	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *(Not available)*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CEF, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2010	0.79	3/2747 (0.1%)
1	B	0.37	0/1931	0.85	4/2637 (0.2%)
1	C	0.38	0/1945	0.76	2/2658 (0.1%)
1	D	0.35	0/1995	0.70	0/2727
All	All	0.37	0/7881	0.78	9/10769 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	69	CYS	O-C-N	-13.12	105.14	122.59
1	B	69	CYS	CA-C-N	11.24	143.01	121.54
1	B	69	CYS	C-N-CA	11.24	143.01	121.54
1	B	70	SER	O-C-N	-8.34	111.50	122.59
1	C	159	VAL	N-CA-C	7.18	117.95	110.62
1	A	108	VAL	N-CA-C	6.23	117.24	111.45
1	A	144	GLY	CA-C-N	5.22	125.50	119.92
1	A	144	GLY	C-N-CA	5.22	125.50	119.92
1	C	70	SER	O-C-N	-5.16	105.35	122.06

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	69	CYS	Mainchain
1	C	70	SER	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1971	0	1931	24	0
1	B	1895	0	1864	35	0
1	C	1908	0	1858	41	0
1	D	1956	0	1918	32	0
2	A	20	0	0	1	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	15	0	0	1	0
3	B	26	0	0	2	0
3	C	26	0	0	5	0
4	A	32	0	0	0	0
4	B	37	0	0	0	0
4	C	33	0	0	1	0
4	D	19	0	0	0	0
All	All	7948	0	7571	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:ILE:HG22	1:A:133:THR:HG21	1.20	1.19
1:B:29:ASP:OD1	1:B:29:ASP:N	1.98	0.93
1:A:102:ILE:CG2	1:A:133:THR:HG21	2.05	0.84
1:D:102:ILE:HB	1:D:133:THR:OG1	1.78	0.84
1:A:102:ILE:HG22	1:A:133:THR:CG2	2.06	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:THR:H	1:C:121:GLN:HE21	1.32	0.77
1:C:200:PRO:HG2	1:C:203:LYS:HG3	1.65	0.76
1:B:29:ASP:HA	1:B:32:ASP:OD2	1.87	0.75
3:C:301:CEF:O2	3:C:301:CEF:C3	2.35	0.72
1:D:234:LYS:NZ	1:D:235:THR:O	2.23	0.72
3:B:301:CEF:C3	3:B:301:CEF:O2	2.36	0.72
1:C:74:ALA:HB3	1:C:75:PRO:CD	2.20	0.70
1:B:228:ASP:OD1	1:B:229:TRP:HD1	1.74	0.70
1:C:220:ARG:HG2	1:C:281:LEU:HD12	1.74	0.70
1:A:263:VAL:HG12	1:A:281:LEU:HD22	1.75	0.67
1:C:240:ASP:OD1	3:C:301:CEF:N4	2.28	0.66
1:C:74:ALA:HB3	1:C:75:PRO:HD3	1.78	0.65
1:B:115:THR:HG22	1:B:116:GLY:O	1.97	0.65
1:C:68:PHE:HB2	1:C:179:ASP:O	1.97	0.64
3:B:301:CEF:C13	3:B:301:CEF:O5	2.46	0.64
1:A:220:ARG:HD3	1:A:281:LEU:HD12	1.78	0.64
1:C:52:THR:HG23	1:C:55:THR:OG1	1.97	0.64
1:B:74:ALA:HB3	1:B:75:PRO:CD	2.28	0.63
1:D:102:ILE:CG1	1:D:102:ILE:O	2.45	0.63
1:C:157:ASP:HB2	4:C:419:HOH:O	1.99	0.63
1:A:103:ARG:O	1:A:104:SER:HB3	1.99	0.61
1:D:98:THR:O	1:D:101:ASP:HB2	2.01	0.61
1:C:190:LEU:HD22	1:C:247:ILE:HD12	1.82	0.61
1:A:176:ASP:OD2	1:A:178:ARG:NH2	2.33	0.61
1:D:102:ILE:HD12	1:D:106:SER:HB2	1.83	0.61
1:D:220:ARG:HE	1:D:278:GLU:HG2	1.66	0.60
1:C:109:ALA:C	1:C:111:GLN:H	2.11	0.58
1:B:74:ALA:HB3	1:B:75:PRO:HD3	1.85	0.58
1:A:102:ILE:HA	1:A:133:THR:OG1	2.03	0.58
1:D:30:LEU:HD22	1:D:291:VAL:HG21	1.86	0.58
1:A:110:GLN:OE1	1:B:103:ARG:HD2	2.04	0.57
1:C:86:ASN:O	1:C:203:LYS:NZ	2.37	0.57
1:C:157:ASP:C	1:C:157:ASP:OD1	2.47	0.57
1:C:118:THR:H	1:C:121:GLN:NE2	2.04	0.55
1:D:91:LEU:HA	1:D:119:ILE:HB	1.89	0.55
1:C:267:ARG:HD3	1:C:275:GLU:O	2.06	0.55
1:D:102:ILE:O	1:D:102:ILE:HG12	2.06	0.54
3:C:301:CEF:O5	3:C:301:CEF:N5	2.40	0.54
1:B:228:ASP:OD1	1:B:229:TRP:CD1	2.61	0.53
1:C:52:THR:HG23	1:C:55:THR:HG1	1.72	0.53
1:B:228:ASP:OD1	1:B:229:TRP:N	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:240:ASP:CG	3:C:301:CEF:N4	2.68	0.52
1:D:95:ILE:HG22	1:D:96:THR:N	2.24	0.51
1:A:145(D):THR:HB	1:A:162:LEU:O	2.11	0.51
1:C:139:LEU:O	1:C:145(C):GLY:HA3	2.11	0.50
1:B:139:LEU:O	1:B:142:LEU:HB2	2.11	0.50
1:D:263:VAL:HG12	1:D:281:LEU:HD22	1.93	0.50
1:C:118:THR:N	1:C:121:GLN:HE21	2.06	0.50
1:A:64:GLU:OE1	2:A:304:PO4:O4	2.29	0.50
1:C:212:ALA:HA	1:C:232:ILE:HG22	1.93	0.50
1:D:128:ARG:NH1	2:D:302:PO4:O4	2.45	0.50
1:D:182:THR:O	1:D:186:ILE:HG22	2.11	0.50
1:D:244:ALA:O	1:D:265:SER:OG	2.23	0.49
1:C:112:HIS:O	1:C:116:GLY:N	2.43	0.49
1:D:91:LEU:HD23	1:D:119:ILE:HG22	1.93	0.49
1:B:176:ASP:OD2	1:B:178:ARG:HG3	2.12	0.49
1:A:33:ARG:NH1	1:C:293:ALA:O	2.44	0.48
1:C:240:ASP:O	1:C:243:ARG:HD2	2.13	0.48
1:B:91:LEU:HA	1:B:119:ILE:HB	1.95	0.48
1:D:73:LYS:HE3	1:D:135:ALA:HB2	1.96	0.48
1:C:220:ARG:HE	1:C:278:GLU:HG2	1.78	0.48
1:C:174:PRO:HG3	1:C:268:ALA:HB1	1.95	0.47
1:B:231:VAL:HG22	1:B:250:VAL:HG12	1.96	0.47
1:D:136:ASN:OD1	1:D:165:GLU:HB2	2.14	0.47
1:C:118:THR:HG23	1:C:121:GLN:HE21	1.78	0.47
1:A:277:ARG:HG3	1:A:277:ARG:HH11	1.79	0.47
1:B:200:PRO:HG2	1:B:203:LYS:HD2	1.96	0.47
1:B:241:TYR:HB3	1:B:268:ALA:HA	1.96	0.47
1:D:165:GLU:HA	1:D:169:LEU:HD23	1.95	0.47
1:B:183:PRO:HG3	1:B:264:MET:HG3	1.96	0.47
1:C:52:THR:CG2	1:C:55:THR:OG1	2.63	0.46
1:C:234:LYS:NZ	1:C:235:THR:O	2.45	0.46
1:A:263:VAL:CG1	1:A:281:LEU:HD22	2.46	0.46
1:B:226:PRO:HB2	1:B:228:ASP:OD1	2.16	0.46
1:A:250:VAL:O	1:A:258:PRO:HA	2.15	0.46
1:D:220:ARG:HG2	1:D:281:LEU:HD12	1.97	0.46
1:B:230:LYS:HG2	1:B:251:TRP:CE3	2.51	0.45
1:C:79:ALA:HB2	1:C:151:TYR:CD1	2.51	0.45
1:C:65:ARG:HD2	1:C:177:GLU:HG2	1.98	0.45
1:B:222:ARG:NH2	1:B:226:PRO:O	2.50	0.45
1:B:224:GLY:O	1:D:226:PRO:HG3	2.17	0.45
1:B:202:ASP:OD1	1:B:203:LYS:N	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:ALA:N	1:B:75:PRO:HD2	2.31	0.44
1:C:241:TYR:HB3	1:C:268:ALA:HA	1.99	0.44
1:B:88:LEU:HD12	1:B:88:LEU:HA	1.89	0.44
1:B:250:VAL:O	1:B:258:PRO:HA	2.17	0.44
1:C:240:ASP:OD2	1:C:272:TYR:CE1	2.70	0.44
1:A:74:ALA:HB3	1:A:75:PRO:CD	2.47	0.44
1:B:162:LEU:N	1:B:162:LEU:CD1	2.81	0.43
1:A:30:LEU:HD12	1:A:30:LEU:HA	1.89	0.43
1:B:62:ALA:O	1:B:182:THR:HB	2.18	0.43
1:B:72:PHE:O	1:B:75:PRO:HG2	2.19	0.43
1:A:231:VAL:HG22	1:A:250:VAL:HG12	2.00	0.43
1:C:118:THR:HG23	1:C:121:GLN:NE2	2.34	0.43
1:C:99:SER:O	1:D:105:ILE:HG12	2.18	0.43
1:C:181:THR:OG1	1:C:182:THR:N	2.52	0.43
1:C:91:LEU:HA	1:C:119:ILE:HB	2.01	0.43
1:C:30:LEU:HD22	1:C:291:VAL:HG21	2.01	0.42
1:A:277:ARG:HG3	1:A:277:ARG:NH1	2.35	0.42
1:C:48:TYR:HA	1:C:58:ILE:O	2.19	0.42
1:B:73:LYS:NZ	1:B:130:SER:O	2.53	0.42
1:B:149:THR:O	1:B:153:ARG:HG2	2.20	0.42
1:D:102:ILE:O	1:D:102:ILE:HG13	2.19	0.42
1:B:257:VAL:HA	1:B:258:PRO:HD3	1.90	0.42
1:D:52:THR:OG1	1:D:55:THR:OG1	2.36	0.42
1:C:247:ILE:O	1:C:247:ILE:HG13	2.19	0.41
1:D:165:GLU:C	1:D:169:LEU:HD23	2.44	0.41
1:D:88:LEU:HD13	1:D:203:LYS:HE2	2.01	0.41
1:D:108:VAL:O	1:D:112:HIS:HD2	2.03	0.41
1:B:264:MET:HE2	1:B:264:MET:HB3	1.91	0.41
1:B:267:ARG:NH2	1:B:275:GLU:O	2.36	0.41
1:C:109:ALA:C	1:C:111:GLN:N	2.73	0.41
1:D:188:LEU:O	1:D:192:GLN:HG3	2.21	0.41
1:D:202:ASP:OD1	1:D:203:LYS:N	2.53	0.41
1:A:88:LEU:HD23	1:A:88:LEU:HA	1.80	0.41
1:A:122:LEU:HD22	1:A:134:ALA:HA	2.02	0.41
1:B:220:ARG:HG2	1:B:281:LEU:HD12	2.02	0.41
1:A:126:ALA:O	1:A:130:SER:HA	2.20	0.41
1:C:122:LEU:HD22	1:C:134:ALA:HA	2.01	0.41
1:D:88:LEU:HD12	1:D:88:LEU:HA	1.80	0.41
1:D:207:LEU:O	1:D:211:MET:HG3	2.21	0.41
1:A:102:ILE:CA	1:A:133:THR:OG1	2.67	0.41
1:A:103:ARG:O	1:A:104:SER:CB	2.66	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:301:CEF:O4	3:C:301:CEF:C13	2.68	0.40
1:B:74:ALA:CB	1:B:75:PRO:CD	2.95	0.40
1:D:86:ASN:O	1:D:203:LYS:NZ	2.51	0.40
1:D:95:ILE:CG2	1:D:96:THR:N	2.84	0.40
1:B:284:ALA:O	1:B:288:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/265 (99%)	258 (98%)	5 (2%)	0	100	100
1	B	253/265 (96%)	244 (96%)	7 (3%)	2 (1%)	16	20
1	C	255/265 (96%)	246 (96%)	9 (4%)	0	100	100
1	D	263/265 (99%)	255 (97%)	8 (3%)	0	100	100
All	All	1034/1060 (98%)	1003 (97%)	29 (3%)	2 (0%)	43	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	70	SER
1	B	69	CYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/201 (98%)	190 (96%)	8 (4%)	28	42
1	B	189/201 (94%)	177 (94%)	12 (6%)	16	23
1	C	189/201 (94%)	174 (92%)	15 (8%)	11	15
1	D	194/201 (96%)	181 (93%)	13 (7%)	15	21
All	All	770/804 (96%)	722 (94%)	48 (6%)	16	24

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ARG
1	A	102	ILE
1	A	114	GLN
1	A	115	THR
1	A	165	GLU
1	A	278	GLU
1	A	280	LEU
1	A	283	GLU
1	B	29	ASP
1	B	33	ARG
1	B	59	GLU
1	B	88	LEU
1	B	89	THR
1	B	115	THR
1	B	130	SER
1	B	162	LEU
1	B	230	LYS
1	B	264	MET
1	B	265	SER
1	B	281	LEU
1	C	52	THR
1	C	54	THR
1	C	68	PHE
1	C	88	LEU
1	C	95	ILE
1	C	99	SER
1	C	102	ILE
1	C	113	VAL
1	C	115	THR
1	C	130	SER
1	C	158	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	159	VAL
1	C	161	ARG
1	C	209	ASP
1	C	233	ASP
1	D	29	ASP
1	D	40	ARG
1	D	54	THR
1	D	55	THR
1	D	68	PHE
1	D	73	LYS
1	D	88	LEU
1	D	96	THR
1	D	102	ILE
1	D	117	MET
1	D	233	ASP
1	D	234	LYS
1	D	291	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	245	ASN
1	C	86	ASN
1	C	121	GLN
1	C	184	HIS
1	D	112	HIS
1	D	214	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CEF	B	301	1	24,27,27	3.67	10 (41%)	25,37,37	4.82	9 (36%)
2	PO4	D	303	-	4,4,4	3.06	4 (100%)	6,6,6	0.46	0
2	PO4	A	301	-	4,4,4	0.97	0	6,6,6	0.50	0
2	PO4	D	302	-	4,4,4	0.93	0	6,6,6	0.49	0
3	CEF	C	301	1	24,27,27	3.67	11 (45%)	25,37,37	4.85	9 (36%)
2	PO4	A	302	-	4,4,4	0.92	0	6,6,6	0.43	0
2	PO4	A	303	-	4,4,4	0.94	0	6,6,6	0.43	0
2	PO4	A	304	-	4,4,4	3.05	4 (100%)	6,6,6	0.46	0
2	PO4	D	301	-	4,4,4	0.96	0	6,6,6	0.54	0
2	PO4	B	302	-	4,4,4	0.88	0	6,6,6	0.45	0
2	PO4	C	302	-	4,4,4	0.90	0	6,6,6	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CEF	C	301	1	-	3/18/38/38	0/1/2/2
3	CEF	B	301	1	-	7/18/38/38	0/1/2/2

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	CEF	C13-C12	10.19	1.54	1.36
3	C	301	CEF	C13-C12	10.18	1.54	1.36
3	C	301	CEF	C1-C2	-8.63	1.39	1.50
3	B	301	CEF	C1-C2	-8.63	1.39	1.50
3	C	301	CEF	C4-N1	6.88	1.34	1.28
3	B	301	CEF	C4-N1	6.83	1.34	1.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	304	PO4	P-O1	4.68	1.61	1.50
2	D	303	PO4	P-O1	4.67	1.61	1.50
3	C	301	CEF	C1-S1	-4.29	1.73	1.82
3	B	301	CEF	C1-S1	-4.27	1.73	1.82
3	B	301	CEF	C10-C12	-4.09	1.39	1.46
3	C	301	CEF	C10-C12	-4.05	1.39	1.46
3	C	301	CEF	C13-S2	3.89	1.81	1.71
3	B	301	CEF	C13-S2	3.86	1.81	1.71
3	C	301	CEF	C3-C2	3.34	1.39	1.32
3	B	301	CEF	C3-C2	3.33	1.39	1.32
2	D	303	PO4	P-O3	2.35	1.61	1.54
2	A	304	PO4	P-O2	2.34	1.61	1.54
2	A	304	PO4	P-O3	2.34	1.61	1.54
2	D	303	PO4	P-O2	2.34	1.61	1.54
3	B	301	CEF	C4-C5	2.32	1.53	1.48
3	C	301	CEF	C10-C9	2.32	1.53	1.48
3	C	301	CEF	C4-C5	2.29	1.53	1.48
3	B	301	CEF	C10-C9	2.28	1.53	1.48
3	C	301	CEF	C4-C2	-2.12	1.39	1.46
2	D	303	PO4	P-O4	-2.12	1.48	1.54
2	A	304	PO4	P-O4	-2.11	1.48	1.54
3	B	301	CEF	C4-C2	-2.09	1.39	1.46
3	C	301	CEF	C14-S2	-2.03	1.71	1.74

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	CEF	C13-S2-C14	14.48	95.08	88.84
3	B	301	CEF	C13-S2-C14	14.33	95.02	88.84
3	C	301	CEF	C6-N1-C4	13.75	128.33	116.33
3	B	301	CEF	C6-N1-C4	13.72	128.31	116.33
3	B	301	CEF	C1-S1-C6	7.26	107.67	94.36
3	C	301	CEF	C1-S1-C6	7.24	107.62	94.36
3	C	301	CEF	C12-C13-S2	-7.10	102.04	110.24
3	B	301	CEF	C12-C13-S2	-7.04	102.11	110.24
3	C	301	CEF	C2-C1-S1	5.00	121.95	111.65
3	B	301	CEF	C2-C1-S1	4.97	121.88	111.65
3	C	301	CEF	C14-N5-C12	4.45	117.10	110.57
3	B	301	CEF	C14-N5-C12	4.41	117.05	110.57
3	C	301	CEF	S2-C14-N5	-3.81	111.53	114.54
3	B	301	CEF	S2-C14-N5	-3.74	111.59	114.54
3	C	301	CEF	S2-C14-N4	2.91	124.37	120.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	301	CEF	S2-C14-N4	2.82	124.27	120.99
3	C	301	CEF	O5-N3-C10	2.28	120.17	111.65
3	B	301	CEF	O5-N3-C10	2.23	120.00	111.65

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	301	CEF	C8-C7-N2-C9
3	B	301	CEF	C10-N3-O5-C11
3	C	301	CEF	C10-N3-O5-C11
3	B	301	CEF	C2-C4-C5-O1
3	C	301	CEF	C2-C4-C5-O1
3	B	301	CEF	C6-C7-N2-C9
3	B	301	CEF	C9-C10-C12-C13
3	B	301	CEF	N3-C10-C9-N2
3	C	301	CEF	N3-C10-C9-N2
3	B	301	CEF	C9-C10-C12-N5


There are no ring outliers.

4 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	301	CEF	2	0
2	D	302	PO4	1	0
3	C	301	CEF	5	0
2	A	304	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand CEF B 301




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	265/265 (100%)	0.40	16 (6%) 27 29	26, 39, 63, 79	0
1	B	257/265 (96%)	0.36	15 (5%) 29 31	29, 41, 68, 92	0
1	C	259/265 (97%)	0.53	23 (8%) 15 17	27, 41, 77, 84	0
1	D	265/265 (100%)	0.58	22 (8%) 17 19	32, 46, 71, 85	0
All	All	1046/1060 (98%)	0.47	76 (7%) 21 23	26, 42, 70, 92	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	172	ASP	7.8
1	A	102	ILE	6.4
1	B	228	ASP	5.9
1	B	163	ASP	5.8
1	C	165	GLU	4.8
1	A	29	ASP	4.6
1	D	102	ILE	4.6
1	D	104	SER	4.6
1	C	114	GLN	4.5
1	C	94	LEU	4.4
1	A	111	GLN	4.4
1	B	173	PRO	4.1
1	C	29	ASP	4.0
1	C	158	THR	3.9
1	D	69	CYS	3.7
1	B	162	LEU	3.7
1	A	103	ARG	3.7
1	D	105	ILE	3.6
1	D	100	ASP	3.6
1	D	115	THR	3.5
1	D	54	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	172	ASP	3.4
1	D	29	ASP	3.4
1	C	95	ILE	3.3
1	C	164	ALA	3.2
1	A	110	GLN	3.2
1	C	197	ASN	3.2
1	C	54	THR	3.2
1	B	161	ARG	3.1
1	D	103	ARG	3.0
1	D	168	GLU	3.0
1	C	115	THR	3.0
1	D	87	PRO	3.0
1	D	110	GLN	2.9
1	A	105	ILE	2.9
1	D	111	GLN	2.8
1	D	197	ASN	2.8
1	C	93	LYS	2.8
1	A	99	SER	2.7
1	C	240	ASP	2.7
1	B	29	ASP	2.7
1	A	114	GLN	2.7
1	D	53	GLY	2.6
1	D	99	SER	2.6
1	D	142	LEU	2.6
1	A	106	SER	2.6
1	A	115	THR	2.5
1	D	101	ASP	2.5
1	C	113	VAL	2.4
1	B	53	GLY	2.4
1	C	53	GLY	2.4
1	B	68	PHE	2.4
1	C	293	ALA	2.3
1	C	272	TYR	2.3
1	A	100	ASP	2.3
1	B	177	GLU	2.3
1	D	116	GLY	2.3
1	B	273	ASP	2.2
1	D	171	ARG	2.2
1	A	39	ARG	2.2
1	D	83	GLN	2.2
1	C	159	VAL	2.2
1	B	144	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	145(B)	GLY	2.2
1	B	175	GLY	2.2
1	C	96	THR	2.2
1	D	107	PRO	2.2
1	A	293	ALA	2.1
1	B	54	THR	2.1
1	C	33	ARG	2.1
1	C	98	THR	2.1
1	C	87	PRO	2.0
1	A	33	ARG	2.0
1	A	178	ARG	2.0
1	A	36	GLU	2.0
1	C	111	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	A	304	5/5	0.74	0.17	92,93,138,139	0
2	PO4	D	303	5/5	0.76	0.12	85,108,141,141	0
2	PO4	A	303	5/5	0.82	0.12	74,77,78,78	0
3	CEF	C	301	26/26	0.84	0.30	31,46,69,154	26
3	CEF	B	301	26/26	0.85	0.20	43,61,90,153	0
2	PO4	D	302	5/5	0.86	0.11	90,90,92,93	0
2	PO4	A	302	5/5	0.90	0.13	77,77,82,82	0
2	PO4	C	302	5/5	0.90	0.10	82,82,83,83	0
2	PO4	B	302	5/5	0.91	0.11	64,69,71,74	0
2	PO4	D	301	5/5	0.93	0.13	64,71,73,75	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PO4	A	301	5/5	0.97	0.07	40,40,44,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CEF C 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CEF B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.