



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:10 PM UTC

PDB ID : 1ECF / pdb_00001ecf
Title : ESCHERICHIA COLI GLUTAMINE PHOSPHORIBOSYLPYROPHOSPHATE (PRPP) AMIDOTRANSFERASE
Authors : Krahn, J.M.
Deposited on : 1996-04-23
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	504	 79% 18% .
1	B	504	 80% 17% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9124 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTAMINE PHOSPHORIBOSYLPYROPHOSPHATE AMIDOTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	492	Total	C	N	O	S	0	18	0
			4008	2519	712	760	17			
1	B	500	Total	C	N	O	S	0	13	0
			4042	2537	723	764	18			

- Molecule 2 is PIPERAZINE-N,N'-BIS(2-ETHANESULFONIC ACID) (CCD ID: PIN) (formula: C₈H₁₈N₂O₆S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			18	8	2	6	2		
2	A	1	Total	C	N	O	S	0	0
			18	8	2	6	2		
2	A	1	Total	C	N	O	S	0	0
			7	2	1	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	S	0	0
			18	8	2	6	2		
2	B	1	Total	C	N	O	S	0	0
			18	8	2	6	2		
2	B	1	Total	C	N	O	S	0	0
			9	4	1	3	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	514	Total	O	0	0
			514	514		
3	B	472	Total	O	0	0
			472	472		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: GLUTAMINE PHOSPHORIBOSYLPYROPHOSPHATE AMIDOTRANSFERASE



- Molecule 1: GLUTAMINE PHOSPHORIBOSYLPYROPHOSPHATE AMIDOTRANSFERASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	116.90Å 157.50Å 106.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00	Depositor
% Data completeness (in resolution range)	98.2 (30.00-2.00)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.175 , 0.230	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	9124	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PIN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	5/4079 (0.1%)	1.19	18/5523 (0.3%)
1	B	0.77	1/4112 (0.0%)	1.06	22/5565 (0.4%)
All	All	0.84	6/8191 (0.1%)	1.13	40/11088 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	234	GLU	C-N	20.80	1.64	1.33
1	A	234	GLU	CA-C	-13.06	1.34	1.52
1	A	234	GLU	C-O	-9.98	1.11	1.24
1	A	178	MET	SD-CE	-7.44	1.60	1.79
1	B	299	ILE	CA-CB	5.85	1.59	1.54
1	A	246	ASN	CA-CB	5.67	1.57	1.52

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	234	GLU	CA-C-O	33.80	158.06	120.20
1	A	234	GLU	O-C-N	-22.48	96.57	122.20
1	B	496	GLU	N-CA-C	-9.87	100.38	111.82
1	B	301	ILE	N-CA-C	-9.16	98.48	107.55
1	A	459	SER	N-CA-C	8.29	121.36	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	168	ALA	N-CA-C	-8.07	95.37	108.52
1	A	234	GLU	N-CA-C	8.01	122.00	111.75
1	B	224	VAL	N-CA-C	-7.84	99.50	109.30
1	A	345	SER	N-CA-C	7.21	121.23	109.85
1	A	301	ILE	N-CA-C	-7.15	100.47	107.55
1	A	305	SER	N-CA-C	7.09	121.51	113.01
1	A	343	ARG	N-CA-C	7.04	125.80	110.80
1	B	74	TYR	N-CA-C	-6.94	97.55	109.15
1	A	224	VAL	N-CA-C	-6.69	100.06	108.89
1	B	361	ASN	N-CA-C	-6.58	98.50	108.96
1	A	346	VAL	N-CA-C	-6.53	103.79	113.39
1	B	168	ALA	N-CA-C	-6.47	97.73	108.34
1	B	289	GLU	N-CA-C	6.42	120.31	112.23
1	B	305	SER	N-CA-C	6.20	120.68	113.18
1	A	361	ASN	N-CA-C	-6.11	97.75	108.20
1	B	242	GLN	N-CA-C	-5.95	100.29	109.76
1	B	301	ILE	CA-C-N	5.84	125.85	119.89
1	B	301	ILE	C-N-CA	5.84	125.85	119.89
1	A	223	ASP	N-CA-C	-5.78	102.34	110.50
1	B	197	ILE	N-CA-C	-5.76	107.23	111.90
1	B	189	PRO	N-CA-C	5.69	121.05	111.32
1	A	116	GLU	N-CA-C	5.67	117.53	111.36
1	A	259	PHE	N-CA-C	5.63	117.22	111.14
1	B	340	GLN	N-CA-C	5.28	122.04	110.80
1	B	123	ASN	N-CA-C	5.28	119.43	112.89
1	A	23	LEU	N-CA-C	-5.25	106.10	112.88
1	A	187	ILE	N-CA-C	5.20	115.42	110.53
1	B	245	ASP	N-CA-C	5.18	116.74	111.14
1	A	233	THR	O-C-N	5.17	129.01	122.65
1	B	73	ARG	N-CA-C	5.12	117.84	109.59
1	B	167	TYR	N-CA-C	5.08	116.13	108.46
1	B	144	HIS	N-CA-C	-5.04	101.07	108.99
1	B	250	ASN	CA-C-N	5.04	124.95	119.76
1	B	250	ASN	C-N-CA	5.04	124.95	119.76
1	B	151	ASN	N-CA-C	-5.01	105.73	111.14

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	258	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4008	0	3952	51	0
1	B	4042	0	4003	66	0
2	A	43	0	36	2	0
2	B	45	0	36	1	0
3	A	514	0	0	10	0
3	B	472	0	0	13	0
All	All	9124	0	8027	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:GLU:H	1:A:59:HIS:HD2	1.15	0.93
1:A:10:MET:SD	1:B:340:GLN:HB3	2.13	0.88
1:B:254:PHE:CE2	1:B:258:TYR:HE1	1.93	0.86
1:A:486:ALA:O	1:A:490:GLN:HG2	1.83	0.78
1:A:348:ARG:NE	1:A:348:ARG:HA	2.03	0.72
1:B:86:GLN:HB3	1:B:87:PRO:HA	1.73	0.69
1:A:10:MET:HB2	1:B:340:GLN:HG3	1.76	0.68
1:A:10:MET:SD	1:B:340:GLN:CB	2.82	0.68
1:B:346:VAL:HG13	1:B:381:MET:HE3	1.75	0.67
1:A:371[B]:ARG:NH1	3:A:749:HOH:O	2.27	0.66
1:A:242:GLN:HE21	1:A:244:ALA:H	1.42	0.65
1:B:56:GLU:H	1:B:59:HIS:HD2	1.45	0.65
1:A:288:ARG:O	1:A:291[B]:GLU:HG3	1.97	0.65
1:B:254:PHE:CE1	1:B:460:VAL:HG21	2.32	0.63
1:B:76:THR:HG22	1:B:408:ASP:HB2	1.80	0.62
1:B:182:ARG:NH2	3:B:866:HOH:O	2.32	0.62
1:A:58:ARG:HA	1:B:500:MET:HE1	1.82	0.61
1:A:109:GLU:HG3	1:A:113[A]:LYS:HE2	1.81	0.61
1:A:411:SER:HB3	1:A:479:ASP:OD1	2.02	0.59
1:B:254:PHE:HE2	1:B:258:TYR:HE1	1.49	0.58
1:B:367:ASP:OD2	2:B:505:PIN:H1'2	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:423:ASP:HB3	3:A:604:HOH:O	2.04	0.56
1:B:269:ILE:HG23	1:B:449:GLU:HB2	1.86	0.56
1:A:56:GLU:H	1:A:59:HIS:CD2	2.07	0.55
1:A:291[A]:GLU:HB3	3:A:979:HOH:O	2.06	0.55
1:A:227:GLY:HA3	1:A:242:GLN:HE22	1.71	0.55
1:B:58:ARG:HA	1:B:61:GLN:HE21	1.71	0.55
1:A:254:PHE:CZ	1:A:258:TYR:CE2	2.95	0.55
1:B:370:VAL:HG13	1:B:409:MET:HE1	1.89	0.55
1:B:241[B]:ARG:HG3	3:B:975:HOH:O	2.07	0.54
1:B:254:PHE:CE2	1:B:258:TYR:CE1	2.86	0.54
1:A:182:ARG:NH2	3:A:787:HOH:O	2.39	0.54
1:A:17:TYR:O	1:A:21:THR:HG23	2.08	0.54
1:B:269:ILE:HD13	1:B:446:VAL:HG12	1.89	0.53
1:B:334:PHE:HB3	1:B:336:MET:HE3	1.89	0.53
1:A:303:GLU:HG2	1:A:326:LYS:CD	2.39	0.53
1:B:29:ASP:HB2	1:B:75:PRO:HG3	1.92	0.52
1:A:43:ARG:HD2	3:A:930:HOH:O	2.10	0.52
1:B:241[A]:ARG:HB2	3:B:975:HOH:O	2.10	0.51
1:A:334:PHE:HB3	1:A:336:MET:HE3	1.91	0.51
1:A:303:GLU:HG2	1:A:326:LYS:HD2	1.91	0.50
1:B:466:VAL:HG13	3:B:562:HOH:O	2.10	0.50
1:B:241[A]:ARG:NH1	3:B:933:HOH:O	2.44	0.50
1:B:317:GLY:HA2	3:B:551:HOH:O	2.10	0.50
1:B:346:VAL:HG13	1:B:381:MET:CE	2.42	0.50
1:B:80:SER:HB3	1:B:485:ASP:HB3	1.94	0.49
1:B:5:GLY:HA3	1:B:170:VAL:HG21	1.94	0.49
1:A:348:ARG:NH2	1:B:215:THR:OG1	2.44	0.49
1:A:92[B]:SER:HA	1:A:93:PRO:C	2.37	0.49
3:A:596:HOH:O	1:B:332:ARG:HD2	2.13	0.49
1:A:89[A]:TYR:O	2:A:507:PIN:H22	2.11	0.49
1:B:15:SER:HB3	1:B:216:LEU:HD13	1.94	0.49
1:B:254:PHE:CD2	1:B:258:TYR:HE1	2.29	0.49
1:B:21:THR:HG22	3:B:944:HOH:O	2.12	0.49
1:B:29:ASP:CB	1:B:75:PRO:HG3	2.44	0.48
1:A:44:LEU:HD23	3:A:836:HOH:O	2.11	0.48
1:B:164:ARG:HD3	3:B:815:HOH:O	2.13	0.48
1:B:17:TYR:O	1:B:21:THR:HG23	2.14	0.47
1:B:345:SER:HA	1:B:348[B]:ARG:HH12	1.78	0.47
1:A:199:GLU:H	1:A:199:GLU:CD	2.23	0.47
1:B:254:PHE:CD2	1:B:258:TYR:CE1	3.02	0.47
1:A:251:PRO:HG2	1:A:456:PHE:CD2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:400:ARG:NH1	1:A:417:ALA:O	2.49	0.46
1:B:344:LYS:HE3	1:B:347:ARG:CZ	2.45	0.46
1:A:348:ARG:NH1	3:A:602:HOH:O	2.48	0.46
1:A:294:ASP:HB3	3:A:601:HOH:O	2.16	0.46
1:B:336:MET:O	1:B:339:GLN:HG3	2.16	0.46
1:B:198:ASP:OD1	1:B:201:ARG:HB2	2.16	0.45
1:A:33:ILE:HG13	1:A:55:PHE:CZ	2.52	0.45
1:B:399:ILE:HG21	1:B:409:MET:CE	2.48	0.44
1:B:67:MET:HG2	1:B:172:MET:SD	2.57	0.44
1:A:302:PRO:HB2	1:A:326:LYS:HB2	2.00	0.44
1:A:322:GLN:HE22	1:B:262:PRO:HB2	1.81	0.44
1:A:193:GLY:HA3	1:A:213:LEU:HD13	2.00	0.43
1:A:371[A]:ARG:NH2	1:A:410:PRO:HB3	2.33	0.43
1:B:112:LYS:HE3	1:B:112:LYS:HB2	1.72	0.43
1:B:371:ARG:HH11	1:B:371:ARG:HG2	1.83	0.43
1:B:380:GLU:HG3	3:B:940:HOH:O	2.17	0.43
1:B:184:PRO:O	1:B:247:PRO:HA	2.18	0.43
1:B:345:SER:HA	1:B:348[B]:ARG:NH1	2.33	0.43
1:A:302:PRO:HA	1:A:303:GLU:HA	1.60	0.43
1:B:29:ASP:CG	1:B:75:PRO:HG3	2.44	0.43
1:A:488:ALA:O	1:A:491:ARG:HB3	2.19	0.43
1:B:61:GLN:HB3	3:B:762:HOH:O	2.18	0.42
1:A:250:ASN:HA	1:A:455:GLN:O	2.19	0.42
1:B:241[B]:ARG:CG	3:B:975:HOH:O	2.65	0.42
1:A:100:HIS:HE1	1:A:127:ASP:OD2	2.02	0.42
1:B:34:ILE:HD11	1:B:42:PHE:HB3	2.01	0.42
1:B:269:ILE:HG23	1:B:449:GLU:CB	2.49	0.42
1:A:367:ASP:OD1	2:A:505:PIN:H1'2	2.20	0.42
1:B:179:VAL:HA	1:B:230:ILE:O	2.20	0.41
1:B:302:PRO:HA	1:B:303:GLU:HA	1.76	0.41
1:B:8:GLY:HA2	1:B:203:GLU:HG2	2.02	0.41
1:B:242:GLN:HE21	1:B:244:ALA:H	1.68	0.41
1:B:335:ILE:HA	1:B:339:GLN:OE1	2.21	0.41
1:A:377:GLN:HG3	3:A:747:HOH:O	2.19	0.41
1:A:118:LYS:HE3	1:A:137:SER:OG	2.20	0.41
1:A:269:ILE:HD13	1:A:446:VAL:HG12	2.01	0.41
1:A:285:LYS:HG2	1:A:435:ILE:HD11	2.03	0.41
1:B:495:VAL:O	1:B:495:VAL:HG23	2.20	0.41
1:A:94:TYR:OH	1:A:147:LEU:HD21	2.21	0.41
1:A:300:PRO:HB3	1:A:309:ALA:HB3	2.03	0.40
1:A:403:ASN:HB2	1:A:460:VAL:CG1	2.51	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:241[B]:ARG:HB2	3:B:975:HOH:O	2.21	0.40
1:B:410:PRO:HG2	1:B:415:LEU:CD2	2.51	0.40
1:A:252:CYS:HA	1:A:457:GLU:HB3	2.03	0.40
1:B:228:GLU:HG2	1:B:229:ALA:N	2.36	0.40
1:B:483:ASN:ND2	3:B:873:HOH:O	2.54	0.40
1:A:24:GLN:HB3	1:B:329:TYR:CD2	2.56	0.40
1:B:160:ASN:ND2	1:B:167:TYR:OH	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	508/504 (101%)	493 (97%)	14 (3%)	1 (0%)	43	42
1	B	511/504 (101%)	492 (96%)	16 (3%)	3 (1%)	21	17
All	All	1019/1008 (101%)	985 (97%)	30 (3%)	4 (0%)	30	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	343	ARG
1	B	340	GLN
1	B	258	TYR
1	B	339	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	427/422 (101%)	418 (98%)	9 (2%)	47	52
1	B	432/422 (102%)	424 (98%)	8 (2%)	50	56
All	All	859/844 (102%)	842 (98%)	17 (2%)	51	54

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	91[A]	ASN
1	A	91[B]	ASN
1	A	110	LEU
1	A	143	ARG
1	A	215	THR
1	A	303	GLU
1	A	304[A]	THR
1	A	304[B]	THR
1	A	376	GLU
1	B	23	LEU
1	B	81	SER
1	B	100	HIS
1	B	254	PHE
1	B	332	ARG
1	B	335	ILE
1	B	472	GLN
1	B	495	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	HIS
1	A	123	ASN
1	A	160	ASN
1	A	185	ASN
1	A	242	GLN
1	A	322	GLN
1	A	377	GLN
1	A	427	GLN
1	A	437	GLN
1	B	59	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	61	GLN
1	B	160	ASN
1	B	242	GLN
1	B	250	ASN
1	B	493	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PIN	B	506	-	18,18,18	1.13	3 (16%)	24,26,26	0.49	0
2	PIN	B	505	-	18,18,18	0.85	1 (5%)	24,26,26	0.46	0
2	PIN	A	505	-	18,18,18	1.03	3 (16%)	24,26,26	0.48	0
2	PIN	B	507	-	8,8,18	1.56	2 (25%)	10,11,26	0.52	0
2	PIN	A	507	-	6,6,18	1.91	1 (16%)	7,8,26	0.44	0
2	PIN	A	506	-	18,18,18	1.52	4 (22%)	24,26,26	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PIN	B	506	-	-	1/12/22/22	0/1/1/1
2	PIN	B	505	-	-	4/12/22/22	0/1/1/1
2	PIN	A	505	-	-	4/12/22/22	0/1/1/1
2	PIN	B	507	-	-	3/6/6/22	-
2	PIN	A	507	-	-	1/4/4/22	-
2	PIN	A	506	-	-	2/12/22/22	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	507	PIN	C1-S1	4.40	1.83	1.77
2	A	506	PIN	C1'-S1'	4.05	1.83	1.77
2	A	506	PIN	C1-S1	3.63	1.82	1.77
2	B	507	PIN	C1-S1	3.40	1.82	1.77
2	B	506	PIN	C1'-S1'	2.77	1.81	1.77
2	A	506	PIN	C2-N1	2.44	1.53	1.47
2	B	507	PIN	C2-N1	2.35	1.54	1.46
2	B	506	PIN	C1-S1	2.35	1.80	1.77
2	A	505	PIN	C1'-S1'	2.34	1.80	1.77
2	B	506	PIN	C2-N1	2.16	1.52	1.47
2	B	505	PIN	C2'-N1'	2.14	1.52	1.47
2	A	505	PIN	C2-N1	2.12	1.52	1.47
2	A	505	PIN	C2'-N1'	2.08	1.52	1.47
2	A	506	PIN	C2'-N1'	2.02	1.52	1.47

There are no bond angle outliers.

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	505	PIN	C2-C1-S1-O1
2	A	507	PIN	S1-C1-C2-N1
2	B	505	PIN	C1'-C2'-N1'-C3'
2	B	507	PIN	C2-C1-S1-O2
2	B	507	PIN	C2-C1-S1-O3
2	A	505	PIN	C2-C1-S1-O3
2	A	505	PIN	S1'-C1'-C2'-N1'

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	A	506	PIN	S1'-C1'-C2'-N1'
2	A	505	PIN	C2-C1-S1-O2
2	B	505	PIN	C2'-C1'-S1'-O2'
2	B	507	PIN	C2-C1-S1-O1
2	B	506	PIN	C1-C2-N1-C4
2	A	506	PIN	C2-C1-S1-O3
2	B	505	PIN	C2'-C1'-S1'-O3'
2	B	505	PIN	C2'-C1'-S1'-O1'

There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	505	PIN	1	0
2	A	505	PIN	1	0
2	A	507	PIN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand PIN B 507



Ligand PIN A 507





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	234:GLU	C	235[A]:GLU	N	1.65
1	A	234:GLU	C	235[B]:GLU	N	1.64

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.