



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:18 PM UTC

PDB ID : 2EC9 / pdb\_00002ec9  
Title : Crystal structure analysis of human Factor VIIa , Soluble tissue factor complexed with BCX-3607  
Authors : Raman, K.; Yarlagadda, B.  
Deposited on : 2007-02-13  
Resolution : 2.00 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	142	
2	H	254	
3	T	75	
4	U	120	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	CGU	L	16	X	-	-	-
1	CGU	L	19	X	-	-	-
1	CGU	L	25	-	X	-	-
1	CGU	L	29	X	-	X	-
5	ASO	L	1052	X	-	-	-

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 4952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Coagulation factor VII.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	142	1135	683	189	248	15	0	0	0

- Molecule 2 is a protein called Coagulation factor VII.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	254	1974	1253	351	357	13	0	0	0


- Molecule 3 is a protein called Tissue factor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	T	75	614	397	95	120	2	0	0	0

- Molecule 4 is a protein called Tissue factor.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	U	116	940	593	155	189	3	0	0	0

- Molecule 5 is 1,5-anhydro-D-glucitol (CCD ID: ASO) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	L	1	Total	C	O	0	0
			11	6	5		

- Molecule 6 is alpha-L-fucopyranose (CCD ID: FUC) (formula:  $C_6H_{12}O_5$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	L	8	Total Ca 8 8	0	0
7	H	1	Total Ca 1 1	0	0

- Molecule 8 is 2'-((5-CARBAMIMIDOYLPYRIDIN-2-YLAMINO)METHYL)-4-(ISOBUTYL CARBAMOYL)-4'-VINYLBIIPHENYL-2-CARBOXYLIC ACID (CCD ID: 24X) (formula: C<sub>27</sub>H<sub>29</sub>N<sub>5</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	H	1	Total C N O 35 27 5 3	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	L	44	Total O 44 44	0	0
9	H	121	Total O 121 121	0	0
9	T	31	Total O 31 31	0	0
9	U	28	Total O 28 28	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Coagulation factor VII



- Molecule 2: Coagulation factor VII




- Molecule 3: Tissue factor



- Molecule 4: Tissue factor





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	69.78Å 81.41Å 125.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.00 25.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (25.00-2.00) 98.8 (25.00-2.00)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.94 (at 1.99Å)	Xtrriage
Refinement program	CNX	Depositor
R, $R_{free}$	0.242 , 0.282 (Not available) , 0.263	Depositor DCC
$R_{free}$ test set	4907 reflections (10.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.0	Xtrriage
Anisotropy	0.125	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 44.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	4952	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.46% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CGU, ASO, 24X, FUC, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	L	0.32	0/1029	0.90	3/1374 (0.2%)
2	H	0.41	0/2024	1.01	11/2755 (0.4%)
3	T	0.36	0/630	0.96	5/860 (0.6%)
4	U	0.33	0/958	0.98	9/1299 (0.7%)
All	All	0.37	0/4641	0.97	28/6288 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	3	9

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
3	T	20	LYS	N-CA-C	-8.77	95.07	108.67
2	H	199	HIS	N-CA-C	-8.07	90.83	107.70
2	H	129(G)	VAL	N-CA-C	-7.30	97.73	108.54
2	H	190	SER	N-CA-C	-7.13	99.30	110.36
2	H	123	LEU	N-CA-C	-6.66	99.98	109.24
2	H	49	THR	N-CA-C	6.31	120.08	112.38
2	H	125	GLU	N-CA-C	-6.22	102.15	110.55
2	H	164	MET	N-CA-C	-6.15	101.83	110.50
1	L	53	SER	CA-C-N	6.03	125.58	119.19
1	L	53	SER	C-N-CA	6.03	125.58	119.19
4	U	193	ILE	CA-C-N	6.01	127.35	119.84
4	U	193	ILE	C-N-CA	6.01	127.35	119.84

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	U	101	THR	CA-C-N	5.77	127.05	119.84
4	U	101	THR	C-N-CA	5.77	127.05	119.84
4	U	97	SER	CA-C-N	-5.71	114.38	120.03
4	U	97	SER	C-N-CA	-5.71	114.38	120.03
3	T	40	THR	N-CA-C	-5.67	100.93	109.95
4	U	192	VAL	N-CA-C	5.48	116.56	108.45
1	L	73	LEU	N-CA-C	-5.45	102.28	110.24
3	T	21	THR	N-CA-C	5.37	117.27	108.52
4	U	203	THR	N-CA-C	-5.36	103.31	110.55
2	H	27	CYS	N-CA-C	-5.35	102.43	110.73
2	H	27	CYS	CA-C-N	5.16	126.29	119.84
2	H	27	CYS	C-N-CA	5.16	126.29	119.84
2	H	51	TRP	N-CA-C	5.11	117.82	109.59
4	U	146	VAL	N-CA-C	5.08	115.74	110.82
3	T	50	PHE	N-CA-C	5.06	117.50	109.96
3	T	53	THR	N-CA-C	-5.03	106.56	113.30

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	L	16	CGU	CA
1	L	19	CGU	CA
1	L	29	CGU	CA

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	13	LEU	Mainchain
1	L	15	ARG	Mainchain,Peptide
1	L	18	LYS	Peptide
1	L	28	ARG	Mainchain,Peptide
1	L	34	ALA	Mainchain,Peptide
1	L	5	LEU	Mainchain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1135	0	1012	79	0
2	H	1974	0	1950	78	0
3	T	614	0	598	28	0
4	U	940	0	912	43	0
5	L	11	0	12	2	0
6	L	10	0	10	1	0
7	H	1	0	0	0	0
7	L	8	0	0	0	0
8	H	35	0	28	0	0
9	H	121	0	0	12	0
9	L	44	0	0	8	0
9	T	31	0	0	3	0
9	U	28	0	0	3	0
All	All	4952	0	4522	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:U:136:ARG:HB3	4:U:136:ARG:NH2	1.71	1.06
2:H:147:ARG:HH21	2:H:147:ARG:HB2	1.22	1.05
4:U:130:GLU:OE1	4:U:143:LEU:HD22	1.61	1.00
4:U:136:ARG:HH21	4:U:141:LEU:HD21	1.31	0.94
2:H:68:LEU:HD12	2:H:112:VAL:HG11	1.50	0.92
2:H:213:VAL:HA	9:H:1017:HOH:O	1.69	0.91
1:L:25:CGU:OE21	1:L:28:ARG:HD3	1.71	0.89
2:H:50:ILE:HG13	2:H:51:TRP:CD1	2.11	0.86
2:H:183:ALA:HB2	9:H:1024:HOH:O	1.75	0.85
2:H:147:ARG:HB2	2:H:147:ARG:NH2	1.91	0.84
1:L:33:ASP:CG	1:L:36:ARG:HD3	2.04	0.82
3:T:74:ARG:HD3	3:T:76:PHE:CZ	2.15	0.81
4:U:136:ARG:HB3	4:U:136:ARG:HH21	1.45	0.80
1:L:113:ARG:NH1	2:H:125:GLU:OE2	2.15	0.80
2:H:65:ILE:CD1	2:H:84:ARG:HD3	2.12	0.79
1:L:1:ALA:HB3	1:L:20:CGU:HG	1.66	0.78
1:L:113:ARG:HH12	2:H:125:GLU:CD	1.92	0.77
1:L:38:LYS:O	1:L:42:ILE:HG13	1.85	0.77
1:L:25:CGU:O	1:L:28:ARG:HB3	1.85	0.76
1:L:29:CGU:O	1:L:30:ILE:HG13	1.85	0.75
1:L:96:GLY:O	1:L:110:ARG:NH2	2.21	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:15:ARG:HG2	1:L:15:ARG:HH21	1.53	0.73
1:L:140:ILE:HD11	2:H:26:GLU:HG3	1.68	0.73
2:H:147:ARG:HH21	2:H:147:ARG:CB	1.98	0.73
1:L:110:ARG:HD2	1:L:110:ARG:C	2.13	0.72
1:L:28:ARG:NH1	1:L:29:CGU:HB2	2.05	0.72
1:L:33:ASP:HB2	1:L:36:ARG:HB2	1.72	0.72
1:L:6:CGU:HG	1:L:9:ARG:HG3	1.71	0.71
2:H:46:LEU:HD13	2:H:68:LEU:HD11	1.73	0.70
4:U:119:VAL:HG23	4:U:119:VAL:O	1.90	0.70
3:T:63:ILE:HD12	3:T:64:VAL:N	2.06	0.69
2:H:35:VAL:CG2	2:H:41:LEU:HD22	2.22	0.69
4:U:136:ARG:HH21	4:U:136:ARG:CB	2.05	0.69
2:H:236:GLU:HG3	9:H:1062:HOH:O	1.92	0.69
2:H:31:VAL:HG22	2:H:68:LEU:HD21	1.75	0.68
4:U:136:ARG:NH2	4:U:141:LEU:HD21	2.06	0.68
2:H:35:VAL:HG22	2:H:64:LEU:CD1	2.24	0.68
2:H:75:GLU:HB3	9:H:1080:HOH:O	1.95	0.67
1:L:89:LEU:HD11	1:L:110:ARG:HH22	1.59	0.67
3:T:79:PRO:O	3:T:80:ALA:HB3	1.95	0.67
2:H:35:VAL:HG23	2:H:41:LEU:HB2	1.75	0.67
1:L:33:ASP:CB	1:L:36:ARG:HD3	2.24	0.66
2:H:65:ILE:HD11	2:H:84:ARG:HD3	1.78	0.66
1:L:4:PHE:O	1:L:5:LEU:CB	2.44	0.64
4:U:136:ARG:HB3	4:U:136:ARG:CZ	2.26	0.64
1:L:48:ASP:OD1	1:L:50:CYS:HB2	1.97	0.64
1:L:8:LEU:HD12	1:L:8:LEU:H	1.61	0.64
4:U:196:ARG:HD2	9:U:218:HOH:O	1.99	0.63
4:U:136:ARG:HH21	4:U:141:LEU:CD2	2.06	0.63
2:H:203:TYR:CE2	2:H:204:ARG:HG3	2.34	0.63
1:L:101:TYR:CZ	2:H:125:GLU:HG3	2.34	0.63
2:H:24:LYS:NZ	2:H:79:ASP:OD2	2.33	0.62
3:T:63:ILE:HD12	3:T:63:ILE:C	2.26	0.61
1:L:108:THR:CG2	1:L:109:LYS:N	2.63	0.61
2:H:243:ARG:HH21	2:H:243:ARG:HG3	1.64	0.61
2:H:162:ARG:HG3	2:H:163:LEU:N	2.13	0.61
3:T:46:LYS:HE2	3:T:62:GLU:OE1	2.00	0.61
4:U:136:ARG:NH2	4:U:141:LEU:CD2	2.64	0.60
1:L:110:ARG:HD2	1:L:111:SER:N	2.16	0.59
2:H:60(C):LYS:HZ3	2:H:60(C):LYS:HB3	1.68	0.59
3:T:29:PRO:HG3	3:T:53:THR:O	2.02	0.59
2:H:60(C):LYS:NZ	2:H:60(C):LYS:CB	2.65	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:U:130:GLU:CD	9:U:211:HOH:O	2.45	0.58
2:H:83:ARG:NH1	9:H:1019:HOH:O	2.34	0.58
1:L:28:ARG:HG3	9:L:1065:HOH:O	2.04	0.57
3:T:45:TRP:HH2	3:T:72:LEU:HD12	1.70	0.57
2:H:35:VAL:HG21	2:H:41:LEU:HD22	1.86	0.57
1:L:28:ARG:C	1:L:30:ILE:H	2.13	0.56
1:L:28:ARG:HH11	1:L:29:CGU:HB2	1.68	0.56
3:T:79:PRO:O	3:T:80:ALA:CB	2.53	0.56
1:L:12:SER:HB3	1:L:15:ARG:HB3	1.86	0.56
2:H:162:ARG:HD2	9:U:215:HOH:O	2.06	0.56
2:H:89:ILE:HG21	2:H:241:LEU:HD13	1.86	0.56
2:H:217:GLN:HG3	2:H:224:HIS:CE1	2.40	0.56
2:H:45:THR:OG1	2:H:198:PRO:HB3	2.05	0.56
2:H:77:ASP:O	2:H:80:GLU:OE1	2.24	0.56
1:L:12:SER:HB3	1:L:15:ARG:CB	2.36	0.55
3:T:74:ARG:NE	9:T:111:HOH:O	2.39	0.55
1:L:5:LEU:HA	1:L:8:LEU:HD13	1.88	0.54
1:L:4:PHE:O	1:L:5:LEU:HB2	2.06	0.54
1:L:30:ILE:N	9:L:1064:HOH:O	2.41	0.54
1:L:3:ALA:O	1:L:4:PHE:C	2.50	0.54
2:H:164:MET:CE	4:U:91:GLU:HB3	2.37	0.54
3:T:74:ARG:HD3	3:T:76:PHE:CE2	2.42	0.54
4:U:118:GLN:HG2	4:U:123:VAL:HG22	1.89	0.54
1:L:14:CGU:HG	1:L:19:CGU:OE21	2.08	0.54
3:T:37:GLN:OE1	3:T:74:ARG:HD2	2.08	0.54
1:L:1:ALA:HA	9:L:1068:HOH:O	2.08	0.54
2:H:134:ARG:HD2	3:T:43:GLY:O	2.08	0.54
1:L:110:ARG:C	1:L:110:ARG:CD	2.80	0.54
3:T:37:GLN:HB2	3:T:74:ARG:HG3	1.90	0.54
1:L:105:HIS:O	1:L:108:THR:O	2.27	0.53
2:H:228:TYR:CD2	9:H:1017:HOH:O	2.54	0.53
1:L:8:LEU:HD12	1:L:8:LEU:N	2.23	0.53
4:U:144:ARG:NH2	4:U:173:ASN:OD1	2.41	0.53
1:L:65:LEU:O	1:L:66:GLN:HB2	2.08	0.53
1:L:52:SER:O	1:L:53:SER:C	2.52	0.53
1:L:101:TYR:CE2	2:H:125:GLU:HG3	2.45	0.52
3:T:18:ASN:HD21	4:U:130:GLU:HG2	1.75	0.52
1:L:108:THR:HG22	1:L:109:LYS:N	2.23	0.52
2:H:158:LEU:HD11	2:H:188:LYS:HB3	1.91	0.52
1:L:140:ILE:HD11	2:H:26:GLU:CG	2.38	0.52
2:H:65:ILE:HD11	2:H:84:ARG:HH21	1.73	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:15:ARG:HH21	1:L:15:ARG:CG	2.23	0.52
2:H:162:ARG:C	2:H:163:LEU:HD12	2.35	0.52
2:H:162:ARG:HD3	9:H:1024:HOH:O	2.10	0.52
2:H:243:ARG:HG3	2:H:243:ARG:NH2	2.23	0.51
1:L:15:ARG:O	1:L:19:CGU:HA	2.10	0.51
4:U:136:ARG:NH2	4:U:136:ARG:CB	2.56	0.51
1:L:5:LEU:HD13	1:L:5:LEU:O	2.11	0.51
1:L:54:PRO:HB3	5:L:1052:ASO:H2	1.93	0.51
4:U:123:VAL:HG23	4:U:179:VAL:HG21	1.93	0.51
1:L:92:VAL:HG22	1:L:92:VAL:O	2.11	0.50
3:T:72:LEU:HD13	3:T:73:ALA:N	2.27	0.50
1:L:46:ASP:OD2	1:L:65:LEU:HA	2.11	0.50
1:L:29:CGU:C	1:L:30:ILE:HG13	2.42	0.50
2:H:162:ARG:HA	9:H:1024:HOH:O	2.12	0.49
1:L:3:ALA:O	1:L:4:PHE:O	2.29	0.49
3:T:18:ASN:HD21	4:U:130:GLU:CG	2.26	0.49
4:U:116:PHE:HA	4:U:124:ASN:O	2.11	0.49
4:U:93:LEU:HD12	4:U:93:LEU:N	2.28	0.49
1:L:33:ASP:HB2	1:L:36:ARG:HD3	1.93	0.49
2:H:35:VAL:HG22	2:H:64:LEU:HD11	1.95	0.49
1:L:15:ARG:HG2	1:L:15:ARG:NH2	2.26	0.49
1:L:29:CGU:O	1:L:30:ILE:CG1	2.60	0.49
2:H:31:VAL:HG22	2:H:68:LEU:CD2	2.41	0.49
3:T:37:GLN:HB2	3:T:74:ARG:CG	2.42	0.49
2:H:64:LEU:HB3	2:H:85:VAL:HB	1.93	0.48
2:H:60(C):LYS:NZ	2:H:60(C):LYS:HB2	2.28	0.48
2:H:27:CYS:N	2:H:28:PRO:CD	2.76	0.48
3:T:72:LEU:HD13	3:T:72:LEU:C	2.39	0.47
4:U:157:TYR:CZ	4:U:166:LYS:HB3	2.49	0.47
4:U:158:TRP:CE2	4:U:186:CYS:HB2	2.50	0.47
1:L:52:SER:OG	5:L:1052:ASO:H11	2.15	0.47
2:H:60(C):LYS:HZ3	2:H:60(C):LYS:CB	2.25	0.47
2:H:138:VAL:HA	2:H:198:PRO:O	2.15	0.47
4:U:108:LEU:HD22	4:U:143:LEU:HD21	1.97	0.47
1:L:28:ARG:CZ	9:L:1063:HOH:O	2.60	0.47
1:L:8:LEU:H	1:L:8:LEU:CD1	2.27	0.47
1:L:28:ARG:CG	9:L:1065:HOH:O	2.63	0.47
2:H:166:GLN:O	2:H:170:GLN:HG3	2.14	0.46
2:H:35:VAL:HG22	2:H:64:LEU:HD12	1.96	0.46
1:L:2:ASN:HD21	1:L:7:CGU:HA	1.80	0.46
2:H:199:HIS:HB3	2:H:211:GLY:CA	2.46	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:U:138:ASN:O	4:U:139:THR:HB	2.16	0.46
4:U:186:CYS:HA	4:U:209:CYS:HA	1.98	0.46
1:L:39:LEU:HD22	4:U:165:LYS:NZ	2.31	0.46
2:H:68:LEU:HD13	2:H:118:VAL:HG13	1.97	0.46
1:L:73:LEU:HD23	6:L:1060:FUC:H62	1.97	0.45
1:L:34:ALA:O	1:L:37:THR:HB	2.16	0.45
2:H:101:HIS:HA	2:H:234:TYR:OH	2.17	0.45
3:T:76:PHE:CD1	4:U:94:TYR:HB3	2.51	0.45
2:H:59:PHE:HA	2:H:60(B):ILE:HG12	1.98	0.45
3:T:10:TYR:CD1	3:T:11:ASN:ND2	2.85	0.45
4:U:193:ILE:CG2	4:U:196:ARG:HD3	2.46	0.45
1:L:113:ARG:NH1	2:H:125:GLU:CD	2.64	0.45
1:L:140:ILE:CD1	2:H:26:GLU:HG3	2.44	0.44
2:H:178:GLU:O	2:H:230:ARG:HD3	2.17	0.44
1:L:10:PRO:O	1:L:11:GLY:C	2.58	0.44
1:L:15:ARG:CG	1:L:15:ARG:NH2	2.80	0.44
2:H:46:LEU:HD22	2:H:68:LEU:CD1	2.48	0.44
2:H:145:LEU:O	2:H:146:ASP:C	2.61	0.44
1:L:5:LEU:HD13	1:L:5:LEU:C	2.43	0.44
3:T:18:ASN:HD21	4:U:130:GLU:CD	2.26	0.44
4:U:110:GLN:HB2	4:U:203:THR:CG2	2.47	0.44
1:L:69:ILE:HD11	3:T:17:THR:CG2	2.47	0.43
2:H:228:TYR:N	2:H:228:TYR:CD1	2.85	0.43
4:U:122:LYS:HB3	4:U:176:LEU:CD2	2.48	0.43
2:H:166:GLN:HB3	4:U:94:TYR:OH	2.18	0.43
4:U:136:ARG:HB2	4:U:141:LEU:HD21	1.99	0.43
1:L:62:LYS:HE2	9:L:1097:HOH:O	2.17	0.43
2:H:256:PHE:HA	2:H:257:PRO:C	2.43	0.43
9:T:95:HOH:O	4:U:93:LEU:HD13	2.19	0.43
2:H:136:SER:CB	2:H:199:HIS:CE1	3.02	0.43
4:U:108:LEU:HB2	4:U:202:SER:HB3	2.01	0.42
4:U:111:PRO:HG2	4:U:205:SER:HB3	2.01	0.42
2:H:162:ARG:HB2	9:H:1024:HOH:O	2.19	0.42
3:T:41:LYS:HB2	9:T:102:HOH:O	2.19	0.42
1:L:84:HIS:HB2	1:L:87:ASP:OD2	2.20	0.42
1:L:140:ILE:HG12	9:H:1015:HOH:O	2.19	0.42
3:T:45:TRP:CH2	3:T:72:LEU:HD12	2.52	0.42
4:U:147:PHE:O	4:U:150:ASP:HB2	2.19	0.42
3:T:14:TRP:CD1	4:U:98:PRO:HG2	2.54	0.42
1:L:29:CGU:C	9:L:1064:HOH:O	2.67	0.42
1:L:28:ARG:C	1:L:30:ILE:N	2.78	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:140:ILE:HD13	2:H:25:GLY:HA3	2.02	0.42
2:H:181:PHE:CD1	2:H:181:PHE:C	2.98	0.41
4:U:116:PHE:CE2	4:U:210:MET:HA	2.55	0.41
1:L:121:LEU:HD12	1:L:126:SER:CB	2.50	0.41
2:H:68:LEU:HD13	2:H:118:VAL:CG1	2.50	0.41
1:L:31:PHE:O	1:L:32:LYS:HB2	2.21	0.41
2:H:32:LEU:HD11	2:H:40:GLN:HG3	2.03	0.41
2:H:170(E):VAL:O	2:H:170(F):GLY:C	2.64	0.41
2:H:170(G):ASP:OD1	2:H:170(G):ASP:N	2.54	0.41
2:H:188:LYS:O	2:H:189:ASP:HB2	2.21	0.41
3:T:46:LYS:CE	3:T:62:GLU:OE1	2.67	0.41
4:U:155:LEU:O	4:U:167:THR:HA	2.21	0.41
1:L:5:LEU:C	1:L:5:LEU:CD1	2.94	0.40
1:L:25:CGU:HG	9:L:1063:HOH:O	2.21	0.40
2:H:110:GLN:NE2	2:H:110:GLN:HA	2.36	0.40
2:H:247:ARG:HB3	2:H:248:PRO:HD2	2.03	0.40
3:T:40:THR:O	3:T:41:LYS:C	2.64	0.40
4:U:193:ILE:HB	4:U:196:ARG:HD3	2.03	0.40
1:L:25:CGU:OE22	1:L:28:ARG:NH2	2.53	0.40
2:H:253:ARG:HD2	9:H:1007:HOH:O	2.20	0.40
2:H:125:GLU:HB2	9:H:1025:HOH:O	2.20	0.40
3:T:37:GLN:HA	3:T:46:LYS:O	2.21	0.40
1:L:90:ILE:CD1	1:L:92:VAL:CG1	3.00	0.40
4:U:193:ILE:HG21	4:U:196:ARG:HD3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	L	130/142 (92%)	114 (88%)	8 (6%)	8 (6%)	<b>1</b> <b>0</b>

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	H	252/254 (99%)	239 (95%)	12 (5%)	1 (0%)	30	27
3	T	73/75 (97%)	69 (94%)	4 (6%)	0	100	100
4	U	112/120 (93%)	104 (93%)	7 (6%)	1 (1%)	14	9
All	All	567/591 (96%)	526 (93%)	31 (6%)	10 (2%)	6	3

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	4	PHE
1	L	15	ARG
1	L	28	ARG
1	L	34	ALA
2	H	170(F)	GLY
4	U	139	THR
1	L	5	LEU
1	L	18	LYS
1	L	30	ILE
1	L	11	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	114/114 (100%)	112 (98%)	2 (2%)	51	58
2	H	216/216 (100%)	210 (97%)	6 (3%)	38	41
3	T	70/70 (100%)	69 (99%)	1 (1%)	59	66
4	U	109/113 (96%)	108 (99%)	1 (1%)	70	78
All	All	509/513 (99%)	499 (98%)	10 (2%)	48	54

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	5	LEU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	110	ARG
2	H	64	LEU
2	H	100	ASN
2	H	147	ARG
2	H	159	ASN
2	H	162	ARG
2	H	204	ARG
3	T	27	PRO
4	U	176	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	49	GLN
1	L	56	GLN
1	L	88	GLN
2	H	37	ASN
2	H	100	ASN
2	H	110	GLN
2	H	143	GLN
2	H	159	ASN
2	H	217	GLN
2	H	224	HIS
3	T	11	ASN
3	T	18	ASN
4	U	124	ASN
4	U	137	ASN
4	U	199	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

10 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CGU	L	20	1	9,11,12	3.44	4 (44%)	10,14,16	3.69	6 (60%)
1	CGU	L	35	1	9,11,12	3.82	6 (66%)	10,14,16	3.05	4 (40%)
1	CGU	L	26	1,7	9,11,12	3.32	4 (44%)	10,14,16	3.40	4 (40%)
1	CGU	L	25	1	9,11,12	3.83	5 (55%)	10,14,16	3.48	5 (50%)
1	CGU	L	7	1	9,11,12	4.39	6 (66%)	10,14,16	2.95	3 (30%)
1	CGU	L	29	1,7	9,11,12	4.06	6 (66%)	10,14,16	3.76	5 (50%)
1	CGU	L	16	1,7	9,11,12	3.41	5 (55%)	10,14,16	3.29	2 (20%)
1	CGU	L	19	1,7	9,11,12	3.37	4 (44%)	10,14,16	3.27	4 (40%)
1	CGU	L	14	1,7	9,11,12	3.59	5 (55%)	10,14,16	3.43	5 (50%)
1	CGU	L	6	1	9,11,12	4.12	6 (66%)	10,14,16	3.44	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CGU	L	20	1	-	4/13/14/16	-
1	CGU	L	35	1	-	5/13/14/16	-
1	CGU	L	26	1,7	-	3/13/14/16	-
1	CGU	L	25	1	-	8/13/14/16	-
1	CGU	L	29	1,7	1/1/4/5	1/13/14/16	-
1	CGU	L	7	1	-	3/13/14/16	-
1	CGU	L	16	1,7	1/1/4/5	6/13/14/16	-
1	CGU	L	19	1,7	1/1/4/5	5/13/14/16	-
1	CGU	L	14	1,7	-	4/13/14/16	-
1	CGU	L	6	1	-	2/13/14/16	-

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	35	CGU	OE21-CD2	7.03	1.42	1.22
1	L	7	CGU	OE21-CD2	6.83	1.42	1.22
1	L	29	CGU	OE21-CD2	6.79	1.42	1.22

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	6	CGU	OE11-CD1	6.76	1.42	1.22
1	L	7	CGU	OE11-CD1	6.69	1.41	1.22
1	L	25	CGU	OE21-CD2	6.65	1.41	1.22
1	L	25	CGU	OE11-CD1	6.64	1.41	1.22
1	L	14	CGU	OE11-CD1	6.59	1.41	1.22
1	L	14	CGU	OE21-CD2	6.57	1.41	1.22
1	L	35	CGU	OE11-CD1	6.52	1.41	1.22
1	L	19	CGU	OE11-CD1	6.52	1.41	1.22
1	L	29	CGU	OE11-CD1	6.50	1.41	1.22
1	L	20	CGU	OE21-CD2	6.43	1.41	1.22
1	L	26	CGU	OE21-CD2	6.37	1.41	1.22
1	L	6	CGU	OE21-CD2	6.36	1.40	1.22
1	L	16	CGU	OE21-CD2	6.30	1.40	1.22
1	L	20	CGU	OE11-CD1	6.21	1.40	1.22
1	L	16	CGU	OE11-CD1	6.21	1.40	1.22
1	L	7	CGU	CG-CD2	5.97	1.59	1.52
1	L	26	CGU	OE11-CD1	5.95	1.39	1.22
1	L	19	CGU	OE21-CD2	5.94	1.39	1.22
1	L	6	CGU	CG-CD1	4.79	1.58	1.52
1	L	25	CGU	CG-CD1	4.30	1.57	1.52
1	L	29	CGU	CG-CD2	4.17	1.57	1.52
1	L	7	CGU	CG-CD1	4.00	1.57	1.52
1	L	29	CGU	CG-CD1	3.96	1.57	1.52
1	L	6	CGU	CG-CD2	3.95	1.57	1.52
1	L	6	CGU	OE12-CD1	3.90	1.43	1.30
1	L	35	CGU	OE22-CD2	3.80	1.42	1.30
1	L	7	CGU	OE12-CD1	3.63	1.42	1.30
1	L	25	CGU	OE12-CD1	3.54	1.41	1.30
1	L	7	CGU	OE22-CD2	3.51	1.41	1.30
1	L	29	CGU	OE12-CD1	3.44	1.41	1.30
1	L	6	CGU	OE22-CD2	3.41	1.41	1.30
1	L	19	CGU	OE22-CD2	3.38	1.41	1.30
1	L	20	CGU	OE12-CD1	3.31	1.41	1.30
1	L	29	CGU	OE22-CD2	3.29	1.41	1.30
1	L	35	CGU	OE12-CD1	3.25	1.41	1.30
1	L	14	CGU	OE12-CD1	3.25	1.41	1.30
1	L	20	CGU	OE22-CD2	3.23	1.40	1.30
1	L	25	CGU	OE22-CD2	3.18	1.40	1.30
1	L	19	CGU	OE12-CD1	3.13	1.40	1.30
1	L	26	CGU	OE22-CD2	3.13	1.40	1.30
1	L	14	CGU	OE22-CD2	3.07	1.40	1.30
1	L	16	CGU	OE12-CD1	2.92	1.40	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	14	CGU	CG-CD1	2.89	1.55	1.52
1	L	26	CGU	OE12-CD1	2.89	1.39	1.30
1	L	16	CGU	OE22-CD2	2.84	1.39	1.30
1	L	35	CGU	CG-CD1	2.61	1.55	1.52
1	L	35	CGU	CG-CD2	2.48	1.55	1.52
1	L	16	CGU	CG-CD2	2.19	1.54	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	14	CGU	OE12-CD1-OE11	-8.13	105.64	124.08
1	L	26	CGU	OE12-CD1-OE11	-8.11	105.68	124.08
1	L	19	CGU	OE22-CD2-OE21	-7.53	106.99	124.08
1	L	16	CGU	OE22-CD2-OE21	-7.52	107.01	124.08
1	L	20	CGU	OE12-CD1-OE11	-7.49	107.09	124.08
1	L	6	CGU	OE22-CD2-OE21	-7.32	107.47	124.08
1	L	29	CGU	OE22-CD2-OE21	-7.31	107.50	124.08
1	L	6	CGU	OE12-CD1-OE11	-7.15	107.86	124.08
1	L	29	CGU	OE12-CD1-OE11	-7.14	107.88	124.08
1	L	7	CGU	OE22-CD2-OE21	-7.14	107.89	124.08
1	L	25	CGU	OE12-CD1-OE11	-7.02	108.15	124.08
1	L	35	CGU	OE12-CD1-OE11	-6.83	108.59	124.08
1	L	16	CGU	OE12-CD1-OE11	-6.63	109.04	124.08
1	L	25	CGU	OE22-CD2-OE21	-6.35	109.66	124.08
1	L	20	CGU	OE22-CD2-OE21	-5.75	111.04	124.08
1	L	26	CGU	OE22-CD2-OE21	-5.57	111.45	124.08
1	L	35	CGU	OE22-CD2-OE21	-5.07	112.59	124.08
1	L	29	CGU	CB-CG-CD2	4.86	122.99	113.11
1	L	7	CGU	OE12-CD1-OE11	-4.75	113.31	124.08
1	L	19	CGU	OE12-CD1-OE11	-4.68	113.47	124.08
1	L	14	CGU	OE22-CD2-OE21	-4.42	114.06	124.08
1	L	25	CGU	OE21-CD2-CG	-4.02	106.78	120.19
1	L	19	CGU	OE21-CD2-CG	-3.83	107.39	120.19
1	L	20	CGU	CB-CG-CD1	3.36	119.93	113.11
1	L	20	CGU	OE21-CD2-CG	-3.25	109.33	120.19
1	L	20	CGU	OE11-CD1-CG	-3.21	109.46	120.19
1	L	14	CGU	CB-CG-CD1	3.10	119.41	113.11
1	L	20	CGU	CB-CG-CD2	2.95	119.09	113.11
1	L	14	CGU	OE21-CD2-CG	-2.66	111.32	120.19
1	L	35	CGU	OE12-CD1-CG	-2.48	108.06	116.50
1	L	7	CGU	CB-CG-CD2	2.46	118.10	113.11
1	L	6	CGU	OE11-CD1-CG	-2.42	112.10	120.19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	25	CGU	CB-CG-CD2	-2.41	108.22	113.11
1	L	25	CGU	OE11-CD1-CG	-2.27	112.61	120.19
1	L	26	CGU	OE11-CD1-CG	-2.19	112.89	120.19
1	L	29	CGU	CB-CG-CD1	2.14	117.46	113.11
1	L	19	CGU	CB-CA-C	-2.14	107.70	110.99
1	L	29	CGU	OE21-CD2-CG	-2.11	113.15	120.19
1	L	14	CGU	OE22-CD2-CG	-2.09	109.39	116.50
1	L	26	CGU	OE22-CD2-CG	-2.09	109.40	116.50
1	L	6	CGU	OE21-CD2-CG	-2.05	113.33	120.19
1	L	35	CGU	OE22-CD2-CG	-2.04	109.55	116.50

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	L	16	CGU	CA
1	L	19	CGU	CA
1	L	29	CGU	CA

All (41) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	L	6	CGU	CA-CB-CG-CD1
1	L	6	CGU	CA-CB-CG-CD2
1	L	7	CGU	OE22-CD2-CG-CD1
1	L	16	CGU	O-C-CA-CB
1	L	16	CGU	N-CA-CB-CG
1	L	16	CGU	CA-CB-CG-CD1
1	L	16	CGU	CA-CB-CG-CD2
1	L	19	CGU	CA-CB-CG-CD1
1	L	19	CGU	CA-CB-CG-CD2
1	L	20	CGU	CA-CB-CG-CD1
1	L	20	CGU	CA-CB-CG-CD2
1	L	20	CGU	OE11-CD1-CG-CB
1	L	25	CGU	CA-CB-CG-CD1
1	L	25	CGU	CA-CB-CG-CD2
1	L	35	CGU	N-CA-CB-CG
1	L	14	CGU	CA-CB-CG-CD2
1	L	7	CGU	OE11-CD1-CG-CB
1	L	7	CGU	OE22-CD2-CG-CB
1	L	14	CGU	OE12-CD1-CG-CB
1	L	14	CGU	OE21-CD2-CG-CB
1	L	16	CGU	OE12-CD1-CG-CB

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	L	16	CGU	OE21-CD2-CG-CB
1	L	19	CGU	OE11-CD1-CG-CB
1	L	19	CGU	OE22-CD2-CG-CB
1	L	25	CGU	OE21-CD2-CG-CB
1	L	29	CGU	OE22-CD2-CG-CB
1	L	35	CGU	OE21-CD2-CG-CB
1	L	19	CGU	OE12-CD1-CG-CD2
1	L	26	CGU	OE22-CD2-CG-CD1
1	L	35	CGU	OE11-CD1-CG-CD2
1	L	35	CGU	OE12-CD1-CG-CD2
1	L	25	CGU	OE12-CD1-CG-CB
1	L	25	CGU	OE22-CD2-CG-CB
1	L	26	CGU	OE12-CD1-CG-CB
1	L	26	CGU	OE22-CD2-CG-CB
1	L	35	CGU	OE12-CD1-CG-CB
1	L	14	CGU	OE11-CD1-CG-CD2
1	L	20	CGU	OE22-CD2-CG-CD1
1	L	25	CGU	OE11-CD1-CG-CD2
1	L	25	CGU	OE12-CD1-CG-CD2
1	L	25	CGU	OE22-CD2-CG-CD1

There are no ring outliers.

7 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	L	20	CGU	1	0
1	L	25	CGU	4	0
1	L	7	CGU	1	0
1	L	29	CGU	6	0
1	L	19	CGU	2	0
1	L	14	CGU	1	0
1	L	6	CGU	1	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 9 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	FUC	L	1060	-	9,9,11	0.55	0	11,11,16	2.13	3 (27%)
5	ASO	L	1052	-	11,11,11	0.71	0	15,15,15	0.96	0
8	24X	H	999	-	37,37,37	2.38	12 (32%)	48,51,51	1.69	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	FUC	L	1060	-	-	6/12/12/20	-
5	ASO	L	1052	-	2/2/4/4	0/2/19/19	0/1/1/1
8	24X	H	999	-	-	8/28/28/28	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	H	999	24X	O4-C10	7.81	1.41	1.23
8	H	999	24X	C10-N3	6.31	1.47	1.33
8	H	999	24X	C6-N1	4.39	1.42	1.34
8	H	999	24X	C16-C20	4.03	1.54	1.29
8	H	999	24X	C2-N1	3.14	1.40	1.34
8	H	999	24X	C27-C8	-2.91	1.44	1.49
8	H	999	24X	C2-C3	2.78	1.43	1.39
8	H	999	24X	C14-N5	2.48	1.38	1.27
8	H	999	24X	C4-C3	2.31	1.42	1.39
8	H	999	24X	C5-C4	2.06	1.42	1.38
8	H	999	24X	C22-C24	2.02	1.42	1.39
8	H	999	24X	O1-C9	-2.01	1.24	1.30

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	999	24X	C11-N3-C10	-7.85	108.09	122.54
8	H	999	24X	C4-C3-C2	3.52	121.54	117.61
6	L	1060	FUC	O4-C4-C5	3.50	115.60	109.33
6	L	1060	FUC	C4-C3-C2	3.50	119.39	113.57
6	L	1060	FUC	C1-C2-C3	3.40	119.10	112.17
8	H	999	24X	C3-C2-N1	-3.22	118.84	123.59
8	H	999	24X	N2-C6-N1	3.19	121.80	116.98
8	H	999	24X	C19-C20-C16	-2.19	114.20	125.87
8	H	999	24X	C2-N1-C6	2.14	119.84	117.83
8	H	999	24X	C5-C6-N2	-2.06	116.77	121.17
8	H	999	24X	C5-C4-C3	-2.01	118.65	120.80

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	L	1052	ASO	C4
5	L	1052	ASO	C2

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	L	1060	FUC	C1-C2-C3-C4
6	L	1060	FUC	O3-C3-C4-C5
6	L	1060	FUC	O4-C4-C5-C6
6	L	1060	FUC	C1-C2-C3-O3
6	L	1060	FUC	O2-C2-C3-O3
6	L	1060	FUC	O2-C2-C3-C4
8	H	999	24X	C23-C10-N3-C11
8	H	999	24X	O4-C10-N3-C11
8	H	999	24X	C22-C19-C20-C16
8	H	999	24X	C22-C24-C7-N2
8	H	999	24X	C15-C19-C20-C16
8	H	999	24X	C26-C29-C9-O1
8	H	999	24X	C26-C29-C9-O2
8	H	999	24X	C27-C24-C7-N2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	L	1060	FUC	1	0
5	L	1052	ASO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	132/142 (92%)	0.92	23 (17%) <b>4</b> <b>3</b>	16, 29, 60, 77	0
2	H	254/254 (100%)	-0.07	11 (4%) 40 39	12, 18, 41, 56	0
3	T	75/75 (100%)	0.13	1 (1%) 75 74	16, 23, 41, 45	0
4	U	116/120 (96%)	0.78	15 (12%) <b>7</b> <b>6</b>	18, 31, 59, 69	0
All	All	577/591 (97%)	0.35	50 (8%) <b>16</b> <b>15</b>	12, 24, 53, 77	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	1	ALA	8.5
1	L	28	ARG	6.3
3	T	80	ALA	5.7
4	U	137	ASN	5.2
1	L	3	ALA	4.7
1	L	8	LEU	4.2
1	L	42	ILE	4.2
1	L	23	SER	4.1
1	L	21	GLN	4.1
4	U	119	VAL	4.0
2	H	147	ARG	4.0
1	L	2	ASN	3.9
2	H	170(F)	GLY	3.8
1	L	10	PRO	3.8
4	U	136	ARG	3.7
2	H	76	HIS	3.6
4	U	163	SER	3.6
4	U	130	GLU	3.5
1	L	33	ASP	3.3
1	L	5	LEU	3.3
2	H	247	ARG	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
4	U	181	LYS	3.2
1	L	15	ARG	3.2
1	L	30	ILE	2.9
2	H	244	SER	2.8
4	U	182	GLY	2.8
4	U	138	ASN	2.8
1	L	32	LYS	2.8
1	L	108	THR	2.7
4	U	131	ARG	2.7
1	L	43	SER	2.6
2	H	60(C)	LYS	2.6
4	U	165	LYS	2.6
4	U	156	TYR	2.5
1	L	47	GLY	2.5
1	L	107	GLY	2.4
2	H	37	ASN	2.4
1	L	9	ARG	2.3
2	H	170(E)	VAL	2.3
4	U	158	TRP	2.3
2	H	170(D)	LYS	2.3
1	L	142	GLU	2.3
1	L	18	LYS	2.3
2	H	170(G)	ASP	2.3
1	L	66	GLN	2.1
4	U	121	THR	2.1
4	U	120	GLY	2.1
1	L	51	ALA	2.1
4	U	135	ARG	2.0
2	H	248	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CGU	L	29	12/13	0.40	0.35	55,62,63,64	0
1	CGU	L	7	12/13	0.53	0.22	60,66,68,68	0
1	CGU	L	6	12/13	0.59	0.23	53,60,65,65	0
1	CGU	L	25	12/13	0.61	0.23	40,49,56,56	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CGU	L	14	12/13	0.67	0.15	52,63,66,68	0
1	CGU	L	19	12/13	0.68	0.13	59,64,68,69	0
1	CGU	L	35	12/13	0.68	0.17	52,65,70,72	0
1	CGU	L	20	12/13	0.74	0.14	54,61,61,61	0
1	CGU	L	26	12/13	0.80	0.14	41,44,46,49	0
1	CGU	L	16	12/13	0.88	0.11	47,50,53,54	0

### 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	CA	L	1004	1/1	0.50	0.36	121,121,121,121	0
7	CA	L	1008	1/1	0.69	0.23	97,97,97,97	0
7	CA	L	1007	1/1	0.70	0.13	84,84,84,84	0
5	ASO	L	1052	11/11	0.72	0.20	49,52,55,58	0
7	CA	L	1003	1/1	0.75	0.17	97,97,97,97	0
7	CA	H	1001	1/1	0.75	0.22	60,60,60,60	0
6	FUC	L	1060	10/11	0.77	0.20	38,46,51,53	0
7	CA	L	1005	1/1	0.79	0.15	70,70,70,70	0
7	CA	L	1002	1/1	0.86	0.09	64,64,64,64	0
7	CA	L	1009	1/1	0.88	0.12	68,68,68,68	0
7	CA	L	1006	1/1	0.88	0.09	68,68,68,68	0
8	24X	H	999	35/35	0.95	0.08	12,17,41,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.