



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:10 PM UTC

PDB ID : 8EDH / pdb_00008edh
Title : Identification of a class of WNK isoform-specific inhibitors through high-throughput screening
Authors : Akella, R.; Goldsmith, E.J.
Deposited on : 2022-09-04
Resolution : 3.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1816 (3.14-3.10)
Clashscore	190562	1906 (3.14-3.10)
Ramachandran outliers	187476	1802 (3.14-3.10)
Sidechain outliers	187428	1802 (3.14-3.10)
RSRZ outliers	180081	1816 (3.14-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	% 59% 22% 6% • 13%
1	C	292	55% 25% 8% • 11%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4310 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein kinase WNK3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	0	0
			2036	1308	341	372	15			
1	C	261	Total	C	N	O	S	0	0	0
			2090	1341	350	384	15			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	308	ALA	SER	engineered mutation	UNP Q9BYP7
C	308	ALA	SER	engineered mutation	UNP Q9BYP7

- Molecule 2 is ethyl 1-(5,7-dimethoxy-4-methylquinolin-2-yl)piperidine-4-carboxylate (CCD ID: WGK) (formula: C₂₀H₂₆N₂O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			26	20	2	4		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	90	Total 90	O 90	0	0
3	C	68	Total 68	O 68	0	0

- Molecule 1: Serine/threonine-protein kinase WNK3



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	50.98Å 112.47Å 66.64Å 90.00° 100.27° 90.00°	Depositor
Resolution (Å)	26.48 – 3.11 26.48 – 3.11	Depositor EDS
% Data completeness (in resolution range)	81.3 (26.48-3.11) 81.3 (26.48-3.11)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 3.11Å)	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
R, R_{free}	0.186 , 0.291 0.185 , 0.291	Depositor DCC
R_{free} test set	1046 reflections (7.85%)	wwPDB-VP
Wilson B-factor (Å ²)	60.6	Xtriage
Anisotropy	0.160	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 73.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4310	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: WGK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2077	1.14	2/2796 (0.1%)
1	C	0.53	0/2134	1.17	2/2874 (0.1%)
All	All	0.52	0/4211	1.16	4/5670 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	C	0	4
All	All	0	7

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	279	ASP	CA-CB-CG	7.35	119.95	112.60
1	C	196	GLU	CB-CG-CD	7.12	124.70	112.60
1	A	390	LYS	CA-C-N	5.53	128.25	120.28
1	A	390	LYS	C-N-CA	5.53	128.25	120.28

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	274	ARG	Sidechain
1	A	359	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	397	ARG	Sidechain
1	C	181	ARG	Sidechain
1	C	208	ARG	Sidechain
1	C	241	ARG	Sidechain
1	C	397	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2036	0	2056	69	0
1	C	2090	0	2104	69	0
2	A	26	0	0	3	0
3	A	90	0	0	3	0
3	C	68	0	0	6	0
All	All	4310	0	4160	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:LYS:HE2	1:A:248:LYS:HE3	1.48	0.95
1:A:183:LEU:HB3	1:A:185:LYS:HE2	1.64	0.80
1:A:217:LEU:HD23	3:A:2055:HOH:O	1.83	0.78
1:A:315:PHE:CD1	1:A:315:PHE:O	2.37	0.77
1:A:246:LYS:CE	1:A:248:LYS:HE3	2.17	0.74
1:A:246:LYS:HE2	1:A:248:LYS:CE	2.18	0.71
1:C:322:GLU:O	1:C:323:GLU:HB3	1.92	0.69
1:C:313:PRO:O	1:C:314:GLU:HB3	1.91	0.68
1:C:366:LYS:HG2	1:C:367:PRO:HD2	1.76	0.68
1:A:315:PHE:CD1	1:A:315:PHE:C	2.72	0.67
1:C:241:ARG:HD2	1:C:242:PHE:CE2	2.29	0.67
1:A:352:GLN:HE22	1:C:263:PHE:HA	1.60	0.67
1:A:327:GLU:HG2	3:A:2024:HOH:O	1.95	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:THR:HG23	1:A:188:GLN:HE21	1.64	0.63
1:C:182:LYS:O	1:C:184:THR:HG22	2.00	0.61
1:C:315:PHE:HE1	1:C:347:PRO:HG2	1.66	0.61
1:C:366:LYS:CG	1:C:367:PRO:HD2	2.30	0.61
1:A:325:TYR:O	1:A:326:ASP:HB3	2.01	0.60
1:C:159:LYS:HB3	1:C:178:LEU:HD23	1.85	0.59
1:C:196:GLU:HG3	1:C:199:LYS:NZ	2.17	0.58
1:A:208:ARG:HE	1:A:210:TYR:HE1	1.50	0.58
1:C:169:THR:O	1:C:171:VAL:N	2.37	0.57
1:C:277:LYS:HA	1:C:315:PHE:HD2	1.70	0.57
1:C:297:LEU:HA	1:C:300:LEU:HB2	1.86	0.56
1:C:163:LYS:HE2	1:C:172:GLU:HG2	1.88	0.56
1:A:149:PHE:HZ	1:A:165:LEU:HD12	1.71	0.56
1:C:284:THR:HB	1:C:289:SER:H	1.71	0.56
1:A:203:HIS:CG	1:A:204:PRO:HD2	2.41	0.56
1:A:193:GLU:HB2	3:A:2009:HOH:O	2.06	0.55
1:A:173:VAL:CG1	1:A:174:ALA:N	2.69	0.55
1:A:159:LYS:HE2	2:A:1901:WGK:C11	2.37	0.55
1:A:352:GLN:NE2	1:C:263:PHE:HA	2.21	0.54
1:C:234:THR:HG21	1:C:279:ASP:O	2.07	0.54
1:A:183:LEU:O	1:A:185:LYS:HG2	2.07	0.54
1:A:180:ASP:OD1	1:A:184:THR:HG22	2.08	0.54
1:A:212:SER:HA	1:A:224:VAL:O	2.08	0.54
1:C:180:ASP:H	1:C:222:CYS:HA	1.71	0.54
1:A:181:ARG:O	1:A:183:LEU:HD22	2.08	0.54
1:C:313:PRO:HG3	3:C:1946:HOH:O	2.08	0.53
1:A:198:LEU:HD23	1:A:201:LEU:HD12	1.90	0.53
1:A:402:HIS:O	1:A:405:PHE:O	2.27	0.53
1:A:315:PHE:C	1:A:315:PHE:HD1	2.15	0.52
1:A:346:TYR:O	1:A:349:SER:OG	2.24	0.52
1:C:178:LEU:HD11	1:C:225:LEU:HD11	1.91	0.52
1:A:239:LEU:O	1:A:243:LYS:N	2.35	0.52
1:C:373:VAL:HB	1:C:379:LYS:HG3	1.92	0.52
1:A:238:TYR:CD1	1:A:238:TYR:C	2.88	0.52
1:C:214:GLU:HG2	1:C:223:ILE:HD13	1.92	0.52
1:A:194:GLU:CD	1:A:299:THR:HG1	2.19	0.51
1:C:177:GLU:OE1	1:C:217:LEU:HD13	2.11	0.51
1:A:179:GLN:NE2	1:A:220:LYS:HD3	2.25	0.51
1:C:277:LYS:HA	1:C:315:PHE:CD2	2.46	0.51
1:A:173:VAL:HG11	1:A:226:VAL:HG13	1.92	0.50
1:C:212:SER:HA	1:C:224:VAL:O	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:THR:HG21	1:A:279:ASP:O	2.12	0.50
1:C:196:GLU:HG3	1:C:199:LYS:HZ3	1.76	0.50
1:C:242:PHE:O	1:C:244:VAL:N	2.36	0.50
1:C:214:GLU:HG2	1:C:223:ILE:CD1	2.42	0.49
1:C:136:LYS:N	1:C:136:LYS:HE3	2.27	0.49
1:A:255:ARG:HH21	1:A:406:ALA:H	1.60	0.49
1:A:173:VAL:HG13	1:A:174:ALA:H	1.78	0.49
1:A:180:ASP:C	1:A:182:LYS:N	2.71	0.49
1:A:315:PHE:O	1:A:315:PHE:HD1	1.95	0.49
1:C:382:ILE:HD12	3:C:1940:HOH:O	2.13	0.48
1:A:183:LEU:C	1:A:185:LYS:N	2.71	0.48
1:A:256:GLN:OE1	1:A:289:SER:HB2	2.12	0.48
1:C:273:HIS:O	1:C:298:ALA:HB1	2.14	0.48
1:C:238:TYR:C	1:C:238:TYR:CD1	2.92	0.48
1:C:315:PHE:CE1	1:C:336:MET:HB3	2.47	0.48
1:A:218:LYS:HD3	1:A:220:LYS:NZ	2.28	0.48
1:C:184:THR:OG1	1:C:187:GLU:HB2	2.14	0.48
1:C:365:ILE:O	1:C:366:LYS:CB	2.61	0.47
1:C:259:LYS:HA	1:C:259:LYS:HD2	1.69	0.47
1:C:391:SER:HB2	3:C:1919:HOH:O	2.14	0.47
1:A:183:LEU:O	1:A:185:LYS:N	2.47	0.47
1:A:201:LEU:HD11	1:A:271:ILE:CD1	2.45	0.47
1:C:316:MET:HE3	1:C:316:MET:HB2	1.76	0.46
1:C:338:MET:HA	1:C:341:MET:HE3	1.98	0.46
1:C:315:PHE:CD1	1:C:336:MET:HB3	2.50	0.46
1:C:379:LYS:HA	3:C:1940:HOH:O	2.14	0.46
1:A:183:LEU:HB3	1:A:185:LYS:CE	2.42	0.46
1:C:185:LYS:O	1:C:188:GLN:N	2.49	0.46
1:C:317:ALA:HA	1:C:332:TYR:CD2	2.51	0.46
1:C:321:TYR:HE2	1:C:361:VAL:HG11	1.81	0.45
1:C:318:PRO:HA	1:C:321:TYR:HD2	1.81	0.45
1:A:185:LYS:C	1:A:187:GLU:N	2.75	0.45
1:A:149:PHE:CZ	1:A:165:LEU:HD12	2.51	0.45
1:C:345:GLU:OE2	1:C:372:LYS:HD2	2.17	0.45
1:C:401:ASN:HD22	1:C:401:ASN:N	2.14	0.45
1:A:179:GLN:C	1:A:181:ARG:H	2.25	0.45
1:A:297:LEU:HD23	2:A:1901:WGK:O2	2.17	0.45
1:C:256:GLN:OE1	1:C:289:SER:HB2	2.17	0.45
1:C:373:VAL:HG21	3:C:1940:HOH:O	2.17	0.44
1:A:300:LEU:H	1:A:300:LEU:HG	1.46	0.44
1:C:313:PRO:O	1:C:314:GLU:CB	2.63	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:LYS:HA	1:A:243:LYS:NZ	2.32	0.44
1:C:197:MET:HE1	1:C:267:ARG:HB3	2.00	0.44
1:A:243:LYS:HD3	1:A:243:LYS:HA	1.61	0.44
1:C:325:TYR:O	1:C:326:ASP:HB3	2.18	0.44
1:C:203:HIS:CG	1:C:204:PRO:HD2	2.53	0.43
1:C:323:GLU:O	1:C:324:HIS:HB3	2.18	0.43
1:A:185:LYS:NZ	1:A:185:LYS:HA	2.33	0.43
1:C:352:GLN:HB3	3:C:1941:HOH:O	2.18	0.43
1:A:206:ILE:CG2	1:A:295:LEU:HD11	2.49	0.43
1:A:362:THR:O	1:A:388:GLN:NE2	2.51	0.43
1:A:258:LEU:HB2	1:A:400:LEU:HD21	2.00	0.43
1:A:235:LEU:HD23	1:A:235:LEU:HA	1.83	0.43
1:C:239:LEU:HD11	1:C:341:MET:HA	2.00	0.43
1:C:313:PRO:HD3	1:C:316:MET:HE3	1.99	0.43
1:C:185:LYS:C	1:C:187:GLU:N	2.76	0.42
1:C:242:PHE:C	1:C:244:VAL:H	2.24	0.42
1:C:241:ARG:HD2	1:C:242:PHE:CD2	2.54	0.42
1:A:139:ALA:HB3	1:A:148:LYS:HB3	2.02	0.42
1:A:210:TYR:HB2	1:A:226:VAL:HG12	2.01	0.42
1:A:239:LEU:HD23	1:A:239:LEU:HA	1.86	0.42
1:A:297:LEU:HD23	2:A:1901:WGK:C14	2.49	0.42
1:C:262:GLN:HE21	1:C:262:GLN:HA	1.84	0.42
1:A:173:VAL:HG13	1:A:174:ALA:N	2.33	0.41
1:C:201:LEU:HD22	1:C:263:PHE:HE2	1.84	0.41
1:A:185:LYS:O	1:A:187:GLU:N	2.54	0.41
1:A:287:THR:HG23	1:A:287:THR:O	2.20	0.41
1:A:173:VAL:CG1	1:A:226:VAL:HG13	2.50	0.41
1:A:183:LEU:C	1:A:185:LYS:H	2.28	0.41
1:C:191:PHE:O	1:C:192:LYS:C	2.64	0.41
1:C:339:LEU:HD21	1:C:369:SER:HB2	2.02	0.41
1:C:218:LYS:HB3	1:C:220:LYS:HD2	2.03	0.41
1:C:321:TYR:CE2	1:C:361:VAL:HG11	2.56	0.41
1:A:158:PHE:CD1	1:A:158:PHE:N	2.86	0.41
1:C:194:GLU:OE1	1:C:299:THR:HG21	2.20	0.41
1:A:194:GLU:CD	1:A:299:THR:OG1	2.64	0.41
1:C:317:ALA:HB3	1:C:329:VAL:HG23	2.03	0.41
1:A:180:ASP:C	1:A:182:LYS:H	2.29	0.40
1:A:283:ILE:HG22	1:A:290:VAL:HG12	2.02	0.40
1:A:236:LYS:O	1:A:240:LYS:HG2	2.21	0.40
1:A:348:TYR:CE1	1:A:360:LYS:HD2	2.57	0.40
1:C:364:GLY:HA3	1:C:388:GLN:OE1	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	249/292 (85%)	224 (90%)	23 (9%)	2 (1%)	16	45
1	C	257/292 (88%)	233 (91%)	17 (7%)	7 (3%)	4	19
All	All	506/584 (87%)	457 (90%)	40 (8%)	9 (2%)	6	26

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	170	TRP
1	C	323	GLU
1	C	326	ASP
1	A	326	ASP
1	C	184	THR
1	C	314	GLU
1	A	184	THR
1	C	324	HIS
1	C	366	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/258 (86%)	192 (86%)	30 (14%)	4	15
1	C	228/258 (88%)	194 (85%)	34 (15%)	3	13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	450/516 (87%)	386 (86%)	64 (14%)	3 14

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	138	VAL
1	A	158	PHE
1	A	159	LYS
1	A	165	LEU
1	A	173	VAL
1	A	178	LEU
1	A	183	LEU
1	A	184	THR
1	A	185	LYS
1	A	190	ARG
1	A	217	LEU
1	A	225	LEU
1	A	236	LYS
1	A	238	TYR
1	A	240	LYS
1	A	243	LYS
1	A	244	VAL
1	A	246	LYS
1	A	279	ASP
1	A	300	LEU
1	A	315	PHE
1	A	326	ASP
1	A	329	VAL
1	A	345	GLU
1	A	350	GLU
1	A	352	GLN
1	A	359	ARG
1	A	369	SER
1	A	390	LYS
1	A	395	SER
1	C	136	LYS
1	C	138	VAL
1	C	141	SER
1	C	165	LEU
1	C	169	THR
1	C	170	TRP
1	C	181	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	182	LYS
1	C	185	LYS
1	C	197	MET
1	C	217	LEU
1	C	220	LYS
1	C	231	THR
1	C	238	TYR
1	C	241	ARG
1	C	244	VAL
1	C	262	GLN
1	C	279	ASP
1	C	284	THR
1	C	295	LEU
1	C	297	LEU
1	C	300	LEU
1	C	314	GLU
1	C	325	TYR
1	C	326	ASP
1	C	344	SER
1	C	349	SER
1	C	350	GLU
1	C	359	ARG
1	C	369	SER
1	C	378	VAL
1	C	388	GLN
1	C	390	LYS
1	C	397	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	179	GLN
1	A	188	GLN
1	A	202	GLN
1	A	203	HIS
1	A	352	GLN
1	A	356	GLN
1	C	203	HIS
1	C	262	GLN
1	C	353	ASN
1	C	401	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	WGK	A	1901	-	28,28,28	2.41	7 (25%)	37,39,39	2.85	16 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	WGK	A	1901	-	-	8/15/25/25	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1901	WGK	O-C2	7.27	1.48	1.33
2	A	1901	WGK	C12-C19	5.08	1.51	1.42
2	A	1901	WGK	C13-C12	4.82	1.52	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1901	WGK	C10-C12	4.55	1.51	1.44
2	A	1901	WGK	C8-N1	4.09	1.38	1.32
2	A	1901	WGK	C18-C16	2.85	1.41	1.37
2	A	1901	WGK	C8-N	2.03	1.42	1.37

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1901	WGK	O2-C13-C12	7.84	127.08	115.91
2	A	1901	WGK	C5-N-C6	5.72	124.44	111.57
2	A	1901	WGK	O-C2-C3	5.71	121.55	112.00
2	A	1901	WGK	N1-C8-N	5.23	122.07	117.49
2	A	1901	WGK	O2-C13-C15	-5.02	114.33	123.27
2	A	1901	WGK	C9-C8-N	-4.45	116.97	122.35
2	A	1901	WGK	C8-N1-C19	4.35	122.28	117.54
2	A	1901	WGK	C1-O-C2	3.32	124.24	116.61
2	A	1901	WGK	C10-C9-C8	3.16	122.51	119.52
2	A	1901	WGK	O-C2-O1	-3.15	118.38	124.14
2	A	1901	WGK	C6-C7-C3	2.77	114.94	110.54
2	A	1901	WGK	C5-N-C8	-2.44	113.91	120.41
2	A	1901	WGK	C16-C18-C19	2.24	122.05	119.12
2	A	1901	WGK	C18-C19-C12	-2.18	118.11	120.40
2	A	1901	WGK	C13-C15-C16	2.16	122.71	120.33
2	A	1901	WGK	C18-C19-N1	2.05	121.78	118.78

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1901	WGK	C3-C2-O-C1
2	A	1901	WGK	O1-C2-O-C1
2	A	1901	WGK	C18-C16-O3-C17
2	A	1901	WGK	C15-C16-O3-C17
2	A	1901	WGK	N1-C8-N-C5
2	A	1901	WGK	N1-C8-N-C6
2	A	1901	WGK	C9-C8-N-C6
2	A	1901	WGK	C9-C8-N-C5

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1901	WGK	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	255/292 (87%)	-0.42	2 (0%) 82 64	24, 65, 122, 145	0
1	C	261/292 (89%)	-0.42	1 (0%) 88 76	30, 68, 110, 147	0
All	All	516/584 (88%)	-0.42	3 (0%) 85 70	24, 67, 114, 147	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	358	TYR	3.0
1	C	314	GLU	2.6
1	A	315	PHE	2.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	W GK	A	1901	26/26	0.82	0.25	104,138,164,171	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.