



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 10:20 AM UTC

PDB ID : 1EET / pdb_00001eet
Title : HIV-1 REVERSE TRANSCRIPTASE IN COMPLEX WITH THE INHIBITOR MSC204
Authors : Hogberg, M.; Sahlberg, C.; Engelhardt, P.; Noreen, R.; Kangasmetsa, J.; Johansson, N.G.; Oberg, B.; Vrang, L.; Zhang, H.; Sahlberg, B.L.; Unge, T.; Lovgren, S.; Fridborg, K.; Backbro, K.
Deposited on : 2000-02-03
Resolution : 2.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1819 (2.76-2.72)
Clashscore	190562	1866 (2.76-2.72)
Ramachandran outliers	187476	1830 (2.76-2.72)
Sidechain outliers	187428	1831 (2.76-2.72)
RSRZ outliers	180081	1819 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	557	4% 64% 29% • •
2	B	427	7% 55% 32% 6% 7%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7764 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 REVERSE TRANSCRIPTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	542	Total	C	N	O	S	0	0	0
			4405	2856	733	808	8			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	478	GLN	GLU	engineered mutation	UNP P03366

- Molecule 2 is a protein called HIV-1 REVERSE TRANSCRIPTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	399	Total	C	N	O	S	30	0	0
			3299	2152	538	602	7			

- Molecule 3 is 1-(5-BROMO-PYRIDIN-2-YL)-3-[2-(6-FLUORO-2-HYDROXY-3-PROPIONYL-PHENYL)-CYCLOPROPYL]-UREA (CCD ID: BFU) (formula: C₁₈H₁₇BrFN₃O₃).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	Br	C	F	N	O	0	0
			26	1	18	1	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	16	Total	O	0	0
			16	16		
4	B	18	Total	O	0	0
			18	18		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: HIV-1 REVERSE TRANSCRIPTASE



• Molecule 2: HIV-1 REVERSE TRANSCRIPTASE





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	119.57Å 156.45Å 156.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.50 – 2.73 47.50 – 2.73	Depositor EDS
% Data completeness (in resolution range)	94.1 (47.50-2.73) 94.2 (47.50-2.73)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.73Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.213 , 0.271 0.203 , 0.257	Depositor DCC
R_{free} test set	1866 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	53.2	Xtriage
Anisotropy	0.170	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 53.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7764	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BFU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/4518	0.95	15/6131 (0.2%)
2	B	0.47	0/3391	1.01	24/4605 (0.5%)
All	All	0.47	0/7909	0.98	39/10736 (0.4%)

There are no bond length outliers.

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1211	ARG	N-CA-C	-9.38	98.15	110.53
2	B	1382	ILE	N-CA-C	8.69	118.69	110.53
2	B	1248	GLU	N-CA-C	-8.35	103.22	113.41
2	B	1348	ASN	N-CA-C	7.96	121.81	109.96
1	A	246	LEU	CA-C-N	7.25	128.90	119.84
1	A	246	LEU	C-N-CA	7.25	128.90	119.84
2	B	1401	TRP	N-CA-C	7.19	123.17	113.97
2	B	1293	ILE	N-CA-C	7.16	115.06	109.19
1	A	382	ILE	N-CA-C	7.11	117.72	110.82
2	B	1151	GLN	N-CA-C	7.08	120.40	111.69
2	B	1244	ILE	N-CA-C	-6.65	100.11	108.89
1	A	13	LYS	CA-C-N	6.52	127.99	119.84
1	A	13	LYS	C-N-CA	6.52	127.99	119.84
1	A	536	VAL	N-CA-C	-6.33	104.00	109.19
2	B	1269	GLN	N-CA-C	-6.22	105.69	113.28
2	B	1308	GLU	N-CA-C	-6.18	104.55	111.28
1	A	200	THR	N-CA-C	-6.13	104.28	110.97
2	B	1312	GLU	CA-C-N	6.02	127.36	119.84
2	B	1312	GLU	C-N-CA	6.02	127.36	119.84
2	B	1194	GLU	N-CA-C	-6.00	101.40	110.28
2	B	1258	GLN	N-CA-C	-5.94	104.38	111.69
2	B	1391	LEU	N-CA-C	5.75	117.77	109.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1402	TRP	N-CA-C	5.69	118.21	111.33
2	B	1103	LYS	N-CA-C	5.61	118.14	110.24
2	B	1147	ASN	N-CA-C	-5.59	106.81	113.97
1	A	390	LYS	N-CA-C	-5.57	98.11	108.02
1	A	184	MET	CB-CA-C	-5.47	110.28	116.63
2	B	1175	ASN	CA-C-N	5.47	125.08	119.56
2	B	1175	ASN	C-N-CA	5.47	125.08	119.56
1	A	147	ASN	N-CA-C	-5.46	106.98	113.97
1	A	220	LYS	N-CA-C	-5.45	106.48	113.02
2	B	1132	ILE	N-CA-C	-5.40	102.65	107.56
2	B	1293	ILE	CA-C-N	5.39	125.39	119.89
2	B	1293	ILE	C-N-CA	5.39	125.39	119.89
2	B	1389	PHE	N-CA-C	5.28	118.84	109.96
1	A	403	THR	N-CA-C	5.25	116.69	111.07
1	A	287	LYS	N-CA-C	5.21	116.99	108.55
1	A	448	ARG	N-CA-C	5.08	117.55	111.71
1	A	235	HIS	N-CA-C	-5.04	102.84	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4405	0	4460	171	0
2	B	3299	0	3326	155	0
3	A	26	0	17	3	0
4	A	16	0	0	0	0
4	B	18	0	0	0	0
All	All	7764	0	7803	317	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (317) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:THR:HG22	1:A:143:ARG:HG2	1.42	1.00
1:A:107:THR:HB	1:A:223:LYS:HG3	1.44	0.96
2:B:1297:GLU:HG3	2:B:1298:GLU:H	1.34	0.93
1:A:107:THR:HG22	1:A:198:HIS:HE1	1.37	0.89
1:A:485:ALA:O	1:A:489:SER:HB2	1.74	0.86
2:B:1191:SER:HB2	2:B:1193:LEU:HD13	1.59	0.85
2:B:1059:PRO:HG2	2:B:1076:ASP:HB3	1.59	0.85
1:A:268:SER:O	1:A:351:THR:HG22	1.78	0.83
1:A:107:THR:HG22	1:A:198:HIS:CE1	2.14	0.82
1:A:287:LYS:HG3	1:A:291:GLU:OE2	1.80	0.82
1:A:223:LYS:HG2	1:A:224:GLU:N	1.94	0.81
2:B:1326:ILE:HG22	2:B:1388:LYS:HB3	1.64	0.79
2:B:1309:ILE:HG22	2:B:1310:LEU:H	1.45	0.79
1:A:357:MET:HG3	1:A:358:ARG:H	1.48	0.79
2:B:1425:LEU:HD21	2:B:1427:TYR:CE1	2.19	0.78
2:B:1184:MET:HE3	2:B:1410:TRP:HB3	1.67	0.77
1:A:221:HIS:HB3	1:A:223:LYS:HB3	1.67	0.76
2:B:1425:LEU:HD11	2:B:1427:TYR:CE2	2.20	0.76
1:A:406:TRP:CH2	2:B:1418:ASN:HA	2.23	0.73
2:B:1184:MET:O	2:B:1185:ASP:HB2	1.87	0.73
2:B:1309:ILE:C	2:B:1311:LYS:H	1.94	0.73
2:B:1254:VAL:O	2:B:1258:GLN:HG3	1.87	0.73
1:A:221:HIS:C	1:A:223:LYS:H	1.94	0.73
1:A:101:LYS:HE3	1:A:101:LYS:N	2.03	0.73
1:A:107:THR:HB	1:A:223:LYS:CG	2.17	0.73
2:B:1314:VAL:O	2:B:1317:VAL:HG22	1.89	0.72
2:B:1028:GLU:HG2	2:B:1032:LYS:HE2	1.71	0.72
1:A:194:GLU:HB2	1:A:197:GLN:OE1	1.90	0.71
2:B:1013:LYS:HG2	2:B:1086:ASP:OD1	1.91	0.70
1:A:458:VAL:HG21	1:A:547:GLN:OE1	1.92	0.70
1:A:223:LYS:HG2	1:A:224:GLU:H	1.55	0.69
2:B:1007:THR:HG22	2:B:1119:PRO:HG2	1.73	0.69
2:B:1169:GLU:HB3	2:B:1170:PRO:HD3	1.75	0.69
2:B:1266:TRP:CE2	2:B:1425:LEU:HD22	2.27	0.69
1:A:60:VAL:HG11	1:A:130:PHE:CD2	2.27	0.69
2:B:1160:PHE:HZ	2:B:1214:LEU:HD13	1.57	0.69
2:B:1254:VAL:HG23	2:B:1291:GLU:O	1.91	0.68
1:A:169:GLU:HB3	1:A:170:PRO:HD3	1.76	0.68
2:B:1231:GLY:O	2:B:1232:TYR:HB3	1.94	0.68
1:A:195:ILE:HD11	1:A:199:ARG:NH2	2.09	0.67
1:A:417:VAL:HG22	1:A:419:THR:HG23	1.76	0.67
2:B:1253:THR:O	2:B:1257:ILE:HG22	1.95	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1246:LEU:HD12	2:B:1307:ARG:HB3	1.77	0.67
1:A:221:HIS:C	1:A:223:LYS:N	2.52	0.66
1:A:181:TYR:HB2	3:A:2000:BFU:H14	1.78	0.65
1:A:325:LEU:HD22	1:A:385:LYS:HE3	1.79	0.65
1:A:223:LYS:CG	1:A:224:GLU:N	2.59	0.65
1:A:106:VAL:HG11	3:A:2000:BFU:BR	2.50	0.65
1:A:203:GLU:OE2	1:A:206:ARG:HD3	1.97	0.65
1:A:396:GLU:O	1:A:400:THR:HG22	1.96	0.65
1:A:106:VAL:HG22	1:A:227:PHE:HE2	1.62	0.64
1:A:57:ASN:OD1	1:A:131:THR:HG23	1.98	0.64
1:A:206:ARG:HE	1:A:216:THR:HG23	1.63	0.64
2:B:1193:LEU:HD23	2:B:1197:GLN:HB3	1.80	0.64
2:B:1271:TYR:O	2:B:1274:ILE:HG12	1.98	0.64
1:A:356:ARG:HG2	1:A:356:ARG:HH11	1.63	0.63
2:B:1279:LEU:HA	2:B:1282:LEU:HD13	1.80	0.63
1:A:223:LYS:HD3	1:A:224:GLU:HB2	1.78	0.63
2:B:1425:LEU:HD21	2:B:1427:TYR:CZ	2.33	0.63
1:A:131:THR:CG2	1:A:143:ARG:NH1	2.62	0.63
2:B:1266:TRP:HB3	2:B:1427:TYR:OH	1.98	0.63
2:B:1425:LEU:O	2:B:1426:TRP:HB2	1.99	0.63
1:A:298:GLU:H	1:A:298:GLU:CD	2.07	0.63
2:B:1275:LYS:HE3	2:B:1277:ARG:HB2	1.80	0.62
2:B:1211:ARG:C	2:B:1213:GLY:H	2.07	0.62
1:A:26:LEU:HD23	1:A:133:PRO:HG3	1.81	0.62
1:A:361:HIS:HD2	1:A:513:SER:OG	1.82	0.62
2:B:1086:ASP:HA	2:B:1090:VAL:HG13	1.82	0.62
1:A:131:THR:CG2	1:A:143:ARG:HG2	2.25	0.62
2:B:1209:LEU:O	2:B:1211:ARG:O	2.17	0.61
1:A:106:VAL:HG13	1:A:225:PRO:HD3	1.81	0.61
1:A:458:VAL:HB	1:A:548:VAL:HG22	1.83	0.61
2:B:1365:VAL:O	2:B:1369:THR:HG23	1.99	0.61
1:A:402:TRP:CE3	1:A:403:THR:HG23	2.35	0.61
1:A:479:LEU:HB3	1:A:517:LEU:HD13	1.83	0.61
1:A:16:MET:HE2	1:A:83:ARG:HG2	1.82	0.60
1:A:277:ARG:HB2	1:A:336:GLN:NE2	2.16	0.60
1:A:434:ILE:HD13	1:A:530:LYS:HB3	1.82	0.60
1:A:288:ALA:HB3	1:A:291:GLU:HB2	1.83	0.60
1:A:101:LYS:HE3	1:A:101:LYS:H	1.66	0.59
2:B:1266:TRP:CE3	2:B:1425:LEU:HD13	2.38	0.59
1:A:524:GLN:HA	1:A:524:GLN:NE2	2.18	0.58
2:B:1266:TRP:CD2	2:B:1425:LEU:HD22	2.39	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1266:TRP:C	2:B:1268:SER:H	2.12	0.58
2:B:1275:LYS:HE3	2:B:1277:ARG:CB	2.33	0.58
2:B:1309:ILE:C	2:B:1311:LYS:N	2.60	0.58
2:B:1114:ALA:CB	2:B:1214:LEU:HB3	2.33	0.58
1:A:356:ARG:NH1	1:A:358:ARG:HA	2.19	0.57
2:B:1212:TRP:O	2:B:1214:LEU:HG	2.04	0.57
1:A:515:SER:HB3	1:A:518:VAL:HB	1.86	0.57
2:B:1244:ILE:CG1	2:B:1427:TYR:HD2	2.18	0.57
2:B:1267:ALA:HB1	2:B:1310:LEU:HD21	1.87	0.57
1:A:131:THR:HG21	1:A:143:ARG:HH11	1.69	0.57
2:B:1114:ALA:HB1	2:B:1214:LEU:HB3	1.86	0.57
2:B:1252:TRP:CZ3	2:B:1260:LEU:HD12	2.40	0.57
2:B:1060:VAL:HG12	2:B:1075:VAL:HG22	1.87	0.56
2:B:1267:ALA:O	2:B:1274:ILE:HG13	2.05	0.56
2:B:1425:LEU:HD11	2:B:1427:TYR:CZ	2.39	0.56
2:B:1005:ILE:HD11	2:B:1118:VAL:HG13	1.87	0.56
2:B:1417:VAL:HG12	2:B:1418:ASN:N	2.19	0.56
1:A:23:GLN:NE2	1:A:26:LEU:HD21	2.20	0.56
1:A:278:GLN:NE2	1:A:278:GLN:HA	2.19	0.56
1:A:254:VAL:HG22	1:A:293:ILE:HD11	1.87	0.56
1:A:308:GLU:O	1:A:311:LYS:HG2	2.05	0.56
2:B:1244:ILE:HG13	2:B:1427:TYR:HD2	1.71	0.56
1:A:332:GLN:O	1:A:336:GLN:HB2	2.06	0.56
1:A:536:VAL:HG11	2:B:1258:GLN:OE1	2.06	0.55
2:B:1369:THR:HG22	2:B:1398:TRP:CH2	2.42	0.55
2:B:1091:GLN:C	2:B:1092:LEU:HD12	2.32	0.55
1:A:32:LYS:O	1:A:36:GLU:HG2	2.07	0.55
1:A:21:VAL:HB	1:A:59:PRO:HD3	1.87	0.55
1:A:234:LEU:HD12	1:A:234:LEU:N	2.22	0.55
1:A:131:THR:CG2	1:A:143:ARG:HH11	2.19	0.54
1:A:181:TYR:CE2	1:A:183:TYR:HB2	2.42	0.54
1:A:270:ILE:HA	1:A:351:THR:HB	1.90	0.54
1:A:412:PRO:HG3	2:B:1401:TRP:CZ2	2.42	0.54
2:B:1090:VAL:HG22	2:B:1091:GLN:N	2.23	0.54
1:A:26:LEU:CD2	1:A:133:PRO:HG3	2.37	0.54
1:A:432:GLU:OE1	1:A:432:GLU:HA	2.06	0.54
2:B:1297:GLU:HG3	2:B:1298:GLU:N	2.14	0.54
1:A:441:TYR:CE2	1:A:544:GLY:HA3	2.42	0.54
2:B:1311:LYS:HG2	2:B:1312:GLU:HG3	1.89	0.54
1:A:105:SER:HB3	1:A:198:HIS:ND1	2.23	0.54
1:A:395:LYS:HD3	1:A:414:TRP:CZ2	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1422:LEU:O	2:B:1422:LEU:HG	2.08	0.54
2:B:1427:TYR:OXT	2:B:1427:TYR:HD1	1.91	0.53
1:A:356:ARG:HH12	1:A:358:ARG:HA	1.73	0.53
1:A:494:ASN:HB3	2:B:1289:LEU:HD12	1.89	0.53
2:B:1249:LYS:O	2:B:1250:ASP:HB3	2.08	0.53
2:B:1424:LYS:HD3	2:B:1424:LYS:N	2.23	0.53
1:A:108:VAL:HG12	1:A:223:LYS:HA	1.89	0.53
1:A:107:THR:CB	1:A:223:LYS:HB2	2.39	0.53
1:A:113:ASP:O	1:A:114:ALA:C	2.52	0.53
1:A:206:ARG:NH1	1:A:218:ASP:HA	2.23	0.53
2:B:1296:THR:HB	2:B:1299:ALA:CB	2.39	0.52
1:A:457:TYR:CD1	1:A:457:TYR:C	2.87	0.52
1:A:305:GLU:O	1:A:308:GLU:HB3	2.09	0.52
2:B:1417:VAL:CG1	2:B:1418:ASN:N	2.72	0.52
1:A:357:MET:HG3	1:A:358:ARG:N	2.20	0.52
2:B:1040:GLU:O	2:B:1044:GLU:HG3	2.10	0.52
2:B:1244:ILE:HG12	2:B:1427:TYR:CD2	2.44	0.52
1:A:42:GLU:HG3	1:A:144:TYR:HE1	1.75	0.52
1:A:223:LYS:NZ	1:A:224:GLU:HB2	2.25	0.52
2:B:1072:ARG:HH11	2:B:1072:ARG:HG3	1.76	0.51
2:B:1309:ILE:HG22	2:B:1310:LEU:N	2.19	0.51
1:A:346:PHE:N	1:A:346:PHE:CD2	2.75	0.51
1:A:335:GLY:HA2	1:A:367:GLN:OE1	2.11	0.51
1:A:37:ILE:CG2	1:A:41:MET:HE3	2.40	0.51
2:B:1420:PRO:C	2:B:1422:LEU:H	2.19	0.51
1:A:37:ILE:HG22	1:A:41:MET:HE3	1.91	0.51
1:A:454:LYS:O	1:A:552:VAL:HG13	2.10	0.51
2:B:1195:ILE:HG23	2:B:1196:GLY:N	2.25	0.51
1:A:443:ASP:OD1	1:A:444:GLY:N	2.40	0.51
1:A:441:TYR:O	1:A:548:VAL:HG21	2.11	0.50
1:A:497:THR:O	1:A:535:TRP:HA	2.12	0.50
2:B:1115:TYR:HB3	2:B:1149:LEU:HB2	1.92	0.50
2:B:1091:GLN:HG2	2:B:1092:LEU:HD12	1.94	0.50
1:A:223:LYS:HA	1:A:227:PHE:HZ	1.76	0.50
1:A:287:LYS:CG	1:A:291:GLU:OE2	2.57	0.50
1:A:529:GLU:O	1:A:530:LYS:HG3	2.11	0.50
2:B:1122:GLU:CD	2:B:1122:GLU:H	2.20	0.50
2:B:1353:LYS:NZ	2:B:1353:LYS:HB3	2.26	0.50
1:A:107:THR:HG21	1:A:202:ILE:HG13	1.94	0.50
1:A:247:PRO:O	1:A:248:GLU:HB3	2.12	0.50
1:A:328:GLU:HG2	1:A:390:LYS:HB2	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:487:GLN:C	1:A:489:SER:H	2.20	0.50
1:A:223:LYS:O	1:A:224:GLU:HB3	2.12	0.50
2:B:1090:VAL:CG2	2:B:1091:GLN:N	2.74	0.49
2:B:1296:THR:O	2:B:1300:GLU:HG2	2.12	0.49
2:B:1244:ILE:CG1	2:B:1427:TYR:CD2	2.95	0.49
1:A:495:ILE:HB	1:A:533:LEU:HD23	1.95	0.49
1:A:297:GLU:O	1:A:301:LEU:HD13	2.13	0.49
2:B:1065:LYS:HE3	2:B:1065:LYS:HA	1.94	0.49
2:B:1244:ILE:N	2:B:1244:ILE:HD12	2.28	0.49
2:B:1302:GLU:HG2	2:B:1306:ASN:ND2	2.28	0.49
1:A:202:ILE:O	1:A:205:LEU:HB3	2.12	0.48
2:B:1271:TYR:CE2	2:B:1310:LEU:HA	2.48	0.48
1:A:489:SER:HB3	1:A:528:LYS:NZ	2.28	0.48
1:A:107:THR:CG2	1:A:198:HIS:CE1	2.91	0.48
1:A:466:VAL:CG2	1:A:551:LEU:HD13	2.44	0.48
2:B:1309:ILE:O	2:B:1311:LYS:N	2.47	0.48
2:B:1302:GLU:HG2	2:B:1306:ASN:HD21	1.79	0.48
1:A:225:PRO:HA	1:A:226:PRO:C	2.39	0.48
1:A:435:VAL:HG13	2:B:1290:THR:HG21	1.96	0.48
1:A:94:ILE:HG21	1:A:230:MET:HE2	1.95	0.48
1:A:339:TYR:CZ	1:A:352:GLY:HA3	2.48	0.48
2:B:1050:ILE:CG2	2:B:1145:GLN:HG2	2.44	0.48
2:B:1058:THR:HG23	2:B:1076:ASP:O	2.14	0.48
2:B:1047:ILE:HD12	2:B:1144:TYR:CD1	2.49	0.47
1:A:445:ALA:O	1:A:477:THR:HG21	2.13	0.47
1:A:108:VAL:HG12	1:A:227:PHE:CZ	2.48	0.47
1:A:361:HIS:HD2	1:A:513:SER:HG	1.62	0.47
2:B:1064:LYS:O	2:B:1065:LYS:C	2.57	0.47
2:B:1279:LEU:O	2:B:1282:LEU:HD13	2.15	0.47
1:A:107:THR:CA	1:A:223:LYS:HB2	2.44	0.47
1:A:217:PRO:HB2	1:A:221:HIS:HD2	1.79	0.47
1:A:356:ARG:NH1	1:A:358:ARG:CA	2.77	0.47
1:A:26:LEU:HD23	1:A:133:PRO:CG	2.44	0.47
2:B:1112:GLY:HA3	2:B:1151:GLN:HE21	1.79	0.47
2:B:1211:ARG:O	2:B:1212:TRP:HB2	2.13	0.47
1:A:434:ILE:CD1	1:A:530:LYS:HB3	2.43	0.47
2:B:1257:ILE:O	2:B:1261:VAL:HG23	2.15	0.47
2:B:1354:TYR:OH	2:B:1370:GLU:HB3	2.15	0.47
1:A:13:LYS:HB3	1:A:14:PRO:HD2	1.96	0.47
1:A:492:GLU:OE2	1:A:530:LYS:HD2	2.15	0.47
2:B:1084:THR:O	2:B:1084:THR:HG22	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:PRO:O	1:A:248:GLU:CB	2.63	0.46
1:A:285:GLY:O	1:A:286:THR:C	2.57	0.46
2:B:1072:ARG:HD3	2:B:1073:LYS:O	2.15	0.46
2:B:1425:LEU:CD1	2:B:1427:TYR:CE2	2.97	0.46
1:A:223:LYS:CD	1:A:224:GLU:HB2	2.44	0.46
2:B:1053:GLU:OE1	2:B:1053:GLU:N	2.42	0.46
1:A:195:ILE:HD11	1:A:199:ARG:CZ	2.45	0.46
1:A:319:TYR:OH	1:A:385:LYS:HE2	2.15	0.46
2:B:1129:ALA:HA	2:B:1144:TYR:O	2.15	0.46
1:A:223:LYS:HA	1:A:227:PHE:CZ	2.51	0.46
1:A:287:LYS:HD2	1:A:288:ALA:H	1.80	0.46
1:A:246:LEU:HD12	1:A:307:ARG:HG2	1.98	0.46
1:A:362:THR:HG21	1:A:367:GLN:HE21	1.81	0.46
1:A:458:VAL:CG2	1:A:548:VAL:HG22	2.45	0.46
2:B:1072:ARG:HG3	2:B:1072:ARG:NH1	2.31	0.46
1:A:458:VAL:CB	1:A:548:VAL:HG22	2.45	0.46
2:B:1024:TRP:CG	2:B:1025:PRO:HD2	2.51	0.46
2:B:1038:CYS:SG	2:B:1132:ILE:HD11	2.56	0.46
2:B:1266:TRP:O	2:B:1268:SER:N	2.49	0.46
1:A:518:VAL:O	1:A:522:ILE:HG13	2.16	0.45
2:B:1213:GLY:O	2:B:1214:LEU:C	2.59	0.45
2:B:1231:GLY:O	2:B:1232:TYR:CB	2.64	0.45
1:A:466:VAL:HG22	1:A:551:LEU:HD13	1.99	0.45
2:B:1427:TYR:OXT	2:B:1427:TYR:CD1	2.68	0.45
1:A:411:ILE:O	1:A:411:ILE:HG23	2.17	0.45
2:B:1183:TYR:CE2	2:B:1184:MET:HE2	2.51	0.45
1:A:402:TRP:CZ3	1:A:403:THR:HG23	2.51	0.45
1:A:156:SER:HB2	1:A:157:PRO:HD3	1.98	0.45
1:A:356:ARG:HG2	1:A:356:ARG:NH1	2.31	0.45
2:B:1085:GLN:HA	2:B:1088:TRP:CE2	2.52	0.45
1:A:361:HIS:CD2	1:A:513:SER:OG	2.67	0.44
2:B:1266:TRP:C	2:B:1268:SER:N	2.76	0.44
2:B:1287:LYS:HD3	2:B:1291:GLU:OE2	2.17	0.44
2:B:1255:ASN:O	2:B:1259:LYS:HG3	2.16	0.44
1:A:71:TRP:HA	1:A:71:TRP:CE3	2.52	0.44
1:A:442:VAL:HG12	1:A:457:TYR:HB3	1.99	0.44
1:A:410:TRP:CG	1:A:411:ILE:N	2.85	0.44
2:B:1034:LEU:CD2	2:B:1073:LYS:HG3	2.47	0.44
2:B:1305:GLU:O	2:B:1308:GLU:HB3	2.18	0.44
2:B:1427:TYR:CD1	2:B:1427:TYR:C	2.95	0.44
1:A:478:GLN:HA	1:A:478:GLN:OE1	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1064:LYS:O	2:B:1065:LYS:O	2.35	0.44
2:B:1258:GLN:HE22	2:B:1289:LEU:CD2	2.31	0.44
1:A:108:VAL:H	1:A:223:LYS:HB2	1.82	0.43
2:B:1267:ALA:O	2:B:1270:ILE:O	2.36	0.43
1:A:120:LEU:O	1:A:121:ASP:C	2.61	0.43
2:B:1211:ARG:O	2:B:1212:TRP:CB	2.65	0.43
2:B:1298:GLU:O	2:B:1301:LEU:HB3	2.18	0.43
1:A:60:VAL:O	1:A:60:VAL:HG23	2.18	0.43
2:B:1193:LEU:HD12	2:B:1193:LEU:N	2.33	0.43
2:B:1422:LEU:O	2:B:1422:LEU:CG	2.67	0.43
1:A:162:SER:OG	2:B:1052:PRO:HD3	2.19	0.43
1:A:184:MET:HB3	1:A:185:ASP:H	1.46	0.43
2:B:1105:SER:O	2:B:1190:GLY:HA2	2.19	0.43
2:B:1211:ARG:C	2:B:1213:GLY:N	2.72	0.43
2:B:1241:VAL:HG12	2:B:1242:GLN:N	2.33	0.43
2:B:1296:THR:HB	2:B:1299:ALA:HB2	2.00	0.43
1:A:63:ILE:HG12	1:A:64:LYS:N	2.34	0.43
1:A:329:ILE:O	1:A:392:PRO:HD3	2.19	0.43
1:A:350:LYS:HG2	1:A:351:THR:N	2.33	0.43
1:A:325:LEU:CD2	1:A:385:LYS:HE3	2.47	0.43
2:B:1024:TRP:CD1	2:B:1025:PRO:HD2	2.54	0.43
2:B:1168:LEU:HD13	2:B:1180:ILE:HG21	2.01	0.43
1:A:397:THR:HG21	1:A:424:LYS:HA	2.01	0.43
1:A:355:ALA:O	1:A:356:ARG:C	2.61	0.42
1:A:275:LYS:HB2	1:A:275:LYS:HE3	1.70	0.42
2:B:1251:SER:O	2:B:1252:TRP:HB2	2.19	0.42
1:A:298:GLU:CD	1:A:298:GLU:N	2.77	0.42
1:A:524:GLN:HA	1:A:524:GLN:HE21	1.84	0.42
2:B:1184:MET:O	2:B:1184:MET:HG2	2.19	0.42
2:B:1286:THR:HG22	2:B:1286:THR:O	2.18	0.42
1:A:131:THR:HG21	1:A:143:ARG:NH1	2.32	0.42
2:B:1279:LEU:HB2	2:B:1302:GLU:OE1	2.20	0.42
2:B:1236:PRO:HA	2:B:1239:TRP:CD2	2.55	0.42
1:A:410:TRP:HA	1:A:410:TRP:CE3	2.54	0.42
2:B:1193:LEU:HB3	2:B:1197:GLN:HB2	2.00	0.42
2:B:1278:GLN:HB2	2:B:1298:GLU:CD	2.44	0.42
2:B:1297:GLU:CG	2:B:1298:GLU:N	2.81	0.42
1:A:100:LEU:HD22	3:A:2000:BFU:H131	2.01	0.42
1:A:171:PHE:CD1	1:A:171:PHE:C	2.98	0.41
1:A:550:LYS:HD2	1:A:550:LYS:HA	1.88	0.41
1:A:5:ILE:O	1:A:6:GLU:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:VAL:HG11	1:A:130:PHE:HD2	1.80	0.41
2:B:1108:VAL:HB	2:B:1232:TYR:CD2	2.55	0.41
2:B:1393:ILE:HG12	2:B:1394:GLN:N	2.35	0.41
2:B:1395:LYS:HG2	2:B:1399:GLU:OE1	2.20	0.41
1:A:287:LYS:HD2	1:A:287:LYS:HA	1.68	0.41
2:B:1252:TRP:HD1	2:B:1295:LEU:HD22	1.86	0.41
1:A:246:LEU:HA	1:A:247:PRO:HD3	1.86	0.41
1:A:433:PRO:CG	2:B:1255:ASN:OD1	2.69	0.41
2:B:1195:ILE:CG2	2:B:1196:GLY:N	2.84	0.41
1:A:221:HIS:O	1:A:223:LYS:N	2.52	0.41
1:A:460:ASN:ND2	2:B:1288:ALA:HB2	2.35	0.41
1:A:278:GLN:NE2	1:A:281:LYS:HD3	2.35	0.41
2:B:1266:TRP:CD2	2:B:1425:LEU:HD13	2.55	0.41
1:A:168:LEU:O	1:A:169:GLU:C	2.63	0.41
1:A:417:VAL:HG13	1:A:417:VAL:O	2.20	0.41
2:B:1108:VAL:HB	2:B:1232:TYR:HD2	1.86	0.41
1:A:278:GLN:HA	1:A:278:GLN:HE21	1.87	0.41
2:B:1275:LYS:HZ1	2:B:1277:ARG:HD3	1.85	0.41
1:A:460:ASN:HD22	2:B:1288:ALA:HB2	1.86	0.40
2:B:1183:TYR:O	2:B:1184:MET:C	2.64	0.40
2:B:1131:THR:OG1	2:B:1143:ARG:HD2	2.21	0.40
1:A:522:ILE:O	1:A:526:ILE:HG13	2.22	0.40
2:B:1065:LYS:HB3	2:B:1068:SER:OG	2.21	0.40
2:B:1388:LYS:HE2	2:B:1415:GLU:OE2	2.22	0.40
1:A:7:THR:HG22	1:A:119:PRO:HG2	2.04	0.40
2:B:1271:TYR:CG	2:B:1310:LEU:HD23	2.57	0.40
2:B:1249:LYS:O	2:B:1250:ASP:CB	2.70	0.40
2:B:1296:THR:CG2	2:B:1297:GLU:N	2.84	0.40
2:B:1420:PRO:C	2:B:1422:LEU:N	2.80	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	534/557 (96%)	474 (89%)	53 (10%)	7 (1%)	9	16
2	B	391/427 (92%)	348 (89%)	34 (9%)	9 (2%)	5	8
All	All	925/984 (94%)	822 (89%)	87 (9%)	16 (2%)	7	12

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	14	PRO
1	A	114	ALA
1	A	223	LYS
2	B	1065	LYS
2	B	1250	ASP
2	B	1267	ALA
2	B	1297	GLU
2	B	1184	MET
2	B	1249	LYS
2	B	1313	PRO
1	A	345	PRO
2	B	1185	ASP
2	B	1232	TYR
1	A	224	GLU
1	A	217	PRO
1	A	556	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	480/497 (97%)	457 (95%)	23 (5%)	23	42
2	B	364/389 (94%)	349 (96%)	15 (4%)	27	48
All	All	844/886 (95%)	806 (96%)	38 (4%)	24	44

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	PRO
1	A	42	GLU
1	A	71	TRP
1	A	74	LEU
1	A	101	LYS
1	A	107	THR
1	A	113	ASP
1	A	182	GLN
1	A	185	ASP
1	A	187	LEU
1	A	210	LEU
1	A	223	LYS
1	A	260	LEU
1	A	297	GLU
1	A	301	LEU
1	A	325	LEU
1	A	345	PRO
1	A	351	THR
1	A	373	GLN
1	A	394	GLN
1	A	432	GLU
1	A	488	ASP
1	A	517	LEU
2	B	1010	VAL
2	B	1039	THR
2	B	1040	GLU
2	B	1065	LYS
2	B	1072	ARG
2	B	1090	VAL
2	B	1122	GLU
2	B	1172	LYS
2	B	1266	TRP
2	B	1292	VAL
2	B	1293	ILE
2	B	1353	LYS
2	B	1370	GLU
2	B	1422	LEU
2	B	1423	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	145	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	182	GLN
1	A	198	HIS
1	A	221	HIS
1	A	278	GLN
1	A	332	GLN
1	A	361	HIS
1	A	407	GLN
1	A	428	GLN
1	A	464	GLN
1	A	474	ASN
1	A	509	GLN
1	A	520	GLN
1	A	524	GLN
2	B	1091	GLN
2	B	1145	GLN
2	B	1161	GLN
2	B	1182	GLN
2	B	1197	GLN
2	B	1258	GLN
2	B	1315	HIS
2	B	1348	ASN
2	B	1394	GLN
2	B	1407	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BFU	A	2000	-	27,28,28	2.01	9 (33%)	30,40,40	2.05	7 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BFU	A	2000	-	-	2/18/23/23	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2000	BFU	C15-C16	3.98	1.43	1.39
3	A	2000	BFU	C13-C12	3.77	1.54	1.49
3	A	2000	BFU	BR-C2	-3.72	1.83	1.90
3	A	2000	BFU	C21-C15	2.65	1.44	1.40
3	A	2000	BFU	C20-C23	2.64	1.53	1.48
3	A	2000	BFU	C19-C20	2.57	1.43	1.39
3	A	2000	BFU	C13-C14	2.39	1.54	1.50
3	A	2000	BFU	C20-C21	2.09	1.44	1.41
3	A	2000	BFU	C7-C2	2.01	1.42	1.38

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2000	BFU	N8-C9-N11	5.93	121.92	113.77
3	A	2000	BFU	C3-N4-C5	4.85	122.38	117.83
3	A	2000	BFU	O10-C9-N8	-3.23	117.90	123.64
3	A	2000	BFU	C25-C23-C20	3.02	123.42	119.40
3	A	2000	BFU	C18-C16-C15	-3.01	120.72	123.98
3	A	2000	BFU	C13-C14-C15	-2.52	117.44	122.24
3	A	2000	BFU	C2-C3-N4	-2.05	119.82	122.37

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	2000	BFU	C13-C12-N11-C9
3	A	2000	BFU	C14-C12-N11-C9

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2000	BFU	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	542/557 (97%)	0.11	23 (4%) 40 39	21, 48, 80, 102	0
2	B	399/427 (93%)	0.21	31 (7%) 19 19	17, 45, 100, 133	9 (2%)
All	All	941/984 (95%)	0.16	54 (5%) 29 29	17, 47, 92, 133	9 (0%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	1214	LEU	6.1
1	A	134	SER	6.0
2	B	1427	TYR	5.2
2	B	1005	ILE	5.1
2	B	1282	LEU	4.9
1	A	547	GLN	4.6
2	B	1362	THR	4.6
2	B	1426	TRP	4.5
1	A	55	PRO	3.8
1	A	51	GLY	3.7
2	B	1253	THR	3.6
1	A	141	GLY	3.4
2	B	1231	GLY	3.4
2	B	1266	TRP	3.4
2	B	1363	ASN	3.2
2	B	1270	ILE	3.2
1	A	24	TRP	3.2
1	A	237	ASP	3.1
2	B	1294	PRO	3.1
2	B	1230	MET	3.0
1	A	92	LEU	2.9
2	B	1310	LEU	2.8
2	B	1252	TRP	2.7
2	B	1355	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	221	HIS	2.6
1	A	61	PHE	2.6
1	A	91	GLN	2.6
2	B	1292	VAL	2.5
2	B	1024	TRP	2.5
1	A	222	GLN	2.4
1	A	224	GLU	2.4
2	B	1213	GLY	2.4
2	B	1232	TYR	2.4
2	B	1065	LYS	2.4
1	A	227	PHE	2.4
1	A	548	VAL	2.3
1	A	177	ASP	2.3
1	A	551	LEU	2.3
1	A	554	ALA	2.3
2	B	1067	ASP	2.3
2	B	1313	PRO	2.2
2	B	1295	LEU	2.2
2	B	1425	LEU	2.2
1	A	223	LYS	2.2
2	B	1280	CYS	2.2
1	A	64	LYS	2.2
2	B	1088	TRP	2.1
1	A	286	THR	2.1
1	A	15	GLY	2.1
1	A	539	HIS	2.1
2	B	1293	ILE	2.1
2	B	1314	VAL	2.1
2	B	1066	LYS	2.1
2	B	1311	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	BFU	A	2000	26/26	0.98	0.07	28,33,39,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.