



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 10:05 PM UTC

PDB ID : 8EE0 / pdb_00008ee0
Title : KS-AT didomain from module 2 of the 6-deoxyerythronolide B synthase in complex with antibody fragment 1B2
Authors : Cogan, D.P.; Brodsky, K.L.; Guzman, K.M.; Mathews, I.I.; Khosla, C.
Deposited on : 2022-09-06
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	932	5% 72% 20% • 6%
2	L	236	4% 73% 16% • 9%
3	H	249	5% 64% 19% • 15%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9704 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-deoxyerythronolide B synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	877	Total	C	N	O	S	0	0	0
			6372	3972	1161	1218	21			

There are 43 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q5UNP6
A	2	ALA	-	expression tag	UNP Q5UNP6
A	3	SER	-	expression tag	UNP Q5UNP6
A	4	THR	-	expression tag	UNP Q5UNP6
A	5	ASP	-	expression tag	UNP Q5UNP6
A	6	SER	-	expression tag	UNP Q5UNP6
A	7	GLU	-	expression tag	UNP Q5UNP6
A	8	LYS	-	expression tag	UNP Q5UNP6
A	9	VAL	-	expression tag	UNP Q5UNP6
A	10	ALA	-	expression tag	UNP Q5UNP6
A	11	GLU	-	expression tag	UNP Q5UNP6
A	12	TYR	-	expression tag	UNP Q5UNP6
A	13	LEU	-	expression tag	UNP Q5UNP6
A	14	ARG	-	expression tag	UNP Q5UNP6
A	15	ARG	-	expression tag	UNP Q5UNP6
A	16	ALA	-	expression tag	UNP Q5UNP6
A	17	THR	-	expression tag	UNP Q5UNP6
A	18	LEU	-	expression tag	UNP Q5UNP6
A	19	ASP	-	expression tag	UNP Q5UNP6
A	20	LEU	-	expression tag	UNP Q5UNP6
A	21	ARG	-	expression tag	UNP Q5UNP6
A	22	ALA	-	expression tag	UNP Q5UNP6
A	23	ALA	-	expression tag	UNP Q5UNP6
A	24	ARG	-	expression tag	UNP Q5UNP6
A	25	GLN	-	expression tag	UNP Q5UNP6
A	26	ARG	-	expression tag	UNP Q5UNP6
A	27	ILE	-	expression tag	UNP Q5UNP6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	28	ARG	-	expression tag	UNP Q5UNP6
A	29	GLU	-	expression tag	UNP Q5UNP6
A	30	LEU	-	expression tag	UNP Q5UNP6
A	31	GLU	-	expression tag	UNP Q5UNP6
A	32	SER	-	expression tag	UNP Q5UNP6
A	922	ALA	-	expression tag	UNP Q5UNP6
A	923	ALA	-	expression tag	UNP Q5UNP6
A	924	ALA	-	expression tag	UNP Q5UNP6
A	925	LEU	-	expression tag	UNP Q5UNP6
A	926	GLU	-	expression tag	UNP Q5UNP6
A	927	HIS	-	expression tag	UNP Q5UNP6
A	928	HIS	-	expression tag	UNP Q5UNP6
A	929	HIS	-	expression tag	UNP Q5UNP6
A	930	HIS	-	expression tag	UNP Q5UNP6
A	931	HIS	-	expression tag	UNP Q5UNP6
A	932	HIS	-	expression tag	UNP Q5UNP6

- Molecule 2 is a protein called 1B2 antibody light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	215	Total	C	N	O	S	0	0	0
			1640	1029	275	330	6			

- Molecule 3 is a protein called 1B2 antibody heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	211	Total	C	N	O	S	0	0	0
			1580	1002	264	308	6			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	69	Total	O	0	0
			69	69		
4	L	22	Total	O	0	0
			22	22		
4	H	21	Total	O	0	0
			21	21		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 6-deoxyerythronolide B synthase




• Molecule 2: 1B2 antibody light chain





• Molecule 3: 1B2 antibody heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	91.85Å 91.85Å 393.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.66 – 2.65 39.66 – 2.65	Depositor EDS
% Data completeness (in resolution range)	100.0 (39.66-2.65) 93.2 (39.66-2.65)	Depositor EDS
R_{merge}	0.27	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.211 , 0.254 0.211 , 0.254	Depositor DCC
R_{free} test set	2513 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	50.0	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 30.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9704	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/6491	0.76	6/8838 (0.1%)
2	L	0.53	0/1677	0.69	0/2282
3	H	0.50	0/1617	0.69	0/2200
All	All	0.51	0/9785	0.74	6/13320 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	655	GLU	N-CA-C	-6.55	104.22	111.82
1	A	730	ALA	N-CA-C	-6.15	102.94	111.30
1	A	469	MET	N-CA-C	-5.60	103.30	110.53
1	A	200	THR	N-CA-C	-5.52	104.79	112.30
1	A	41	ALA	CA-C-N	-5.48	113.20	121.86
1	A	41	ALA	C-N-CA	-5.48	113.20	121.86

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	611	ARG	Sidechain
1	A	694	ARG	Sidechain
1	A	697	ARG	Sidechain
1	A	72	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	746	ARG	Sidechain
1	A	748	ARG	Sidechain
1	A	860	ARG	Sidechain
1	A	878	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6372	0	6244	109	0
2	L	1640	0	1596	22	0
3	H	1580	0	1553	30	0
4	A	69	0	0	2	0
4	H	21	0	0	0	0
4	L	22	0	0	0	0
All	All	9704	0	9393	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:18:VAL:HG22	2:L:114:GLN:HE22	1.47	0.78
3:H:172:THR:HG22	3:H:185:LEU:HD11	1.69	0.75
1:A:716:ALA:HB1	1:A:757:HIS:HB2	1.69	0.74
1:A:116:MET:HE2	1:A:121:ARG:HG2	1.75	0.69
1:A:717:ALA:HB3	1:A:725:VAL:HB	1.75	0.67
1:A:691:LEU:HD11	1:A:726:VAL:HB	1.76	0.67
1:A:95:MET:SD	1:A:268:GLY:HA2	2.35	0.67
3:H:95:THR:HG23	3:H:117:THR:HA	1.76	0.66
1:A:688:GLY:HA2	1:A:729:ASP:CB	2.27	0.65
1:A:205:SER:HB3	1:A:380:ALA:O	1.97	0.64
1:A:408:ARG:HB3	1:A:414:TRP:CH2	2.33	0.63
1:A:819:ALA:O	1:A:823:GLN:HG3	1.98	0.62
1:A:862:ALA:HB1	1:A:867:ARG:HB2	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:389:LYS:HE3	1:A:400:PRO:HB2	1.82	0.61
1:A:730:ALA:O	1:A:733:ALA:N	2.33	0.60
3:H:159:VAL:HG22	3:H:205:VAL:HG12	1.82	0.60
1:A:829:ILE:HG12	1:A:855:LEU:HD12	1.83	0.60
1:A:729:ASP:O	1:A:730:ALA:C	2.45	0.59
1:A:281:ARG:NH1	1:A:459:GLU:O	2.34	0.59
3:H:185:LEU:HD12	3:H:186:SER:N	2.18	0.59
2:L:154:VAL:HG13	2:L:201:LEU:HB3	1.85	0.58
1:A:121:ARG:NH2	1:A:906:PHE:O	2.35	0.58
1:A:855:LEU:HD21	1:A:878:ARG:HG3	1.85	0.58
1:A:159:THR:H	1:A:910:PRO:HG3	1.70	0.57
1:A:114:LEU:HG	1:A:908:LEU:HD13	1.86	0.56
3:H:133:PRO:HA	3:H:144:ALA:O	2.05	0.56
1:A:58:ILE:HG13	1:A:401:PRO:HG2	1.88	0.55
1:A:609:GLU:O	1:A:610:PRO:C	2.49	0.54
2:L:211:HIS:HB2	2:L:214:TYR:OH	2.06	0.54
1:A:294:SER:HB3	1:A:452:VAL:HG22	1.89	0.54
1:A:502:HIS:O	1:A:505:ILE:HG22	2.08	0.54
1:A:730:ALA:O	1:A:731:GLN:C	2.51	0.53
1:A:766:ASP:O	1:A:770:GLN:HG3	2.08	0.53
1:A:331:VAL:O	1:A:360:ARG:NH2	2.36	0.53
2:L:58:LEU:O	2:L:66:GLN:HG2	2.09	0.53
1:A:691:LEU:CD1	1:A:726:VAL:HB	2.38	0.53
1:A:842:GLN:HA	1:A:845:LEU:HD12	1.91	0.53
1:A:528:LEU:O	1:A:538:ARG:NH1	2.42	0.53
3:H:157:VAL:CG1	3:H:185:LEU:HD23	2.38	0.53
2:L:208:TYR:HA	2:L:214:TYR:OH	2.09	0.53
1:A:21:ARG:NH1	4:A:1004:HOH:O	2.42	0.52
1:A:580:LEU:O	1:A:586:ALA:HB2	2.09	0.52
1:A:158:ALA:HB1	1:A:172:LEU:HD21	1.91	0.52
1:A:706:ASP:O	1:A:707:ASP:C	2.52	0.52
1:A:610:PRO:O	1:A:612:PRO:HD3	2.09	0.52
1:A:433:ASP:C	1:A:435:VAL:H	2.18	0.52
2:L:146:GLN:HG3	3:H:129:PHE:CE2	2.45	0.52
1:A:89:ARG:N	4:A:1005:HOH:O	2.43	0.52
1:A:574:GLY:H	1:A:611:ARG:HH22	1.57	0.52
1:A:694:ARG:HH21	1:A:746:ARG:HD2	1.75	0.51
2:L:168:VAL:HG12	2:L:218:VAL:HG22	1.91	0.51
3:H:154:PRO:HD2	3:H:209:PRO:HB2	1.93	0.51
2:L:156:CYS:HB2	2:L:170:TRP:CH2	2.46	0.51
3:H:72:PHE:CZ	3:H:87:MET:HG2	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:LEU:HG	1:A:419:ILE:HD12	1.94	0.50
3:H:72:PHE:CE2	3:H:87:MET:HG2	2.47	0.50
1:A:697:ARG:O	1:A:698:SER:C	2.54	0.50
3:H:133:PRO:HB3	3:H:145:LEU:HB3	1.93	0.50
1:A:471:PRO:HD3	1:A:582:VAL:HG22	1.93	0.50
1:A:904:LYS:HE2	1:A:906:PHE:CZ	2.47	0.50
1:A:727:ALA:C	1:A:729:ASP:H	2.20	0.49
1:A:578:GLU:CB	1:A:864:ASP:HA	2.42	0.49
1:A:592:CYS:HB3	1:A:671:MET:HE3	1.94	0.49
3:H:173:PHE:O	3:H:185:LEU:HD13	2.13	0.48
1:A:100:ASP:OD1	1:A:905:ARG:HG2	2.14	0.48
1:A:21:ARG:HH12	1:A:24:ARG:HH11	1.61	0.48
2:L:40:ARG:HG2	2:L:90:THR:O	2.14	0.48
1:A:602:PHE:CG	1:A:615:PRO:HG2	2.49	0.48
1:A:470:LEU:HD23	1:A:470:LEU:HA	1.74	0.48
1:A:837:LEU:O	1:A:841:VAL:HG23	2.14	0.48
2:L:158:LEU:HB2	2:L:197:LEU:HB3	1.94	0.48
3:H:178:GLN:HG3	3:H:182:LEU:O	2.14	0.47
3:H:64:TYR:CE1	3:H:74:ILE:HD12	2.49	0.47
2:L:58:LEU:HD13	2:L:107:TYR:CZ	2.49	0.47
3:H:205:VAL:HG22	3:H:214:VAL:HB	1.97	0.47
1:A:91:HIS:O	1:A:238:PHE:HZ	1.98	0.47
2:L:129:LYS:HG3	2:L:130:ARG:N	2.29	0.47
1:A:490:ALA:O	1:A:494:ARG:HG3	2.15	0.47
1:A:729:ASP:CB	1:A:760:HIS:NE2	2.78	0.47
1:A:241:PHE:HB3	1:A:247:LEU:HG	1.97	0.46
1:A:433:ASP:C	1:A:435:VAL:N	2.73	0.46
3:H:20:LEU:HB3	3:H:87:MET:HE3	1.97	0.46
1:A:813:PHE:CZ	1:A:837:LEU:HD13	2.50	0.46
1:A:216:LEU:O	1:A:276:ARG:NH1	2.49	0.46
3:H:172:THR:CG2	3:H:185:LEU:HD11	2.41	0.46
1:A:402:MET:HG2	1:A:404:CYS:SG	2.55	0.46
3:H:13:LEU:HD12	3:H:14:VAL:H	1.81	0.46
3:H:157:VAL:HG23	3:H:207:HIS:HB2	1.96	0.46
1:A:478:VAL:O	1:A:526:ALA:HA	2.16	0.46
1:A:727:ALA:O	1:A:729:ASP:N	2.49	0.46
1:A:389:LYS:CE	1:A:400:PRO:HB2	2.46	0.46
1:A:577:ARG:HA	1:A:580:LEU:HD12	1.98	0.45
1:A:729:ASP:CB	1:A:755:ALA:HB2	2.47	0.45
1:A:750:ILE:O	1:A:752:VAL:N	2.49	0.45
1:A:286:ARG:HD2	1:A:286:ARG:C	2.42	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:574:GLY:O	1:A:577:ARG:HB2	2.17	0.45
2:L:206:ALA:O	2:L:210:LYS:HG2	2.17	0.45
2:L:145:GLU:H	2:L:145:GLU:HG3	1.47	0.44
1:A:481:SER:OG	1:A:521:PHE:N	2.50	0.44
1:A:330:ASP:HB3	1:A:437:ARG:NH1	2.32	0.44
3:H:185:LEU:HD12	3:H:186:SER:H	1.82	0.44
1:A:21:ARG:NH1	1:A:24:ARG:HH11	2.15	0.44
3:H:130:PRO:HD3	3:H:216:LYS:HE3	1.99	0.44
1:A:833:PRO:HA	1:A:858:LEU:HB2	2.00	0.44
1:A:736:PHE:O	1:A:739:TYR:HB2	2.18	0.44
2:L:205:LYS:HB2	2:L:205:LYS:HE3	1.65	0.44
2:L:150:GLY:HA2	2:L:205:LYS:HE3	1.99	0.44
2:L:158:LEU:HD21	2:L:218:VAL:HG13	1.99	0.44
1:A:44:LEU:HD23	1:A:268:GLY:HA3	2.00	0.44
1:A:691:LEU:HG	1:A:726:VAL:O	2.18	0.44
1:A:152:MET:HE2	1:A:152:MET:HB3	1.91	0.43
1:A:904:LYS:HE2	1:A:906:PHE:HZ	1.82	0.43
1:A:593:ASP:OD2	1:A:605:SER:OG	2.31	0.43
3:H:133:PRO:O	3:H:134:SER:C	2.60	0.43
3:H:131:LEU:HD21	3:H:148:LEU:HB2	2.00	0.43
1:A:399:VAL:HB	1:A:426:ARG:HB2	2.00	0.43
1:A:765:ARG:O	1:A:769:VAL:HG23	2.19	0.43
3:H:166:LEU:HD12	3:H:166:LEU:HA	1.88	0.43
3:H:161:TRP:CH2	3:H:203:CYS:HB3	2.54	0.43
1:A:778:ARG:NH1	3:H:215:ASP:OD2	2.52	0.43
2:L:130:ARG:NH2	2:L:133:ALA:HB2	2.34	0.42
1:A:336:ALA:HB1	1:A:348:GLU:OE2	2.18	0.42
1:A:602:PHE:CB	1:A:615:PRO:HG2	2.49	0.42
1:A:731:GLN:O	1:A:732:ALA:C	2.62	0.42
1:A:566:PRO:HB3	1:A:837:LEU:HD12	2.01	0.42
1:A:788:LEU:HD23	1:A:802:TYR:CE2	2.55	0.42
1:A:834:HIS:CG	1:A:835:PRO:HD2	2.55	0.42
1:A:479:VAL:O	1:A:480:LEU:HD23	2.19	0.42
2:L:180:ASN:OD1	2:L:180:ASN:N	2.51	0.42
2:L:146:GLN:HE22	2:L:153:SER:N	2.18	0.41
2:L:183:GLU:HA	2:L:198:SER:O	2.20	0.41
1:A:409:SER:O	1:A:414:TRP:CZ3	2.73	0.41
1:A:651:HIS:CD2	1:A:811:VAL:HG11	2.54	0.41
1:A:15:ARG:HD2	1:A:15:ARG:HA	1.73	0.41
3:H:36:MET:HE3	3:H:36:MET:HB3	1.83	0.41
1:A:523:GLU:OE1	1:A:555:SER:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:MET:HG3	1:A:229:VAL:HG13	2.03	0.41
1:A:894:VAL:HG23	1:A:896:LEU:HG	2.02	0.41
2:L:168:VAL:CG1	2:L:218:VAL:HG22	2.51	0.41
1:A:247:LEU:HD23	1:A:247:LEU:HA	1.90	0.41
1:A:433:ASP:O	1:A:435:VAL:HG23	2.20	0.41
1:A:118:PRO:HA	1:A:121:ARG:HG3	2.02	0.41
1:A:319:ARG:O	1:A:323:ARG:HG3	2.20	0.41
1:A:577:ARG:HH11	1:A:610:PRO:HD3	1.86	0.41
1:A:904:LYS:H	1:A:904:LYS:HG3	1.64	0.41
1:A:152:MET:HE1	1:A:178:ALA:HA	2.02	0.41
1:A:627:LEU:O	1:A:631:MET:HG3	2.21	0.41
3:H:202:ILE:HA	3:H:216:LYS:O	2.21	0.41
1:A:170:GLY:O	1:A:171:TYR:C	2.63	0.40
1:A:529:ALA:HB1	1:A:534:GLU:HB3	2.04	0.40
1:A:701:GLU:O	1:A:704:LEU:HB2	2.22	0.40
1:A:847:ASP:N	1:A:847:ASP:OD1	2.54	0.40
3:H:31:PHE:CD2	3:H:81:SER:HA	2.56	0.40
1:A:265:LEU:HD23	1:A:265:LEU:HA	1.77	0.40
3:H:208:LYS:HE2	3:H:208:LYS:H	1.86	0.40
1:A:71:ASP:HB2	1:A:905:ARG:NH1	2.37	0.40
1:A:440:VAL:O	1:A:451:HIS:HA	2.21	0.40
1:A:762:GLU:N	1:A:763:PRO:HD2	2.36	0.40
1:A:135:GLY:HA2	1:A:517:ALA:HB1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	867/932 (93%)	808 (93%)	52 (6%)	7 (1%)	16	27
2	L	213/236 (90%)	204 (96%)	9 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	H	207/249 (83%)	193 (93%)	12 (6%)	2 (1%)	12	20
All	All	1287/1417 (91%)	1205 (94%)	73 (6%)	9 (1%)	18	30

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	471	PRO
3	H	196	LEU
1	A	338	GLY
1	A	728	GLY
1	A	744	GLY
3	H	197	GLY
1	A	201	ALA
1	A	731	GLN
1	A	404	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	631/690 (91%)	585 (93%)	46 (7%)	13	22
2	L	189/208 (91%)	174 (92%)	15 (8%)	11	19
3	H	175/203 (86%)	163 (93%)	12 (7%)	14	24
All	All	995/1101 (90%)	922 (93%)	73 (7%)	13	22

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	43	ARG
1	A	52	GLU
1	A	71	ASP
1	A	171	TYR
1	A	202	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	206	LEU
1	A	350	SER
1	A	360	ARG
1	A	390	VAL
1	A	403	LEU
1	A	469	MET
1	A	475	VAL
1	A	481	SER
1	A	516	ARG
1	A	528	LEU
1	A	568	GLN
1	A	603	SER
1	A	611	ARG
1	A	613	ASP
1	A	616	SER
1	A	644	VAL
1	A	649	ILE
1	A	653	GLN
1	A	677	ARG
1	A	692	SER
1	A	694	ARG
1	A	697	ARG
1	A	699	ASP
1	A	700	VAL
1	A	702	LYS
1	A	703	LEU
1	A	706	ASP
1	A	707	ASP
1	A	715	VAL
1	A	719	ASN
1	A	741	GLU
1	A	746	ARG
1	A	752	VAL
1	A	776	THR
1	A	789	THR
1	A	839	SER
1	A	843	GLU
1	A	855	LEU
1	A	861	ASP
1	A	905	ARG
2	L	21	THR
2	L	23	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	64	SER
2	L	81	ASP
2	L	149	SER
2	L	151	THR
2	L	154	VAL
2	L	168	VAL
2	L	181	SER
2	L	198	SER
2	L	199	SER
2	L	205	LYS
2	L	213	VAL
2	L	219	THR
2	L	230	SER
3	H	27	SER
3	H	61	THR
3	H	73	THR
3	H	75	SER
3	H	79	SER
3	H	134	SER
3	H	185	LEU
3	H	193	SER
3	H	194	SER
3	H	196	LEU
3	H	199	GLN
3	H	200	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	176	ASN
1	A	275	GLN
1	A	379	GLN
1	A	809	HIS
1	A	814	HIS
1	A	902	GLN
2	L	59	GLN
2	L	159	ASN
2	L	174	ASN
2	L	221	GLN
3	H	41	GLN
3	H	171	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	877/932 (94%)	0.10	44 (5%) 34 26	32, 50, 85, 121	0
2	L	215/236 (91%)	0.03	9 (4%) 40 32	34, 52, 90, 103	0
3	H	211/249 (84%)	0.17	13 (6%) 26 20	36, 55, 83, 102	0
All	All	1303/1417 (91%)	0.10	66 (5%) 33 26	32, 51, 86, 121	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	707	ASP	7.7
3	H	134	SER	6.2
1	A	433	ASP	6.1
1	A	729	ASP	5.9
1	A	727	ALA	5.6
3	H	133	PRO	5.5
1	A	170	GLY	5.2
1	A	713(A)	LEU	4.8
1	A	743	VAL	4.7
1	A	732	ALA	4.5
1	A	169	ASP	4.3
3	H	198	THR	4.2
1	A	42	CYS	4.0
1	A	706	ASP	4.0
2	L	231	PHE	4.0
1	A	728	GLY	3.7
1	A	741	GLU	3.5
1	A	89	ARG	3.5
1	A	653	GLN	3.4
1	A	566	PRO	3.2
1	A	174	THR	3.2
1	A	730	ALA	3.2
1	A	74	TRP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	568	GLN	3.0
1	A	404	CYS	3.0
3	H	220	PRO	3.0
3	H	196	LEU	2.9
1	A	462	PRO	2.9
1	A	612	PRO	2.8
2	L	212	LYS	2.8
3	H	131	LEU	2.7
1	A	565	PHE	2.7
1	A	610	PRO	2.6
1	A	432	ALA	2.6
1	A	736	PHE	2.6
1	A	910	PRO	2.6
3	H	132	ALA	2.6
1	A	742	GLY	2.6
1	A	611	ARG	2.5
1	A	171	TYR	2.5
1	A	567	GLY	2.5
1	A	699	ASP	2.5
1	A	235	PRO	2.5
3	H	218	VAL	2.5
1	A	739	TYR	2.5
3	H	194	SER	2.4
3	H	197	GLY	2.4
1	A	258	ASP	2.4
2	L	173	ASP	2.4
2	L	214	TYR	2.3
1	A	461	GLU	2.3
2	L	24	PRO	2.3
3	H	10	GLY	2.3
1	A	864	ASP	2.2
2	L	198	SER	2.2
1	A	744	GLY	2.2
2	L	174	ASN	2.2
3	H	200	THR	2.1
2	L	176	LEU	2.1
1	A	613	ASP	2.1
2	L	213	VAL	2.1
1	A	573	GLU	2.1
1	A	705	ALA	2.1
1	A	241	PHE	2.1
1	A	173	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	H	190	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.