



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:48 PM UTC

PDB ID : 1EGU / pdb_00001egu
Title : CRYSTAL STRUCTURE OF STREPTOCOCCUS PNEUMONIAE
HYALURONATE LYASE AT 1.56 Å RESOLUTION
Authors : Li, S.; Kelly, S.J.; Lamani, E.; Ferraroni, M.; Jedrzejewski, M.J.
Deposited on : 2000-02-16
Resolution : 1.56 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	731	22% 75% 20% ..

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6454 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called HYALURONATE LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	721	5794	3643	971	1158	22	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	731	VAL	GLY	SEE REMARK 999	UNP Q54873
A	893	HIS	-	expression tag	UNP Q54873
A	894	HIS	-	expression tag	UNP Q54873
A	895	HIS	-	expression tag	UNP Q54873
A	896	HIS	-	expression tag	UNP Q54873
A	897	HIS	-	expression tag	UNP Q54873
A	898	HIS	-	expression tag	UNP Q54873

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	650	Total	O	0	0
			650	650		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: HYALURONATE LYASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.04Å 104.28Å 101.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.56 20.00 – 1.56	Depositor EDS
% Data completeness (in resolution range)	98.6 (20.00-1.56) 98.0 (20.00-1.56)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.85 (at 1.56Å)	Xtriage
Refinement program	XTALVIEW, X-PLOR 3.843	Depositor
R, R_{free}	0.200 , 0.236 0.218 , 0.245	Depositor DCC
R_{free} test set	1232 reflections (0.99%)	wwPDB-VP
Wilson B-factor (Å ²)	15.3	Xtriage
Anisotropy	0.584	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 49.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.011 for -h,l,k	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6454	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/5913	0.85	10/7984 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	ALA	N-CA-C	-9.92	96.89	110.68
1	A	518	LYS	N-CA-C	8.04	121.88	112.72
1	A	219	GLN	N-CA-C	6.91	120.25	110.50
1	A	657	PHE	N-CA-C	6.76	120.88	110.20
1	A	233	LYS	N-CA-C	-6.54	104.33	112.90
1	A	800	ASN	N-CA-C	6.36	120.19	111.54
1	A	218	SER	N-CA-C	-6.09	101.26	110.70
1	A	660	TRP	N-CA-C	5.96	119.38	111.75
1	A	174	TYR	N-CA-C	-5.47	105.39	111.36
1	A	836	GLY	N-CA-C	-5.01	101.30	113.18

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5794	0	5605	122	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	10	0	0	0	0
3	A	650	0	0	19	0
All	All	6454	0	5605	122	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:456:MET:SD	3:A:1424:HOH:O	2.15	1.02
1:A:458:MET:SD	3:A:1423:HOH:O	2.18	1.02
1:A:267:ARG:HD2	3:A:1267:HOH:O	1.67	0.94
1:A:456:MET:HE3	1:A:597:TYR:HE2	1.32	0.92
1:A:219:GLN:HB3	1:A:222:ARG:HB3	1.53	0.91
1:A:613:ASN:H	1:A:698:GLN:HE22	1.13	0.91
1:A:456:MET:HE1	1:A:565:GLY:HA3	1.52	0.90
1:A:581:LYS:HB3	1:A:768:GLU:HB2	1.55	0.87
1:A:864:GLU:HB2	1:A:869:LYS:NZ	1.91	0.85
1:A:219:GLN:CB	1:A:222:ARG:HB3	2.10	0.82
1:A:458:MET:HE2	1:A:567:SER:HB2	1.64	0.80
1:A:456:MET:HE3	1:A:597:TYR:CE2	2.16	0.79
1:A:222:ARG:HG3	1:A:223:ILE:N	1.96	0.78
1:A:864:GLU:HB2	1:A:869:LYS:HZ1	1.49	0.75
1:A:491:GLY:O	1:A:495:GLN:HG3	1.87	0.75
1:A:845:SER:HB2	1:A:853:VAL:HG23	1.67	0.75
1:A:391:TYR:CD2	1:A:549:LYS:HG3	2.27	0.69
1:A:217:SER:HB2	1:A:219:GLN:HG2	1.73	0.68
1:A:855:LYS:HD3	1:A:886:VAL:HG12	1.79	0.65
1:A:219:GLN:HB2	1:A:222:ARG:H	1.61	0.64
1:A:217:SER:HB3	1:A:222:ARG:HE	1.62	0.63
1:A:862:ARG:HD3	1:A:864:GLU:OE1	1.99	0.63
1:A:222:ARG:HG3	1:A:224:TYR:H	1.62	0.63
1:A:373:THR:O	1:A:377:ILE:HG12	1.99	0.62
1:A:217:SER:O	1:A:219:GLN:HG3	2.01	0.61
1:A:327:LYS:HE2	3:A:1331:HOH:O	2.01	0.61
1:A:660:TRP:HA	3:A:1108:HOH:O	2.02	0.60
1:A:446:PHE:HD1	3:A:1468:HOH:O	1.85	0.59
1:A:229:PHE:HE2	1:A:244:LYS:HE3	1.66	0.59
1:A:291:TRP:O	1:A:295:GLU:HG3	2.03	0.59
1:A:650:ASN:HD21	1:A:832:GLN:HE22	1.50	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:422:VAL:HA	3:A:1224:HOH:O	2.02	0.58
1:A:705:ASN:HB3	3:A:1173:HOH:O	2.03	0.58
1:A:222:ARG:HG2	1:A:224:TYR:O	2.03	0.58
1:A:217:SER:CB	1:A:222:ARG:HE	2.16	0.57
1:A:254:ASN:C	1:A:254:ASN:HD22	2.12	0.57
1:A:283:SER:O	1:A:327:LYS:HE3	2.04	0.57
1:A:355:ARG:HH11	1:A:418:GLN:NE2	2.03	0.56
1:A:456:MET:HE1	1:A:565:GLY:CA	2.31	0.56
1:A:864:GLU:HB2	1:A:869:LYS:HZ3	1.66	0.56
1:A:874:ASN:C	1:A:874:ASN:HD22	2.14	0.56
1:A:426:THR:O	1:A:429:PRO:HD3	2.06	0.56
1:A:610:PRO:HG3	1:A:763:TRP:CE2	2.42	0.55
1:A:495:GLN:HG2	3:A:1452:HOH:O	2.07	0.55
1:A:579:MET:HG3	3:A:1317:HOH:O	2.08	0.54
1:A:549:LYS:CE	3:A:1136:HOH:O	2.57	0.53
1:A:820:ASN:HD22	1:A:825:GLN:HG2	1.73	0.53
1:A:316:GLU:H	1:A:316:GLU:CD	2.16	0.52
1:A:314:SER:HB2	3:A:1278:HOH:O	2.09	0.52
1:A:282:ASN:HD22	1:A:284:GLU:N	2.07	0.52
1:A:607:GLY:C	1:A:610:PRO:HD2	2.34	0.51
1:A:219:GLN:HB2	1:A:222:ARG:N	2.24	0.51
1:A:888:LYS:O	1:A:889:LYS:HB2	2.09	0.51
1:A:584:LYS:HE3	1:A:629:ASP:HB3	1.93	0.50
1:A:579:MET:HG2	3:A:1316:HOH:O	2.12	0.49
1:A:584:LYS:HE2	3:A:1505:HOH:O	2.13	0.49
1:A:219:GLN:NE2	1:A:222:ARG:H	2.10	0.49
1:A:458:MET:HE1	1:A:565:GLY:C	2.37	0.49
1:A:282:ASN:HD22	1:A:284:GLU:H	1.59	0.49
1:A:521:LYS:HE3	1:A:525:LEU:HG	1.94	0.49
1:A:681:GLY:O	1:A:792:SER:HB2	2.12	0.49
1:A:173:THR:O	1:A:176:ASP:HB2	2.12	0.49
1:A:235:SER:HB2	1:A:293:ASP:HB2	1.94	0.49
1:A:273:MET:O	1:A:277:HIS:HB3	2.13	0.48
1:A:727:GLU:OE2	1:A:749:LYS:HD2	2.13	0.48
1:A:868:TYR:H	1:A:893:HIS:CD2	2.32	0.48
1:A:222:ARG:HG3	1:A:224:TYR:N	2.28	0.47
1:A:233:LYS:HB2	1:A:233:LYS:NZ	2.29	0.47
1:A:404:TYR:CE1	1:A:461:GLY:HA3	2.49	0.47
1:A:848:SER:O	1:A:850:GLN:HG3	2.14	0.47
1:A:314:SER:HB3	1:A:317:GLU:OE1	2.15	0.47
1:A:882:PRO:HB2	1:A:884:GLN:NE2	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:GLY:O	1:A:358:VAL:HB	2.15	0.46
1:A:219:GLN:C	1:A:221:ASP:H	2.24	0.46
1:A:621:THR:C	1:A:622:GLU:HG2	2.40	0.46
1:A:836:GLY:C	1:A:837:ILE:HG13	2.40	0.45
1:A:640:PHE:CD1	1:A:875:PRO:HG2	2.52	0.45
1:A:708:LYS:HE3	1:A:710:TYR:OH	2.17	0.45
1:A:633:GLY:C	1:A:634:LYS:HG2	2.40	0.45
1:A:213:LEU:HD11	1:A:265:VAL:HG22	1.98	0.45
1:A:661:ASN:C	1:A:661:ASN:HD22	2.25	0.45
1:A:868:TYR:O	1:A:893:HIS:HB3	2.17	0.45
1:A:219:GLN:HG3	1:A:219:GLN:H	1.41	0.45
1:A:314:SER:CB	3:A:1278:HOH:O	2.64	0.45
1:A:196:ASP:HB2	3:A:1445:HOH:O	2.17	0.44
1:A:254:ASN:ND2	1:A:256:SER:H	2.16	0.44
1:A:663:THR:HB	1:A:688:SER:HB3	1.99	0.44
1:A:295:GLU:HB3	1:A:329:VAL:HG22	1.99	0.44
1:A:284:GLU:N	1:A:284:GLU:CD	2.75	0.44
1:A:447:ALA:HB3	1:A:448:PRO:HD3	1.99	0.44
1:A:623:THR:HA	1:A:691:THR:O	2.18	0.44
1:A:222:ARG:CG	1:A:223:ILE:N	2.75	0.44
1:A:255:PRO:HA	1:A:260:TYR:CG	2.53	0.44
1:A:269:VAL:O	1:A:273:MET:HG2	2.18	0.43
1:A:357:LYS:HB3	1:A:357:LYS:HE3	1.84	0.43
1:A:529:LEU:HD21	1:A:535:VAL:HG11	2.00	0.43
1:A:217:SER:C	1:A:219:GLN:H	2.25	0.43
1:A:222:ARG:NH1	1:A:224:TYR:CZ	2.86	0.43
1:A:335:PHE:CZ	1:A:353:MET:HE2	2.54	0.43
1:A:217:SER:HB2	1:A:219:GLN:CG	2.43	0.43
1:A:623:THR:HB	1:A:690:ASP:HB2	2.01	0.42
1:A:219:GLN:C	1:A:221:ASP:N	2.77	0.42
1:A:223:ILE:N	1:A:223:ILE:HD13	2.35	0.42
1:A:867:GLU:HA	1:A:893:HIS:NE2	2.34	0.42
1:A:456:MET:HE2	3:A:1422:HOH:O	2.19	0.42
1:A:647:ASP:OD2	1:A:862:ARG:NH1	2.53	0.42
1:A:661:ASN:HD22	1:A:661:ASN:H	1.68	0.42
1:A:674:LYS:HE3	3:A:1021:HOH:O	2.20	0.42
1:A:213:LEU:O	1:A:216:ILE:HG22	2.20	0.42
1:A:254:ASN:C	1:A:254:ASN:ND2	2.74	0.41
1:A:476:VAL:HG11	1:A:516:ASN:HB3	2.02	0.41
1:A:420:LEU:HD13	1:A:435:MET:CE	2.50	0.41
1:A:667:HIS:HD2	3:A:1052:HOH:O	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:738:SER:O	1:A:800:ASN:HA	2.20	0.41
1:A:580:ASN:O	1:A:581:LYS:HB2	2.20	0.41
1:A:745:PHE:HB2	1:A:810:ILE:HG22	2.03	0.41
1:A:215:SER:HG	1:A:226:TRP:CD1	2.39	0.41
1:A:374:ILE:O	1:A:378:GLU:HG3	2.21	0.41
1:A:549:LYS:HD3	1:A:549:LYS:HA	1.62	0.40
1:A:888:LYS:O	1:A:889:LYS:CB	2.70	0.40
1:A:760:LYS:HE2	1:A:774:GLU:OE2	2.22	0.40
1:A:664:LEU:HA	1:A:685:GLN:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:316:GLU:OE2	1:A:867:GLU:OE1[3_555]	1.96	0.24

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	717/731 (98%)	685 (96%)	30 (4%)	2 (0%)	36 18

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	176	ASP
1	A	231	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	640/649 (99%)	589 (92%)	51 (8%)	11 1

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	171	LYS
1	A	173	THR
1	A	196	ASP
1	A	214	SER
1	A	219	GLN
1	A	222	ARG
1	A	223	ILE
1	A	228	LYS
1	A	233	LYS
1	A	238	LEU
1	A	254	ASN
1	A	263	GLU
1	A	270	ARG
1	A	278	LYS
1	A	279	HIS
1	A	282	ASN
1	A	314	SER
1	A	319	LYS
1	A	333	GLU
1	A	337	LYS
1	A	375	ARG
1	A	380	VAL
1	A	385	ASP
1	A	404	TYR
1	A	425	LYS
1	A	427	LYS
1	A	432	LYS
1	A	433	ASP
1	A	434	LYS
1	A	444	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	495	GLN
1	A	496	ARG
1	A	529	LEU
1	A	549	LYS
1	A	579	MET
1	A	581	LYS
1	A	626	LYS
1	A	661	ASN
1	A	708	LYS
1	A	715	GLU
1	A	717	SER
1	A	748	LYS
1	A	756	LYS
1	A	773	LYS
1	A	854	LEU
1	A	864	GLU
1	A	867	GLU
1	A	869	LYS
1	A	874	ASN
1	A	888	LYS
1	A	889	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	197	GLN
1	A	202	ASN
1	A	219	GLN
1	A	237	ASN
1	A	254	ASN
1	A	261	GLN
1	A	282	ASN
1	A	341	ASN
1	A	368	GLN
1	A	386	GLN
1	A	418	GLN
1	A	440	HIS
1	A	495	GLN
1	A	661	ASN
1	A	667	HIS
1	A	683	ASN
1	A	698	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	759	GLN
1	A	788	GLN
1	A	808	GLN
1	A	820	ASN
1	A	825	GLN
1	A	832	GLN
1	A	874	ASN
1	A	893	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	2003	-	4,4,4	1.14	0	6,6,6	0.31	0
2	SO4	A	2002	-	4,4,4	1.16	0	6,6,6	0.26	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	721/731 (98%)	1.20	164 (22%) 2 2	14, 23, 45, 76	0

All (164) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	175	THR	10.5
1	A	220	ALA	9.5
1	A	223	ILE	7.1
1	A	219	GLN	6.8
1	A	221	ASP	6.8
1	A	893	HIS	6.7
1	A	218	SER	5.9
1	A	867	GLU	5.8
1	A	174	TYR	5.7
1	A	324	VAL	5.6
1	A	222	ARG	5.3
1	A	889	LYS	5.3
1	A	216	ILE	5.2
1	A	280	VAL	4.9
1	A	341	ASN	4.8
1	A	232	TYR	4.7
1	A	288	VAL	4.6
1	A	281	TYR	4.4
1	A	217	SER	4.4
1	A	316	GLU	4.3
1	A	224	TYR	4.3
1	A	279	HIS	4.3
1	A	323	ASP	4.3
1	A	342	PRO	4.2
1	A	213	LEU	4.2
1	A	264	THR	4.2
1	A	275	TRP	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	242	TYR	4.1
1	A	321	TYR	4.1
1	A	269	VAL	4.0
1	A	372	SER	4.0
1	A	292	TRP	3.9
1	A	322	THR	3.9
1	A	360	ALA	3.9
1	A	579	MET	3.9
1	A	375	ARG	3.8
1	A	302	ILE	3.8
1	A	236	ALA	3.7
1	A	229	PHE	3.7
1	A	325	ILE	3.7
1	A	892	GLN	3.7
1	A	433	ASP	3.7
1	A	233	LYS	3.7
1	A	385	ASP	3.7
1	A	171	LYS	3.6
1	A	196	ASP	3.6
1	A	176	ASP	3.6
1	A	231	ASN	3.6
1	A	340	ASP	3.5
1	A	338	THR	3.5
1	A	492	GLU	3.5
1	A	335	PHE	3.5
1	A	356	VAL	3.5
1	A	274	GLU	3.4
1	A	428	ASN	3.4
1	A	173	THR	3.4
1	A	810	ILE	3.4
1	A	328	PHE	3.4
1	A	294	TYR	3.4
1	A	306	LEU	3.4
1	A	366	ASP	3.4
1	A	265	VAL	3.3
1	A	227	GLU	3.3
1	A	225	LEU	3.3
1	A	214	SER	3.2
1	A	272	SER	3.2
1	A	278	LYS	3.2
1	A	226	TRP	3.2
1	A	211	ASP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	234	THR	3.1
1	A	263	GLU	3.1
1	A	491	GLY	3.1
1	A	289	GLY	3.1
1	A	865	GLY	3.1
1	A	271	ASP	3.0
1	A	245	LEU	3.0
1	A	291	TRP	3.0
1	A	230	SER	3.0
1	A	314	SER	3.0
1	A	240	ALA	2.9
1	A	318	ILE	2.9
1	A	348	GLY	2.9
1	A	358	VAL	2.9
1	A	368	GLN	2.9
1	A	377	ILE	2.9
1	A	866	ASP	2.9
1	A	334	HIS	2.9
1	A	319	LYS	2.9
1	A	354	GLY	2.9
1	A	345	ALA	2.8
1	A	349	ASN	2.8
1	A	343	PHE	2.8
1	A	276	MET	2.8
1	A	277	HIS	2.8
1	A	362	LEU	2.7
1	A	297	GLY	2.7
1	A	315	ASP	2.7
1	A	238	LEU	2.7
1	A	252	VAL	2.7
1	A	266	VAL	2.7
1	A	581	LYS	2.7
1	A	215	SER	2.7
1	A	270	ARG	2.7
1	A	493	THR	2.6
1	A	282	ASN	2.6
1	A	705	ASN	2.6
1	A	495	GLN	2.6
1	A	210	ALA	2.6
1	A	267	ARG	2.6
1	A	286	SER	2.6
1	A	339	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	344	LYS	2.6
1	A	716	ALA	2.5
1	A	284	GLU	2.5
1	A	290	ASN	2.5
1	A	370	ILE	2.5
1	A	853	VAL	2.5
1	A	430	ILE	2.5
1	A	312	TYR	2.5
1	A	299	PRO	2.5
1	A	313	PHE	2.5
1	A	365	LYS	2.5
1	A	434	LYS	2.5
1	A	268	THR	2.5
1	A	772	ASP	2.5
1	A	371	SER	2.4
1	A	626	LYS	2.4
1	A	178	LEU	2.4
1	A	367	ASP	2.4
1	A	844	VAL	2.4
1	A	301	ALA	2.4
1	A	436	GLN	2.4
1	A	854	LEU	2.4
1	A	260	TYR	2.4
1	A	427	LYS	2.4
1	A	361	GLY	2.4
1	A	721	GLN	2.3
1	A	704	SER	2.3
1	A	336	ARG	2.3
1	A	437	THR	2.2
1	A	760	LYS	2.2
1	A	327	LYS	2.2
1	A	320	LYS	2.2
1	A	425	LYS	2.2
1	A	172	ASP	2.2
1	A	228	LYS	2.2
1	A	296	ILE	2.1
1	A	868	TYR	2.1
1	A	864	GLU	2.1
1	A	883	ASP	2.1
1	A	432	LYS	2.1
1	A	748	LYS	2.1
1	A	517	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	689	THR	2.1
1	A	326	GLU	2.1
1	A	718	LEU	2.1
1	A	714	LYS	2.1
1	A	717	SER	2.1
1	A	426	THR	2.0
1	A	212	SER	2.0
1	A	888	LYS	2.0
1	A	241	THR	2.0
1	A	666	ALA	2.0
1	A	363	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	2003	5/5	0.89	0.13	40,40,40,40	0
2	SO4	A	2002	5/5	0.91	0.11	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.