



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:36 AM UTC

PDB ID : 1EGZ / pdb_00001egz
Title : CELLULASE CEL5 FROM ERWINIA CHRYSANTHEMI, A FAMILY GH
5-2 ENZYME
Authors : Czjzek, M.; El Hassouni, M.; Py, B.; Barras, F.
Deposited on : 1999-03-18
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	291	73% 21% 5%
1	B	291	75% 22%
1	C	291	% 76% 22%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENDOGLUCANASE Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	291	Total	C	N	O	S	0	0	0
			2270	1426	397	443	4			
1	B	291	Total	C	N	O	S	0	0	0
			2266	1424	397	441	4			
1	C	291	Total	C	N	O	S	0	0	0
			2270	1426	397	443	4			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		
2	B	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	119	Total	O	0	0
			119	119		
3	B	115	Total	O	0	0
			115	115		
3	C	99	Total	O	0	0
			99	99		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ENDOGLUCANASE Z



• Molecule 1: ENDOGLUCANASE Z



• Molecule 1: ENDOGLUCANASE Z



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	168.80Å 47.20Å 120.10Å 90.00° 105.00° 90.00°	Depositor
Resolution (Å)	29.00 – 2.30 29.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	81.5 (29.00-2.30) 82.3 (29.00-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.31Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.179 , 0.263 0.184 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	22.9	Xtriage
Anisotropy	0.427	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 67.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7142	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.80	4/2324 (0.2%)	1.13	23/3156 (0.7%)
1	B	0.82	4/2320 (0.2%)	1.04	13/3150 (0.4%)
1	C	0.85	7/2324 (0.3%)	1.07	18/3156 (0.6%)
All	All	0.83	15/6968 (0.2%)	1.08	54/9462 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	254	TRP	C-N	23.60	1.66	1.33
1	C	255	ALA	C-N	22.48	1.65	1.33
1	A	254	TRP	C-N	20.43	1.61	1.33
1	A	255	ALA	C-N	18.03	1.59	1.33
1	C	254	TRP	C-N	16.45	1.56	1.33
1	B	255	ALA	CA-C	13.91	1.82	1.52
1	C	253	ASN	C-N	13.86	1.53	1.33
1	B	255	ALA	N-CA	-10.77	1.25	1.46
1	C	254	TRP	CA-CB	-10.14	1.38	1.53
1	A	255	ALA	N-CA	-8.46	1.30	1.46
1	C	254	TRP	N-CA	6.87	1.54	1.46
1	C	255	ALA	N-CA	-6.30	1.34	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	254	TRP	NE1-CE2	-5.55	1.31	1.37
1	C	254	TRP	CA-C	5.38	1.60	1.52
1	B	254	TRP	NE1-CE2	-5.30	1.31	1.37

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	256	LEU	N-CA-CB	-17.44	85.70	110.46
1	A	254	TRP	O-C-N	-15.18	105.91	123.22
1	B	254	TRP	O-C-N	-11.75	109.83	123.22
1	C	254	TRP	O-C-N	-11.57	108.39	122.96
1	C	256	LEU	N-CA-CB	-10.57	95.45	110.46
1	C	255	ALA	CB-CA-C	-8.65	97.52	110.50
1	B	255	ALA	N-CA-C	-8.30	87.76	111.00
1	C	255	ALA	N-CA-CB	-8.20	98.10	110.40
1	C	126	VAL	N-CA-C	7.66	119.46	109.58
1	C	255	ALA	CA-C-O	7.53	133.61	120.80
1	C	255	ALA	CA-C-N	-7.29	109.49	122.32
1	C	255	ALA	C-N-CA	-7.29	109.49	122.32
1	A	255	ALA	CA-C-N	-7.08	109.87	122.32
1	A	255	ALA	C-N-CA	-7.08	109.87	122.32
1	A	253	ASN	CA-C-N	-6.88	113.62	122.77
1	A	253	ASN	C-N-CA	-6.88	113.62	122.77
1	B	126	VAL	N-CA-C	6.57	117.52	109.30
1	C	62	VAL	N-CA-C	6.52	117.61	111.48
1	A	287	TRP	CA-C-N	6.30	126.78	119.47
1	A	287	TRP	C-N-CA	6.30	126.78	119.47
1	B	140	SER	N-CA-C	6.25	118.17	111.36
1	A	158	ASP	CA-C-N	6.23	126.77	120.04
1	A	158	ASP	C-N-CA	6.23	126.77	120.04
1	B	190	THR	N-CA-C	6.22	119.48	110.28
1	A	130	ILE	N-CA-C	6.08	121.33	113.07
1	B	200	GLU	N-CA-C	6.05	118.65	111.33
1	A	126	VAL	N-CA-C	6.04	117.43	109.21
1	A	96	GLY	N-CA-C	5.97	119.84	110.71
1	A	255	ALA	N-CA-CB	-5.95	101.47	110.40
1	C	287	TRP	CA-C-N	5.88	125.35	119.24
1	C	287	TRP	C-N-CA	5.88	125.35	119.24
1	C	141	ASN	N-CA-C	5.87	120.51	113.23
1	C	130	ILE	N-CA-C	5.64	120.75	113.07
1	B	160	ASP	N-CA-C	5.58	120.96	114.04
1	C	255	ALA	N-CA-C	-5.50	95.59	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	267	TYR	N-CA-C	-5.44	102.78	110.29
1	B	130	ILE	N-CA-C	5.42	120.50	113.07
1	A	254	TRP	CB-CA-C	-5.42	101.42	110.19
1	B	255	ALA	CB-CA-C	-5.37	102.44	110.50
1	A	271	LYS	N-CA-C	-5.26	106.17	112.59
1	B	255	ALA	CA-C-O	5.26	129.75	120.80
1	B	255	ALA	O-C-N	5.26	131.42	123.00
1	C	255	ALA	O-C-N	5.18	131.29	123.00
1	C	140	SER	N-CA-C	5.17	117.81	111.82
1	A	10	ASN	N-CA-C	5.11	119.56	113.23
1	A	284	ILE	N-CA-C	5.10	115.82	110.62
1	C	49	LYS	N-CA-C	5.09	117.62	111.40
1	B	235	THR	N-CA-C	5.09	116.51	111.07
1	A	11	LYS	N-CA-C	5.08	117.12	109.41
1	A	190	THR	N-CA-C	5.06	118.46	109.96
1	A	63	GLN	N-CA-C	5.04	119.58	113.38
1	A	186	ASN	N-CA-C	5.03	118.19	111.24
1	C	234	GLN	N-CA-C	5.01	117.13	111.02
1	A	273	LEU	N-CA-C	5.00	117.55	110.10

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	256	LEU	Mainchain
1	B	256	LEU	Mainchain
1	C	256	LEU	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2270	0	2178	42	0
1	B	2266	0	2175	48	0
1	C	2270	0	2178	35	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1	0	0	0	0
3	A	119	0	0	4	0
3	B	115	0	0	4	0
3	C	99	0	0	2	0
All	All	7142	0	6531	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:255:ALA:CA	1:B:255:ALA:C	1.82	1.52
1:B:255:ALA:C	1:B:255:ALA:N	2.17	1.03
1:A:164:ILE:HG22	1:A:190:THR:HG22	1.45	0.98
1:B:255:ALA:CA	1:B:256:LEU:N	2.38	0.87
1:B:224:VAL:HG12	1:B:225:ASN:H	1.41	0.85
1:C:48:LYS:HB2	1:C:91:MET:HE2	1.59	0.84
1:B:120:TYR:HB3	1:B:126:VAL:HG21	1.66	0.75
1:B:255:ALA:C	1:B:255:ALA:CB	2.60	0.75
1:B:255:ALA:C	1:B:255:ALA:H	1.94	0.74
1:C:8:ASN:HB3	1:C:13:TYR:CE1	2.22	0.74
1:C:220:GLU:HG3	1:C:254:TRP:HB2	1.72	0.72
1:A:120:TYR:HB3	1:A:126:VAL:HG21	1.70	0.71
1:C:224:VAL:HG22	1:C:225:ASN:H	1.56	0.71
1:B:224:VAL:HG12	1:B:225:ASN:N	2.07	0.69
1:B:229:ASN:HB3	1:B:262:GLY:H	1.57	0.69
1:A:122:ASN:HB2	3:A:1346:HOH:O	1.95	0.66
1:C:48:LYS:HB2	1:C:91:MET:CE	2.28	0.64
1:A:164:ILE:CG2	1:A:190:THR:HG22	2.26	0.63
1:B:65:SER:HA	1:B:70:GLN:NE2	2.14	0.63
1:C:202:LEU:HB3	1:C:240:TRP:HH2	1.64	0.62
1:C:224:VAL:HG22	1:C:225:ASN:N	2.14	0.61
1:B:10:ASN:ND2	1:B:11:LYS:HG2	2.15	0.60
1:A:224:VAL:HG13	1:A:229:ASN:O	2.01	0.60
1:B:181:PRO:HB3	1:B:214:ILE:HD11	1.83	0.60
1:A:8:ASN:HB3	1:A:13:TYR:CE1	2.37	0.59
1:B:218:VAL:O	1:B:251:ASN:HA	2.02	0.59
1:B:224:VAL:HG11	1:B:229:ASN:HA	1.85	0.58
1:B:186:ASN:N	3:B:2348:HOH:O	2.38	0.56
1:B:43:THR:O	1:B:47:LEU:HG	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:LYS:NZ	1:A:11:LYS:HB3	2.21	0.56
1:B:44:VAL:HG13	1:B:91:MET:HE1	1.88	0.56
1:C:101:SER:HB2	1:C:104:ASN:ND2	2.21	0.55
1:A:1:SER:HB2	1:A:90:ASP:OD1	2.07	0.55
1:A:224:VAL:HG13	1:A:225:ASN:N	2.22	0.55
1:C:245:ARG:HD2	3:C:3372:HOH:O	2.06	0.55
1:B:29:SER:OG	1:B:60:MET:HA	2.07	0.54
1:A:218:VAL:O	1:A:251:ASN:HA	2.08	0.53
1:B:233:ASN:ND2	1:B:236:GLU:H	2.07	0.53
1:A:190:THR:HG21	3:A:1349:HOH:O	2.07	0.53
1:B:233:ASN:C	1:B:233:ASN:HD22	2.17	0.53
1:B:10:ASN:HD22	1:B:11:LYS:HG2	1.74	0.53
1:C:158:ASP:OD2	1:C:161:ASN:HB2	2.09	0.53
1:B:137:VAL:HG13	1:B:142:THR:HB	1.91	0.52
1:C:122:ASN:HD21	1:C:123:LYS:NZ	2.07	0.52
1:C:232:VAL:HG21	1:C:275:GLU:HG3	1.91	0.52
1:A:189:TYR:CE1	1:A:214:ILE:HG13	2.45	0.52
1:C:189:TYR:CE1	1:C:214:ILE:HG13	2.45	0.51
1:A:51:TRP:O	1:A:52:LYS:HB2	2.10	0.51
1:C:13:TYR:HA	1:C:18:ALA:HA	1.92	0.51
1:B:106:ARG:NH2	3:B:2333:HOH:O	2.44	0.51
1:C:122:ASN:HD21	1:C:123:LYS:HZ3	1.57	0.51
1:A:12:ILE:HD12	3:A:1308:HOH:O	2.11	0.50
1:A:54:SER:HB3	1:A:291:ALA:HB2	1.93	0.50
1:A:144:LYS:HB3	1:A:145:PRO:HD3	1.93	0.50
1:A:233:ASN:C	1:A:233:ASN:HD22	2.19	0.50
1:A:14:ALA:HB3	1:A:19:LYS:HD2	1.94	0.50
1:A:158:ASP:OD2	1:A:161:ASN:HB2	2.11	0.50
1:B:110:ILE:O	1:B:114:GLN:HG3	2.11	0.50
1:A:137:VAL:HG13	1:A:142:THR:HB	1.94	0.49
1:B:10:ASN:HD22	1:B:10:ASN:C	2.20	0.49
1:A:87:ILE:HD13	1:A:123:LYS:HG2	1.95	0.49
1:C:48:LYS:O	1:C:52:LYS:HA	2.13	0.49
1:B:65:SER:HA	1:B:70:GLN:HE22	1.77	0.48
1:B:25:SER:OG	1:B:57:ARG:HD3	2.13	0.48
1:C:202:LEU:HB3	1:C:240:TRP:CH2	2.48	0.48
1:A:8:ASN:HB3	1:A:13:TYR:HE1	1.77	0.47
1:C:233:ASN:HD22	1:C:233:ASN:C	2.22	0.47
1:B:224:VAL:CG1	1:B:225:ASN:H	2.19	0.47
1:C:122:ASN:ND2	1:C:123:LYS:NZ	2.63	0.47
1:C:175:ASP:OD1	1:C:205:LYS:HE2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:HIS:HA	1:A:132:ASN:HB2	1.96	0.47
1:B:33:TRP:N	1:B:33:TRP:CD1	2.82	0.46
1:A:241:VAL:HG21	1:A:283:ILE:HD13	1.98	0.46
1:C:180:ASP:N	1:C:181:PRO:HD3	2.31	0.46
1:A:224:VAL:HG22	1:A:230:GLY:O	2.16	0.46
1:B:37:LYS:HB3	1:B:37:LYS:HE2	1.66	0.46
1:A:25:SER:HA	1:A:57:ARG:HB3	1.98	0.45
1:A:220:GLU:HG3	1:A:254:TRP:HB2	1.98	0.45
1:B:23:GLY:HA3	1:B:55:ILE:HB	1.97	0.45
1:B:29:SER:O	1:B:78:LYS:NZ	2.50	0.45
1:C:275:GLU:HG2	3:C:3389:HOH:O	2.17	0.45
1:B:68:TYR:CD1	1:B:72:PRO:HA	2.52	0.45
1:B:287:TRP:O	1:B:290:LYS:NZ	2.50	0.45
1:A:133:GLU:OE1	1:A:170:TRP:HE3	2.00	0.44
1:A:165:VAL:O	1:A:190:THR:HG23	2.18	0.44
1:A:170:TRP:CD1	3:A:1362:HOH:O	2.70	0.44
1:B:245:ARG:HH11	1:B:245:ARG:HG2	1.82	0.44
1:A:221:TRP:CZ3	1:A:223:THR:HG22	2.53	0.44
1:A:166:GLY:HA2	1:A:190:THR:HG23	1.99	0.44
1:B:144:LYS:HB3	1:B:145:PRO:HD3	2.00	0.43
1:C:1:SER:O	1:C:2:VAL:HB	2.18	0.43
1:A:23:GLY:HA3	1:A:55:ILE:HB	2.00	0.43
1:B:237:THR:O	1:B:241:VAL:HG23	2.18	0.43
1:A:185:LYS:HG3	1:A:186:ASN:N	2.33	0.43
1:B:224:VAL:HG11	1:B:229:ASN:CA	2.49	0.43
1:C:134:PRO:HD2	1:C:167:THR:O	2.18	0.43
1:A:224:VAL:HG13	1:A:225:ASN:H	1.83	0.43
1:B:79:VAL:O	1:B:83:VAL:HG23	2.18	0.43
1:A:224:VAL:CG1	1:A:225:ASN:N	2.81	0.43
1:B:103:GLU:H	1:B:103:GLU:HG3	1.41	0.43
1:C:218:VAL:HG23	1:C:249:ILE:HG21	2.01	0.43
1:A:233:ASN:ND2	1:A:236:GLU:H	2.17	0.42
1:B:193:PHE:O	1:B:221:TRP:HA	2.19	0.42
1:C:237:THR:O	1:C:241:VAL:HG23	2.19	0.42
1:C:144:LYS:HB3	1:C:145:PRO:HD3	2.01	0.42
1:A:46:SER:O	1:A:50:ASP:HB2	2.19	0.42
1:B:74:GLY:O	1:B:78:LYS:HG3	2.20	0.42
1:B:259:LYS:HD3	1:B:261:GLU:CD	2.44	0.42
1:C:60:MET:HE3	1:C:68:TYR:HB2	2.02	0.42
1:C:27:PHE:HB3	1:C:35:GLY:HA3	2.02	0.42
1:B:44:VAL:HG13	1:B:91:MET:CE	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:THR:O	1:A:171:SER:HA	2.19	0.42
1:B:2:VAL:HG13	1:B:92:TYR:CE1	2.55	0.42
1:B:231:GLY:HA2	3:B:2366:HOH:O	2.19	0.42
1:C:25:SER:O	1:C:255:ALA:HA	2.20	0.42
1:A:287:TRP:HA	1:A:288:PRO:HD3	1.83	0.41
1:B:255:ALA:CA	1:B:256:LEU:H	2.28	0.41
1:C:178:SER:HB2	1:C:212:ASN:HB2	2.02	0.41
1:C:142:THR:C	1:C:145:PRO:HD2	2.46	0.40
1:C:224:VAL:CG2	1:C:225:ASN:N	2.83	0.40
1:A:27:PHE:HB3	1:A:35:GLY:HA3	2.02	0.40
1:B:185:LYS:C	3:B:2348:HOH:O	2.64	0.40
1:C:110:ILE:O	1:C:114:GLN:HG3	2.20	0.40
1:C:201:SER:O	1:C:205:LYS:HG3	2.22	0.40
1:A:193:PHE:O	1:A:221:TRP:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/291 (99%)	270 (93%)	18 (6%)	1 (0%)	36	46
1	B	289/291 (99%)	270 (93%)	17 (6%)	2 (1%)	18	23
1	C	289/291 (99%)	268 (93%)	16 (6%)	5 (2%)	7	7
All	All	867/873 (99%)	808 (93%)	51 (6%)	8 (1%)	14	17

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	185	LYS
1	C	30	ASN
1	A	132	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	132	ASN
1	B	35	GLY
1	C	2	VAL
1	C	185	LYS
1	C	195	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	236/236 (100%)	218 (92%)	18 (8%)	12	16
1	B	235/236 (100%)	223 (95%)	12 (5%)	21	32
1	C	236/236 (100%)	226 (96%)	10 (4%)	26	40
All	All	707/708 (100%)	667 (94%)	40 (6%)	18	27

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	VAL
1	A	11	LYS
1	A	26	LEU
1	A	50	ASP
1	A	63	GLN
1	A	101	SER
1	A	123	LYS
1	A	137	VAL
1	A	185	LYS
1	A	190	THR
1	A	201	SER
1	A	202	LEU
1	A	210	LEU
1	A	214	ILE
1	A	224	VAL
1	A	233	ASN
1	A	234	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	256	LEU
1	B	7	VAL
1	B	10	ASN
1	B	16	GLU
1	B	63	GLN
1	B	103	GLU
1	B	137	VAL
1	B	202	LEU
1	B	210	LEU
1	B	214	ILE
1	B	229	ASN
1	B	233	ASN
1	B	234	GLN
1	C	26	LEU
1	C	50	ASP
1	C	63	GLN
1	C	103	GLU
1	C	202	LEU
1	C	210	LEU
1	C	211	ASN
1	C	214	ILE
1	C	233	ASN
1	C	248	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	172	GLN
1	A	233	ASN
1	A	285	GLN
1	B	10	ASN
1	B	63	GLN
1	B	105	ASN
1	B	172	GLN
1	B	229	ASN
1	B	233	ASN
1	B	285	GLN
1	C	24	ASN
1	C	75	ASN
1	C	104	ASN
1	C	105	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	122	ASN
1	C	173	ASN
1	C	233	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
1	C	1
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	254:TRP	C	255:ALA	N	1.66
1	C	255:ALA	C	256:LEU	N	1.65
1	A	254:TRP	C	255:ALA	N	1.62

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	291/291 (100%)	-0.38	1 (0%) 90 90	6, 17, 35, 57	0
1	B	291/291 (100%)	-0.31	1 (0%) 90 90	5, 19, 36, 53	0
1	C	291/291 (100%)	-0.10	2 (0%) 84 85	10, 23, 43, 60	0
All	All	873/873 (100%)	-0.26	4 (0%) 87 87	5, 20, 40, 60	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	SER	4.0
1	B	1	SER	3.6
1	C	291	ALA	3.3
1	C	122	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	B	300	1/1	0.86	0.07	43,43,43,43	0
2	CA	C	300	1/1	0.90	0.09	58,58,58,58	0
2	CA	A	300	1/1	0.97	0.04	44,44,44,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.