



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 12:34 PM UTC

PDB ID : 4EG8 / pdb_00004eg8
Title : Trypanosoma brucei methionyl-tRNA synthetase in complex with compound Chem 89
Authors : Koh, C.Y.; Kim, J.E.; Shibata, S.; Fan, E.; Verlinde, C.L.M.J.; Hol, W.G.J.
Deposited on : 2012-03-30
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	542	6% 88% 9%
1	B	542	5% 89% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	CAS	A	470	-	-	X	-
3	DMS	A	813	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methionyl-tRNA synthetase, putative.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	531	Total	As	C	N	O	S	0	1	0
			4261	1	2743	721	785	11			
1	B	533	Total	As	C	N	O	S	0	3	0
			4281	1	2762	724	782	12			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP Q38C91
A	-3	PRO	-	expression tag	UNP Q38C91
A	-2	GLY	-	expression tag	UNP Q38C91
A	-1	SER	-	expression tag	UNP Q38C91
A	0	MET	-	expression tag	UNP Q38C91
A	309	THR	ALA	conflict	UNP Q38C91
A	452	ALA	LYS	engineered mutation	UNP Q38C91
A	453	ARG	LYS	engineered mutation	UNP Q38C91
A	454	ALA	GLU	engineered mutation	UNP Q38C91
A	499	VAL	ALA	conflict	UNP Q38C91
A	503	ASN	SER	conflict	UNP Q38C91
B	-4	GLY	-	expression tag	UNP Q38C91
B	-3	PRO	-	expression tag	UNP Q38C91
B	-2	GLY	-	expression tag	UNP Q38C91
B	-1	SER	-	expression tag	UNP Q38C91
B	0	MET	-	expression tag	UNP Q38C91
B	309	THR	ALA	conflict	UNP Q38C91
B	452	ALA	LYS	engineered mutation	UNP Q38C91
B	453	ARG	LYS	engineered mutation	UNP Q38C91
B	454	ALA	GLU	engineered mutation	UNP Q38C91
B	499	VAL	ALA	conflict	UNP Q38C91
B	503	ASN	SER	conflict	UNP Q38C91

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 4 is METHIONINE (CCD ID: MET) (formula: $C_5H_{11}NO_2S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			9	5	1	2	1		

- Molecule 5 is 2-aminoquinolin-8-ol (CCD ID: 0P6) (formula: $C_9H_8N_2O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			12	9	2	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	224	Total 224	O 224	0	0
6	B	237	Total 237	O 237	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Methionyl-tRNA synthetase, putative



- Molecule 1: Methionyl-tRNA synthetase, putative



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.86Å 105.73Å 206.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60 30.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.3 (30.00-2.60) 99.2 (30.00-2.60)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 2.61Å)	Xtriage
Refinement program	REFMAC refmac_5.6.0117	Depositor
R, R_{free}	0.177 , 0.224 0.183 , 0.227	Depositor DCC
R_{free} test set	3031 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	32.5	Xtriage
Anisotropy	0.665	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9164	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 0P6, GOL, CAS, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/4364	0.77	1/5929 (0.0%)
1	B	0.72	0/4393	0.77	0/5968
All	All	0.71	0/8757	0.77	1/11897 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	759	GLU	N-CA-C	5.29	117.70	110.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4261	0	4219	42	0
1	B	4281	0	4248	38	0
2	A	60	0	80	1	0
2	B	60	0	80	0	0
3	A	16	0	24	11	0
3	B	4	0	6	3	0
4	A	9	0	8	0	0
5	B	12	0	8	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	224	0	0	5	0
6	B	237	0	0	1	0
All	All	9164	0	8673	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:526:TYR:OH	3:A:813:DMS:H21	1.49	1.13
1:A:461:ILE:C	1:A:470:CAS:CE1	2.46	0.88
6:A:1072:HOH:O	1:B:434:ARG:HD3	1.76	0.84
1:A:462:PRO:N	1:A:470:CAS:CE1	2.43	0.81
1:B:376:ILE:HD11	1:B:397:VAL:HG21	1.70	0.74
1:B:460:ALA:O	1:B:470:CAS:CE2	2.36	0.73
1:A:526:TYR:OH	3:A:813:DMS:C2	2.32	0.72
1:B:487:LEU:HD22	1:B:495:GLU:HG3	1.77	0.66
1:B:326:ILE:O	3:B:801:DMS:H11	1.97	0.64
1:B:602:LEU:HD21	1:B:765:ARG:NH1	2.13	0.63
1:A:460:ALA:O	1:A:470:CAS:CE1	2.46	0.63
1:A:520:LEU:HD23	3:A:810:DMS:H11	1.79	0.63
1:B:688:VAL:HG12	1:B:695:LEU:CD2	2.30	0.61
1:A:460:ALA:C	1:A:470:CAS:CE1	2.74	0.59
1:A:668:VAL:HG11	1:A:713:LEU:HG	1.85	0.58
1:A:727:MET:HE2	1:A:759:GLU:OE1	2.04	0.57
1:A:526:TYR:HH	3:A:813:DMS:H21	1.67	0.56
1:B:326:ILE:HB	3:B:801:DMS:H21	1.88	0.56
1:A:724:ILE:HG12	1:A:761:LEU:HD11	1.87	0.56
1:A:284:THR:HG22	1:A:326:ILE:HG21	1.90	0.53
1:B:322:MET:HE3	1:B:566:VAL:HG22	1.89	0.53
1:B:432:ARG:HG2	1:B:520:LEU:HD22	1.90	0.53
1:B:487:LEU:HD22	1:B:495:GLU:CG	2.38	0.53
1:B:389:VAL:HG12	1:B:396:VAL:HA	1.91	0.53
6:A:908:HOH:O	1:B:682:MET:HE1	2.10	0.51
1:B:325:SER:HA	3:B:801:DMS:H12	1.92	0.51
1:B:668:VAL:HG11	1:B:713:LEU:HG	1.94	0.50
1:B:376:ILE:HD11	1:B:397:VAL:HG11	1.93	0.50
1:B:688:VAL:HG12	1:B:695:LEU:HD22	1.93	0.50
1:A:518:ASP:C	3:A:811:DMS:H11	2.36	0.50
1:A:526:TYR:HH	3:A:813:DMS:C2	2.24	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:723:VAL:CG1	1:A:727:MET:HE3	2.42	0.49
3:A:812:DMS:H22	3:A:813:DMS:H11	1.95	0.48
1:B:690:THR:HG22	1:B:691:ASP:HB2	1.95	0.48
1:A:690:THR:HG21	6:A:1123:HOH:O	2.14	0.48
1:A:521:LYS:H	3:A:811:DMS:H12	1.78	0.48
1:B:473:VAL:HG23	5:B:812:OP6:NAH	2.29	0.48
1:B:322:MET:HE3	1:B:566:VAL:CG2	2.44	0.47
1:A:521:LYS:NZ	3:A:813:DMS:H22	2.29	0.47
1:B:322:MET:CE	1:B:566:VAL:HG22	2.43	0.47
1:A:714:SER:N	1:A:715:PRO:CD	2.78	0.47
1:B:515:ILE:O	1:B:544:ALA:HA	2.16	0.46
1:B:688:VAL:HG12	1:B:695:LEU:HD21	1.96	0.46
1:A:272:TYR:O	1:A:275:VAL:HG22	2.15	0.46
1:A:592:ASP:N	6:A:930:HOH:O	2.50	0.45
1:A:635:THR:O	1:A:638:ASP:HB2	2.17	0.45
1:A:370:PHE:O	3:A:813:DMS:H22	2.16	0.45
1:A:763:SER:O	1:A:765[A]:ARG:NH1	2.50	0.45
1:A:658:ILE:N	1:A:659:PRO:HA	2.31	0.45
1:B:767:THR:HG23	1:B:767:THR:O	2.16	0.45
1:A:370:PHE:CZ	1:A:448:SER:HB3	2.52	0.45
1:A:462:PRO:CA	1:A:470:CAS:CE1	2.95	0.45
1:A:462:PRO:CD	1:A:470:CAS:CE1	2.94	0.45
1:A:419:TRP:CD1	1:A:538:LEU:HD12	2.52	0.44
1:A:520:LEU:HB3	3:A:811:DMS:H13	1.99	0.44
1:B:428:VAL:HG13	1:B:429:PRO:HA	1.99	0.44
1:B:388:LYS:O	1:B:397:VAL:HG22	2.16	0.44
1:A:487:LEU:HD22	1:A:495:GLU:HG3	2.00	0.44
1:A:705:GLY:O	1:A:709:THR:HG23	2.17	0.44
1:A:728:LEU:HA	1:A:752:LEU:HD22	1.99	0.43
1:A:288:GLU:HB2	1:A:333:THR:HG23	2.01	0.42
1:B:268:VAL:HG21	1:B:582:LEU:HD11	2.01	0.42
1:B:723:VAL:CG1	1:B:727:MET:HE3	2.49	0.42
1:B:724:ILE:HD11	1:B:761:LEU:HD21	2.01	0.42
1:B:361:GLY:HA2	1:B:399:TRP:CZ3	2.54	0.42
1:A:272:TYR:CE2	1:A:276:LYS:HD2	2.54	0.42
1:A:519:ILE:HD12	1:A:523:HIS:HE1	1.84	0.42
1:B:336:GLN:HG3	1:B:495:GLU:CD	2.45	0.41
1:B:515:ILE:CD1	1:B:520:LEU:HA	2.50	0.41
1:A:295:GLU:O	1:A:299:GLN:HG3	2.20	0.41
1:B:687:LEU:HD22	1:B:691:ASP:HB3	2.02	0.41
1:B:274:ARG:NH2	6:B:985:HOH:O	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:476:ASP:OD1	1:A:476:ASP:C	2.64	0.41
1:A:456:LEU:HD22	1:A:470:CAS:HB3	2.02	0.41
1:B:337:HIS:O	1:B:341:VAL:HG23	2.21	0.41
1:B:714:SER:N	1:B:715:PRO:CD	2.84	0.41
1:B:641:LEU:HD22	1:B:678:TYR:CG	2.56	0.41
1:B:723:VAL:HG12	1:B:727:MET:HE3	2.04	0.41
1:A:690:THR:CG2	6:A:1123:HOH:O	2.70	0.40
1:A:583:ARG:HH22	2:A:802:GOL:H11	1.86	0.40
1:A:761:LEU:HD23	1:A:761:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	529/542 (98%)	515 (97%)	14 (3%)	0	100	100
1	B	531/542 (98%)	516 (97%)	15 (3%)	0	100	100
All	All	1060/1084 (98%)	1031 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	459/468 (98%)	456 (99%)	3 (1%)	76	89
1	B	461/468 (98%)	455 (99%)	6 (1%)	61	82
All	All	920/936 (98%)	911 (99%)	9 (1%)	68	86

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	455	THR
1	A	681	ASP
1	A	736	LYS
1	B	376	ILE
1	B	432	ARG
1	B	496	VAL
1	B	538	LEU
1	B	588	SER
1	B	605	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	336	GLN
1	A	374	GLN
1	A	561	ASN
1	A	612	ASN
1	A	643	GLN
1	B	321	GLN
1	B	375	ASN
1	B	480	ASN
1	B	643	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CAS	A	470	1	5,8,9	0.99	0	1,9,11	1.78	0
1	CAS	B	470	1	5,8,9	1.12	0	1,9,11	1.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CAS	A	470	1	-	0/0/7/9	-
1	CAS	B	470	1	-	0/0/7/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	470	CAS	7	0
1	B	470	CAS	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	B	808	-	5,5,5	0.40	0	5,5,5	0.24	0
3	DMS	B	801	-	3,3,3	0.51	0	3,3,3	0.74	0
3	DMS	A	812	-	3,3,3	0.50	0	3,3,3	0.79	0
2	GOL	B	809	-	5,5,5	0.71	0	5,5,5	1.17	0
2	GOL	A	803	-	5,5,5	0.64	0	5,5,5	0.44	0
3	DMS	A	813	-	3,3,3	0.55	0	3,3,3	0.82	0
2	GOL	B	811	-	5,5,5	0.26	0	5,5,5	0.27	0
2	GOL	A	808	-	5,5,5	0.48	0	5,5,5	0.87	0
2	GOL	B	807	-	5,5,5	0.32	0	5,5,5	0.23	0
3	DMS	A	811	-	3,3,3	0.64	0	3,3,3	0.53	0
2	GOL	B	803	-	5,5,5	0.27	0	5,5,5	0.34	0
2	GOL	A	801	-	5,5,5	0.26	0	5,5,5	0.67	0
2	GOL	A	805	-	5,5,5	0.42	0	5,5,5	0.33	0
2	GOL	A	804	-	5,5,5	0.32	0	5,5,5	0.18	0
2	GOL	B	802	-	5,5,5	0.24	0	5,5,5	0.60	0
2	GOL	B	804	-	5,5,5	0.60	0	5,5,5	0.77	0
2	GOL	A	802	-	5,5,5	0.25	0	5,5,5	0.52	0
2	GOL	A	814	-	5,5,5	0.55	0	5,5,5	0.51	0
2	GOL	B	805	-	5,5,5	0.26	0	5,5,5	0.36	0
3	DMS	A	810	-	3,3,3	0.54	0	3,3,3	0.62	0
2	GOL	B	810	-	5,5,5	0.41	0	5,5,5	0.39	0
5	OP6	B	812	-	13,13,13	1.13	1 (7%)	17,18,18	1.50	2 (11%)
2	GOL	A	807	-	5,5,5	0.46	0	5,5,5	0.54	0
2	GOL	B	806	-	5,5,5	0.38	0	5,5,5	0.22	0
2	GOL	A	809	-	5,5,5	0.49	0	5,5,5	0.58	0
2	GOL	A	806	-	5,5,5	0.29	0	5,5,5	0.33	0
4	MET	A	815	-	7,8,8	0.82	0	5,9,9	1.34	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	808	-	-	2/4/4/4	-
2	GOL	B	809	-	-	3/4/4/4	-
2	GOL	A	803	-	-	2/4/4/4	-
2	GOL	B	811	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	808	-	-	0/4/4/4	-
2	GOL	B	807	-	-	2/4/4/4	-
2	GOL	B	803	-	-	2/4/4/4	-
2	GOL	A	801	-	-	0/4/4/4	-
2	GOL	A	805	-	-	2/4/4/4	-
2	GOL	A	804	-	-	2/4/4/4	-
2	GOL	B	802	-	-	0/4/4/4	-
2	GOL	B	804	-	-	2/4/4/4	-
2	GOL	A	802	-	-	0/4/4/4	-
2	GOL	A	814	-	-	4/4/4/4	-
2	GOL	B	805	-	-	2/4/4/4	-
2	GOL	B	810	-	-	4/4/4/4	-
5	0P6	B	812	-	-	-	0/2/2/2
2	GOL	A	807	-	-	2/4/4/4	-
2	GOL	B	806	-	-	2/4/4/4	-
2	GOL	A	809	-	-	3/4/4/4	-
2	GOL	A	806	-	-	0/4/4/4	-
4	MET	A	815	-	-	0/8/8/8	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	812	0P6	CAJ-CAL	-2.08	1.39	1.42

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	812	0P6	CAJ-CAL-NAH	3.79	121.20	117.37
4	A	815	MET	OXT-C-O	-2.90	117.51	124.08
5	B	812	0P6	NAA-CAI-NAH	2.84	120.59	118.24

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	803	GOL	O1-C1-C2-C3
2	A	804	GOL	C1-C2-C3-O3
2	A	805	GOL	C1-C2-C3-O3
2	A	807	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	809	GOL	C1-C2-C3-O3
2	A	814	GOL	O1-C1-C2-C3
2	B	803	GOL	O1-C1-C2-C3
2	B	804	GOL	O1-C1-C2-C3
2	B	807	GOL	C1-C2-C3-O3
2	B	808	GOL	O1-C1-C2-C3
2	B	809	GOL	C1-C2-C3-O3
2	B	810	GOL	C1-C2-C3-O3
2	B	811	GOL	O1-C1-C2-C3
2	A	804	GOL	O2-C2-C3-O3
2	B	803	GOL	O1-C1-C2-O2
2	B	804	GOL	O1-C1-C2-O2
2	B	806	GOL	O2-C2-C3-O3
2	A	814	GOL	C1-C2-C3-O3
2	B	806	GOL	C1-C2-C3-O3
2	B	810	GOL	O1-C1-C2-C3
2	A	803	GOL	O1-C1-C2-O2
2	A	807	GOL	O1-C1-C2-O2
2	A	809	GOL	O2-C2-C3-O3
2	A	814	GOL	O1-C1-C2-O2
2	B	808	GOL	O1-C1-C2-O2
2	B	810	GOL	O1-C1-C2-O2
2	B	810	GOL	O2-C2-C3-O3
2	B	811	GOL	O1-C1-C2-O2
2	A	805	GOL	O2-C2-C3-O3
2	B	807	GOL	O2-C2-C3-O3
2	B	809	GOL	O2-C2-C3-O3
2	A	814	GOL	O2-C2-C3-O3
2	B	809	GOL	O1-C1-C2-O2
2	A	809	GOL	O1-C1-C2-C3
2	B	805	GOL	O2-C2-C3-O3
2	B	805	GOL	C1-C2-C3-O3

There are no ring outliers.

7 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	801	DMS	3	0
3	A	812	DMS	1	0
3	A	813	DMS	7	0
3	A	811	DMS	3	0
2	A	802	GOL	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	810	DMS	1	0
5	B	812	0P6	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	530/542 (97%)	-0.09	33 (6%)	26 21	24, 37, 84, 131	1 (0%)
1	B	532/542 (98%)	-0.09	25 (4%)	36 30	21, 37, 93, 134	3 (0%)
All	All	1062/1084 (97%)	-0.09	58 (5%)	30 25	21, 37, 89, 134	4 (0%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	756	VAL	6.0
1	B	755	ALA	5.9
1	B	757	GLU	5.0
1	A	757	GLU	5.0
1	B	380	VAL	4.9
1	B	767	THR	4.8
1	A	756	VAL	4.5
1	A	758	GLY	4.3
1	A	760	VAL	3.9
1	B	386	PRO	3.9
1	B	391	LEU	3.8
1	A	238	VAL	3.7
1	B	377	THR	3.7
1	A	559	LEU	3.6
1	A	547	TRP	3.6
1	B	547[A]	TRP	3.6
1	B	491	GLU	3.5
1	B	758	GLY	3.3
1	A	587	PHE	3.3
1	A	555	ILE	3.2
1	A	767	THR	3.2
1	A	755	ALA	3.1
1	A	548	TRP	3.1
1	A	593	TYR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	553	LYS	3.0
1	A	556	SER	3.0
1	A	305	TYR	2.9
1	A	588	SER	2.8
1	B	305	TYR	2.8
1	B	376	ILE	2.7
1	A	768	GLU	2.6
1	B	397	VAL	2.5
1	A	557	LYS	2.5
1	A	591	GLY	2.5
1	A	384	GLY	2.5
1	A	380	VAL	2.4
1	B	760	VAL	2.4
1	A	382	LYS	2.4
1	A	558	SER	2.3
1	A	494	LYS	2.3
1	B	385	ASN	2.3
1	A	383	ASP	2.2
1	B	373	PRO	2.2
1	B	396	VAL	2.2
1	A	554	LYS	2.2
1	B	375	ASN	2.1
1	B	381	ASP	2.1
1	B	765	ARG	2.1
1	B	395	HIS	2.1
1	A	562	VAL	2.1
1	A	552	ARG	2.1
1	A	761	LEU	2.1
1	B	766	SER	2.1
1	A	421	HIS	2.1
1	A	549	THR	2.0
1	B	494	LYS	2.0
1	A	299	GLN	2.0
1	B	388	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	CAS	A	470	9/10	0.98	0.09	34,35,43,44	3
1	CAS	B	470	9/10	0.98	0.08	34,37,48,50	3

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	B	803	6/6	0.68	0.23	52,52,56,63	0
2	GOL	A	805	6/6	0.69	0.20	73,78,82,83	0
2	GOL	B	808	6/6	0.71	0.21	78,82,83,87	0
2	GOL	B	806	6/6	0.74	0.18	78,83,86,87	0
2	GOL	A	801	6/6	0.78	0.18	59,61,64,71	0
3	DMS	A	812	4/4	0.78	0.28	84,90,93,102	0
2	GOL	A	814	6/6	0.79	0.21	64,66,68,70	0
2	GOL	A	806	6/6	0.80	0.23	62,67,72,77	0
2	GOL	A	803	6/6	0.81	0.23	51,57,58,59	0
2	GOL	B	810	6/6	0.83	0.17	61,65,66,73	0
2	GOL	B	807	6/6	0.84	0.17	75,82,84,86	0
2	GOL	B	811	6/6	0.84	0.23	61,62,63,64	0
2	GOL	A	808	6/6	0.84	0.16	57,58,60,64	0
2	GOL	A	809	6/6	0.85	0.16	52,57,59,60	0
2	GOL	A	807	6/6	0.85	0.22	78,82,83,83	0
2	GOL	B	809	6/6	0.85	0.21	53,53,56,57	0
3	DMS	A	813	4/4	0.85	0.21	66,69,71,79	0
3	DMS	A	810	4/4	0.87	0.18	77,78,81,82	0
2	GOL	B	804	6/6	0.88	0.18	50,55,56,58	0
2	GOL	A	802	6/6	0.88	0.12	44,45,47,48	0
2	GOL	B	805	6/6	0.89	0.12	47,53,56,61	0
2	GOL	A	804	6/6	0.90	0.17	61,68,71,72	0
2	GOL	B	802	6/6	0.93	0.17	60,62,64,65	0
3	DMS	B	801	4/4	0.93	0.18	59,61,73,78	0
3	DMS	A	811	4/4	0.94	0.20	60,73,79,79	0
5	0P6	B	812	12/12	0.97	0.08	29,31,31,33	0
4	MET	A	815	9/9	0.98	0.08	28,31,35,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.