



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 10:13 AM UTC

PDB ID : 1EHL / pdb_00001ehl
Title : 64M-2 ANTIBODY FAB COMPLEXED WITH D(5HT)(6-4)T
Authors : Yokoyama, H.; Mizutani, R.; Satow, Y.; Komatsu, Y.; Ohtsuka, E.; Nikaido, O.
Deposited on : 2000-02-21
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2	100%
2	L	217	44% 42% 13% .
3	H	219	55% 36% 6% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3715 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-(D(5HT)P*(6-4)T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	2	Total	C	N	O	P	0	0	0
			37	20	4	12	1			

- Molecule 2 is a protein called ANTI-(6-4) PHOTOPRODUCT ANTIBODY 64M-2 FAB (LIGHT CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	217	Total	C	N	O	S	4	0	0
			1679	1050	283	340	6			

- Molecule 3 is a protein called ANTI-(6-4) PHOTOPRODUCT ANTIBODY 64M-2 FAB (HEAVY CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	217	Total	C	N	O	S	0	0	0
			1639	1038	268	325	8			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total	O	0	0
			4	4		
4	L	173	Total	O	0	0
			173	173		
4	H	183	Total	O	0	0
			183	183		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-(D(5HT)P*(6-4)T)-3'

Chain A:  100%

T1
T2


- Molecule 2: ANTI-(6-4) PHOTOPRODUCT ANTIBODY 64M-2 FAB (LIGHT CHAIN)

Chain L:  44% 42% 13%



- Molecule 3: ANTI-(6-4) PHOTOPRODUCT ANTIBODY 64M-2 FAB (HEAVY CHAIN)

Chain H:  55% 36% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	144.50Å 48.06Å 77.94Å 90.00° 104.69° 90.00°	Depositor
Resolution (Å)	10.00 – 2.40 10.00 – 2.42	Depositor EDS
% Data completeness (in resolution range)	91.3 (10.00-2.40) 91.7 (10.00-2.42)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 2.42Å)	Xtriage
Refinement program	X-PLOR 3.843	Depositor
R, R_{free}	0.192 , 0.279 0.198 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	30.5	Xtriage
Anisotropy	0.615	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.19 , 106.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3715	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5HT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.20	0/20	2.46	2/28 (7.1%)
2	L	0.83	2/1716 (0.1%)	1.19	18/2328 (0.8%)
3	H	0.85	1/1682 (0.1%)	1.21	13/2295 (0.6%)
All	All	0.85	3/3418 (0.1%)	1.21	33/4651 (0.7%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	58	VAL	CA-CB	6.24	1.60	1.53
3	H	18	VAL	CA-CB	5.73	1.61	1.54
2	L	7	THR	CA-C	5.01	1.57	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	137	ASN	N-CA-C	9.36	122.88	110.53
3	H	100	TYR	N-CA-C	9.24	125.30	112.45
3	H	60	ASN	N-CA-C	-7.29	98.67	110.20
3	H	174	PHE	CA-C-N	6.82	127.20	119.83
3	H	174	PHE	C-N-CA	6.82	127.20	119.83
3	H	43	GLN	N-CA-C	6.80	120.44	110.17
3	H	92	CYS	N-CA-C	-5.90	99.63	109.24
3	H	168	SER	N-CA-C	-5.79	101.04	110.20
1	A	2	DT	N3-C4-C5	5.78	123.46	114.80
3	H	8	GLY	N-CA-C	5.70	121.27	111.98
2	L	69	THR	N-CA-C	-5.53	104.78	113.02
2	L	133	VAL	N-CA-C	5.47	117.19	108.87
2	L	61	ARG	N-CA-C	-5.47	106.61	113.28
3	H	99	LYS	N-CA-C	-5.43	99.22	110.80
2	L	130	ALA	N-CA-C	5.42	116.77	107.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	206	VAL	N-CA-C	5.42	116.78	108.71
1	A	2	DT	C2-N3-C4	-5.40	118.89	127.00
2	L	157	ASN	N-CA-C	5.36	118.22	109.59
2	L	115	VAL	N-CA-C	5.35	116.93	109.55
3	H	218	LYS	N-CA-C	-5.35	99.57	108.34
2	L	70	ASP	N-CA-C	5.26	117.22	108.02
2	L	72	THR	N-CA-C	5.24	117.62	108.76
2	L	88	CYS	N-CA-C	-5.23	103.01	110.59
2	L	211	ARG	N-CA-C	-5.20	106.77	113.01
2	L	27(A)	SER	N-CA-C	5.20	118.01	110.42
2	L	52	SER	N-CA-C	5.19	119.16	112.41
2	L	76	SER	N-CA-C	-5.15	102.24	109.96
2	L	24	ARG	N-CA-C	5.14	117.29	108.90
3	H	98	TYR	CA-C-N	5.12	131.32	121.54
3	H	98	TYR	C-N-CA	5.12	131.32	121.54
2	L	99	GLY	N-CA-C	-5.09	103.76	112.30
3	H	82	VAL	N-CA-C	-5.03	100.65	107.99
2	L	138	ASN	N-CA-C	5.00	121.45	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	37	0	27	8	0
2	L	1679	0	1626	105	0
3	H	1639	0	1594	66	0
4	A	4	0	0	0	0
4	H	183	0	0	5	0
4	L	173	0	0	10	0
All	All	3715	0	3247	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:27(D):HIS:HD2	2:L:28:ASN:H	1.16	0.91
3:H:115:LYS:HD3	3:H:115:LYS:H	1.35	0.90
2:L:14:SER:HB2	2:L:17:ASP:OD2	1.82	0.80
2:L:136:LEU:HD23	2:L:144:ILE:HD13	1.67	0.76
2:L:2:VAL:HG13	2:L:27:GLN:HE22	1.49	0.75
2:L:213:GLU:HB3	3:H:128:CYS:SG	2.27	0.73
2:L:42:GLN:HB2	4:L:272:HOH:O	1.89	0.73
2:L:125:LEU:HD21	2:L:130:ALA:HB2	1.71	0.72
2:L:50:LYS:NZ	2:L:50:LYS:HB3	2.03	0.72
3:H:10:VAL:HG21	3:H:18:VAL:HG21	1.72	0.72
3:H:115:LYS:HD3	3:H:115:LYS:N	2.06	0.71
2:L:141:PRO:HG3	2:L:199:LYS:HD2	1.72	0.70
3:H:24:ALA:HB1	3:H:27:TYR:CE1	2.27	0.70
2:L:209:PHE:HB2	3:H:127:VAL:HG11	1.72	0.70
2:L:136:LEU:HD23	2:L:144:ILE:CD1	2.22	0.69
1:A:1:5HT:H2"	1:A:2:DT:C4	2.27	0.69
2:L:149:LYS:HB2	2:L:193:THR:HB	1.74	0.67
2:L:150:ILE:HD11	2:L:179:LEU:HD21	1.76	0.67
2:L:39:LYS:HE3	2:L:83:LEU:O	1.95	0.66
2:L:108:ARG:NH1	2:L:109:ALA:O	2.29	0.64
2:L:125:LEU:CD2	2:L:130:ALA:HB2	2.28	0.64
2:L:110:ASP:OD1	2:L:141:PRO:HD3	1.97	0.64
2:L:24:ARG:HH21	2:L:70:ASP:HB2	1.62	0.64
3:H:10:VAL:HG21	3:H:18:VAL:CG2	2.26	0.64
2:L:37:LEU:HD13	2:L:86:TYR:CE1	2.34	0.62
2:L:1:ASP:HB3	4:L:368:HOH:O	1.98	0.62
2:L:212:ASN:O	2:L:213:GLU:HG3	2.01	0.61
2:L:190:ASN:OD1	2:L:212:ASN:ND2	2.34	0.61
3:H:43:GLN:HG2	4:H:234:HOH:O	1.99	0.60
2:L:27(D):HIS:CD2	2:L:28:ASN:H	2.08	0.60
2:L:90:GLN:NE2	2:L:97:THR:HG22	2.17	0.60
2:L:27(D):HIS:CD2	2:L:27(E):SER:N	2.70	0.60
3:H:24:ALA:HB1	3:H:27:TYR:HE1	1.67	0.60
2:L:90:GLN:O	2:L:95:PRO:HA	2.02	0.59
2:L:108:ARG:HB3	4:L:274:HOH:O	2.02	0.59
3:H:38:LYS:HB2	3:H:48:ILE:HD11	1.84	0.58
3:H:38:LYS:HG3	3:H:90:TYR:CE1	2.38	0.58
2:L:161:ASN:HB3	2:L:175:MET:HE3	1.85	0.58
2:L:27(A):SER:OG	2:L:27(C):VAL:HG23	2.04	0.58
3:H:17:SER:HA	3:H:82(A):SER:HA	1.86	0.57
2:L:81:GLU:HB2	4:L:220:HOH:O	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:108:ARG:HG2	2:L:171:SER:HB2	1.87	0.56
2:L:4:MET:HG2	2:L:97:THR:HG23	1.88	0.56
2:L:125:LEU:HD23	2:L:129:GLY:O	2.04	0.56
2:L:148:TRP:HE1	2:L:177:SER:HB3	1.70	0.56
3:H:11:LEU:HD23	3:H:110:THR:HB	1.86	0.56
3:H:19:LYS:HE3	4:H:306:HOH:O	2.05	0.56
3:H:98:TYR:O	3:H:99:LYS:HG3	2.05	0.56
4:L:225:HOH:O	3:H:172:HIS:CE1	2.58	0.56
3:H:66:LYS:NZ	3:H:82(B):SER:O	2.39	0.56
2:L:164:THR:HG23	3:H:174:PHE:CD2	2.41	0.55
1:A:1:5HT:H2''	1:A:2:DT:N3	2.22	0.54
1:A:1:5HT:H5'	2:L:27(D):HIS:CE1	2.42	0.54
2:L:2:VAL:CG1	2:L:27:GLN:HE22	2.17	0.54
2:L:136:LEU:HD21	2:L:146:VAL:HG22	1.90	0.54
3:H:59:TYR:HB2	3:H:64:LYS:HD2	1.90	0.54
3:H:61:GLN:HB3	4:H:353:HOH:O	2.07	0.53
3:H:10:VAL:CG1	3:H:109:VAL:HG22	2.37	0.53
2:L:24:ARG:HA	2:L:69:THR:O	2.08	0.53
2:L:83:LEU:HD11	2:L:106:ILE:HD11	1.90	0.53
3:H:94:ARG:O	3:H:100(K):LEU:HA	2.08	0.53
2:L:117:ILE:CG2	2:L:207:LYS:HG3	2.38	0.53
2:L:25:SER:O	2:L:69:THR:HB	2.09	0.52
3:H:10:VAL:HG13	3:H:109:VAL:HG22	1.90	0.52
2:L:140:TYR:O	2:L:198:HIS:HE1	1.93	0.52
2:L:175:MET:HG2	2:L:176:SER:N	2.24	0.52
2:L:160:LEU:HD21	4:L:262:HOH:O	2.10	0.51
2:L:40:PRO:HG3	4:L:255:HOH:O	2.11	0.51
2:L:117:ILE:HG22	2:L:207:LYS:HG3	1.93	0.51
2:L:83:LEU:HD23	2:L:104:LEU:HD13	1.93	0.51
2:L:28:ASN:OD1	2:L:30:ASN:HB2	2.11	0.50
2:L:54:ARG:HD2	2:L:58:VAL:O	2.12	0.50
2:L:27(D):HIS:CD2	2:L:27(E):SER:H	2.30	0.49
3:H:198:THR:O	3:H:203:GLN:N	2.45	0.49
2:L:160:LEU:HD12	4:L:226:HOH:O	2.12	0.49
2:L:210:ASN:C	2:L:212:ASN:H	2.20	0.49
2:L:39:LYS:HB2	4:L:272:HOH:O	2.12	0.49
2:L:50:LYS:HB3	2:L:50:LYS:HZ2	1.75	0.49
3:H:115:LYS:H	3:H:115:LYS:CD	2.16	0.48
3:H:149:PRO:HD2	3:H:214:ALA:CB	2.43	0.48
3:H:115:LYS:O	3:H:148:PHE:HB3	2.13	0.48
2:L:2:VAL:HG13	2:L:27:GLN:NE2	2.23	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:99:LYS:HE3	3:H:100:TYR:CE2	2.48	0.48
3:H:140:LEU:CD1	3:H:205:ILE:HD12	2.44	0.47
2:L:27(D):HIS:CG	2:L:27(E):SER:N	2.82	0.47
3:H:129:GLY:O	3:H:130:ASP:HB2	2.13	0.47
4:L:225:HOH:O	3:H:172:HIS:HE1	1.97	0.47
2:L:27(D):HIS:HD2	2:L:28:ASN:N	1.98	0.47
2:L:115:VAL:HB	2:L:207:LYS:HE3	1.97	0.47
2:L:210:ASN:C	2:L:212:ASN:N	2.72	0.47
1:A:1:5HT:C2'	1:A:2:DT:C4	2.96	0.46
2:L:55:PHE:HB3	2:L:58:VAL:HG21	1.96	0.46
2:L:160:LEU:HD13	3:H:179:GLN:HB2	1.97	0.46
1:A:1:5HT:H1'	2:L:32:TYR:CD2	2.50	0.46
2:L:189:HIS:O	2:L:211:ARG:NH1	2.44	0.46
2:L:207:LYS:HB2	2:L:207:LYS:HE2	1.70	0.46
3:H:157:TRP:O	3:H:162:ASN:HB2	2.15	0.46
2:L:106:ILE:O	2:L:166:GLN:NE2	2.41	0.46
2:L:142:LYS:HB3	2:L:173:TYR:CD1	2.51	0.46
2:L:26:SER:O	2:L:27:GLN:HB3	2.16	0.46
3:H:105:GLN:OE1	3:H:105:GLN:N	2.48	0.46
2:L:8:PRO:O	2:L:102:THR:HG23	2.16	0.45
1:A:1:5HT:H1'	2:L:32:TYR:CE2	2.51	0.45
2:L:49:TYR:CZ	3:H:100:TYR:HD1	2.34	0.45
2:L:147:LYS:NZ	2:L:197:THR:OG1	2.49	0.45
2:L:155:ARG:HD2	2:L:157:ASN:H	1.80	0.45
3:H:12:ALA:O	3:H:111:VAL:HA	2.15	0.45
3:H:27:TYR:CE2	3:H:94:ARG:HD2	2.51	0.45
3:H:21:SER:HB2	3:H:77:THR:HG21	1.97	0.45
1:A:2:DT:H6	1:A:2:DT:H2'	1.50	0.45
1:A:2:DT:O2	3:H:95:ARG:HG2	2.17	0.45
2:L:163:TRP:N	2:L:163:TRP:CE3	2.85	0.45
3:H:82(C):LEU:HA	3:H:86:ASP:OD2	2.17	0.45
2:L:54:ARG:CG	2:L:58:VAL:HB	2.47	0.44
2:L:90:GLN:HE21	2:L:97:THR:HG22	1.82	0.44
3:H:183:ASP:HA	4:H:369:HOH:O	2.17	0.44
3:H:15:GLY:N	3:H:82(C):LEU:O	2.37	0.44
3:H:54:ASN:OD1	3:H:56:ASP:HB2	2.17	0.44
2:L:125:LEU:HD21	2:L:130:ALA:CB	2.45	0.44
3:H:115:LYS:HZ1	3:H:184:LEU:HD21	1.83	0.44
2:L:50:LYS:HB3	2:L:50:LYS:HZ3	1.81	0.44
3:H:152:VAL:CG2	3:H:187:LEU:HD13	2.48	0.44
2:L:150:ILE:O	2:L:153:SER:HB2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:193:THR:HG23	2:L:206:VAL:HG13	1.99	0.44
3:H:60:ASN:HB3	3:H:63:PHE:HD2	1.83	0.43
2:L:195:GLU:HB3	2:L:206:VAL:HG22	2.01	0.43
3:H:166:LEU:HD23	3:H:166:LEU:HA	1.84	0.43
3:H:208:CYS:O	3:H:220:ASP:HA	2.18	0.43
3:H:36:TRP:CD1	3:H:69:LEU:HD22	2.53	0.43
3:H:199:TRP:CD1	3:H:200:PRO:HA	2.54	0.43
2:L:160:LEU:HD22	3:H:179:GLN:HG3	2.00	0.42
3:H:154:LEU:HD12	3:H:210:VAL:HG22	2.01	0.42
3:H:211:ALA:HB2	3:H:218:LYS:HD3	2.01	0.42
2:L:2:VAL:HG22	2:L:27:GLN:NE2	2.34	0.42
2:L:190:ASN:O	2:L:210:ASN:HA	2.19	0.42
2:L:27(E):SER:C	2:L:29:GLY:H	2.28	0.42
2:L:163:TRP:HE3	2:L:163:TRP:H	1.67	0.42
3:H:93:THR:OG1	3:H:100(K):LEU:HB3	2.20	0.42
3:H:152:VAL:HG23	3:H:187:LEU:HD13	2.02	0.42
2:L:27(D):HIS:CG	2:L:27(E):SER:H	2.37	0.41
2:L:37:LEU:HD13	2:L:86:TYR:CZ	2.55	0.41
2:L:61:ARG:HB2	2:L:76:SER:O	2.20	0.41
2:L:159:VAL:HA	2:L:178:THR:O	2.20	0.41
2:L:164:THR:HG23	3:H:174:PHE:CE2	2.55	0.41
2:L:12:PRO:HA	2:L:105:GLU:O	2.21	0.41
2:L:142:LYS:HB3	2:L:173:TYR:CE1	2.56	0.41
2:L:181:LEU:HB3	2:L:185:GLU:HG2	2.02	0.41
3:H:140:LEU:HD22	3:H:223:ILE:HG21	2.03	0.41
2:L:115:VAL:HG13	2:L:136:LEU:HD12	2.03	0.41
2:L:125:LEU:HD23	2:L:125:LEU:HA	1.83	0.41
3:H:153:THR:OG1	3:H:211:ALA:HB3	2.21	0.41
3:H:211:ALA:HB2	3:H:218:LYS:CD	2.51	0.41
2:L:2:VAL:HG22	2:L:27:GLN:HE22	1.85	0.41
2:L:49:TYR:CE1	3:H:100:TYR:HD1	2.39	0.41
3:H:75:ALA:O	3:H:76:SER:C	2.62	0.41
2:L:125:LEU:O	2:L:183:LYS:HD2	2.20	0.41
3:H:6:GLN:HB3	4:H:315:HOH:O	2.21	0.41
2:L:9:LEU:N	2:L:9:LEU:HD23	2.36	0.40
2:L:142:LYS:H	2:L:142:LYS:CD	2.34	0.40
3:H:126:PRO:O	3:H:127:VAL:O	2.39	0.40
3:H:148:PHE:HA	3:H:149:PRO:HA	1.87	0.40
3:H:122:TYR:HB2	3:H:143:LEU:HB3	2.03	0.40
2:L:39:LYS:HB3	2:L:39:LYS:HE2	1.95	0.40
2:L:48:ILE:HG21	2:L:51:VAL:O	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:67:SER:O	2:L:68:GLY:C	2.64	0.40
3:H:191:VAL:HG13	3:H:191:VAL:O	2.22	0.40
2:L:13:VAL:O	2:L:106:ILE:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	215/217 (99%)	192 (89%)	19 (9%)	4 (2%)	6	8
3	H	213/219 (97%)	194 (91%)	15 (7%)	4 (2%)	6	8
All	All	428/436 (98%)	386 (90%)	34 (8%)	8 (2%)	6	8

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	93	LEU
3	H	54	ASN
3	H	99	LYS
3	H	127	VAL
2	L	68	GLY
2	L	187	GLU
3	H	183	ASP
2	L	92	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	L	194/194 (100%)	164 (84%)	30 (16%)	2	3
3	H	185/187 (99%)	162 (88%)	23 (12%)	4	6
All	All	379/381 (100%)	326 (86%)	53 (14%)	3	4

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	L	9	LEU
2	L	10	SER
2	L	13	VAL
2	L	20	SER
2	L	22	SER
2	L	27	GLN
2	L	27(A)	SER
2	L	27(B)	ILE
2	L	27(C)	VAL
2	L	27(D)	HIS
2	L	27(E)	SER
2	L	42	GLN
2	L	47	LEU
2	L	50	LYS
2	L	52	SER
2	L	59	PRO
2	L	70	ASP
2	L	90	GLN
2	L	94	VAL
2	L	104	LEU
2	L	108	ARG
2	L	123	GLU
2	L	134	CYS
2	L	142	LYS
2	L	147	LYS
2	L	185	GLU
2	L	190	ASN
2	L	191	SER
2	L	194	CYS
2	L	195	GLU
3	H	10	VAL
3	H	31	SER
3	H	41	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	H	54	ASN
3	H	64	LYS
3	H	76	SER
3	H	96	SER
3	H	105	GLN
3	H	112	SER
3	H	115	LYS
3	H	127	VAL
3	H	128	CYS
3	H	138	VAL
3	H	142	CYS
3	H	145	LYS
3	H	151	PRO
3	H	162	ASN
3	H	183	ASP
3	H	193	VAL
3	H	209	ASN
3	H	217	THR
3	H	219	VAL
3	H	221	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	27	GLN
2	L	27(D)	HIS
2	L	145	ASN
2	L	161	ASN
3	H	3	GLN
3	H	43	GLN
3	H	162	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	5HT	A	1	1	17,19,19	3.14	4 (23%)	24,29,29	2.10	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5HT	A	1	1	-	2/6/37/37	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	5HT	C6-N1	7.90	1.54	1.46
1	A	1	5HT	C6-C5	7.42	1.60	1.53
1	A	1	5HT	C2-N1	-5.76	1.27	1.35
1	A	1	5HT	C4-N3	2.71	1.41	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1	5HT	C2'-C1'-N1	-7.43	106.76	115.59
1	A	1	5HT	N3-C2-N1	3.96	120.63	116.65
1	A	1	5HT	O4'-C1'-N1	3.76	113.05	108.39
1	A	1	5HT	C6-N1-C1'	-2.00	115.74	120.50

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	5HT	O4'-C4'-C5'-O5'
1	A	1	5HT	C3'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1	5HT	6	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1/2 (50%)	-1.18	0 100 100	26, 26, 26, 26	0
2	L	217/217 (100%)	-0.49	0 100 100	6, 31, 57, 67	1 (0%)
3	H	217/219 (99%)	-0.59	0 100 100	8, 27, 56, 80	0
All	All	435/438 (99%)	-0.54	0 100 100	6, 28, 57, 80	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	5HT	A	1	18/18	0.92	0.07	19,28,36,40	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.