



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:49 PM UTC

PDB ID : 2EIY / pdb_00002eiY
Title : Crystal Structure of T.th.HB8 Branched-Chain Amino Acid Aminotransferase
Complexed with 4-Methylvaleric Acid
Authors : Goto, M.
Deposited on : 2007-03-14
Resolution : 1.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1216 (1.36-1.36)
Clashscore	190562	1232 (1.36-1.36)
Ramachandran outliers	187476	1220 (1.36-1.36)
Sidechain outliers	187428	1220 (1.36-1.36)
RSRZ outliers	180081	1214 (1.36-1.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">9% 78% 17% ••</p>
1	B	308	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">5% 86% 11% ••</p>
1	C	308	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">9% 81% 14% • 5%</p>

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 7991 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Branched-chain amino acid aminotransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	297	Total	C	N	O	S	0	0	0
			2311	1478	401	422	10			
1	B	304	Total	C	N	O	S	0	0	0
			2368	1514	411	433	10			
1	C	294	Total	C	N	O	S	0	0	0
			2290	1465	397	418	10			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: C₈H₁₀NO₆P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is 4-METHYL VALERIC ACID (CCD ID: 4MV) (formula: C₆H₁₂O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 8 6 2	0	0
3	B	1	Total C O 8 6 2	0	0
3	C	1	Total C O 8 6 2	0	0

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 8 6 2	0	0
4	A	1	Total C O 8 6 2	0	0
4	B	1	Total C O 8 6 2	0	0
4	B	1	Total C O 8 6 2	0	0
4	C	1	Total C O 8 6 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	287	Total O 287 287	0	0
5	B	332	Total O 332 332	0	0
5	C	294	Total O 294 294	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Branched-chain amino acid aminotransferase



- Molecule 1: Branched-chain amino acid aminotransferase



- Molecule 1: Branched-chain amino acid aminotransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	143.65Å 143.65Å 116.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.10 – 1.35 24.10 – 1.35	Depositor EDS
% Data completeness (in resolution range)	94.2 (24.10-1.35) 94.4 (24.10-1.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 1.35Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.189 , 0.201 0.189 , 0.202	Depositor DCC
R_{free} test set	24964 reflections (10.01%)	wwPDB-VP
Wilson B-factor (Å ²)	11.3	Xtrriage
Anisotropy	0.123	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 47.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7991	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4MV, MPD, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/2363	0.87	8/3207 (0.2%)
1	B	0.33	0/2422	0.88	9/3286 (0.3%)
1	C	0.33	0/2342	0.89	8/3178 (0.3%)
All	All	0.33	0/7127	0.88	25/9671 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	108	GLY	N-CA-C	-8.17	100.93	112.37
1	C	108	GLY	N-CA-C	-7.55	101.80	112.37
1	B	149	PHE	N-CA-C	7.48	119.14	109.64
1	C	149	PHE	N-CA-C	7.45	119.10	109.64
1	A	108	GLY	N-CA-C	-7.45	101.94	112.37
1	C	165	VAL	N-CA-C	-7.04	103.61	110.72
1	B	165	VAL	N-CA-C	-6.89	103.76	110.72
1	A	165	VAL	N-CA-C	-6.69	103.96	110.72
1	A	149	PHE	N-CA-C	6.30	117.64	109.64
1	B	244	GLN	N-CA-C	-6.04	104.63	112.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	244	GLN	N-CA-C	-6.00	104.67	112.23
1	A	244	GLN	N-CA-C	-6.00	104.86	111.82
1	C	104	ALA	N-CA-C	5.85	119.18	112.57
1	A	218	GLY	N-CA-C	5.71	118.04	111.36
1	B	104	ALA	N-CA-C	5.65	118.95	112.57
1	C	164	TYR	N-CA-C	5.60	119.85	113.19
1	C	239	ARG	N-CA-C	-5.46	100.78	109.96
1	C	218	GLY	N-CA-C	5.43	117.72	111.36
1	A	118	GLU	N-CA-C	-5.30	101.90	110.32
1	B	218	GLY	N-CA-C	5.27	117.52	111.36
1	B	92	ARG	N-CA-C	-5.26	99.59	110.80
1	A	239	ARG	N-CA-C	-5.25	101.15	109.96
1	B	164	TYR	N-CA-C	5.15	119.32	113.19
1	B	239	ARG	N-CA-C	-5.11	101.38	109.96
1	A	104	ALA	N-CA-C	5.03	118.25	112.57

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	164	TYR	Sidechain
1	B	164	TYR	Sidechain
1	C	164	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2311	0	2294	40	0
1	B	2368	0	2357	25	0
1	C	2290	0	2275	34	0
2	A	15	0	7	2	0
2	B	15	0	7	1	0
2	C	15	0	7	0	0
3	A	8	0	11	0	0
3	B	8	0	11	0	0
3	C	8	0	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	16	0	28	3	0
4	B	16	0	28	1	0
4	C	8	0	14	2	0
5	A	287	0	0	7	0
5	B	332	0	0	5	0
5	C	294	0	0	1	0
All	All	7991	0	7050	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:183:LEU:HD13	1:C:199:LEU:HD21	1.55	0.86
1:C:73:PHE:HB2	1:C:78:LEU:HD11	1.68	0.76
1:C:183:LEU:HD11	1:C:191:VAL:HG13	1.68	0.76
1:B:247:MET:SD	5:B:1072:HOH:O	2.48	0.71
1:C:193:GLU:HA	1:C:199:LEU:HD13	1.74	0.70
5:A:2562:HOH:O	1:C:247:MET:HE2	1.92	0.69
1:A:142:ILE:HD11	1:A:268:TRP:CZ2	2.28	0.68
1:C:76:GLU:H	1:C:76:GLU:CD	2.02	0.66
1:C:55:GLU:OE1	4:C:1416:MPD:HM2	1.99	0.63
1:C:273:LYS:HA	1:C:273:LYS:HE2	1.80	0.62
1:A:76:GLU:H	1:A:76:GLU:CD	2.04	0.62
1:B:220:THR:O	1:B:224:VAL:HG23	2.00	0.62
1:C:142:ILE:HD11	1:C:268:TRP:CZ2	2.34	0.61
1:A:82:ILE:O	1:A:85:VAL:HG12	2.03	0.59
1:C:48:PRO:HG3	1:C:92:ARG:HA	1.83	0.59
1:A:212:HIS:HD2	5:A:2429:HOH:O	1.88	0.57
1:C:141:LEU:CD2	1:C:181:GLU:HB3	2.34	0.57
1:C:43:GLU:OE2	1:C:92:ARG:HD2	2.05	0.57
1:A:148:ARG:HG2	1:A:214:VAL:HG23	1.86	0.56
1:A:91:TYR:C	1:A:92:ARG:HD3	2.30	0.56
1:A:87:ARG:HG3	1:A:305:VAL:CG1	2.36	0.56
5:A:2501:HOH:O	1:C:247:MET:HG2	2.08	0.54
1:C:198:ASN:C	1:C:199:LEU:HD12	2.32	0.54
1:C:140:ARG:HB2	1:C:140:ARG:HH11	1.73	0.53
1:A:102:MET:HE3	1:A:114:ASN:HB2	1.91	0.53
1:C:220:THR:O	1:C:224:VAL:HG23	2.09	0.53
1:C:140:ARG:HB2	1:C:140:ARG:NH1	2.23	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:MET:HE2	5:B:1037:HOH:O	2.08	0.52
1:C:82:ILE:O	1:C:85:VAL:HG12	2.09	0.52
1:C:183:LEU:HD13	1:C:199:LEU:CD2	2.35	0.51
1:A:183:LEU:C	1:A:183:LEU:HD23	2.34	0.51
1:B:294:ARG:NE	1:B:294:ARG:HA	2.25	0.51
1:A:88:ARG:HG3	1:A:88:ARG:HH11	1.75	0.51
1:C:226:ARG:HH11	1:C:226:ARG:HG2	1.75	0.51
1:B:224:VAL:HG21	1:B:254:THR:HG21	1.92	0.50
1:A:226:ARG:HD3	1:A:301:TRP:CZ2	2.47	0.50
1:B:294:ARG:HA	1:B:294:ARG:CZ	2.42	0.50
1:A:55:GLU:OE2	4:A:2417:MPD:HM2	2.12	0.49
1:C:224:VAL:HG21	1:C:254:THR:HG21	1.93	0.49
1:B:262:PRO:HD2	5:B:1125:HOH:O	2.13	0.49
1:C:102:MET:HE3	1:C:114:ASN:HB2	1.93	0.49
4:A:2416:MPD:H53	5:A:2483:HOH:O	2.11	0.49
1:C:211:GLU:HG3	1:C:238:VAL:C	2.37	0.49
1:B:211:GLU:HG3	1:B:238:VAL:C	2.38	0.48
1:C:76:GLU:CD	1:C:76:GLU:N	2.71	0.48
1:B:87:ARG:HG3	1:B:305:VAL:CG1	2.43	0.48
1:A:40:ARG:HG3	1:A:256:THR:CG2	2.43	0.48
1:B:124:TRP:HE1	4:B:915:MPD:H31	1.79	0.48
1:A:141:LEU:CD2	1:A:181:GLU:HB3	2.44	0.47
1:C:61:TYR:CE1	1:C:78:LEU:HD22	2.49	0.47
1:C:211:GLU:HG2	1:C:237:VAL:HG12	1.95	0.47
1:A:48:PRO:HG3	1:A:92:ARG:HA	1.96	0.47
1:B:294:ARG:NH2	5:B:1164:HOH:O	2.48	0.47
4:C:1416:MPD:HM1	5:C:1481:HOH:O	2.16	0.46
1:B:102:MET:HE3	1:B:114:ASN:HB2	1.96	0.46
1:B:132:GLU:H	1:B:132:GLU:CD	2.24	0.46
1:A:92:ARG:HD3	1:A:92:ARG:N	2.32	0.45
1:A:219:ILE:HG12	4:A:2417:MPD:HM3	1.98	0.45
1:A:82:ILE:HG23	1:A:96:ILE:HG21	1.99	0.45
1:C:61:TYR:OH	1:C:78:LEU:HD13	2.16	0.45
1:A:76:GLU:CD	1:A:76:GLU:N	2.74	0.45
1:C:140:ARG:HH12	1:C:179:ALA:HA	1.82	0.45
1:A:224:VAL:CG2	1:A:283:LEU:HD13	2.47	0.45
1:A:243:ASP:HB2	5:A:2531:HOH:O	2.17	0.45
1:B:193:GLU:HA	1:B:199:LEU:HD23	1.99	0.45
1:B:211:GLU:HG2	1:B:237:VAL:HG12	1.99	0.45
1:A:174:ALA:HB2	1:A:182:ALA:HB2	1.99	0.45
1:B:82:ILE:O	1:B:85:VAL:HG12	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:273:LYS:HA	1:C:273:LYS:CE	2.47	0.45
1:A:193:GLU:HA	1:A:199:LEU:HD13	1.99	0.45
1:A:140:ARG:HG3	1:A:140:ARG:HH11	1.82	0.44
1:B:212:HIS:O	1:B:213:SER:C	2.61	0.44
1:A:142:ILE:HG23	5:A:2500:HOH:O	2.18	0.44
1:A:198:ASN:C	1:A:199:LEU:HD12	2.43	0.44
1:A:247:MET:HG3	5:A:2531:HOH:O	2.18	0.44
1:B:174:ALA:HB2	1:B:182:ALA:HB2	2.00	0.43
1:A:203:ARG:HH12	1:A:247:MET:HE3	1.83	0.43
1:A:212:HIS:O	1:A:213:SER:C	2.62	0.43
1:A:221:ARG:O	1:A:224:VAL:HG12	2.18	0.43
1:A:40:ARG:HG3	1:A:256:THR:HG22	2.01	0.43
1:B:226:ARG:HH11	1:B:226:ARG:HG2	1.84	0.42
1:C:296:PRO:HA	1:C:299:GLU:HG2	2.00	0.42
1:B:193:GLU:OE1	2:B:913:PLP:N1	2.51	0.42
1:B:193:GLU:HB2	1:B:197:GLU:O	2.20	0.42
1:C:212:HIS:O	1:C:213:SER:C	2.62	0.42
1:A:193:GLU:OE1	2:A:413:PLP:N1	2.53	0.42
1:B:82:ILE:HG23	1:B:96:ILE:HG21	2.01	0.42
1:A:136:ARG:HA	1:A:276:ALA:HB3	2.00	0.42
1:C:164:TYR:CD1	1:C:164:TYR:N	2.88	0.41
1:A:159:LYS:NZ	2:A:413:PLP:O3	2.53	0.41
1:B:69:MET:HG3	1:B:117:ALA:HB2	2.03	0.41
1:A:250:GLU:CD	1:A:277:GLY:HA3	2.46	0.41
1:C:83:LYS:HE2	1:C:303:THR:HG21	2.03	0.41
1:A:164:TYR:CD1	1:A:164:TYR:N	2.89	0.40
1:A:247:MET:SD	1:B:62:ASN:HB3	2.61	0.40
1:B:164:TYR:CD1	1:B:164:TYR:N	2.89	0.40
1:A:149:PHE:CG	1:A:154:MET:HB2	2.56	0.40
1:B:294:ARG:NH1	5:B:1103:HOH:O	2.54	0.40
1:C:183:LEU:CD1	1:C:199:LEU:HD21	2.39	0.40
1:A:84:GLU:OE1	1:A:88:ARG:NH1	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/308 (95%)	286 (98%)	7 (2%)	0	100	100
1	B	302/308 (98%)	295 (98%)	7 (2%)	0	100	100
1	C	290/308 (94%)	284 (98%)	6 (2%)	0	100	100
All	All	885/924 (96%)	865 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/241 (97%)	231 (99%)	2 (1%)	70	44
1	B	238/241 (99%)	236 (99%)	2 (1%)	73	48
1	C	231/241 (96%)	229 (99%)	2 (1%)	70	44
All	All	702/723 (97%)	696 (99%)	6 (1%)	70	44

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	76	GLU
1	B	149	PHE
1	B	294	ARG
1	C	76	GLU
1	C	247	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	ASN
1	A	166	ASN
1	A	212	HIS
1	B	62	ASN
1	B	166	ASN
1	B	236	GLN
1	B	306	ASN
1	C	11	ASN
1	C	62	ASN
1	C	166	ASN
1	C	306	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	MPD	A	2417	-	7,7,7	0.83	0	9,10,10	0.84	0
3	4MV	A	2414	-	7,7,7	0.63	0	8,8,8	0.98	0
2	PLP	C	1413	1	15,15,16	1.30	2 (13%)	21,22,23	1.40	3 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLP	B	913	1	15,15,16	1.33	1 (6%)	21,22,23	1.34	3 (14%)
2	PLP	A	413	1	15,15,16	1.32	2 (13%)	21,22,23	1.30	2 (9%)
3	4MV	B	914	-	7,7,7	0.92	0	8,8,8	0.70	0
4	MPD	C	1416	-	7,7,7	0.85	0	9,10,10	0.81	0
3	4MV	C	1414	-	7,7,7	0.89	0	8,8,8	0.75	0
4	MPD	B	915	-	7,7,7	0.90	0	9,10,10	1.04	0
4	MPD	B	917	-	7,7,7	0.92	0	9,10,10	1.11	0
4	MPD	A	2416	-	7,7,7	0.79	0	9,10,10	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	A	2417	-	-	1/5/5/5	-
3	4MV	A	2414	-	-	4/5/5/5	-
2	PLP	C	1413	1	-	0/6/6/8	0/1/1/1
2	PLP	B	913	1	-	0/6/6/8	0/1/1/1
2	PLP	A	413	1	-	0/6/6/8	0/1/1/1
3	4MV	B	914	-	-	4/5/5/5	-
4	MPD	C	1416	-	-	1/5/5/5	-
3	4MV	C	1414	-	-	2/5/5/5	-
4	MPD	B	915	-	-	1/5/5/5	-
4	MPD	B	917	-	-	2/5/5/5	-
4	MPD	A	2416	-	-	2/5/5/5	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	913	PLP	C3-C2	-2.94	1.37	1.41
2	A	413	PLP	C3-C2	-2.81	1.38	1.41
2	C	1413	PLP	C3-C2	-2.65	1.38	1.41
2	C	1413	PLP	C2A-C2	2.34	1.54	1.50
2	A	413	PLP	C2A-C2	2.32	1.54	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1413	PLP	C4A-C4-C5	3.37	124.42	120.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	913	PLP	C4A-C4-C5	2.76	123.78	120.94
2	A	413	PLP	C4A-C4-C5	2.28	123.29	120.94
2	A	413	PLP	O4P-C5A-C5	2.16	113.41	109.36
2	B	913	PLP	O2P-P-O4P	-2.11	101.16	106.67
2	B	913	PLP	C6-C5-C4	2.09	119.81	118.10
2	C	1413	PLP	C4A-C4-C3	-2.05	117.11	120.52
2	C	1413	PLP	O2P-P-O4P	-2.03	101.37	106.67

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	914	4MV	CA-CB-CG-CD1
3	A	2414	4MV	CA-CB-CG-CD1
3	A	2414	4MV	CA-CB-CG-CD2
3	B	914	4MV	CA-CB-CG-CD2
4	A	2416	MPD	C2-C3-C4-C5
4	A	2417	MPD	C2-C3-C4-C5
4	B	915	MPD	C2-C3-C4-C5
4	B	917	MPD	C2-C3-C4-C5
4	C	1416	MPD	C2-C3-C4-C5
3	A	2414	4MV	O-C-CA-CB
3	A	2414	4MV	OXT-C-CA-CB
3	B	914	4MV	OXT-C-CA-CB
3	C	1414	4MV	OXT-C-CA-CB
3	B	914	4MV	O-C-CA-CB
3	C	1414	4MV	O-C-CA-CB
4	A	2416	MPD	O2-C2-C3-C4
4	B	917	MPD	C1-C2-C3-C4

There are no ring outliers.

6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	2417	MPD	2	0
2	B	913	PLP	1	0
2	A	413	PLP	2	0
4	C	1416	MPD	2	0
4	B	915	MPD	1	0
4	A	2416	MPD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/308 (96%)	0.55	28 (9%) 14 19	6, 11, 23, 34	0
1	B	304/308 (98%)	0.34	14 (4%) 37 47	6, 11, 18, 26	0
1	C	294/308 (95%)	0.56	27 (9%) 14 20	6, 12, 22, 30	0
All	All	895/924 (96%)	0.48	69 (7%) 19 27	6, 11, 21, 34	0

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	GLN	5.4
1	C	126	TRP	5.2
1	A	306	ASN	5.2
1	A	126	TRP	5.2
1	B	224	VAL	4.9
1	A	92	ARG	4.8
1	B	306	ASN	4.6
1	C	137	LYS	4.5
1	A	224	VAL	4.4
1	C	224	VAL	4.4
1	C	45	ALA	4.2
1	B	11	ASN	4.1
1	B	294	ARG	4.1
1	A	18	GLU	3.8
1	A	136	ARG	3.7
1	C	306	ASN	3.7
1	C	18	GLU	3.4
1	C	92	ARG	3.4
1	A	135	VAL	3.3
1	B	88	ARG	3.2
1	C	11	ASN	3.2
1	B	268	TRP	3.2
1	A	109	VAL	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	16	PRO	3.2
1	C	78	LEU	3.2
1	A	76	GLU	3.1
1	C	138	GLY	3.1
1	A	45	ALA	3.1
1	C	268	TRP	3.1
1	A	305	VAL	3.1
1	A	14	PHE	3.0
1	C	76	GLU	3.0
1	C	305	VAL	2.9
1	C	93	SER	2.9
1	A	3	ILE	2.8
1	B	76	GLU	2.8
1	B	87	ARG	2.7
1	A	11	ASN	2.7
1	B	130	LEU	2.7
1	A	268	TRP	2.6
1	C	87	ARG	2.6
1	C	125	GLU	2.6
1	A	40	ARG	2.5
1	A	88	ARG	2.5
1	C	140	ARG	2.5
1	B	18	GLU	2.5
1	A	87	ARG	2.4
1	C	19	GLU	2.4
1	A	15	VAL	2.4
1	C	13	ALA	2.3
1	C	16	PRO	2.3
1	A	118	GLU	2.3
1	A	13	ALA	2.2
1	C	44	THR	2.2
1	C	88	ARG	2.2
1	A	137	LYS	2.2
1	B	78	LEU	2.2
1	C	199	LEU	2.1
1	A	91	TYR	2.1
1	B	305	VAL	2.1
1	A	90	GLY	2.1
1	C	46	LYS	2.1
1	B	205	GLY	2.1
1	C	273	LYS	2.1
1	A	140	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	297	GLU	2.0
1	B	199	LEU	2.0
1	C	15	VAL	2.0
1	A	10	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MPD	B	915	8/8	0.76	0.17	32,32,32,34	0
4	MPD	A	2416	8/8	0.77	0.18	24,25,26,27	0
4	MPD	C	1416	8/8	0.82	0.14	13,19,22,24	0
4	MPD	A	2417	8/8	0.83	0.14	19,21,27,28	0
4	MPD	B	917	8/8	0.84	0.15	19,20,26,26	0
3	4MV	B	914	8/8	0.87	0.15	15,21,25,25	0
3	4MV	C	1414	8/8	0.88	0.17	14,21,25,27	0
3	4MV	A	2414	8/8	0.89	0.15	16,21,24,24	0
2	PLP	C	1413	15/16	0.98	0.06	8,10,13,15	0
2	PLP	A	413	15/16	0.98	0.06	9,10,13,15	0
2	PLP	B	913	15/16	0.98	0.06	7,11,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.