



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:59 PM UTC

PDB ID : 5EIY / pdb_00005eiY
Title : Bacterial cellulose synthase bound to a substrate analogue
Authors : McNamara, J.T.; Zimmer, J.
Deposited on : 2015-10-30
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1130 (2.98-2.94)
Clashscore	190562	1157 (2.98-2.94)
Ramachandran outliers	187476	1101 (2.98-2.94)
Sidechain outliers	187428	1101 (2.98-2.94)
RSRZ outliers	180081	1130 (2.98-2.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	803	5% 71% 19% • 9%
2	B	729	5% 77% 13% • 10%
3	D	9	100%
4	C	17	6% 71% 24%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	LDA	A	922	-	-	-	X

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 11144 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative cellulose synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	728	Total	C	N	O	S	0	0	0
			5734	3721	1000	982	31			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP Q3J125
A	1	GLY	-	expression tag	UNP Q3J125
A	789	HIS	-	expression tag	UNP Q3J125
A	790	HIS	-	expression tag	UNP Q3J125
A	791	HIS	-	expression tag	UNP Q3J125
A	792	HIS	-	expression tag	UNP Q3J125
A	793	HIS	-	expression tag	UNP Q3J125
A	794	HIS	-	expression tag	UNP Q3J125
A	795	LYS	-	expression tag	UNP Q3J125
A	796	LEU	-	expression tag	UNP Q3J125
A	797	HIS	-	expression tag	UNP Q3J125
A	798	HIS	-	expression tag	UNP Q3J125
A	799	HIS	-	expression tag	UNP Q3J125
A	800	HIS	-	expression tag	UNP Q3J125
A	801	HIS	-	expression tag	UNP Q3J125
A	802	HIS	-	expression tag	UNP Q3J125

- Molecule 2 is a protein called Putative cellulose synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	658	Total	C	N	O	S	0	5	0
			4946	3134	878	918	16			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	MET	-	initiating methionine	UNP Q3J126
B	-2	LYS	-	expression tag	UNP Q3J126
B	-1	TYR	-	expression tag	UNP Q3J126
B	0	LEU	-	expression tag	UNP Q3J126
B	1	LEU	-	expression tag	UNP Q3J126
B	2	PRO	-	expression tag	UNP Q3J126
B	3	THR	-	expression tag	UNP Q3J126
B	4	ALA	-	expression tag	UNP Q3J126
B	5	ALA	-	expression tag	UNP Q3J126
B	6	ALA	-	expression tag	UNP Q3J126
B	7	GLY	-	expression tag	UNP Q3J126
B	8	LEU	-	expression tag	UNP Q3J126
B	9	LEU	-	expression tag	UNP Q3J126
B	10	LEU	-	expression tag	UNP Q3J126
B	11	LEU	-	expression tag	UNP Q3J126
B	12	ALA	-	expression tag	UNP Q3J126
B	13	ALA	-	expression tag	UNP Q3J126
B	14	GLN	-	expression tag	UNP Q3J126
B	15	PRO	-	expression tag	UNP Q3J126
B	16	ALA	-	expression tag	UNP Q3J126
B	17	MET	-	expression tag	UNP Q3J126
B	18	ALA	-	expression tag	UNP Q3J126
B	19	MET	-	expression tag	UNP Q3J126
B	20	GLY	-	expression tag	UNP Q3J126

- Molecule 3 is a protein called poly(unk).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	9	Total	C	N	O	0	0	0
			45	27	9	9			

- [illegible]




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	C	17	Total	C	O	0	0	0
			188	102	86			

- Molecule 5 is DIUNDECYL PHOSPHATIDYL CHOLINE (CCD ID: PLC) (formula: C₃₂H₆₅NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			38	28	1	8	1		

- Molecule 6 is [(2R)-3-[oxidanyl-[2-(trimethyl- $\text{N}^{\{4\}}$ -azanyl)ethoxy]phosphoryl]oxy-2-propa noyloxy-propyl] propanoate (CCD ID: 43Y) (formula: C₁₄H₂₉NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			20	10	1	8	1		

- Molecule 7 is 9,9'-[(2R,3R,3aS,5S,7aR,9R,10R,10aS,12S,14aR)-3,5,10,12-tetrahydroxy-5,12-dioxidoctahydro-2H,7H-difuro[3,2-d:3',2'-j][1,3,7,9,2,8]tetraoxadiphosphacyclododecine-2,9-diyl]bis(2-amino-1,9-dihydro-6H-purin-6-one) (CCD ID: C2E) (formula: C₂₀H₂₄N₁₀O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
7	A	1	Total	C	N	O	P	0	0
			46	20	10	14	2		

- Molecule 8 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: C₁₄H₃₁NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			16	14	1	1		
8	A	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 9 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	Mg	0	0
			1	1		
9	B	1	Total	Mg	0	0
			1	1		


- Molecule 10 is [[(2 {R},3 {S},4 {R},5 {R})-5-[2,4-bis(oxidanylidene)pyrimidin-1-yl]-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-[[[(2 {S},3 {R},4 {S},5 {S},6 {R})-6-(hydroxymethyl)-3,4,5-tris(oxidanyl)oxan-2-yl]methyl]phosphinic acid (CCD ID: 660) (formula: C₁₆H₂₆N₂O₁₆P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	A	1	Total	C	N	O	P	0	0
			36	16	2	16	2		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	11	Total	O	0	0
			11	11		



- Molecule 3: poly(unk)

Chain D:  100%

There are no outlier residues recorded for this chain.

- [illegible]

Chain C: 6% 71% 24%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.47Å 216.65Å 221.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.92 – 2.95 34.92 – 2.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (34.92-2.95) 99.7 (34.92-2.95)	Depositor EDS
R_{merge}	0.28	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.95Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.222 , 0.248 0.229 , 0.255	Depositor DCC
R_{free} test set	3482 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	75.5	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 53.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.006 for -h,l,k	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11144	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLC, LDA, 660, BGC, 43Y, GAL, MG, C2E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/5880	0.80	8/7997 (0.1%)
2	B	0.33	0/5065	0.79	5/6945 (0.1%)
All	All	0.34	0/10945	0.80	13/14942 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	3
All	All	0	4

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	74	LEU	O-C-N	-7.65	114.50	123.22
1	A	189	SER	C-N-CD	6.72	135.38	120.60
1	A	191	ASP	CA-C-N	-5.79	113.80	119.76
1	A	191	ASP	C-N-CA	-5.79	113.80	119.76
1	A	189	SER	CB-CA-C	5.26	120.54	110.17
1	A	266	ASP	CA-C-N	5.15	124.65	119.19
1	A	266	ASP	C-N-CA	5.15	124.65	119.19
2	B	630	GLU	CA-C-N	5.13	125.17	119.32
2	B	630	GLU	C-N-CA	5.13	125.17	119.32
2	B	107	LEU	CA-C-N	5.13	125.17	119.32
2	B	107	LEU	C-N-CA	5.13	125.17	119.32
1	A	691	GLY	N-CA-C	5.10	118.42	112.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	138	GLU	N-CA-C	-5.01	107.22	113.38

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	135	GLN	Peptide
2	B	643	ARG	Sidechain
2	B	74	LEU	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5734	0	5846	120	0
2	B	4946	0	5023	67	0
3	D	45	0	12	0	0
4	C	188	0	155	6	0
5	A	38	0	53	0	0
6	A	20	0	15	1	0
7	A	92	0	41	5	0
8	A	32	0	62	2	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
10	A	36	0	0	2	0
11	A	11	0	0	0	0
All	All	11144	0	11207	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:921:C2E:O4'	7:A:921:C2E:C4'	1.64	1.21

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:920:C2E:O4'	7:A:920:C2E:C4'	1.64	1.20
1:A:134:LEU:O	1:A:134:LEU:HD12	1.58	1.04
2:B:140:LEU:HB3	2:B:144:VAL:HG11	1.42	1.00
2:B:643:ARG:N	2:B:643:ARG:HD3	1.82	0.94
1:A:189:SER:HB3	1:A:191:ASP:N	1.83	0.93
1:A:189:SER:HB3	1:A:191:ASP:H	1.32	0.93
2:B:140:LEU:HB3	2:B:144:VAL:CG1	1.98	0.92
1:A:134:LEU:HD22	1:A:264:VAL:HG21	1.55	0.88
1:A:189:SER:CB	1:A:190:PRO:HA	2.08	0.84
1:A:95:ASP:O	1:A:99:LEU:HD13	1.83	0.78
2:B:270:ILE:HG22	2:B:280:LEU:HA	1.67	0.76
1:A:189:SER:HB2	1:A:190:PRO:HA	1.68	0.73
1:A:143:ASP:CG	1:A:237:LEU:HD23	2.15	0.72
2:B:643:ARG:HD3	2:B:643:ARG:H	1.53	0.71
1:A:64:VAL:O	1:A:68:LEU:HD13	1.91	0.70
2:B:377:LYS:HB2	2:B:416:SER:HB2	1.73	0.70
2:B:643:ARG:N	2:B:643:ARG:CD	2.54	0.70
2:B:630:GLU:OE1	2:B:633:ARG:NH1	2.24	0.69
1:A:179:ASP:OD1	1:A:201:ARG:NH1	2.25	0.69
1:A:300:MET:HA	1:A:470:GLN:HB3	1.74	0.69
1:A:341:THR:O	1:A:341:THR:HG23	1.91	0.69
1:A:134:LEU:HD22	1:A:264:VAL:CG2	2.24	0.68
2:B:693:ARG:HD2	2:B:696:LEU:HD13	1.74	0.68
1:A:369:GLN:HG3	1:A:370:PRO:HD2	1.76	0.67
1:A:341:THR:O	1:A:341:THR:CG2	2.42	0.67
1:A:191:ASP:HB3	1:A:194:LEU:HD12	1.77	0.66
1:A:508:LYS:NZ	10:A:925:660:O23	2.27	0.66
1:A:35:ALA:O	1:A:79:ARG:NH2	2.29	0.65
1:A:189:SER:CB	1:A:191:ASP:H	2.08	0.65
2:B:364:PHE:HE1	2:B:396:LYS:HD2	1.61	0.65
1:A:134:LEU:CD1	1:A:139:LEU:HD12	2.27	0.64
2:B:672:GLU:OE1	2:B:674:ARG:NH1	2.30	0.64
1:A:191:ASP:CB	1:A:194:LEU:HD12	2.28	0.63
1:A:382:ARG:HH12	1:A:506:THR:HG23	1.63	0.63
2:B:73:ARG:NH2	2:B:172:TRP:CE2	2.67	0.62
2:B:384:ARG:HH11	4:C:6:BGC:H6C2	1.64	0.62
1:A:134:LEU:HD11	1:A:139:LEU:HD12	1.82	0.62
2:B:384:ARG:NH1	4:C:6:BGC:H6C2	2.14	0.61
1:A:57:LYS:NZ	6:A:902:43Y:O2P	2.30	0.61
1:A:40:SER:HA	2:B:581:THR:HG22	1.83	0.60
1:A:84:ARG:NH1	1:A:108:GLU:OE1	2.33	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:CYS:SG	1:A:202:ARG:NH1	2.74	0.60
1:A:352:SER:O	1:A:401:GLY:HA3	2.01	0.60
2:B:117:MET:HE2	2:B:122:ILE:HG21	1.84	0.60
1:A:53:VAL:HG13	1:A:69:LEU:HD13	1.84	0.59
1:A:42:GLN:OE1	1:A:79:ARG:NH1	2.36	0.59
2:B:77[A]:GLN:HG3	2:B:157:HIS:H	1.67	0.59
1:A:350:ILE:HG22	1:A:355:TRP:HB2	1.86	0.58
2:B:475:THR:HG22	2:B:477:ASP:H	1.68	0.58
1:A:196:GLN:HA	1:A:196:GLN:OE1	2.05	0.57
2:B:612:MET:HG2	2:B:654:VAL:HG22	1.85	0.57
1:A:184:ASP:O	1:A:188:MET:HG2	2.05	0.56
1:A:585:VAL:HG13	1:A:699:MET:HE1	1.88	0.56
1:A:419:PHE:HA	1:A:422:VAL:HG22	1.88	0.56
1:A:193:GLU:O	1:A:196:GLN:HB2	2.06	0.55
1:A:189:SER:CB	1:A:190:PRO:CA	2.81	0.55
2:B:77[A]:GLN:HE22	2:B:158:ARG:NE	2.05	0.55
1:A:161:ALA:HB1	1:A:683:GLU:HG2	1.90	0.54
1:A:66:ARG:NH1	1:A:123:ALA:O	2.40	0.54
1:A:271:LEU:HD23	1:A:357:SER:HB2	1.89	0.54
2:B:328:THR:HG22	2:B:442:SER:H	1.72	0.54
1:A:654:ARG:O	1:A:677:GLN:NE2	2.41	0.54
1:A:107:VAL:HG21	1:A:425:MET:HG2	1.89	0.53
1:A:134:LEU:O	1:A:134:LEU:CD1	2.46	0.53
1:A:37:VAL:HG13	1:A:41:ALA:HB3	1.91	0.53
1:A:701:GLU:HG2	1:A:704:MET:HE2	1.90	0.52
1:A:387:MET:HG3	1:A:417:TRP:CD1	2.45	0.52
2:B:412:PRO:HB2	2:B:645:PRO:HA	1.92	0.52
1:A:589:VAL:HB	1:A:607:VAL:HB	1.92	0.52
1:A:520:ILE:O	1:A:523:PRO:HD2	2.10	0.52
1:A:735:PRO:O	1:A:739:ARG:NH1	2.44	0.51
1:A:482:ALA:HB2	1:A:569:ALA:HB1	1.91	0.51
1:A:270:PHE:CG	1:A:350:ILE:HG21	2.46	0.51
2:B:140:LEU:HB3	2:B:144:VAL:HG13	1.86	0.50
2:B:438:MET:HG2	2:B:439:GLN:N	2.25	0.50
1:A:13:VAL:HG13	1:A:15:PRO:HD2	1.93	0.50
2:B:425:PRO:HG2	2:B:428:GLN:HB2	1.93	0.50
1:A:134:LEU:HD13	1:A:138:GLU:HB2	1.94	0.50
1:A:193:GLU:O	1:A:196:GLN:N	2.44	0.50
1:A:609:ASP:OD2	1:A:616:ARG:HD2	2.12	0.49
1:A:276:HIS:O	1:A:298:ASN:ND2	2.45	0.49
1:A:134:LEU:CD2	1:A:264:VAL:CG2	2.90	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:364:PHE:CZ	2:B:392:ALA:HA	2.48	0.49
2:B:78[A]:GLN:HE21	2:B:333:ASN:ND2	2.11	0.49
2:B:59:LEU:HD12	2:B:85:LEU:HD13	1.93	0.49
1:A:464:ASN:O	1:A:468:ALA:HB2	2.13	0.48
1:A:718:TRP:HE3	8:A:923:LDA:H62	1.78	0.48
2:B:562:MET:HE2	2:B:565:LEU:HD21	1.96	0.48
1:A:394:LYS:O	1:A:399:ARG:NH1	2.46	0.48
1:A:446:GLU:OE2	2:B:573:ARG:NH2	2.39	0.48
2:B:364:PHE:CE1	2:B:396:LYS:HD2	2.47	0.48
1:A:219:ARG:HD3	1:A:229:ASN:HA	1.96	0.48
2:B:384:ARG:NH1	4:C:6:BGC:C6	2.77	0.48
2:B:363:GLY:HA3	2:B:394:PRO:O	2.14	0.47
1:A:419:PHE:CD2	1:A:420:PRO:HD3	2.48	0.47
2:B:148:ASP:HB3	2:B:305:LEU:HG	1.96	0.47
1:A:259:THR:HG23	1:A:272:VAL:HG11	1.95	0.47
2:B:321:LEU:HB3	2:B:326:VAL:HG22	1.96	0.47
2:B:503:ALA:HB1	2:B:507:ASP:HB2	1.97	0.47
2:B:678:SER:O	2:B:682:VAL:HG23	2.15	0.47
1:A:274:THR:OG1	1:A:321:ALA:O	2.22	0.47
2:B:716:VAL:HA	2:B:719:THR:HG22	1.97	0.47
1:A:570:LEU:O	1:A:573:VAL:HB	2.15	0.47
2:B:320:THR:HG22	2:B:323:ASP:CG	2.40	0.47
1:A:341:THR:OG1	1:A:343:ASP:OD1	2.33	0.47
1:A:226:LYS:HG2	1:A:226:LYS:O	2.14	0.46
1:A:584:ARG:HG2	1:A:611:SER:HB3	1.97	0.46
1:A:580:ARG:NH2	7:A:921:C2E:H2'	2.30	0.46
1:A:311:ARG:NH2	2:B:716:VAL:O	2.49	0.46
1:A:189:SER:HB3	1:A:190:PRO:HA	1.94	0.46
1:A:282:ASP:HA	1:A:369:GLN:HG2	1.98	0.45
2:B:70:PRO:HG2	2:B:71:LEU:HD13	1.98	0.45
1:A:187:CYS:O	1:A:195:ALA:HB1	2.16	0.45
2:B:320:THR:HA	2:B:445:ASP:HA	1.98	0.45
1:A:134:LEU:HD12	1:A:134:LEU:C	2.38	0.45
1:A:251:PRO:HA	1:A:365:ILE:HG22	1.98	0.45
2:B:373:LEU:HD23	2:B:387:PRO:HA	1.97	0.45
2:B:583:GLN:HA	2:B:586:ILE:HG12	1.99	0.45
1:A:480:GLU:OE2	4:C:14:BGC:O6	2.30	0.45
2:B:460:ALA:HB2	2:B:649:ARG:HG2	1.99	0.44
1:A:134:LEU:CD1	1:A:139:LEU:CD1	2.95	0.44
1:A:252:SER:N	1:A:364:MET:O	2.40	0.44
1:A:218:THR:OG1	1:A:219:ARG:N	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:ALA:O	2:B:683:ARG:NH1	2.51	0.44
1:A:379:GLN:HB2	1:A:506:THR:HG21	2.00	0.44
1:A:13:VAL:HG22	1:A:15:PRO:HD2	2.00	0.44
1:A:275:PRO:HD2	1:A:362:ARG:O	2.18	0.43
1:A:136:PRO:C	1:A:137:GLU:HG2	2.43	0.43
2:B:76[B]:GLY:C	2:B:78[B]:GLN:H	2.26	0.43
1:A:233:ALA:O	1:A:237:LEU:HD13	2.18	0.43
1:A:283:PRO:HG2	1:A:376:PHE:HB2	2.01	0.43
1:A:700:ARG:O	1:A:704:MET:HG3	2.18	0.43
2:B:602:GLU:H	2:B:602:GLU:HG2	1.67	0.43
1:A:154:ASP:OD1	1:A:154:ASP:N	2.51	0.43
2:B:427:ASP:OD1	2:B:427:ASP:N	2.50	0.43
1:A:38:ALA:HA	1:A:39:PRO:HD3	1.93	0.42
1:A:134:LEU:CD2	1:A:264:VAL:HG21	2.37	0.42
1:A:189:SER:HB3	1:A:190:PRO:C	2.40	0.42
1:A:189:SER:HB3	1:A:190:PRO:CA	2.46	0.42
2:B:212:ILE:HB	2:B:243:LEU:HD23	2.01	0.42
2:B:630:GLU:HA	2:B:631:PRO:HD3	1.89	0.42
1:A:366:ALA:HB3	1:A:690:PHE:HD1	1.84	0.42
2:B:160:ARG:HG3	2:B:161:ILE:HG12	2.01	0.42
1:A:136:PRO:O	1:A:137:GLU:HG2	2.20	0.42
1:A:184:ASP:HB2	1:A:220:GLU:HA	2.00	0.42
1:A:242:VAL:HG23	1:A:326:ARG:HG2	2.02	0.42
1:A:152:PRO:HD2	1:A:155:MET:HE2	2.01	0.42
4:C:10:BGC:O3	4:C:11:BGC:O5	2.36	0.42
1:A:553:LEU:HD12	1:A:553:LEU:HA	1.87	0.42
2:B:477:ASP:N	2:B:477:ASP:OD1	2.52	0.42
1:A:550:SER:OG	2:B:567:GLU:HG3	2.19	0.42
8:A:923:LDA:HM23	8:A:923:LDA:H22	1.76	0.42
1:A:64:VAL:O	1:A:68:LEU:CD1	2.65	0.42
1:A:143:ASP:CB	1:A:237:LEU:HD23	2.50	0.42
1:A:317:PHE:O	1:A:343:ASP:HB2	2.20	0.41
1:A:392:LEU:HD11	1:A:495:LEU:HD23	2.02	0.41
2:B:505:LEU:HD21	2:B:527:LEU:HD12	2.01	0.41
1:A:143:ASP:OD2	1:A:237:LEU:HB3	2.20	0.41
1:A:143:ASP:HB3	1:A:237:LEU:HD23	2.02	0.41
1:A:441:PHE:CD2	4:C:10:BGC:H2	2.55	0.41
1:A:372:THR:HG22	1:A:512:LEU:HD11	2.01	0.41
2:B:425:PRO:HA	2:B:426:PRO:HD3	1.84	0.41
2:B:641:ALA:HB1	2:B:648:PRO:HD2	2.02	0.41
1:A:193:GLU:O	1:A:194:LEU:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:371:GLU:HG2	1:A:510:GLU:O	2.20	0.41
1:A:535:VAL:O	1:A:538:THR:OG1	2.38	0.41
2:B:103:SER:HB2	2:B:172:TRP:CD2	2.56	0.41
2:B:374:LEU:HD13	2:B:438:MET:SD	2.61	0.41
2:B:597:ASP:OD1	2:B:597:ASP:N	2.52	0.41
1:A:56:LEU:HD13	1:A:68:LEU:HB3	2.03	0.41
2:B:78[A]:GLN:HE21	2:B:333:ASN:HD22	1.67	0.41
1:A:382:ARG:NH2	10:A:925:660:O12	2.54	0.41
2:B:78[A]:GLN:HB2	2:B:333:ASN:ND2	2.36	0.41
2:B:263:SER:O	2:B:285:PRO:HA	2.20	0.41
7:A:920:C2E:H2'	7:A:921:C2E:N11	2.36	0.41
1:A:279:ILE:HG23	1:A:366:ALA:HB1	2.03	0.41
1:A:423:ARG:HD3	1:A:423:ARG:HA	1.93	0.41
1:A:522:ARG:HB2	1:A:523:PRO:HD3	2.02	0.41
2:B:456:MET:HE2	2:B:456:MET:HB2	1.92	0.41
1:A:131:PRO:HB3	1:A:261:GLY:HA3	2.01	0.41
2:B:352:ALA:HB3	2:B:354:GLN:NE2	2.36	0.41
2:B:586:ILE:O	2:B:590:ARG:HG2	2.21	0.40
1:A:147:PRO:HD2	1:A:245:PHE:O	2.21	0.40
1:A:616:ARG:HH22	7:A:921:C2E:H511	1.87	0.40
2:B:577:PHE:O	2:B:581:THR:HG23	2.21	0.40
1:A:192:PRO:HA	1:A:193:GLU:HA	1.80	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	726/803 (90%)	700 (96%)	25 (3%)	1 (0%)	48	72
2	B	659/729 (90%)	646 (98%)	13 (2%)	0	100	100
All	All	1385/1532 (90%)	1346 (97%)	38 (3%)	1 (0%)	48	72

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	189	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	598/661 (90%)	583 (98%)	15 (2%)	42	66
2	B	525/573 (92%)	515 (98%)	10 (2%)	50	71
All	All	1123/1234 (91%)	1098 (98%)	25 (2%)	45	69

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	VAL
1	A	69	LEU
1	A	137	GLU
1	A	175	VAL
1	A	176	VAL
1	A	204	GLU
1	A	264	VAL
1	A	323	VAL
1	A	466	LEU
1	A	554	VAL
1	A	573	VAL
1	A	588	GLU
1	A	615	VAL
1	A	617	LEU
1	A	649	LEU
2	B	59	LEU
2	B	87	LEU
2	B	267	ARG
2	B	281	VAL
2	B	326	VAL
2	B	446	LEU
2	B	643	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	670	LEU
2	B	674	ARG
2	B	696	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	206	GLN
2	B	333	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

17 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	BGC	C	1	4	12,12,12	2.12	2 (16%)	17,17,17	1.67	4 (23%)
4	BGC	C	10	4	11,11,12	2.49	3 (27%)	15,15,17	1.74	4 (26%)
4	BGC	C	11	4	11,11,12	2.52	3 (27%)	15,15,17	1.09	1 (6%)
4	BGC	C	12	4	11,11,12	2.58	3 (27%)	15,15,17	1.06	1 (6%)
4	BGC	C	13	4	11,11,12	2.45	2 (18%)	15,15,17	1.25	1 (6%)
4	BGC	C	14	4	11,11,12	2.51	2 (18%)	15,15,17	1.77	2 (13%)
4	BGC	C	15	4	11,11,12	2.52	3 (27%)	15,15,17	1.25	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BGC	C	16	4	11,11,12	2.62	3 (27%)	15,15,17	1.82	4 (26%)
4	GAL	C	17	4	11,11,12	0.56	0	15,15,17	0.85	0
4	BGC	C	2	4	11,11,12	2.52	3 (27%)	15,15,17	1.65	3 (20%)
4	BGC	C	3	4	11,11,12	2.55	3 (27%)	15,15,17	2.13	4 (26%)
4	BGC	C	4	4	11,11,12	2.59	5 (45%)	15,15,17	1.98	4 (26%)
4	BGC	C	5	4	11,11,12	2.44	3 (27%)	15,15,17	1.90	3 (20%)
4	BGC	C	6	4	11,11,12	2.81	4 (36%)	15,15,17	0.87	0
4	BGC	C	7	4	11,11,12	2.55	3 (27%)	15,15,17	1.20	2 (13%)
4	BGC	C	8	4	11,11,12	2.42	3 (27%)	15,15,17	1.80	4 (26%)
4	BGC	C	9	4	11,11,12	2.50	1 (9%)	15,15,17	1.39	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BGC	C	1	4	-	2/2/22/22	0/1/1/1
4	BGC	C	10	4	-	1/2/19/22	0/1/1/1
4	BGC	C	11	4	-	0/2/19/22	0/1/1/1
4	BGC	C	12	4	-	0/2/19/22	0/1/1/1
4	BGC	C	13	4	-	1/2/19/22	0/1/1/1
4	BGC	C	14	4	-	0/2/19/22	0/1/1/1
4	BGC	C	15	4	-	2/2/19/22	0/1/1/1
4	BGC	C	16	4	-	2/2/19/22	0/1/1/1
4	GAL	C	17	4	-	2/2/19/22	0/1/1/1
4	BGC	C	2	4	-	2/2/19/22	0/1/1/1
4	BGC	C	3	4	-	1/2/19/22	0/1/1/1
4	BGC	C	4	4	-	2/2/19/22	0/1/1/1
4	BGC	C	5	4	-	0/2/19/22	0/1/1/1
4	BGC	C	6	4	-	1/2/19/22	0/1/1/1
4	BGC	C	7	4	-	2/2/19/22	0/1/1/1
4	BGC	C	8	4	-	2/2/19/22	0/1/1/1
4	BGC	C	9	4	-	0/2/19/22	0/1/1/1

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	6	BGC	O5-C1	7.62	1.56	1.43
4	C	12	BGC	O5-C1	7.00	1.55	1.43
4	C	7	BGC	O5-C1	6.99	1.55	1.43
4	C	3	BGC	O5-C1	6.96	1.55	1.43
4	C	4	BGC	O5-C1	6.93	1.55	1.43
4	C	11	BGC	O5-C1	6.93	1.55	1.43
4	C	16	BGC	O5-C1	6.90	1.55	1.43
4	C	14	BGC	O5-C1	6.89	1.55	1.43
4	C	9	BGC	O5-C1	6.83	1.55	1.43
4	C	10	BGC	O5-C1	6.73	1.55	1.43
4	C	15	BGC	O5-C1	6.73	1.55	1.43
4	C	2	BGC	O5-C1	6.71	1.55	1.43
4	C	5	BGC	O5-C1	6.68	1.54	1.43
4	C	13	BGC	O5-C1	6.60	1.54	1.43
4	C	8	BGC	O5-C1	6.47	1.54	1.43
4	C	1	BGC	O5-C1	5.04	1.55	1.42
4	C	1	BGC	O1-C1	-3.40	1.28	1.39
4	C	16	BGC	C2-C3	-2.77	1.48	1.52
4	C	6	BGC	C2-C3	-2.67	1.48	1.52
4	C	16	BGC	O5-C5	2.58	1.48	1.43
4	C	6	BGC	O5-C5	2.46	1.48	1.43
4	C	4	BGC	C2-C3	-2.44	1.48	1.52
4	C	2	BGC	O5-C5	2.40	1.48	1.43
4	C	2	BGC	C2-C3	-2.39	1.48	1.52
4	C	15	BGC	C2-C3	-2.32	1.48	1.52
4	C	5	BGC	C1-C2	2.31	1.57	1.52
4	C	4	BGC	O4-C4	2.31	1.48	1.43
4	C	12	BGC	C2-C3	-2.27	1.49	1.52
4	C	15	BGC	O5-C5	2.24	1.47	1.43
4	C	12	BGC	O5-C5	2.24	1.47	1.43
4	C	14	BGC	C1-C2	2.19	1.57	1.52
4	C	3	BGC	C2-C3	-2.18	1.49	1.52
4	C	8	BGC	O5-C5	2.16	1.47	1.43
4	C	8	BGC	C2-C3	-2.15	1.49	1.52
4	C	11	BGC	C2-C3	-2.14	1.49	1.52
4	C	4	BGC	O5-C5	2.13	1.47	1.43
4	C	11	BGC	O5-C5	2.12	1.47	1.43
4	C	7	BGC	O5-C5	2.11	1.47	1.43
4	C	10	BGC	C2-C3	-2.11	1.49	1.52
4	C	7	BGC	C2-C3	-2.11	1.49	1.52
4	C	6	BGC	C1-C2	2.08	1.57	1.52
4	C	5	BGC	O3-C3	2.07	1.48	1.43
4	C	13	BGC	C2-C3	-2.06	1.49	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	3	BGC	O5-C5	2.06	1.47	1.43
4	C	10	BGC	O5-C5	2.02	1.47	1.43
4	C	4	BGC	O3-C3	2.01	1.47	1.43

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	14	BGC	C1-C2-C3	5.24	117.28	109.64
4	C	4	BGC	C2-C3-C4	4.72	119.17	110.86
4	C	5	BGC	C1-C2-C3	4.72	116.52	109.64
4	C	16	BGC	C1-O5-C5	4.60	118.36	112.19
4	C	3	BGC	C1-C2-C3	4.42	116.08	109.64
4	C	10	BGC	C1-C2-C3	4.25	115.84	109.64
4	C	3	BGC	C2-C3-C4	4.16	118.19	110.86
4	C	4	BGC	C1-C2-C3	3.71	115.05	109.64
4	C	9	BGC	C1-C2-C3	3.57	114.85	109.64
4	C	8	BGC	C3-C4-C5	3.55	116.67	110.23
4	C	1	BGC	C3-C4-C5	3.50	116.58	110.23
4	C	3	BGC	C3-C4-C5	3.41	116.41	110.23
4	C	5	BGC	C2-C3-C4	3.38	116.81	110.86
4	C	10	BGC	C2-C3-C4	3.06	116.24	110.86
4	C	2	BGC	C3-C4-C5	3.06	115.77	110.23
4	C	8	BGC	C2-C3-C4	3.03	116.20	110.86
4	C	1	BGC	O5-C5-C4	3.00	115.11	109.70
4	C	14	BGC	C2-C3-C4	2.99	116.13	110.86
4	C	16	BGC	C3-C4-C5	2.87	115.44	110.23
4	C	5	BGC	O4-C4-C5	-2.86	102.28	109.32
4	C	2	BGC	C2-C3-C4	2.78	115.75	110.86
4	C	1	BGC	O5-C1-C2	-2.76	105.45	110.30
4	C	1	BGC	C4-C3-C2	2.73	115.63	110.83
4	C	4	BGC	C3-C4-C5	2.72	115.16	110.23
4	C	15	BGC	C3-C4-C5	2.71	115.15	110.23
4	C	10	BGC	O3-C3-C2	-2.63	104.69	110.05
4	C	16	BGC	O5-C5-C4	2.60	117.16	110.83
4	C	16	BGC	C6-C5-C4	-2.41	107.11	113.02
4	C	2	BGC	O5-C1-C2	-2.36	105.17	110.79
4	C	13	BGC	C1-C2-C3	2.34	113.05	109.64
4	C	8	BGC	C1-O5-C5	-2.28	109.14	112.19
4	C	7	BGC	C3-C4-C5	2.26	114.32	110.23
4	C	8	BGC	C1-C2-C3	2.22	112.87	109.64
4	C	3	BGC	O4-C4-C3	-2.17	105.27	110.38
4	C	11	BGC	C3-C4-C5	2.16	114.14	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	10	BGC	C3-C4-C5	2.13	114.10	110.23
4	C	12	BGC	O3-C3-C2	-2.09	105.79	110.05
4	C	4	BGC	O3-C3-C2	-2.05	105.87	110.05
4	C	7	BGC	O5-C1-C2	-2.03	105.94	110.79

There are no chirality outliers.

All (20) torsion outliers are listed below:





Mol	Chain	Res	Type	Atoms
4	C	16	BGC	O5-C5-C6-O6
4	C	4	BGC	O5-C5-C6-O6
4	C	7	BGC	O5-C5-C6-O6
4	C	2	BGC	O5-C5-C6-O6
4	C	16	BGC	C4-C5-C6-O6
4	C	8	BGC	O5-C5-C6-O6
4	C	7	BGC	C4-C5-C6-O6
4	C	8	BGC	C4-C5-C6-O6
4	C	17	GAL	O5-C5-C6-O6
4	C	1	BGC	O5-C5-C6-O6
4	C	4	BGC	C4-C5-C6-O6
4	C	15	BGC	C4-C5-C6-O6
4	C	10	BGC	O5-C5-C6-O6
4	C	6	BGC	O5-C5-C6-O6
4	C	2	BGC	C4-C5-C6-O6
4	C	3	BGC	O5-C5-C6-O6
4	C	15	BGC	O5-C5-C6-O6
4	C	17	GAL	C4-C5-C6-O6
4	C	13	BGC	C4-C5-C6-O6
4	C	1	BGC	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	10	BGC	2	0
4	C	14	BGC	1	0
4	C	11	BGC	1	0
4	C	6	BGC	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain C	
	
Bond lengths	Bond angles
	
Torsions	Rings

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	PLC	A	901	-	37,37,41	1.13	4 (10%)	43,45,49	1.04	2 (4%)
7	C2E	A	920	-	52,52,52	4.18	33 (63%)	78,82,82	2.12	24 (30%)
8	LDA	A	922	-	13,15,15	2.42	2 (15%)	14,17,17	0.45	0
7	C2E	A	921	-	52,52,52	4.17	33 (63%)	78,82,82	2.13	24 (30%)
10	660	A	925	-	38,38,38	2.50	14 (36%)	51,58,58	1.62	11 (21%)
8	LDA	A	923	-	13,15,15	2.43	2 (15%)	14,17,17	0.57	0
6	43Y	A	902	-	19,19,23	1.39	4 (21%)	22,24,31	1.47	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PLC	A	901	-	-	23/41/41/45	-
7	C2E	A	920	-	-	7/30/62/62	0/6/7/7
8	LDA	A	922	-	-	5/13/13/13	-
7	C2E	A	921	-	-	3/30/62/62	0/6/7/7
10	660	A	925	-	-	7/20/59/59	0/3/3/3
8	LDA	A	923	-	-	8/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	43Y	A	902	-	-	6/22/22/27	-

All (92) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	920	C2E	C2A-C3A	-14.14	1.22	1.53
7	A	921	C2E	C2A-C3A	-14.05	1.22	1.53
7	A	921	C2E	C3'-C4'	-10.25	1.26	1.52
7	A	920	C2E	C3'-C4'	-10.07	1.26	1.52
7	A	920	C2E	O4'-C4'	8.86	1.64	1.45
7	A	921	C2E	O4'-C4'	8.72	1.64	1.45
8	A	922	LDA	O1-N1	-6.88	1.25	1.42
8	A	923	LDA	O1-N1	-6.86	1.25	1.42
7	A	920	C2E	O4A-C4A	-6.72	1.30	1.45
7	A	921	C2E	O4A-C4A	-6.60	1.30	1.45
7	A	920	C2E	C41-N31	6.51	1.49	1.34
7	A	921	C2E	C41-N31	6.45	1.49	1.34
7	A	921	C2E	C4-N3	6.39	1.48	1.34
7	A	920	C2E	C4-N3	6.38	1.48	1.34
7	A	920	C2E	C2-N3	6.34	1.48	1.33
10	A	925	660	P22-O12	6.32	1.65	1.58
7	A	921	C2E	C2-N3	6.28	1.48	1.33
7	A	921	C2E	C3A-C4A	6.28	1.69	1.52
7	A	920	C2E	C3A-C4A	6.08	1.68	1.52
7	A	921	C2E	C21-N31	5.70	1.47	1.33
10	A	925	660	P9-O12	5.65	1.65	1.59
7	A	920	C2E	C21-N31	5.62	1.46	1.33
7	A	921	C2E	O4'-C1'	-5.40	1.29	1.42
8	A	923	LDA	C1-N1	-5.36	1.45	1.51
7	A	920	C2E	O4'-C1'	-5.34	1.29	1.42
8	A	922	LDA	C1-N1	-5.25	1.46	1.51
7	A	921	C2E	C1A-N91	-5.05	1.33	1.47
7	A	920	C2E	C1A-N91	-4.96	1.33	1.47
10	A	925	660	C19-N13	4.79	1.46	1.38
10	A	925	660	C18-N13	4.60	1.49	1.38
7	A	920	C2E	P11-O3'	4.41	1.72	1.59
10	A	925	660	C17-C20	4.32	1.53	1.43
10	A	925	660	P22-O23	-4.17	1.46	1.56
7	A	921	C2E	P11-O3'	4.15	1.71	1.59
7	A	920	C2E	O4A-C1A	4.05	1.51	1.42
7	A	921	C2E	O2A-C2A	4.00	1.52	1.43
7	A	920	C2E	O2A-C2A	4.00	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	921	C2E	O4A-C1A	4.00	1.51	1.42
7	A	921	C2E	P1-O3A	3.86	1.71	1.59
7	A	920	C2E	O3'-C3'	3.86	1.57	1.44
10	A	925	660	P22-C45	3.83	1.86	1.80
7	A	920	C2E	C2-N2	3.76	1.43	1.34
7	A	921	C2E	O3'-C3'	3.73	1.56	1.44
7	A	920	C2E	P1-O3A	3.70	1.70	1.59
7	A	921	C2E	C2-N2	3.69	1.42	1.34
7	A	921	C2E	C21-N21	3.58	1.42	1.34
7	A	920	C2E	C21-N21	3.56	1.42	1.34
7	A	921	C2E	C5-N7	-3.31	1.32	1.39
7	A	920	C2E	C5-N7	-3.22	1.32	1.39
7	A	920	C2E	C2-N1	3.17	1.45	1.37
7	A	921	C2E	C2-N1	3.17	1.45	1.37
7	A	921	C2E	C51-N71	-3.02	1.33	1.39
7	A	921	C2E	C21-N11	2.97	1.44	1.37
7	A	920	C2E	C51-N71	-2.94	1.33	1.39
7	A	921	C2E	P11-O5A	2.94	1.70	1.59
7	A	921	C2E	C2A-C1A	2.92	1.62	1.53
7	A	920	C2E	C2A-C1A	2.91	1.62	1.53
7	A	920	C2E	C21-N11	2.91	1.44	1.37
7	A	920	C2E	P11-O5A	2.88	1.70	1.59
10	A	925	660	O6-C1	2.81	1.48	1.42
7	A	920	C2E	C5-C6	2.70	1.54	1.44
10	A	925	660	O20-C20	-2.70	1.19	1.24
7	A	921	C2E	O3A-C3A	2.68	1.53	1.44
7	A	921	C2E	C5-C6	2.67	1.54	1.44
10	A	925	660	C19-N15	2.65	1.42	1.38
5	A	901	PLC	O2-C2	-2.64	1.40	1.46
7	A	921	C2E	O61-C61	-2.62	1.18	1.23
7	A	920	C2E	C6-N1	2.62	1.43	1.38
7	A	920	C2E	O3A-C3A	2.62	1.53	1.44
7	A	920	C2E	O61-C61	-2.61	1.18	1.23
6	A	902	43Y	O2-C2	-2.60	1.40	1.46
7	A	921	C2E	C6-N1	2.59	1.43	1.38
6	A	902	43Y	O3-C11	2.56	1.40	1.33
7	A	920	C2E	C51-C61	2.53	1.53	1.44
7	A	921	C2E	C51-C61	2.49	1.53	1.44
6	A	902	43Y	O2-C31	2.45	1.40	1.35
5	A	901	PLC	O3-CB	2.41	1.40	1.33
10	A	925	660	C3-C2	-2.35	1.47	1.53
7	A	921	C2E	O2'-C2'	-2.31	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	920	C2E	O2'-C2'	-2.30	1.37	1.43
10	A	925	660	O19-C19	-2.26	1.19	1.23
5	A	901	PLC	O2-C'	2.21	1.40	1.34
7	A	920	C2E	P1-O5'	2.19	1.68	1.59
7	A	921	C2E	P1-O5'	2.15	1.67	1.59
10	A	925	660	C20-N15	2.11	1.42	1.38
10	A	925	660	P22-O24	-2.10	1.46	1.51
7	A	921	C2E	C41-N91	-2.10	1.32	1.38
5	A	901	PLC	O3-C3	-2.10	1.40	1.45
7	A	920	C2E	C61-N11	2.09	1.42	1.38
7	A	921	C2E	C61-N11	2.06	1.42	1.38
6	A	902	43Y	O3-C3	-2.05	1.40	1.45
7	A	920	C2E	C41-N91	-2.04	1.32	1.38

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	921	C2E	C1'-N9-C4	-6.57	107.07	126.49
7	A	920	C2E	C1'-N9-C4	-6.41	107.54	126.49
7	A	921	C2E	C1'-N9-C8	6.32	144.69	126.73
7	A	920	C2E	C1'-N9-C8	6.20	144.34	126.73
10	A	925	660	C20-N15-C19	-5.55	119.72	126.61
7	A	920	C2E	C51-C41-N31	-5.54	119.57	128.39
7	A	921	C2E	C51-C41-N31	-5.34	119.88	128.39
6	A	902	43Y	O2-C31-C32	4.99	120.00	111.09
7	A	920	C2E	C5-C4-N3	-4.88	120.62	128.39
7	A	921	C2E	C5-C4-N3	-4.86	120.65	128.39
7	A	920	C2E	C21-N31-C41	4.65	120.31	112.30
7	A	921	C2E	C21-N31-C41	4.45	119.96	112.30
10	A	925	660	N15-C19-N13	4.24	120.41	114.89
7	A	921	C2E	C2-N3-C4	4.22	119.57	112.30
7	A	920	C2E	C2-N3-C4	4.18	119.50	112.30
10	A	925	660	C17-C20-N15	3.59	119.82	114.80
5	A	901	PLC	O2-C'-C1'	3.49	119.03	111.48
7	A	920	C2E	N91-C41-N31	3.25	132.45	125.95
7	A	921	C2E	C1A-N91-C41	-3.11	117.31	126.49
7	A	921	C2E	N91-C41-N31	3.10	132.16	125.95
7	A	921	C2E	N9-C8-N7	-3.10	107.65	113.40
7	A	920	C2E	C21-N11-C61	-3.10	119.50	125.11
7	A	921	C2E	C21-N11-C61	-3.05	119.58	125.11
7	A	921	C2E	C2-N1-C6	-3.03	119.62	125.11
6	A	902	43Y	O3-C11-C9	3.01	120.27	111.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	920	C2E	C1A-N91-C41	-2.97	117.72	126.49
7	A	920	C2E	N9-C8-N7	-2.94	107.95	113.40
7	A	920	C2E	C2-N1-C6	-2.90	119.86	125.11
7	A	921	C2E	C1A-N91-C81	2.90	134.96	126.73
10	A	925	660	O23-P22-O24	-2.85	100.69	109.95
10	A	925	660	O20-C20-C17	-2.82	120.30	125.16
7	A	920	C2E	C1A-N91-C81	2.77	134.61	126.73
7	A	921	C2E	N91-C81-N71	-2.76	108.28	113.40
7	A	920	C2E	N9-C4-N3	2.74	131.43	125.95
7	A	920	C2E	O21-P11-O3'	2.71	117.72	106.70
7	A	920	C2E	N91-C81-N71	-2.70	108.39	113.40
7	A	921	C2E	N9-C4-N3	2.69	131.34	125.95
7	A	920	C2E	C51-C61-N11	2.68	120.09	113.25
7	A	921	C2E	C51-C61-N11	2.63	119.95	113.25
5	A	901	PLC	O3-CB-C1B	2.63	119.84	111.83
7	A	921	C2E	C5-C6-N1	2.62	119.92	113.25
10	A	925	660	O23-P22-C45	2.61	111.54	105.69
7	A	921	C2E	O61-C61-C51	-2.51	119.89	126.53
7	A	921	C2E	O6-C6-C5	-2.51	119.91	126.53
7	A	920	C2E	C3'-C2'-C1'	2.50	105.39	99.89
7	A	920	C2E	O61-C61-C51	-2.49	119.95	126.53
7	A	920	C2E	C5-C6-N1	2.49	119.59	113.25
10	A	925	660	O10-P9-O11	-2.40	101.30	112.44
7	A	920	C2E	O6-C6-C5	-2.39	120.22	126.53
7	A	921	C2E	O21-P11-O3'	2.37	116.36	106.70
10	A	925	660	O19-C19-N13	-2.29	119.82	122.80
7	A	921	C2E	C8-N7-C5	2.27	108.31	104.26
7	A	921	C2E	C3'-C2'-C1'	2.25	104.83	99.89
7	A	920	C2E	C8-N7-C5	2.18	108.14	104.26
10	A	925	660	P22-O12-P9	-2.15	125.37	132.37
7	A	921	C2E	O21-P11-O5A	2.12	117.20	107.57
7	A	920	C2E	O21-P11-O5A	2.09	117.05	107.57
10	A	925	660	C4-O6-C1	-2.08	104.87	109.47
7	A	921	C2E	C2'-C3'-C4'	2.05	106.83	103.24
7	A	921	C2E	C81-N71-C51	2.03	107.87	104.26
7	A	920	C2E	C81-N71-C51	2.01	107.85	104.26
10	A	925	660	C2-C3-C4	2.01	106.49	102.61
7	A	920	C2E	P11-O5A-C5A	-2.00	109.86	121.35

There are no chirality outliers.

All (59) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	901	PLC	O3P-C1-C2-O2
5	A	901	PLC	O4P-C4-C5-N
5	A	901	PLC	C4-O4P-P-O3P
6	A	902	43Y	C1-O3P-P-O1P
6	A	902	43Y	C1-O3P-P-O4P
7	A	920	C2E	C5'-O5'-P1-O1P
7	A	921	C2E	C5A-O5A-P11-O3'
7	A	921	C2E	C5A-O5A-P11-O11
10	A	925	660	C41-C45-P22-O12
10	A	925	660	C41-C45-P22-O23
10	A	925	660	C41-C45-P22-O24
10	A	925	660	O6-C4-C5-O8
5	A	901	PLC	C'-C1'-C2'-C3'
6	A	902	43Y	C9-C11-O3-C3
5	A	901	PLC	C1B-CB-O3-C3
6	A	902	43Y	O11-C11-O3-C3
8	A	923	LDA	C3-C4-C5-C6
8	A	923	LDA	C7-C8-C9-C10
8	A	923	LDA	C2-C3-C4-C5
5	A	901	PLC	OB-CB-O3-C3
8	A	922	LDA	C3-C4-C5-C6
8	A	923	LDA	C4-C5-C6-C7
8	A	923	LDA	C1-C2-C3-C4
5	A	901	PLC	C2'-C3'-C4'-C5'
7	A	920	C2E	O4'-C4'-C5'-O5'
10	A	925	660	C3-C4-C5-O8
5	A	901	PLC	C1'-C2'-C3'-C4'
5	A	901	PLC	C5B-C6B-C7B-C8B
5	A	901	PLC	C3B-C4B-C5B-C6B
8	A	922	LDA	C4-C5-C6-C7
8	A	923	LDA	N1-C1-C2-C3
7	A	920	C2E	C3'-C4'-C5'-O5'
5	A	901	PLC	O2-C2-C3-O3
7	A	920	C2E	C2'-C3'-O3'-P11
8	A	922	LDA	C1-C2-C3-C4
5	A	901	PLC	O3P-C1-C2-C3
5	A	901	PLC	C5-C4-O4P-P
8	A	922	LDA	C7-C8-C9-C10
8	A	923	LDA	C11-C10-C9-C8
6	A	902	43Y	O2-C2-C3-O3
5	A	901	PLC	C1-O3P-P-O1P
5	A	901	PLC	C1-O3P-P-O2P
5	A	901	PLC	C1-O3P-P-O4P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	901	PLC	C4-O4P-P-O1P
7	A	920	C2E	C5'-O5'-P1-O2P
7	A	920	C2E	C5'-O5'-P1-O3A
7	A	921	C2E	C5A-O5A-P11-O21
8	A	923	LDA	C9-C10-C11-C12
5	A	901	PLC	O'-C'-O2-C2
5	A	901	PLC	C1'-C'-O2-C2
5	A	901	PLC	C2B-C3B-C4B-C5B
7	A	920	C2E	C4'-C3'-O3'-P11
8	A	922	LDA	C9-C10-C11-C12
10	A	925	660	C40-C41-C45-P22
5	A	901	PLC	C1-C2-C3-O3
6	A	902	43Y	C1-C2-C3-O3
5	A	901	PLC	C1B-C2B-C3B-C4B
10	A	925	660	O36-C41-C45-P22
5	A	901	PLC	O2-C'-C1'-C2'


There are no ring outliers.

5 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	920	C2E	2	0
7	A	921	C2E	4	0
10	A	925	660	2	0
8	A	923	LDA	2	0
6	A	902	43Y	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand PLC A 901




Ligand C2E A 920




Ligand C2E A 921



Ligand 660 A 925





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	728/803 (90%)	0.53	41 (5%) 30 25	47, 80, 140, 234	0
2	B	658/729 (90%)	0.53	38 (5%) 29 24	36, 74, 123, 188	5 (0%)
3	D	0/9	-	-	-	-
All	All	1386/1541 (89%)	0.53	79 (5%) 29 24	36, 77, 132, 234	5 (0%)

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	78[A]	GLN	14.7
2	B	77[A]	GLN	12.8
1	A	190	PRO	7.1
1	A	13	VAL	6.3
2	B	169	PHE	6.0
1	A	188	MET	5.3
1	A	507	ALA	5.3
1	A	509	ASP	5.3
1	A	225	ALA	5.1
2	B	248	SER	5.0
1	A	192	PRO	5.0
2	B	286	PRO	4.8
2	B	531	THR	4.7
2	B	65	THR	4.3
2	B	544	GLY	4.2
1	A	503	PHE	4.0
1	A	203	ARG	3.9
2	B	76[A]	GLY	3.8
1	A	705	ARG	3.7
2	B	607	ARG	3.6
2	B	721	ARG	3.6
2	B	247	TRP	3.5
1	A	120	PHE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	136	PRO	3.5
1	A	191	ASP	3.5
1	A	341	THR	3.4
1	A	224	HIS	3.4
1	A	620	ARG	3.3
1	A	137	GLU	3.2
2	B	598	GLY	3.2
2	B	300	GLY	3.2
1	A	506	THR	3.2
1	A	193	GLU	3.2
2	B	246	PRO	3.1
1	A	511	THR	3.1
1	A	504	ALA	3.0
1	A	342	GLU	3.0
1	A	502	ARG	3.0
2	B	516	GLU	3.0
2	B	514	ASN	2.9
1	A	336	ALA	2.9
2	B	162	TYR	2.9
1	A	510	GLU	2.9
2	B	583	GLN	2.9
2	B	67	GLN	2.8
2	B	141	GLY	2.7
1	A	134	LEU	2.7
1	A	508	LYS	2.7
1	A	292	ASP	2.7
2	B	597	ASP	2.7
2	B	565	LEU	2.6
2	B	109	GLU	2.6
2	B	402	ARG	2.6
1	A	135	GLN	2.5
2	B	517	GLY	2.5
1	A	130	PHE	2.5
2	B	391	ASP	2.5
2	B	267	ARG	2.5
2	B	116	ARG	2.4
1	A	379	GLN	2.4
2	B	75[A]	GLN	2.3
2	B	592	MET	2.3
1	A	636	LEU	2.3
2	B	250	GLU	2.3
1	A	463	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	328	THR	2.3
1	A	625	GLY	2.3
2	B	207	GLY	2.2
2	B	305	LEU	2.2
1	A	331	GLU	2.2
1	A	319	GLY	2.2
2	B	593	LEU	2.2
1	A	624	VAL	2.2
2	B	599	ASN	2.1
1	A	354	GLY	2.1
1	A	194	LEU	2.1
2	B	630	GLU	2.1
1	A	353	ARG	2.1
1	A	363	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BGC	C	1	12/12	-	-	161,171,185,205	0
4	BGC	C	2	11/12	-	-	105,120,134,148	0
4	BGC	C	3	11/12	-	-	92,109,121,126	0
4	BGC	C	4	11/12	-	-	56,69,114,142	0
4	BGC	C	5	11/12	-	-	49,55,64,105	0
4	BGC	C	6	11/12	-	-	53,63,85,108	0
4	BGC	C	7	11/12	-	-	49,65,72,81	0
4	BGC	C	8	11/12	-	-	72,76,97,117	0
4	BGC	C	9	11/12	-	-	69,74,79,88	0
4	BGC	C	10	11/12	-	-	71,77,92,98	0
4	BGC	C	11	11/12	-	-	82,89,93,95	0
4	BGC	C	12	11/12	-	-	63,73,83,87	0
4	BGC	C	13	11/12	-	-	63,80,85,85	0
4	BGC	C	14	11/12	-	-	65,81,86,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BGC	C	15	11/12	-	-	59,68,73,73	0
4	BGC	C	16	11/12	-	-	59,69,86,93	0
4	GAL	C	17	11/12	-	-	65,80,96,98	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	LDA	A	923	16/16	0.70	0.37	76,91,111,119	16
8	LDA	A	922	16/16	0.78	0.46	52,67,83,85	16
5	PLC	A	901	38/42	0.80	0.29	106,129,151,152	0
6	43Y	A	902	20/24	0.82	0.18	88,105,122,129	0
9	MG	B	801	1/1	0.86	0.08	54,54,54,54	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	MG	A	924	1/1	0.88	0.41	83,83,83,83	0
7	C2E	A	921	46/46	0.93	0.09	53,76,86,95	0
10	660	A	925	36/36	0.94	0.14	67,78,89,95	36
7	C2E	A	920	46/46	0.96	0.07	51,67,82,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PLC A 901:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 43Y A 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E A 921:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 660 A 925:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around C2E A 920:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.