



wwPDB EM Validation Summary Report ⓘ

Jun 25, 2026 – 01:15 PM EDT

PDB ID : 8EIU / pdb_00008eiu
EMDB ID : EMD-28165
Title : E. coli 70S ribosome with A-loop mutations U2554C and U2555C
Authors : Nissley, A.J.; Penev, P.I.; Watson, Z.L.; Banfield, J.F.; Cate, J.H.D.
Deposited on : 2022-09-15
Resolution : 2.24 Å (reported)
Based on initial model : 7K00

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	3381 (1.75 - 2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	55	
2	1	46	
3	2	65	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	38	13% 79% 21%
5	4	70	74% 40% 40% 6% 14%
6	A	1542	10% 58% 36% 5%
7	B	241	80% 62% 30% 7%
8	C	233	20% 75% 13% 12%
9	D	206	16% 82% 17%
10	E	167	6% 77% 17% 7%
11	F	135	24% 49% 27% 24%
12	G	179	36% 61% 23% 15%
13	H	130	5% 84% 15%
14	I	130	31% 74% 23%
15	J	103	55% 63% 30% 5%
16	K	129	16% 72% 19% 9%
17	L	124	6% 92% 7%
18	M	118	19% 79% 17%
19	N	101	13% 84% 15%
20	O	89	13% 87% 11%
21	P	82	12% 79% 18%
22	Q	84	14% 76% 18% 6%
23	R	75	21% 68% 20% 12%
24	S	92	22% 66% 25% 9%
25	T	87	15% 82% 17%
26	U	71	61% 77% 21%
27	X	27	11% 33% 7% 56%
28	Y	75	64% 33% 47% 19%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	Z	75	15% 53% 39% 7%
29	a	2904	8% 63% 29% 5%
30	b	120	8% 62% 33%
31	c	273	85% 14%
32	d	209	6% 91% 9%
33	e	201	25% 82% 17%
34	f	179	48% 60% 39%
35	g	177	72% 69% 27%
36	h	149	23% 19% 8% 72%
37	i	142	7% 84% 16%
38	j	123	89% 11%
39	k	144	12% 86% 12%
40	l	136	84% 16%
41	m	127	83% 10% 7%
42	n	117	20% 79% 19%
43	o	115	10% 83% 16%
44	p	118	84% 14%
45	q	103	22% 85% 15%
46	r	110	5% 80% 19%
47	s	100	15% 78% 15% 7%
48	t	104	30% 74% 24%
49	u	94	27% 87% 12%
50	v	85	9% 88% 11%
51	w	78	12% 78% 21%
52	x	63	43% 87% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	y	59	 <p>8% 86% 12%</p>
54	z	57	 <p>7% 74% 25%</p>

2 Entry composition

There are 62 unique types of molecules in this entry. The entry contains 148825 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	0	51	417	269	76	72	0	0

- Molecule 2 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	46	377	228	90	57	2	0	0

- Molecule 3 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	64	504	323	105	74	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	38	302	185	65	48	4	0	0

- Molecule 5 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	60	480	299	90	85	6	0	0

- Molecule 6 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	A	1519	32612	14552	5986	10555	1519	0	0

- Molecule 7 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	B	224	1753	1109	315	321	8	0	0

- Molecule 8 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	C	206	1624	1028	305	288	3	0	0

- Molecule 9 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	D	205	1643	1026	315	298	4	0	0

- Molecule 10 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	E	156	1152	717	217	212	6	0	0

- Molecule 11 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	F	103	839	530	151	151	7	0	0

- Molecule 12 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	G	153	1203	750	231	218	4	0	0

- Molecule 13 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	H	129	979	616	173	184	6	0	0

- Molecule 14 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	I	127	1022	634	206	179	3	0	0

- Molecule 15 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	J	98	786	493	150	142	1	0	0

- Molecule 16 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	K	117	877	540	173	161	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	119	IAS	ASN	conflict	UNP A0A0H3PWX2

- Molecule 17 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	L	123	957	591	196	165	5	0	0

- Molecule 18 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	M	115	891	552	179	157	3	0	0

- Molecule 19 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	N	100	805	499	164	139	3	0	0

- Molecule 20 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 21 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	P	81	Total	C	N	O	S	0	0
			643	403	127	112	1		

- Molecule 22 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Q	79	Total	C	N	O	S	0	0
			641	406	120	112	3		

- Molecule 23 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	R	66	Total	C	N	O	S	0	0
			544	345	102	96	1		

- Molecule 24 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	S	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 25 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	T	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 26 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	U	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 27 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	12	Total	C	N	O	P	0	0
			260	117	51	80	12		

- Molecule 28 is a RNA chain called tRNA-fMET.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	74	Total	C	N	O	P	0	0
			1581	704	287	516	74		
28	Z	74	Total	C	N	O	P	0	0
			1581	704	287	516	74		

- Molecule 29 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	a	2753	Total	C	N	O	P	0	0
			59130	26384	10899	19094	2753		

- Molecule 30 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	b	119	Total	C	N	O	P	0	0
			2549	1135	466	829	119		

- Molecule 31 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	c	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 32 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	d	209	Total	C	N	O	S	0	0
			1566	980	288	294	4		

- Molecule 33 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	e	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 34 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	f	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 35 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	g	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 36 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	h	41	Total	C	N	O	S	0	0
			303	194	54	54	1		

- Molecule 37 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	i	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 38 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	j	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 39 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	k	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 40 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	l	136	Total	C	N	O	S	0	0
			1075	686	205	177	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
l	82	MS6	MET	conflict	UNP A0A7U9B8R8

- Molecule 41 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	m	118	945	585	194	161	5	0	0

- Molecule 42 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
42	n	116	892	552	178	162	0	0

- Molecule 43 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	o	114	917	574	179	163	1	0	0

- Molecule 44 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
44	p	117	947	604	192	151	0	0

- Molecule 45 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	q	103	816	516	153	145	2	0	0

- Molecule 46 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	r	110	857	532	166	156	3	0	0

- Molecule 47 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	s	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 48 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	t	102	Total	C	N	O	S	0	0
			779	492	146	141			

- Molecule 49 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	u	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 50 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	v	84	Total	C	N	O	S	0	0
			628	388	126	113	1		

- Molecule 51 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	w	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 52 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	x	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 53 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	y	58	Total	C	N	O	S	0	0
			449	281	87	79	2		


- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	z	56	444	269	94	80	1	0	0

- Molecule 55 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
55	3	1	1	1	0
55	4	1	1	1	0

- Molecule 56 is PAROMOMYCIN (CCD ID: PAR) (formula: C₂₃H₄₅N₅O₁₄).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
56	A	1	42	23	5	14	0

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
57	A	67	67	67	0
57	N	1	1	1	0
57	X	1	1	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
57	a	190	Total	Mg	0
			190	190	
57	b	5	Total	Mg	0
			5	5	
57	c	1	Total	Mg	0
			1	1	
57	d	1	Total	Mg	0
			1	1	
57	p	1	Total	Mg	0
			1	1	
57	z	1	Total	Mg	0
			1	1	

- Molecule 58 is SPERMIDINE (CCD ID: SPD) (formula: C₇H₁₉N₃).




Mol	Chain	Residues	Atoms			AltConf
58	A	1	Total	C	N	0
			10	7	3	
58	A	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
			Total	C	N	
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0
58	a	1	Total 10	C 7	N 3	0

- Molecule 59 is 3'-amino-3'-deoxyadenosine 5'-(dihydrogen phosphate) (CCD ID: 8AN) (formula: C₁₀H₁₅N₆O₆P).




Mol	Chain	Residues	Atoms					AltConf
59	Y	1	Total	C	N	O	P	0
			22	10	6	5	1	
59	Z	1	Total	C	N	O	P	0
			22	10	6	5	1	

- Molecule 60 is SPERMINE (CCD ID: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms			AltConf
60	a	1	Total	C	N	0
			14	10	4	

- Molecule 61 is METHIONINE (CCD ID: MET) (formula: $C_5H_{11}NO_2S$).



Mol	Chain	Residues	Atoms					AltConf
61	a	1	Total	C	N	O	S	0
			8	5	1	1	1	
61	a	1	Total	C	N	O	S	0
			8	5	1	1	1	

- Molecule 62 is water.

Mol	Chain	Residues	Atoms		AltConf
62	0	11	Total	O	0
			11	11	
62	1	27	Total	O	0
			27	27	
62	2	27	Total	O	0
			27	27	
62	3	3	Total	O	0
			3	3	
62	4	3	Total	O	0
			3	3	
62	A	1860	Total	O	0
			1860	1860	
62	B	1	Total	O	0
			1	1	
62	C	42	Total	O	0
			42	42	
62	D	14	Total	O	0
			14	14	
62	E	15	Total	O	0
			15	15	
62	G	4	Total	O	0
			4	4	
62	H	23	Total	O	0
			23	23	
62	I	22	Total	O	0
			22	22	
62	J	18	Total	O	0
			18	18	
62	K	12	Total	O	0
			12	12	
62	L	25	Total	O	0
			25	25	
62	M	16	Total	O	0
			16	16	
62	N	38	Total	O	0
			38	38	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
62	O	12	Total 12	O 12	0
62	P	11	Total 11	O 11	0
62	Q	3	Total 3	O 3	0
62	R	1	Total 1	O 1	0
62	S	25	Total 25	O 25	0
62	T	1	Total 1	O 1	0
62	U	3	Total 3	O 3	0
62	X	12	Total 12	O 12	0
62	Y	6	Total 6	O 6	0
62	Z	8	Total 8	O 8	0
62	a	3758	Total 3758	O 3758	0
62	b	167	Total 167	O 167	0
62	c	95	Total 95	O 95	0
62	d	40	Total 40	O 40	0
62	e	52	Total 52	O 52	0
62	f	34	Total 34	O 34	0
62	h	5	Total 5	O 5	0
62	i	14	Total 14	O 14	0
62	j	13	Total 13	O 13	0
62	k	51	Total 51	O 51	0
62	l	28	Total 28	O 28	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
62	m	34	Total 34	O 34	0
62	n	39	Total 39	O 39	0
62	o	10	Total 10	O 10	0
62	p	32	Total 32	O 32	0
62	q	22	Total 22	O 22	0
62	r	26	Total 26	O 26	0
62	s	9	Total 9	O 9	0
62	t	3	Total 3	O 3	0
62	u	5	Total 5	O 5	0
62	v	20	Total 20	O 20	0
62	w	22	Total 22	O 22	0
62	x	2	Total 2	O 2	0
62	y	7	Total 7	O 7	0
62	z	25	Total 25	O 25	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L33




- Molecule 2: 50S ribosomal protein L34




- Molecule 3: 50S ribosomal protein L35




- Molecule 4: 50S ribosomal protein L36





- Molecule 5: 50S ribosomal protein L31







● Molecule 6: 16S rRNA







• Molecule 7: 30S ribosomal protein S2





• Molecule 8: 30S ribosomal protein S3




PRO
LYS
LYS
GLN
ARG
LYS
GLY
ARG
LYS


• Molecule 9: 30S ribosomal protein S4




• Molecule 10: 30S ribosomal protein S5





• Molecule 11: 30S ribosomal protein S6




• Molecule 12: 30S ribosomal protein S7




• Molecule 13: 30S ribosomal protein S8




• Molecule 14: 30S ribosomal protein S9




• Molecule 15: 30S ribosomal protein S10




• Molecule 16: 30S ribosomal protein S11




• Molecule 17: 30S ribosomal protein S12




• Molecule 18: 30S ribosomal protein S13




• Molecule 19: 30S ribosomal protein S14




• Molecule 20: 30S ribosomal protein S15




• Molecule 21: 30S ribosomal protein S16



• Molecule 22: 30S ribosomal protein S17




• Molecule 23: 30S ribosomal protein S18





• Molecule 24: 30S ribosomal protein S19








• Molecule 25: 30S ribosomal protein S20




• Molecule 26: 30S ribosomal protein S21




• Molecule 27: mRNA




• Molecule 28: tRNA-fMET





• Molecule 28: tRNA-fMET









- Molecule 30: 5S rRNA






- Molecule 31: 50S ribosomal protein L2



- Molecule 32: 50S ribosomal protein L3




- Molecule 33: 50S ribosomal protein L4




- Molecule 34: 50S ribosomal protein L5








• Molecule 35: 50S ribosomal protein L6




• Molecule 36: 50S ribosomal protein L9



• Molecule 37: 50S ribosomal protein L13





• Molecule 38: 50S ribosomal protein L14







• Molecule 39: 50S ribosomal protein L15





• Molecule 40: 50S ribosomal protein L16





• Molecule 41: 50S ribosomal protein L17




• Molecule 42: 50S ribosomal protein L18




• Molecule 43: 50S ribosomal protein L19




• Molecule 44: 50S ribosomal protein L20








• Molecule 45: Ribosomal protein L21




• Molecule 46: 50S ribosomal protein L22





• Molecule 47: 50S ribosomal protein L23




• Molecule 48: 50S ribosomal protein L24




• Molecule 49: 50S ribosomal protein L25





• Molecule 50: 50S ribosomal protein L27








• Molecule 51: 50S ribosomal protein L28




• Molecule 52: 50S ribosomal protein L29



• Molecule 53: 50S ribosomal protein L30



• Molecule 54: 50S ribosomal protein L32



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	114493	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.321	Depositor
Minimum map value	-0.132	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.0329	Depositor
Map size (Å)	364.276, 364.276, 364.276	wwPDB
Map dimensions	440, 440, 440	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8279, 0.8279, 0.8279	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MA6, OMU, OMC, D2T, 6MZ, ZN, G7M, 2MA, PSU, MG, PAR, 4OC, 4D4, UR3, 2MG, IAS, 8AN, 1MG, 5MC, 3TD, OMG, MEQ, SPD, H2U, SPM, 5MU, MS6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	0	0.19	0/424	0.43	0/565
2	1	0.21	0/380	0.43	0/498
3	2	0.22	0/513	0.42	0/676
4	3	0.24	0/303	0.40	0/397
5	4	0.22	0/488	0.53	0/649
6	A	0.18	0/36236	0.35	0/56520
7	B	0.18	0/1784	0.45	0/2403
8	C	0.18	0/1651	0.40	0/2225
9	D	0.17	0/1665	0.41	0/2227
10	E	0.18	0/1165	0.44	0/1568
11	F	0.89	4/858 (0.5%)	1.01	4/1160 (0.3%)
12	G	0.78	3/1219 (0.2%)	1.03	4/1635 (0.2%)
13	H	0.16	0/989	0.39	0/1326
14	I	0.41	1/1034 (0.1%)	0.70	3/1375 (0.2%)
15	J	0.23	0/796	0.56	1/1077 (0.1%)
16	K	0.17	0/884	0.44	0/1191
17	L	0.15	0/960	0.41	0/1286
18	M	0.17	0/900	0.46	1/1204 (0.1%)
19	N	0.17	0/817	0.36	0/1088
20	O	0.17	0/722	0.38	0/964
21	P	0.16	0/653	0.44	0/877
22	Q	0.16	0/650	0.49	0/871
23	R	0.17	0/553	0.44	0/742
24	S	0.23	0/685	0.53	0/922
25	T	0.21	0/676	0.45	0/895
26	U	0.18	0/597	0.45	0/792
27	X	0.17	0/292	0.26	0/453
28	Y	0.19	0/1765	0.39	0/2748
28	Z	0.20	0/1765	0.41	0/2748
29	a	0.26	0/65651	0.39	1/102413 (0.0%)
30	b	0.21	0/2850	0.35	0/4444

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	c	0.23	0/2121	0.42	0/2852
32	d	0.22	0/1576	0.41	0/2119
33	e	0.21	0/1571	0.40	0/2113
34	f	0.22	0/1434	0.48	0/1926
35	g	0.22	0/1343	0.49	0/1816
36	h	0.17	0/306	0.53	0/413
37	i	0.21	0/1152	0.39	0/1551
38	j	0.23	0/955	0.42	0/1279
39	k	0.24	0/1062	0.49	0/1413
40	l	0.22	0/1073	0.39	0/1433
41	m	0.24	0/958	0.45	0/1281
42	n	0.20	0/902	0.43	0/1209
43	o	0.22	0/929	0.40	0/1242
44	p	0.23	0/960	0.39	0/1278
45	q	0.21	0/829	0.38	0/1107
46	r	0.22	0/864	0.38	0/1156
47	s	0.21	0/744	0.47	0/994
48	t	0.22	0/787	0.51	0/1051
49	u	0.20	0/766	0.42	0/1025
50	v	0.20	0/636	0.44	0/841
51	w	0.19	0/635	0.40	0/848
52	x	0.21	0/502	0.38	0/667
53	y	0.20	0/453	0.39	0/605
54	z	0.22	0/450	0.38	0/599
All	All	0.24	8/152933 (0.0%)	0.41	14/228757 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
19	N	0	1
35	g	0	2
All	All	0	3

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	G	93	PRO	CG-CD	-23.00	0.72	1.50
11	F	101	PRO	CG-CD	-22.48	0.74	1.50
14	I	23	PRO	CG-CD	-9.88	1.17	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	G	93	PRO	N-CD	8.73	1.59	1.47
11	F	101	PRO	CB-CG	8.13	1.90	1.49

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	G	93	PRO	N-CD-CG	-32.90	53.85	103.20
11	F	101	PRO	N-CD-CG	-23.49	67.96	103.20
12	G	93	PRO	CA-CB-CG	-14.65	76.66	104.50
11	F	101	PRO	CA-CB-CG	-14.02	77.87	104.50
14	I	23	PRO	CA-N-CD	-12.56	94.42	112.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
19	N	32	SER	Peptide
35	g	46	ALA	Peptide
35	g	47	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	417	0	451	7	0
2	1	377	0	418	5	0
3	2	504	0	572	4	0
4	3	302	0	340	6	0
5	4	480	0	477	65	0
6	A	32612	0	16432	396	0
7	B	1753	0	1780	50	0
8	C	1624	0	1696	21	0
9	D	1643	0	1707	25	0
10	E	1152	0	1196	18	0
11	F	839	0	833	25	0
12	G	1203	0	1254	40	0
13	H	979	0	1031	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	I	1022	0	1070	21	0
15	J	786	0	828	27	0
16	K	877	0	884	20	0
17	L	957	0	1017	3	0
18	M	891	0	952	14	0
19	N	805	0	844	12	0
20	O	714	0	734	8	0
21	P	643	0	661	11	0
22	Q	641	0	682	17	0
23	R	544	0	565	13	0
24	S	668	0	693	61	0
25	T	670	0	719	10	0
26	U	589	0	629	13	0
27	X	260	0	130	1	0
28	Y	1581	0	804	39	0
28	Z	1581	0	804	15	0
29	a	59130	0	29769	515	0
30	b	2549	0	1291	28	0
31	c	2082	0	2154	27	0
32	d	1566	0	1618	12	0
33	e	1552	0	1619	23	0
34	f	1410	0	1444	50	0
35	g	1323	0	1371	35	0
36	h	303	0	327	8	0
37	i	1129	0	1162	15	0
38	j	946	0	1023	10	0
39	k	1053	0	1129	16	0
40	l	1075	0	1146	12	0
41	m	945	0	989	8	0
42	n	892	0	923	19	0
43	o	917	0	962	19	0
44	p	947	0	1019	15	0
45	q	816	0	839	9	0
46	r	857	0	922	15	0
47	s	738	0	807	9	0
48	t	779	0	831	16	0
49	u	753	0	780	7	0
50	v	628	0	642	7	0
51	w	625	0	652	6	0
52	x	501	0	531	5	0
53	y	449	0	488	5	0
54	z	444	0	458	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	3	1	0	0	0	0
55	4	1	0	0	0	0
56	A	42	0	45	1	0
57	A	67	0	0	0	0
57	N	1	0	0	0	0
57	X	1	0	0	0	0
57	a	190	0	0	0	0
57	b	5	0	0	0	0
57	c	1	0	0	0	0
57	d	1	0	0	0	0
57	p	1	0	0	0	0
57	z	1	0	0	0	0
58	A	20	0	38	2	0
58	a	140	0	266	13	0
59	Y	22	0	11	2	0
59	Z	22	0	11	2	0
60	a	14	0	26	2	0
61	a	16	0	16	4	0
62	0	11	0	0	0	0
62	1	27	0	0	0	0
62	2	27	0	0	0	0
62	3	3	0	0	0	0
62	4	3	0	0	1	0
62	A	1860	0	0	37	0
62	B	1	0	0	0	0
62	C	42	0	0	0	0
62	D	14	0	0	0	0
62	E	15	0	0	0	0
62	G	4	0	0	0	0
62	H	23	0	0	0	0
62	I	22	0	0	0	0
62	J	18	0	0	1	0
62	K	12	0	0	0	0
62	L	25	0	0	0	0
62	M	16	0	0	1	0
62	N	38	0	0	1	0
62	O	12	0	0	0	0
62	P	11	0	0	0	0
62	Q	3	0	0	0	0
62	R	1	0	0	0	0
62	S	25	0	0	1	0
62	T	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
62	U	3	0	0	0	0
62	X	12	0	0	0	0
62	Y	6	0	0	0	0
62	Z	8	0	0	1	0
62	a	3758	0	0	55	0
62	b	167	0	0	12	0
62	c	95	0	0	1	0
62	d	40	0	0	0	0
62	e	52	0	0	2	0
62	f	34	0	0	7	0
62	h	5	0	0	0	0
62	i	14	0	0	1	0
62	j	13	0	0	1	0
62	k	51	0	0	3	0
62	l	28	0	0	1	0
62	m	34	0	0	0	0
62	n	39	0	0	3	0
62	o	10	0	0	0	0
62	p	32	0	0	1	0
62	q	22	0	0	0	0
62	r	26	0	0	0	0
62	s	9	0	0	1	0
62	t	3	0	0	0	0
62	u	5	0	0	0	0
62	v	20	0	0	0	0
62	w	22	0	0	0	0
62	x	2	0	0	0	0
62	y	7	0	0	0	0
62	z	25	0	0	0	0
All	All	148825	0	95512	1663	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1663 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:4:56:ARG:HD3	24:S:64:ASP:CG	1.43	1.42
5:4:56:ARG:HD3	24:S:64:ASP:OD1	1.17	1.30
5:4:60:PHE:CD2	24:S:42:PRO:HD3	1.83	1.13
5:4:64:PHE:CE2	24:S:9:PRO:HB3	1.85	1.12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:4:56:ARG:CD	24:S:64:ASP:OD1	1.99	1.10

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	49/55 (89%)	49 (100%)	0	0	100	100
2	1	44/46 (96%)	44 (100%)	0	0	100	100
3	2	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
4	3	36/38 (95%)	36 (100%)	0	0	100	100
5	4	56/70 (80%)	51 (91%)	5 (9%)	0	100	100
7	B	222/241 (92%)	202 (91%)	20 (9%)	0	100	100
8	C	204/233 (88%)	196 (96%)	8 (4%)	0	100	100
9	D	203/206 (98%)	200 (98%)	3 (2%)	0	100	100
10	E	154/167 (92%)	153 (99%)	1 (1%)	0	100	100
11	F	101/135 (75%)	97 (96%)	4 (4%)	0	100	100
12	G	151/179 (84%)	139 (92%)	12 (8%)	0	100	100
13	H	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
14	I	125/130 (96%)	119 (95%)	6 (5%)	0	100	100
15	J	96/103 (93%)	90 (94%)	4 (4%)	2 (2%)	5	2
16	K	113/129 (88%)	108 (96%)	5 (4%)	0	100	100
17	L	120/124 (97%)	116 (97%)	4 (3%)	0	100	100
18	M	113/118 (96%)	111 (98%)	2 (2%)	0	100	100
19	N	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
20	O	86/89 (97%)	85 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	P	79/82 (96%)	74 (94%)	5 (6%)	0	100	100
22	Q	77/84 (92%)	75 (97%)	2 (3%)	0	100	100
23	R	64/75 (85%)	60 (94%)	4 (6%)	0	100	100
24	S	82/92 (89%)	79 (96%)	3 (4%)	0	100	100
25	T	84/87 (97%)	84 (100%)	0	0	100	100
26	U	68/71 (96%)	66 (97%)	2 (3%)	0	100	100
31	c	269/273 (98%)	262 (97%)	7 (3%)	0	100	100
32	d	206/209 (99%)	198 (96%)	8 (4%)	0	100	100
33	e	199/201 (99%)	197 (99%)	2 (1%)	0	100	100
34	f	175/179 (98%)	165 (94%)	10 (6%)	0	100	100
35	g	174/177 (98%)	164 (94%)	9 (5%)	1 (1%)	21	20
36	h	39/149 (26%)	33 (85%)	6 (15%)	0	100	100
37	i	140/142 (99%)	139 (99%)	1 (1%)	0	100	100
38	j	121/123 (98%)	117 (97%)	4 (3%)	0	100	100
39	k	142/144 (99%)	138 (97%)	4 (3%)	0	100	100
40	l	132/136 (97%)	128 (97%)	3 (2%)	1 (1%)	16	13
41	m	116/127 (91%)	111 (96%)	5 (4%)	0	100	100
42	n	114/117 (97%)	109 (96%)	5 (4%)	0	100	100
43	o	112/115 (97%)	110 (98%)	2 (2%)	0	100	100
44	p	115/118 (98%)	115 (100%)	0	0	100	100
45	q	101/103 (98%)	98 (97%)	3 (3%)	0	100	100
46	r	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
47	s	91/100 (91%)	85 (93%)	6 (7%)	0	100	100
48	t	100/104 (96%)	90 (90%)	10 (10%)	0	100	100
49	u	92/94 (98%)	89 (97%)	3 (3%)	0	100	100
50	v	82/85 (96%)	79 (96%)	3 (4%)	0	100	100
51	w	75/78 (96%)	75 (100%)	0	0	100	100
52	x	60/63 (95%)	57 (95%)	3 (5%)	0	100	100
53	y	56/59 (95%)	54 (96%)	2 (4%)	0	100	100
54	z	54/57 (95%)	54 (100%)	0	0	100	100
All	All	5487/5913 (93%)	5285 (96%)	198 (4%)	4 (0%)	49	54

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
15	J	57	VAL
35	g	47	ASP
40	l	83	GLY
15	J	84	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	46/49 (94%)	46 (100%)	0	100	100
2	1	38/38 (100%)	38 (100%)	0	100	100
3	2	51/52 (98%)	51 (100%)	0	100	100
4	3	34/34 (100%)	34 (100%)	0	100	100
5	4	55/62 (89%)	48 (87%)	7 (13%)	4	2
7	B	186/199 (94%)	182 (98%)	4 (2%)	45	54
8	C	170/190 (90%)	166 (98%)	4 (2%)	43	51
9	D	172/173 (99%)	169 (98%)	3 (2%)	53	63
10	E	119/126 (94%)	119 (100%)	0	100	100
11	F	90/116 (78%)	88 (98%)	2 (2%)	45	54
12	G	126/147 (86%)	123 (98%)	3 (2%)	43	51
13	H	104/105 (99%)	103 (99%)	1 (1%)	68	76
14	I	105/107 (98%)	101 (96%)	4 (4%)	29	34
15	J	86/90 (96%)	86 (100%)	0	100	100
16	K	89/98 (91%)	88 (99%)	1 (1%)	65	74
17	L	102/103 (99%)	99 (97%)	3 (3%)	37	44
18	M	93/96 (97%)	90 (97%)	3 (3%)	34	40
19	N	83/84 (99%)	81 (98%)	2 (2%)	43	51
20	O	76/77 (99%)	75 (99%)	1 (1%)	61	71
21	P	65/65 (100%)	63 (97%)	2 (3%)	35	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	Q	73/78 (94%)	73 (100%)	0	100	100
23	R	57/65 (88%)	57 (100%)	0	100	100
24	S	72/79 (91%)	72 (100%)	0	100	100
25	T	65/66 (98%)	64 (98%)	1 (2%)	57	66
26	U	60/61 (98%)	59 (98%)	1 (2%)	53	63
31	c	216/218 (99%)	214 (99%)	2 (1%)	70	78
32	d	163/163 (100%)	160 (98%)	3 (2%)	51	61
33	e	165/165 (100%)	159 (96%)	6 (4%)	31	36
34	f	148/150 (99%)	146 (99%)	2 (1%)	59	69
35	g	137/138 (99%)	128 (93%)	9 (7%)	15	13
36	h	32/114 (28%)	30 (94%)	2 (6%)	16	14
37	i	116/116 (100%)	114 (98%)	2 (2%)	53	63
38	j	104/104 (100%)	103 (99%)	1 (1%)	68	76
39	k	103/103 (100%)	100 (97%)	3 (3%)	37	44
40	l	107/107 (100%)	105 (98%)	2 (2%)	50	59
41	m	98/103 (95%)	97 (99%)	1 (1%)	68	76
42	n	86/87 (99%)	83 (96%)	3 (4%)	32	37
43	o	99/100 (99%)	97 (98%)	2 (2%)	48	58
44	p	89/90 (99%)	88 (99%)	1 (1%)	65	74
45	q	84/84 (100%)	82 (98%)	2 (2%)	43	51
46	r	93/93 (100%)	91 (98%)	2 (2%)	45	54
47	s	80/84 (95%)	78 (98%)	2 (2%)	42	50
48	t	83/85 (98%)	81 (98%)	2 (2%)	43	51
49	u	78/78 (100%)	74 (95%)	4 (5%)	21	21
50	v	61/63 (97%)	61 (100%)	0	100	100
51	w	67/68 (98%)	63 (94%)	4 (6%)	17	16
52	x	54/55 (98%)	53 (98%)	1 (2%)	50	59
53	y	48/49 (98%)	48 (100%)	0	100	100
54	z	47/48 (98%)	44 (94%)	3 (6%)	16	14
All	All	4575/4825 (95%)	4474 (98%)	101 (2%)	45	54

5 of 101 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
35	g	36	THR
39	k	119	PRO
54	z	27	SER
35	g	51	THR
36	h	41	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 41 such sidechains are listed below:

Mol	Chain	Res	Type
35	g	73	ASN
43	o	3	ASN
37	i	58	ASN
37	i	128	ASN
46	r	9	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
27	X	11/27 (40%)	3 (27%)	0
28	Y	72/75 (96%)	23 (31%)	0
28	Z	72/75 (96%)	18 (25%)	0
29	a	2749/2904 (94%)	319 (11%)	0
30	b	118/120 (98%)	17 (14%)	0
6	A	1516/1542 (98%)	212 (13%)	4 (0%)
All	All	4538/4743 (95%)	592 (13%)	4 (0%)

5 of 592 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	A	4	U
6	A	5	U
6	A	6	G
6	A	13	U
6	A	22	G

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
6	A	5	U
6	A	1026	G
6	A	1035	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	A	1240	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

40 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	5MC	A	967	6	19,22,23	0.73	1 (5%)	26,32,35	0.50	0
29	6MZ	a	1618	29	22,25,26	0.31	0	29,36,39	0.61	0
29	G7M	a	2069	29	23,26,27	1.54	4 (17%)	34,39,42	1.71	5 (14%)
6	MA6	A	1519	6	23,26,27	1.51	5 (21%)	33,38,41	2.15	10 (30%)
29	PSU	a	2605	29	18,21,22	0.97	1 (5%)	21,30,33	0.85	0
29	OMG	a	2251	29,28	23,26,27	0.33	0	32,38,41	0.37	0
29	OMU	a	2552	29	19,22,23	0.33	0	25,31,34	0.82	1 (4%)
29	5MU	a	747	29	19,22,23	0.31	0	27,32,35	0.43	0
29	2MA	a	2503	29,57	22,25,26	0.85	1 (4%)	32,37,40	1.16	4 (12%)
29	H2U	a	2449	29	18,21,22	0.51	0	19,30,33	0.86	2 (10%)
6	MA6	A	1518	6	23,26,27	1.48	4 (17%)	33,38,41	2.10	10 (30%)
29	2MG	a	1835	29	23,26,27	0.37	0	33,38,41	0.47	0
29	PSU	a	746	29,57	18,21,22	1.07	1 (5%)	21,30,33	0.62	0
40	MS6	l	82	40	5,7,8	0.23	0	2,7,9	0.32	0
6	PSU	A	516	57,6	18,21,22	1.01	1 (5%)	21,30,33	0.79	1 (4%)
29	1MG	a	745	29	23,26,27	0.60	0	33,39,42	0.72	1 (3%)
6	2MG	A	1516	6	23,26,27	0.37	0	33,38,41	0.52	0
16	IAS	K	119	16	6,7,8	1.41	1 (16%)	3,8,10	1.11	0
29	6MZ	a	2030	29	22,25,26	0.30	0	29,36,39	0.62	0
29	3TD	a	1915	29	19,22,23	1.59	5 (26%)	23,32,35	2.15	5 (21%)
29	5MC	a	1962	29	19,22,23	0.71	1 (5%)	26,32,35	0.54	0
29	PSU	a	955	29	18,21,22	0.99	1 (5%)	21,30,33	0.78	0
29	PSU	a	1911	29	18,21,22	1.01	1 (5%)	21,30,33	0.74	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
29	PSU	a	2580	29	18,21,22	1.06	2 (11%)	21,30,33	0.82	1 (4%)
29	PSU	a	2604	29	18,21,22	1.02	1 (5%)	21,30,33	0.85	0
17	D2T	L	89	17	8,9,10	3.29	3 (37%)	6,11,13	1.61	2 (33%)
32	MEQ	d	150	32	8,9,10	0.48	0	5,10,12	0.15	0
6	2MG	A	1207	6	23,26,27	0.38	0	33,38,41	0.44	0
6	5MC	A	1407	6	19,22,23	0.72	1 (5%)	26,32,35	0.58	0
29	PSU	a	2457	29	18,21,22	1.03	1 (5%)	21,30,33	0.81	0
29	OMC	a	2498	29,57	19,22,23	0.35	0	25,31,34	0.64	1 (4%)
29	5MU	a	1939	29	19,22,23	0.31	0	27,32,35	0.45	0
29	PSU	a	2504	29	18,21,22	1.05	1 (5%)	21,30,33	0.73	0
6	G7M	A	527	6	23,26,27	1.52	3 (13%)	34,39,42	1.69	5 (14%)
6	4OC	A	1402	6	20,23,24	0.36	0	25,32,35	0.46	0
6	2MG	A	966	6	23,26,27	0.37	0	33,38,41	0.46	0
40	4D4	l	81	40	9,11,12	1.93	2 (22%)	7,13,15	1.03	1 (14%)
29	PSU	a	1917	29	18,21,22	1.01	1 (5%)	21,30,33	0.70	0
6	UR3	A	1498	6	19,22,23	0.29	0	26,32,35	0.85	2 (7%)
29	2MG	a	2445	29	23,26,27	0.39	0	33,38,41	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	5MC	A	967	6	-	0/7/25/26	0/2/2/2
29	6MZ	a	1618	29	-	0/9/27/28	0/3/3/3
29	G7M	a	2069	29	-	0/7/25/26	0/3/3/3
6	MA6	A	1519	6	-	2/11/29/30	0/3/3/3
29	PSU	a	2605	29	-	0/7/25/26	0/2/2/2
29	OMG	a	2251	29,28	-	1/9/27/28	0/3/3/3
29	OMU	a	2552	29	-	0/9/27/28	0/2/2/2
29	5MU	a	747	29	-	1/7/25/26	0/2/2/2
29	2MA	a	2503	29,57	-	1/7/25/26	0/3/3/3
29	H2U	a	2449	29	-	0/7/38/39	0/2/2/2
6	MA6	A	1518	6	-	0/11/29/30	0/3/3/3
29	2MG	a	1835	29	-	0/9/27/28	0/3/3/3
29	PSU	a	746	29,57	-	4/7/25/26	0/2/2/2
40	MS6	l	82	40	-	1/4/6/8	-
6	PSU	A	516	57,6	-	0/7/25/26	0/2/2/2
29	1MG	a	745	29	-	0/7/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	2MG	A	1516	6	-	0/9/27/28	0/3/3/3
16	IAS	K	119	16	-	1/7/7/8	-
29	6MZ	a	2030	29	-	2/9/27/28	0/3/3/3
29	3TD	a	1915	29	-	2/7/25/26	0/2/2/2
29	5MC	a	1962	29	-	0/7/25/26	0/2/2/2
29	PSU	a	955	29	-	0/7/25/26	0/2/2/2
29	PSU	a	1911	29	-	0/7/25/26	0/2/2/2
29	PSU	a	2580	29	-	0/7/25/26	0/2/2/2
29	PSU	a	2604	29	-	0/7/25/26	0/2/2/2
17	D2T	L	89	17	-	3/7/12/14	-
32	MEQ	d	150	32	-	2/8/9/11	-
6	2MG	A	1207	6	-	0/9/27/28	0/3/3/3
6	5MC	A	1407	6	-	0/7/25/26	0/2/2/2
29	PSU	a	2457	29	-	0/7/25/26	0/2/2/2
29	OMC	a	2498	29,57	-	0/9/27/28	0/2/2/2
29	5MU	a	1939	29	-	0/7/25/26	0/2/2/2
29	PSU	a	2504	29	-	0/7/25/26	0/2/2/2
6	G7M	A	527	6	-	1/7/25/26	0/3/3/3
6	4OC	A	1402	6	-	0/9/29/30	0/2/2/2
6	2MG	A	966	6	-	1/9/27/28	0/3/3/3
40	4D4	l	81	40	-	1/11/12/14	-
29	PSU	a	1917	29	-	0/7/25/26	0/2/2/2
6	UR3	A	1498	6	-	0/7/25/26	0/2/2/2
29	2MG	a	2445	29	-	0/9/27/28	0/3/3/3

The worst 5 of 42 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	L	89	D2T	CB-CA	7.35	1.57	1.54
29	a	2069	G7M	C5-N7	-5.05	1.33	1.39
6	A	527	G7M	C5-N7	-4.73	1.33	1.39
6	A	1518	MA6	C5-C4	4.57	1.47	1.39
6	A	1519	MA6	C5-C4	4.56	1.47	1.39

The worst 5 of 51 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	a	1915	3TD	N1-C2-N3	8.09	122.01	116.13
6	A	1519	MA6	C5-C4-N3	-5.44	119.22	126.72
6	A	1518	MA6	C5-C4-N3	-5.37	119.32	126.72
29	a	2069	G7M	N9-C4-N3	5.05	136.05	125.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	527	G7M	C5-C4-N3	-5.03	118.65	128.15

There are no chirality outliers.

5 of 23 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
29	a	746	PSU	C2'-C1'-C5-C4
29	a	746	PSU	C2'-C1'-C5-C6
29	a	746	PSU	O4'-C1'-C5-C6
29	a	1915	3TD	O4'-C4'-C5'-O5'
29	a	2251	OMG	C1'-C2'-O2'-CM2

There are no ring outliers.

12 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1519	MA6	3	0
29	a	2251	OMG	1	0
29	a	2552	OMU	1	0
29	a	747	5MU	2	0
6	A	1518	MA6	1	0
6	A	1516	2MG	1	0
29	a	2030	6MZ	2	0
29	a	2604	PSU	1	0
32	d	150	MEQ	1	0
29	a	1939	5MU	1	0
6	A	1402	4OC	1	0
6	A	1498	UR3	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 292 ligands modelled in this entry, 270 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	SPD	a	6192	-	9,9,9	0.16	0	8,8,8	0.33	0
58	SPD	A	1670	-	9,9,9	0.16	0	8,8,8	0.19	0
58	SPD	a	6193	-	9,9,9	0.15	0	8,8,8	0.16	0
58	SPD	a	6200	-	9,9,9	0.17	0	8,8,8	0.18	0
58	SPD	a	6191	-	9,9,9	0.16	0	8,8,8	0.23	0
58	SPD	A	1669	-	9,9,9	0.13	0	8,8,8	0.34	0
61	MET	a	6207	59	6,7,8	0.48	0	2,7,9	0.34	0
58	SPD	a	6195	-	9,9,9	0.30	0	8,8,8	0.70	0
60	SPM	a	6205	-	13,13,13	0.17	0	12,12,12	0.21	0
58	SPD	a	6204	-	9,9,9	0.13	0	8,8,8	0.19	0
59	8AN	Z	101	28,61	21,24,25	0.73	1 (4%)	26,35,38	0.54	0
58	SPD	a	6194	-	9,9,9	0.16	0	8,8,8	0.15	0
58	SPD	a	6202	-	9,9,9	0.16	0	8,8,8	0.17	0
59	8AN	Y	101	28,61	21,24,25	0.86	1 (4%)	26,35,38	0.34	0
58	SPD	a	6201	-	9,9,9	0.18	0	8,8,8	0.34	0
58	SPD	a	6197	-	9,9,9	0.15	0	8,8,8	0.31	0
58	SPD	a	6199	-	9,9,9	0.18	0	8,8,8	0.26	0
58	SPD	a	6196	-	9,9,9	0.16	0	8,8,8	0.31	0
58	SPD	a	6203	-	9,9,9	0.15	0	8,8,8	0.33	0
58	SPD	a	6198	-	9,9,9	0.18	0	8,8,8	0.32	0
56	PAR	A	1601	-	44,45,45	0.50	0	63,67,67	0.80	0
61	MET	a	6206	59	6,7,8	0.56	0	2,7,9	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	SPD	a	6192	-	-	0/7/7/7	-
58	SPD	A	1670	-	-	2/7/7/7	-
58	SPD	a	6193	-	-	0/7/7/7	-
58	SPD	a	6200	-	-	0/7/7/7	-
58	SPD	a	6191	-	-	0/7/7/7	-
58	SPD	A	1669	-	-	1/7/7/7	-
61	MET	a	6207	59	-	2/5/6/8	-
58	SPD	a	6195	-	-	3/7/7/7	-
60	SPM	a	6205	-	-	1/11/11/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	SPD	a	6204	-	-	1/7/7/7	-
59	8AN	Z	101	28,61	-	1/7/25/26	0/3/3/3
58	SPD	a	6194	-	-	2/7/7/7	-
58	SPD	a	6202	-	-	0/7/7/7	-
59	8AN	Y	101	28,61	-	0/7/25/26	0/3/3/3
58	SPD	a	6201	-	-	1/7/7/7	-
58	SPD	a	6197	-	-	0/7/7/7	-
58	SPD	a	6199	-	-	1/7/7/7	-
58	SPD	a	6196	-	-	2/7/7/7	-
58	SPD	a	6203	-	-	1/7/7/7	-
58	SPD	a	6198	-	-	0/7/7/7	-
56	PAR	A	1601	-	-	3/18/94/94	0/4/4/4
61	MET	a	6206	59	-	1/5/6/8	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	Y	101	8AN	C3'-N3'	-3.58	1.41	1.47
59	Z	101	8AN	C3'-N3'	-2.86	1.43	1.47

There are no bond angle outliers.

There are no chirality outliers.

5 of 22 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
59	Z	101	8AN	C4'-C5'-O5'-P
61	a	6207	MET	N-CA-CB-CG
61	a	6207	MET	C-CA-CB-CG
58	a	6195	SPD	C3-C4-C5-N6
58	a	6199	SPD	C2-C3-C4-C5

There are no ring outliers.

16 monomers are involved in 24 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	a	6192	SPD	3	0
58	A	1670	SPD	1	0
58	a	6191	SPD	1	0
58	A	1669	SPD	1	0
61	a	6207	MET	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
60	a	6205	SPM	2	0
59	Z	101	8AN	2	0
58	a	6194	SPD	1	0
59	Y	101	8AN	2	0
58	a	6201	SPD	2	0
58	a	6197	SPD	1	0
58	a	6199	SPD	1	0
58	a	6196	SPD	2	0
58	a	6198	SPD	2	0
56	A	1601	PAR	1	0
61	a	6206	MET	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28165. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 220




Y Index: 220




Z Index: 220


6.2.2 Raw map



X Index: 220



Y Index: 220




Z Index: 220


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 204




Y Index: 261




Z Index: 233


6.3.2 Raw map



X Index: 203



Y Index: 168




Z Index: 230


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0329. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 516 nm³; this corresponds to an approximate mass of 466 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.446 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.446\AA^{-1}

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.24	-	-
Author-provided FSC curve	2.23	2.59	2.27
Unmasked-calculated*	2.58	2.98	2.64

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.58 differs from the reported value 2.24 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-28165 and PDB model 8EIU. Per-residue inclusion information can be found in section 3 on page 21.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0329 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0329).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary











































The table lists the average atom inclusion at the recommended contour level (0.0329) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7940	 0.6580
0	 0.7020	 0.6640
1	 0.9490	 0.7350
2	 0.9470	 0.7410
3	 0.7640	 0.6790
4	 0.2050	 0.4610
A	 0.8470	 0.6590
B	 0.1430	 0.4580
C	 0.6710	 0.6550
D	 0.7010	 0.6540
E	 0.8300	 0.6890
F	 0.5530	 0.6040
G	 0.5010	 0.5930
H	 0.8400	 0.6880
I	 0.6100	 0.6340
J	 0.4130	 0.5370
K	 0.7100	 0.6550
L	 0.8920	 0.7120
M	 0.6690	 0.6410
N	 0.7450	 0.6740
O	 0.7880	 0.6770
P	 0.8070	 0.6830
Q	 0.7550	 0.6580
R	 0.6690	 0.6390
S	 0.6520	 0.6360
T	 0.7340	 0.6390
U	 0.3600	 0.5220
X	 0.6900	 0.6100
Y	 0.3840	 0.4750
Z	 0.6620	 0.5610
a	 0.8650	 0.6750
b	 0.7340	 0.6210
c	 0.8950	 0.7120
d	 0.8400	 0.7100
e	 0.6790	 0.6600



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.4240	 0.5540
g	 0.2780	 0.4890
h	 0.1270	 0.2450
i	 0.8330	 0.7100
j	 0.8700	 0.7100
k	 0.7950	 0.6880
l	 0.8510	 0.7090
m	 0.9450	 0.7350
n	 0.6210	 0.6350
o	 0.8010	 0.6850
p	 0.8880	 0.7330
q	 0.6660	 0.6680
r	 0.8430	 0.7080
s	 0.6800	 0.6430
t	 0.5680	 0.6190
u	 0.5810	 0.6240
v	 0.8240	 0.6970
w	 0.7940	 0.6700
x	 0.4970	 0.6070
y	 0.8010	 0.6920
z	 0.8090	 0.6940