



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:29 AM UTC

PDB ID : 1EJY / pdb_00001ejy
Title : MOUSE IMPORTIN ALPHA-NUCLEOPLASMIN NLS PEPTIDE COMPLEX
Authors : Fontes, M.R.; Teh, T.; Kobe, B.
Deposited on : 2000-03-05
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	N	16	
2	I	460	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3366 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NUCLEOPLASMIN NLS PEPTIDE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	N	16	Total	C	N	O	0	0	0
			122	76	27	19			

- Molecule 2 is a protein called IMPORTIN ALPHA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	426	Total	C	N	O	S	0	0	0
			3244	2066	550	618	10			

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: NUCLEOPLASMIN NLS PEPTIDE

Chain N: 



• Molecule 2: IMPORTIN ALPHA

Chain I: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.90Å 89.83Å 99.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.90	Depositor
% Data completeness (in resolution range)	98.8 (30.00-2.90)	Depositor
R_{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.4	Depositor
R, R_{free}	0.223 , 0.268	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3366	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	N	0.80	0/122	2.39	4/155 (2.6%)
2	I	0.51	0/3302	1.03	11/4500 (0.2%)
All	All	0.53	0/3424	1.10	15/4655 (0.3%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	496	PHE	N-CA-C	16.56	130.03	108.34
1	N	161	LYS	N-CA-C	-15.82	83.80	108.96
1	N	165	GLN	N-CA-C	-15.51	91.83	110.44
1	N	163	ALA	N-CA-C	-11.30	92.10	109.96
2	I	110	PRO	CA-C-N	7.66	129.41	119.84
2	I	110	PRO	C-N-CA	7.66	129.41	119.84
2	I	109	GLN	CA-C-N	7.22	127.82	120.38
2	I	109	GLN	C-N-CA	7.22	127.82	120.38
2	I	422	ILE	N-CA-C	6.32	116.43	110.30
2	I	137	GLN	N-CA-C	-6.25	104.39	111.14
2	I	322	THR	N-CA-C	-6.07	105.53	113.17
2	I	163	ALA	N-CA-C	5.86	117.75	111.36
2	I	453	LYS	N-CA-C	-5.61	106.44	113.28
2	I	200	VAL	N-CA-C	-5.56	105.08	110.42
1	N	164	GLY	N-CA-C	5.14	125.36	113.18

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	N	122	0	148	20	0
2	I	3244	0	3320	166	0
All	All	3366	0	3468	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:164:GLY:HA2	2:I:238:ARG:HH22	1.10	1.16
1:N:160:THR:HG23	2:I:315:ARG:NH2	1.84	0.92
1:N:164:GLY:HA2	2:I:238:ARG:NH2	1.85	0.91
2:I:477:GLN:HE21	2:I:489:LEU:HA	1.40	0.86
2:I:78:VAL:O	2:I:82:VAL:HG23	1.79	0.83
2:I:348:LYS:NZ	2:I:350:ASN:HD22	1.77	0.83
2:I:101:ARG:HD3	2:I:139:GLU:OE1	1.81	0.81
1:N:160:THR:HG23	2:I:315:ARG:HH22	1.47	0.77
2:I:434:THR:O	2:I:438:GLN:HG3	1.86	0.74
2:I:348:LYS:HZ1	2:I:350:ASN:HD22	1.33	0.73
1:N:160:THR:CG2	2:I:315:ARG:HH22	2.01	0.72
1:N:161:LYS:O	1:N:161:LYS:HG2	1.88	0.72
2:I:207:ASP:HB2	2:I:208:PRO:HD3	1.73	0.71
2:I:74:VAL:HG12	2:I:75:ASN:ND2	2.07	0.69
2:I:482:GLU:HA	2:I:485:TYR:CE2	2.28	0.69
2:I:492:ILE:HA	2:I:496:PHE:HB2	1.75	0.69
2:I:101:ARG:HD2	2:I:142:TRP:CE3	2.27	0.69
2:I:328:THR:O	2:I:331:VAL:HG22	1.94	0.67
1:N:161:LYS:O	1:N:162:LYS:C	2.38	0.66
2:I:469:GLY:O	2:I:473:ILE:HG13	1.97	0.65
1:N:161:LYS:NZ	2:I:315:ARG:HH12	1.93	0.65
1:N:168:LYS:HD3	2:I:231:TRP:CE2	2.31	0.65
2:I:492:ILE:O	2:I:496:PHE:N	2.28	0.65
2:I:443:ALA:O	2:I:447:ILE:HG13	1.96	0.64
2:I:371:GLN:HG2	2:I:412:GLN:OE1	1.99	0.63
2:I:433:ASP:HB3	2:I:436:ILE:HG22	1.81	0.63
2:I:429:LEU:HD22	2:I:476:LEU:HD11	1.81	0.62
2:I:470:LEU:HD13	2:I:496:PHE:CD2	2.33	0.62
2:I:428:LEU:C	2:I:430:SER:H	2.08	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:479:HIS:CD2	2:I:481:ASN:H	2.18	0.61
2:I:231:TRP:O	2:I:234:SER:HB3	2.02	0.59
2:I:238:ARG:HG2	2:I:239:ASN:N	2.16	0.59
2:I:299:VAL:HG21	2:I:334:ALA:CB	2.32	0.59
2:I:287:GLU:O	2:I:291:LYS:HB2	2.02	0.59
2:I:299:VAL:HG21	2:I:334:ALA:HB3	1.86	0.58
2:I:385:VAL:HG12	2:I:397:ALA:HB2	1.85	0.58
2:I:410:VAL:O	2:I:414:VAL:HG23	2.03	0.58
2:I:273:TRP:CE2	2:I:312:PRO:HB3	2.39	0.58
2:I:98:GLN:HG2	2:I:102:LYS:HE3	1.86	0.57
2:I:454:LEU:C	2:I:456:GLU:H	2.11	0.57
2:I:482:GLU:HA	2:I:485:TYR:HE2	1.69	0.57
2:I:348:LYS:HZ1	2:I:350:ASN:ND2	2.02	0.57
2:I:108:LYS:O	2:I:109:GLN:C	2.47	0.57
2:I:425:LEU:HG	2:I:440:ILE:HG23	1.88	0.56
2:I:416:LEU:HG	2:I:421:ILE:HG21	1.87	0.55
2:I:489:LEU:O	2:I:493:GLU:HG2	2.06	0.55
2:I:315:ARG:NH1	2:I:315:ARG:HG2	2.22	0.55
2:I:433:ASP:O	2:I:436:ILE:HG22	2.07	0.55
2:I:315:ARG:HG2	2:I:315:ARG:HH11	1.71	0.54
2:I:366:ARG:HB2	2:I:369:GLN:HG3	1.90	0.54
2:I:448:PHE:HA	2:I:460:LEU:HD23	1.89	0.54
2:I:238:ARG:O	2:I:239:ASN:HB2	2.07	0.54
2:I:283:ASN:HD22	2:I:283:ASN:N	2.05	0.54
2:I:360:SER:HA	2:I:400:ALA:HA	1.88	0.54
2:I:426:MET:CE	2:I:444:ILE:HD11	2.38	0.54
2:I:121:ILE:N	2:I:122:PRO:HD2	2.23	0.54
2:I:399:TRP:O	2:I:402:THR:HG22	2.08	0.54
2:I:427:ASN:HA	2:I:472:LYS:NZ	2.24	0.53
2:I:134:SER:OG	2:I:135:PRO:HD3	2.09	0.52
2:I:196:PHE:O	2:I:200:VAL:HG23	2.08	0.52
2:I:482:GLU:O	2:I:486:LYS:HG3	2.09	0.52
2:I:250:GLU:HG2	2:I:288:MET:CE	2.39	0.52
2:I:448:PHE:O	2:I:451:ALA:HB3	2.09	0.52
2:I:129:GLY:O	2:I:131:THR:N	2.42	0.52
2:I:339:VAL:O	2:I:339:VAL:HG12	2.08	0.52
2:I:164:ILE:O	2:I:168:ILE:HG13	2.10	0.52
2:I:379:VAL:HB	2:I:380:PRO:HD3	1.90	0.52
2:I:402:THR:HG21	2:I:439:VAL:HG13	1.92	0.52
2:I:477:GLN:NE2	2:I:489:LEU:HA	2.20	0.51
2:I:477:GLN:O	2:I:485:TYR:HB2	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:287:GLU:OE2	2:I:291:LYS:HD2	2.09	0.51
2:I:421:ILE:O	2:I:425:LEU:HB2	2.11	0.51
1:N:161:LYS:HZ2	2:I:315:ARG:HH12	1.59	0.50
2:I:346:ASN:ND2	2:I:348:LYS:H	2.09	0.50
2:I:403:ASN:O	2:I:406:SER:HB3	2.11	0.50
2:I:417:VAL:HG13	2:I:422:ILE:HG12	1.92	0.49
1:N:160:THR:CG2	2:I:315:ARG:NH2	2.62	0.49
1:N:162:LYS:O	1:N:162:LYS:HG3	2.12	0.49
2:I:327:GLN:O	2:I:330:LYS:HB2	2.11	0.49
2:I:385:VAL:CG1	2:I:397:ALA:HB2	2.43	0.49
2:I:435:LYS:O	2:I:438:GLN:HB2	2.12	0.49
2:I:73:THR:HA	2:I:76:TRP:NE1	2.28	0.49
2:I:477:GLN:HG3	2:I:489:LEU:HA	1.95	0.48
2:I:449:GLN:O	2:I:452:GLU:HG2	2.13	0.48
2:I:151:THR:OG1	2:I:154:GLN:HG3	2.14	0.48
2:I:456:GLU:O	2:I:457:THR:C	2.56	0.48
2:I:133:CYS:O	2:I:136:ILE:HG22	2.14	0.48
2:I:238:ARG:HG2	2:I:239:ASN:H	1.78	0.48
2:I:428:LEU:C	2:I:430:SER:N	2.72	0.47
2:I:427:ASN:HA	2:I:472:LYS:HZ2	1.79	0.47
2:I:441:LEU:HD11	2:I:476:LEU:HD13	1.95	0.47
2:I:348:LYS:NZ	2:I:350:ASN:ND2	2.56	0.47
2:I:248:ALA:O	2:I:252:ILE:HG13	2.14	0.47
2:I:307:LEU:N	2:I:308:PRO:CD	2.77	0.46
2:I:397:ALA:O	2:I:401:ILE:HG12	2.15	0.46
2:I:212:LEU:HD12	2:I:229:LEU:HD21	1.98	0.46
2:I:386:LEU:HD21	2:I:425:LEU:HD13	1.97	0.46
2:I:250:GLU:HG2	2:I:288:MET:HE1	1.98	0.46
2:I:436:ILE:O	2:I:440:ILE:HG13	2.16	0.46
1:N:165:GLN:O	1:N:166:ALA:C	2.59	0.46
2:I:88:ASN:HD22	2:I:88:ASN:N	2.12	0.46
1:N:170:LYS:OXT	1:N:170:LYS:HG3	2.16	0.46
2:I:73:THR:HA	2:I:76:TRP:HE1	1.80	0.45
1:N:169:LYS:HE2	2:I:106:ARG:O	2.17	0.45
2:I:256:LEU:HD21	2:I:274:ALA:HB1	1.99	0.45
2:I:112:ILE:O	2:I:116:ILE:HG13	2.16	0.45
1:N:170:LYS:HA	2:I:146:ASN:OD1	2.16	0.45
1:N:160:THR:HG22	1:N:161:LYS:HZ3	1.81	0.45
2:I:87:SER:C	2:I:88:ASN:HD22	2.25	0.45
2:I:85:ILE:HD11	2:I:124:PHE:HE1	1.82	0.45
2:I:97:THR:HG22	2:I:139:GLU:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:346:ASN:HA	2:I:347:PRO:HD3	1.86	0.45
2:I:240:LYS:HE3	2:I:280:ASP:O	2.17	0.45
2:I:73:THR:O	2:I:102:LYS:HD2	2.17	0.44
2:I:205:ALA:C	2:I:208:PRO:HD2	2.43	0.44
2:I:299:VAL:HG21	2:I:334:ALA:HB1	2.00	0.44
2:I:315:ARG:HD3	2:I:315:ARG:HA	1.77	0.44
2:I:111:PRO:O	2:I:115:ILE:HG12	2.17	0.44
2:I:260:LEU:HD13	2:I:271:SER:HB3	1.99	0.43
2:I:426:MET:HE3	2:I:444:ILE:HD11	2.00	0.43
2:I:346:ASN:HD22	2:I:348:LYS:H	1.65	0.43
2:I:352:GLN:HE21	2:I:352:GLN:HB3	1.64	0.43
2:I:315:ARG:HH11	2:I:315:ARG:CG	2.30	0.43
2:I:417:VAL:HG13	2:I:422:ILE:CG1	2.48	0.43
2:I:417:VAL:HA	2:I:421:ILE:HG22	2.00	0.43
2:I:452:GLU:HA	2:I:457:THR:HG23	2.00	0.43
2:I:81:ILE:HD13	2:I:100:ALA:HA	2.00	0.43
2:I:435:LYS:HD2	2:I:435:LYS:HA	1.74	0.43
2:I:436:ILE:HG23	2:I:437:ILE:N	2.34	0.43
2:I:458:GLU:O	2:I:461:SER:HB2	2.19	0.43
2:I:348:LYS:HZ1	2:I:350:ASN:H	1.65	0.42
2:I:479:HIS:HD2	2:I:481:ASN:H	1.63	0.42
2:I:443:ALA:O	2:I:446:ASN:HB2	2.19	0.42
2:I:435:LYS:O	2:I:439:VAL:HG23	2.20	0.42
2:I:213:LEU:HD21	2:I:229:LEU:HD13	2.00	0.42
2:I:222:ALA:HB3	2:I:225:TYR:HB2	2.02	0.42
2:I:390:ASP:O	2:I:394:GLN:HG3	2.19	0.42
2:I:461:SER:O	2:I:462:ILE:C	2.63	0.42
2:I:121:ILE:O	2:I:125:VAL:HG23	2.20	0.42
2:I:477:GLN:NE2	2:I:492:ILE:HB	2.34	0.42
2:I:349:THR:O	2:I:352:GLN:HB2	2.20	0.42
2:I:448:PHE:CE1	2:I:460:LEU:HG	2.54	0.42
2:I:449:GLN:O	2:I:453:LYS:HG3	2.20	0.42
2:I:89:ASN:HB3	2:I:92:SER:HB2	2.02	0.42
2:I:121:ILE:HD12	2:I:157:ALA:HB1	2.02	0.42
2:I:423:GLU:HB3	2:I:424:PRO:CD	2.50	0.42
2:I:98:GLN:HA	2:I:139:GLU:OE1	2.20	0.41
2:I:426:MET:O	2:I:429:LEU:HB2	2.20	0.41
2:I:179:SER:O	2:I:183:VAL:HG23	2.20	0.41
2:I:479:HIS:HD2	2:I:481:ASN:HB3	1.85	0.41
2:I:335:GLY:O	2:I:336:ALA:C	2.63	0.41
2:I:433:ASP:HB3	2:I:436:ILE:CG2	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:168:LYS:HD3	2:I:231:TRP:CZ2	2.56	0.41
2:I:184:TRP:HD1	2:I:184:TRP:O	2.04	0.41
2:I:472:LYS:O	2:I:476:LEU:HG	2.21	0.41
1:N:156:ARG:HA	1:N:157:PRO:HD3	1.63	0.41
2:I:411:GLU:O	2:I:414:VAL:HB	2.20	0.41
2:I:299:VAL:HG13	2:I:336:ALA:HA	2.02	0.41
1:N:164:GLY:CA	2:I:238:ARG:HH12	2.34	0.41
2:I:109:GLN:HA	2:I:110:PRO:HD2	1.89	0.41
2:I:273:TRP:CD2	2:I:312:PRO:HB3	2.56	0.41
2:I:485:TYR:CD1	2:I:485:TYR:C	2.98	0.41
2:I:256:LEU:HD21	2:I:274:ALA:CB	2.50	0.41
2:I:299:VAL:O	2:I:302:LEU:HB3	2.21	0.41
2:I:454:LEU:C	2:I:456:GLU:N	2.74	0.41
2:I:103:LEU:HD23	2:I:103:LEU:HA	1.94	0.40
2:I:150:GLY:HA3	2:I:154:GLN:OE1	2.21	0.40
2:I:476:LEU:C	2:I:478:ARG:N	2.78	0.40
2:I:106:ARG:NE	2:I:108:LYS:O	2.47	0.40
2:I:339:VAL:O	2:I:339:VAL:CG1	2.68	0.40
2:I:101:ARG:NH1	2:I:139:GLU:OE2	2.52	0.40
2:I:74:VAL:O	2:I:75:ASN:HB2	2.21	0.40
2:I:480:GLU:H	2:I:480:GLU:HG3	1.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	N	14/16 (88%)	8 (57%)	4 (29%)	2 (14%)	0	0
2	I	424/460 (92%)	395 (93%)	22 (5%)	7 (2%)	7	26
All	All	438/476 (92%)	403 (92%)	26 (6%)	9 (2%)	5	21

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	N	159	ALA
2	I	108	LYS
2	I	457	THR
2	I	130	LYS
2	I	337	LEU
2	I	111	PRO
1	N	157	PRO
2	I	484	VAL
2	I	109	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	N	11/11 (100%)	6 (54%)	5 (46%)	0	0
2	I	357/386 (92%)	348 (98%)	9 (2%)	42	74
All	All	368/397 (93%)	354 (96%)	14 (4%)	29	64

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	N	156	ARG
1	N	160	THR
1	N	161	LYS
1	N	162	LYS
1	N	169	LYS
2	I	83	LYS
2	I	95	GLN
2	I	131	THR
2	I	132	ASP
2	I	315	ARG
2	I	385	VAL
2	I	395	LYS
2	I	402	THR
2	I	480	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
2	I	75	ASN
2	I	86	ASN
2	I	88	ASN
2	I	98	GLN
2	I	181	GLN
2	I	251	GLN
2	I	261	HIS
2	I	262	HIS
2	I	283	ASN
2	I	346	ASN
2	I	350	ASN
2	I	352	GLN
2	I	371	GLN
2	I	375	ASN
2	I	438	GLN
2	I	477	GLN
2	I	479	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.