



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:14 PM UTC

PDB ID : 3EJE / pdb_00003eje
Title : Crystal Structure of P450BioI in complex with octadec-9Z-enoic acid ligated
Acyl Carrier Protein
Authors : Cryle, M.J.; Schlichting, I.
Deposited on : 2008-09-18
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	97	7% 74% 5% 20%
1	C	97	6% 75% 5% 20%
1	E	97	9% 66% 11% 22%
1	G	97	14% 69% 7% 23%
2	B	404	4% 84% 9% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	404	
2	F	404	
2	H	404	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	HTG	H	417	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 15827 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	78	Total	C	N	O	S	0	0	0
			606	374	95	135	2			
1	C	78	Total	C	N	O	S	0	0	0
			606	374	95	135	2			
1	E	76	Total	C	N	O	S	0	0	0
			592	366	91	133	2			
1	G	75	Total	C	N	O	S	0	0	0
			584	362	89	131	2			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP P0A6A8
A	2	SER	-	expression tag	UNP P0A6A8
A	3	SER	-	expression tag	UNP P0A6A8
A	4	HIS	-	expression tag	UNP P0A6A8
A	5	HIS	-	expression tag	UNP P0A6A8
A	6	HIS	-	expression tag	UNP P0A6A8
A	7	HIS	-	expression tag	UNP P0A6A8
A	8	HIS	-	expression tag	UNP P0A6A8
A	9	HIS	-	expression tag	UNP P0A6A8
A	10	SER	-	expression tag	UNP P0A6A8
A	11	SER	-	expression tag	UNP P0A6A8
A	12	GLY	-	expression tag	UNP P0A6A8
A	13	LEU	-	expression tag	UNP P0A6A8
A	14	VAL	-	expression tag	UNP P0A6A8
A	15	PRO	-	expression tag	UNP P0A6A8
A	16	ARG	-	expression tag	UNP P0A6A8
A	17	GLY	-	expression tag	UNP P0A6A8
A	18	SER	-	expression tag	UNP P0A6A8
A	19	HIS	-	expression tag	UNP P0A6A8
C	1	GLY	-	expression tag	UNP P0A6A8
C	2	SER	-	expression tag	UNP P0A6A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	3	SER	-	expression tag	UNP P0A6A8
C	4	HIS	-	expression tag	UNP P0A6A8
C	5	HIS	-	expression tag	UNP P0A6A8
C	6	HIS	-	expression tag	UNP P0A6A8
C	7	HIS	-	expression tag	UNP P0A6A8
C	8	HIS	-	expression tag	UNP P0A6A8
C	9	HIS	-	expression tag	UNP P0A6A8
C	10	SER	-	expression tag	UNP P0A6A8
C	11	SER	-	expression tag	UNP P0A6A8
C	12	GLY	-	expression tag	UNP P0A6A8
C	13	LEU	-	expression tag	UNP P0A6A8
C	14	VAL	-	expression tag	UNP P0A6A8
C	15	PRO	-	expression tag	UNP P0A6A8
C	16	ARG	-	expression tag	UNP P0A6A8
C	17	GLY	-	expression tag	UNP P0A6A8
C	18	SER	-	expression tag	UNP P0A6A8
C	19	HIS	-	expression tag	UNP P0A6A8
E	1	GLY	-	expression tag	UNP P0A6A8
E	2	SER	-	expression tag	UNP P0A6A8
E	3	SER	-	expression tag	UNP P0A6A8
E	4	HIS	-	expression tag	UNP P0A6A8
E	5	HIS	-	expression tag	UNP P0A6A8
E	6	HIS	-	expression tag	UNP P0A6A8
E	7	HIS	-	expression tag	UNP P0A6A8
E	8	HIS	-	expression tag	UNP P0A6A8
E	9	HIS	-	expression tag	UNP P0A6A8
E	10	SER	-	expression tag	UNP P0A6A8
E	11	SER	-	expression tag	UNP P0A6A8
E	12	GLY	-	expression tag	UNP P0A6A8
E	13	LEU	-	expression tag	UNP P0A6A8
E	14	VAL	-	expression tag	UNP P0A6A8
E	15	PRO	-	expression tag	UNP P0A6A8
E	16	ARG	-	expression tag	UNP P0A6A8
E	17	GLY	-	expression tag	UNP P0A6A8
E	18	SER	-	expression tag	UNP P0A6A8
E	19	HIS	-	expression tag	UNP P0A6A8
G	1	GLY	-	expression tag	UNP P0A6A8
G	2	SER	-	expression tag	UNP P0A6A8
G	3	SER	-	expression tag	UNP P0A6A8
G	4	HIS	-	expression tag	UNP P0A6A8
G	5	HIS	-	expression tag	UNP P0A6A8
G	6	HIS	-	expression tag	UNP P0A6A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	7	HIS	-	expression tag	UNP P0A6A8
G	8	HIS	-	expression tag	UNP P0A6A8
G	9	HIS	-	expression tag	UNP P0A6A8
G	10	SER	-	expression tag	UNP P0A6A8
G	11	SER	-	expression tag	UNP P0A6A8
G	12	GLY	-	expression tag	UNP P0A6A8
G	13	LEU	-	expression tag	UNP P0A6A8
G	14	VAL	-	expression tag	UNP P0A6A8
G	15	PRO	-	expression tag	UNP P0A6A8
G	16	ARG	-	expression tag	UNP P0A6A8
G	17	GLY	-	expression tag	UNP P0A6A8
G	18	SER	-	expression tag	UNP P0A6A8
G	19	HIS	-	expression tag	UNP P0A6A8

- Molecule 2 is a protein called Biotin biosynthesis cytochrome P450-like enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	378	Total	C	N	O	S	0	0	0
			3030	1931	525	560	14			
2	D	385	Total	C	N	O	S	0	0	0
			3082	1962	535	571	14			
2	F	380	Total	C	N	O	S	0	2	0
			3058	1948	528	567	15			
2	H	383	Total	C	N	O	S	0	1	0
			3068	1953	531	570	14			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	395	ALA	-	expression tag	UNP P53554
B	396	SER	-	expression tag	UNP P53554
B	397	TRP	-	expression tag	UNP P53554
B	398	SER	-	expression tag	UNP P53554
B	399	HIS	-	expression tag	UNP P53554
B	400	PRO	-	expression tag	UNP P53554
B	401	GLN	-	expression tag	UNP P53554
B	402	PHE	-	expression tag	UNP P53554
B	403	GLU	-	expression tag	UNP P53554
B	404	LYS	-	expression tag	UNP P53554
D	395	ALA	-	expression tag	UNP P53554
D	396	SER	-	expression tag	UNP P53554
D	397	TRP	-	expression tag	UNP P53554

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	398	SER	-	expression tag	UNP P53554
D	399	HIS	-	expression tag	UNP P53554
D	400	PRO	-	expression tag	UNP P53554
D	401	GLN	-	expression tag	UNP P53554
D	402	PHE	-	expression tag	UNP P53554
D	403	GLU	-	expression tag	UNP P53554
D	404	LYS	-	expression tag	UNP P53554
F	395	ALA	-	expression tag	UNP P53554
F	396	SER	-	expression tag	UNP P53554
F	397	TRP	-	expression tag	UNP P53554
F	398	SER	-	expression tag	UNP P53554
F	399	HIS	-	expression tag	UNP P53554
F	400	PRO	-	expression tag	UNP P53554
F	401	GLN	-	expression tag	UNP P53554
F	402	PHE	-	expression tag	UNP P53554
F	403	GLU	-	expression tag	UNP P53554
F	404	LYS	-	expression tag	UNP P53554
H	395	ALA	-	expression tag	UNP P53554
H	396	SER	-	expression tag	UNP P53554
H	397	TRP	-	expression tag	UNP P53554
H	398	SER	-	expression tag	UNP P53554
H	399	HIS	-	expression tag	UNP P53554
H	400	PRO	-	expression tag	UNP P53554
H	401	GLN	-	expression tag	UNP P53554
H	402	PHE	-	expression tag	UNP P53554
H	403	GLU	-	expression tag	UNP P53554
H	404	LYS	-	expression tag	UNP P53554

- Molecule 3 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta-alanyl}amino)ethyl] (9Z)-octadec-9-enethioate (CCD ID: ZMO) (formula: C₂₉H₅₅N₂O₈PS).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			38	27	2	7	1	1		
3	C	1	Total	C	N	O	P	S	0	0
			38	27	2	7	1	1		
3	E	1	Total	C	N	O	P	S	0	0
			38	27	2	7	1	1		
3	G	1	Total	C	N	O	P	S	0	0
			38	27	2	7	1	1		

- Molecule 4 is heptyl 1-thio-beta-D-glucopyranoside (CCD ID: HTG) (formula: C₁₃H₂₆O₅S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O S 15 9 5 1	0	0
4	B	1	Total C S 6 5 1	0	0
4	C	1	Total C O S 12 6 5 1	0	0
4	D	1	Total C S 6 5 1	0	0
4	E	1	Total C O S 14 8 5 1	0	0
4	G	1	Total C O S 12 6 5 1	0	0
4	H	1	Total C S 6 5 1	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	54	Total 54	O 54	0	0
6	B	178	Total 178	O 178	0	0
6	C	42	Total 42	O 42	0	0
6	D	130	Total 130	O 130	0	0
6	E	49	Total 49	O 49	0	0
6	F	174	Total 174	O 174	0	0
6	G	32	Total 32	O 32	0	0
6	H	147	Total 147	O 147	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acyl carrier protein




- Molecule 1: Acyl carrier protein




- Molecule 1: Acyl carrier protein




- Molecule 1: Acyl carrier protein




- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme






- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain D: 6% 81% 13% 5%




- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain F: 6% 83% 10% 6%



- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain H: 7% 80% 14% 5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	61.20Å 92.00Å 108.00Å 109.30° 90.80° 90.10°	Depositor
Resolution (Å)	19.95 – 2.10 19.95 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.8 (19.95-2.10) 97.7 (19.95-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.61 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.240 , 0.274 (Not available) , 0.286	Depositor DCC
R_{free} test set	6295 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	29.3	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.187 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	15827	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ZMO, HTG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	1/611 (0.2%)	0.77	2/826 (0.2%)
1	C	0.52	0/611	0.75	0/826
1	E	0.63	1/596 (0.2%)	0.73	0/806
1	G	0.52	1/588 (0.2%)	0.76	1/795 (0.1%)
2	B	0.35	0/3096	0.70	1/4196 (0.0%)
2	D	0.34	0/3149	0.70	0/4267
2	F	0.34	0/3130	0.71	2/4241 (0.0%)
2	H	0.34	0/3137	0.69	0/4252
All	All	0.38	3/14918 (0.0%)	0.71	6/20209 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	82	ILE	C-O	-6.24	1.18	1.24
1	A	95	HIS	ND1-CE1	5.27	1.37	1.32
1	E	82	ILE	C-O	-5.12	1.18	1.24

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	82	ILE	N-CA-C	7.49	118.72	108.84
1	A	95	HIS	CB-CG-CD2	-6.64	122.57	131.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	95	HIS	CB-CG-ND1	5.71	131.27	122.70
2	F	263	ASN	CA-C-N	5.49	125.58	119.87
2	F	263	ASN	C-N-CA	5.49	125.58	119.87
2	B	255	GLU	N-CA-C	5.30	119.82	112.45

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	255	GLU	Peptide
2	B	256	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	606	0	578	3	0
1	C	606	0	578	3	0
1	E	592	0	568	8	0
1	G	584	0	562	4	0
2	B	3030	0	3034	25	0
2	D	3082	0	3080	43	0
2	F	3058	0	3061	29	0
2	H	3068	0	3073	48	0
3	A	38	0	44	3	0
3	C	38	0	44	3	0
3	E	38	0	44	2	0
3	G	38	0	44	6	0
4	A	15	0	15	0	0
4	B	6	0	8	4	0
4	C	12	0	11	0	0
4	D	6	0	8	0	0
4	E	14	0	13	0	0
4	G	12	0	11	0	0
4	H	6	0	8	1	0
5	B	43	0	30	4	0
5	D	43	0	30	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	43	0	30	2	0
5	H	43	0	30	5	0
6	A	54	0	0	1	0
6	B	178	0	0	0	0
6	C	42	0	0	0	0
6	D	130	0	0	2	0
6	E	49	0	0	0	0
6	F	174	0	0	2	0
6	G	32	0	0	0	0
6	H	147	0	0	2	0
All	All	15827	0	14904	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:260:LEU:HD23	2:H:362:LEU:CD1	1.96	0.96
2:D:370:LEU:HD21	2:D:375:TRP:HE1	1.29	0.95
2:H:260:LEU:HD23	2:H:362:LEU:HD11	1.54	0.89
2:H:94:LEU:HD22	2:H:219:LEU:HD13	1.57	0.84
2:D:79:MET:HE3	2:D:230:LEU:HD13	1.64	0.80
2:D:90:ARG:O	2:D:94:LEU:HD23	1.81	0.79
2:F:258:LEU:HD23	2:F:258:LEU:O	1.84	0.76
2:H:260:LEU:CD2	2:H:362:LEU:CD1	2.65	0.74
2:D:370:LEU:HD21	2:D:375:TRP:NE1	2.02	0.73
2:F:393:PHE:HD1	2:F:394:GLU:HG2	1.54	0.71
3:G:99:ZMO:O35	3:G:99:ZMO:H30A	1.92	0.70
1:G:63:VAL:HG11	2:H:35:LYS:HE2	1.74	0.69
2:D:255:GLU:HG2	2:D:256:GLN:H	1.59	0.68
3:E:99:ZMO:H37	3:E:99:ZMO:O33	1.96	0.65
3:G:99:ZMO:H42A	3:G:99:ZMO:O1	1.96	0.65
2:D:242:LEU:HD22	5:D:405:HEM:HBB1	1.79	0.65
2:H:128:MET:HE1	2:H:134:PHE:HB2	1.78	0.64
3:E:99:ZMO:O33	3:E:99:ZMO:C37	2.45	0.64
2:D:34:LEU:HD12	2:D:170:PHE:HB3	1.80	0.63
3:A:99:ZMO:C37	3:A:99:ZMO:O33	2.46	0.63
2:F:9:SER:O	2:F:13:LYS:HG2	1.98	0.63
2:F:119:LEU:HD22	2:F:365:MET:HE3	1.81	0.63
2:H:235:GLY:HA2	5:H:405:HEM:CBB	2.29	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:52:LYS:HE2	2:H:339:HIS:NE2	2.14	0.62
2:H:255:GLU:HG2	2:H:256:GLN:H	1.64	0.62
2:D:52:LYS:HE2	2:D:339:HIS:NE2	2.16	0.61
2:H:260:LEU:CD2	2:H:362:LEU:HD12	2.28	0.61
2:B:326:ASP:OD1	2:B:328:THR:HG22	2.01	0.61
2:B:75:VAL:HG22	2:B:188:MET:HE2	1.82	0.60
2:F:258:LEU:HD23	2:F:258:LEU:C	2.26	0.60
3:A:99:ZMO:H42	2:B:168:ILE:HG22	1.85	0.58
2:H:9:SER:O	2:H:13:LYS:HG2	2.03	0.58
3:C:99:ZMO:O40	2:D:59:ARG:NH2	2.36	0.58
2:H:235:GLY:HA2	5:H:405:HEM:HBB2	1.85	0.58
2:D:286:ARG:NE	6:D:474:HOH:O	2.37	0.57
2:F:294:ILE:HD11	2:F:299:ILE:HD12	1.87	0.57
5:B:405:HEM:CMB	5:B:405:HEM:HBB2	2.35	0.57
2:D:257:LEU:O	2:D:261:ARG:HG3	2.04	0.57
2:F:255:GLU:HG2	2:F:256:GLN:H	1.70	0.57
1:C:63:VAL:HG11	2:D:35:LYS:HE2	1.88	0.56
1:E:92:ILE:O	1:E:93:ASN:HB2	2.05	0.56
2:H:279[A]:SER:OG	6:H:521:HOH:O	2.17	0.56
2:B:119:LEU:HD22	2:B:365:MET:HE3	1.88	0.55
2:D:261:ARG:NH2	2:D:365:MET:O	2.38	0.55
1:E:82:ILE:HG23	1:E:87:ALA:HB3	1.87	0.55
2:D:255:GLU:HG2	2:D:256:GLN:N	2.22	0.55
1:E:82:ILE:HG23	1:E:87:ALA:CB	2.37	0.55
2:H:255:GLU:HG2	2:H:256:GLN:N	2.21	0.55
2:B:108:GLN:N	2:B:109:PRO:HD2	2.22	0.55
2:B:250:LEU:HB3	2:B:257:LEU:HD13	1.89	0.54
2:B:30:LYS:HE2	4:B:417:HTG:H1'1	1.89	0.54
2:F:371:ALA:O	2:F:372:ASP:C	2.49	0.54
2:H:259:LYS:HD2	2:H:327:ILE:HD11	1.90	0.54
2:H:120:ASP:OD1	2:H:364:ARG:NH2	2.40	0.54
2:H:261:ARG:NH1	2:H:362:LEU:O	2.40	0.54
5:B:405:HEM:HBB2	5:B:405:HEM:HMB2	1.88	0.54
1:G:34:GLN:HG2	1:G:62:LEU:HG	1.91	0.53
2:B:30:LYS:HG3	4:B:417:HTG:H4'1	1.90	0.53
2:D:236:HIS:O	2:D:240:VAL:HG23	2.08	0.53
2:D:99:PHE:CE2	2:D:206:MET:HE1	2.44	0.52
2:D:192:LYS:O	2:D:196:GLN:HG2	2.10	0.52
2:B:236:HIS:O	2:B:240:VAL:HG23	2.10	0.52
2:B:149:VAL:HG21	2:B:157:LEU:HD11	1.91	0.52
1:E:64:MET:SD	6:F:570:HOH:O	2.60	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:255:GLU:HG2	2:F:256:GLN:N	2.25	0.52
2:H:188:MET:HG3	2:H:192:LYS:HE3	1.93	0.51
2:D:52:LYS:HG3	2:D:339:HIS:HD2	1.75	0.51
2:D:286:ARG:CZ	6:D:474:HOH:O	2.57	0.51
2:H:149:VAL:HG21	2:H:157:LEU:HD11	1.91	0.51
2:H:236:HIS:O	2:H:240:VAL:HG23	2.10	0.51
2:H:294:ILE:HD11	2:H:299:ILE:HD12	1.91	0.51
2:H:192:LYS:O	2:H:196:GLN:HG2	2.11	0.51
2:F:192:LYS:O	2:F:196:GLN:HG2	2.11	0.50
6:A:125:HOH:O	2:B:64:GLU:HG3	2.11	0.50
2:H:80:MET:HE1	2:H:345:LEU:HD22	1.93	0.50
2:H:80:MET:HE2	5:H:405:HEM:HBA2	1.93	0.50
2:D:52:LYS:HG3	2:D:339:HIS:CD2	2.47	0.49
2:F:242:LEU:HB2	5:F:405:HEM:HBB1	1.94	0.49
2:B:192:LYS:O	2:B:196:GLN:HG2	2.13	0.49
3:G:99:ZMO:O35	3:G:99:ZMO:C30	2.61	0.49
2:D:257:LEU:HD21	2:D:261:ARG:HH11	1.78	0.48
2:H:34:LEU:HD11	2:H:381:PHE:HE2	1.77	0.48
2:H:393:PHE:HD1	2:H:394:GLU:HG2	1.76	0.48
2:B:294:ILE:HD11	2:B:299:ILE:HD12	1.96	0.48
2:D:119:LEU:HD22	2:D:365:MET:HE3	1.96	0.48
2:H:131:ILE:HD12	2:H:388:GLU:HA	1.95	0.48
1:E:63:VAL:HG11	2:F:35:LYS:HE2	1.96	0.48
2:H:136:PHE:HB3	2:H:137:PRO:HD3	1.96	0.47
2:B:38:GLY:HA2	4:B:417:HTG:H4'2	1.96	0.47
2:D:58:VAL:HG13	2:D:286:ARG:NH2	2.30	0.47
2:F:263:ASN:OD1	2:F:266:LEU:HG	2.14	0.47
2:H:206:MET:HE3	2:H:231:LEU:HD13	1.95	0.47
2:F:53:ASP:HB3	2:F:56:PHE:HD2	1.79	0.47
2:B:235:GLY:HA2	5:B:405:HEM:CBB	2.45	0.47
2:D:55:ARG:HD3	2:F:200:ARG:CZ	2.44	0.47
2:D:59:ARG:NH1	2:D:304:GLN:OE1	2.47	0.47
2:F:136:PHE:HB3	2:F:137:PRO:HD3	1.97	0.47
2:H:80:MET:HA	2:H:83:GLN:HG2	1.95	0.47
2:D:147:ILE:HA	2:D:206:MET:HB3	1.98	0.46
2:H:99:PHE:CE2	2:H:206:MET:HE1	2.51	0.46
2:D:108:GLN:HG3	2:D:356:ILE:HD11	1.98	0.46
2:D:206:MET:HE3	2:D:231:LEU:HD13	1.97	0.46
2:F:174:ARG:HG3	6:F:570:HOH:O	2.14	0.46
2:H:110:TYR:HA	2:H:113:GLU:HG2	1.98	0.45
1:A:35:LEU:HD13	1:A:52:LEU:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:23:ARG:NH1	2:D:42:THR:O	2.49	0.45
2:H:363:GLN:HG3	6:H:548:HOH:O	2.16	0.45
2:B:351:ARG:HD3	2:D:331:PRO:HD3	1.98	0.45
2:D:367:SER:HB2	2:D:394:GLU:HB2	1.96	0.45
2:B:123:GLN:NE2	2:B:394:GLU:OE2	2.49	0.45
2:D:371:ALA:HB3	2:D:390:PRO:HB2	1.99	0.45
1:E:34:GLN:HG2	1:E:62:LEU:HG	1.98	0.44
2:F:236:HIS:O	2:F:240:VAL:HG23	2.17	0.44
2:F:258:LEU:C	2:F:258:LEU:CD2	2.90	0.44
2:B:108:GLN:HG3	2:B:356:ILE:HD11	1.99	0.44
2:H:192:LYS:HE2	2:H:222:GLU:HG2	2.00	0.44
2:F:80[A]:MET:HE1	2:F:345:LEU:HD22	2.00	0.44
1:G:74:ILE:HG12	1:G:91:TYR:CE2	2.52	0.44
2:F:259:LYS:O	2:F:263:ASN:ND2	2.50	0.44
2:F:108:GLN:HB3	2:F:109:PRO:HD3	2.00	0.44
2:F:256:GLN:H	2:F:256:GLN:HG2	1.65	0.44
1:E:44:ASN:O	1:E:86:GLN:N	2.50	0.43
2:B:38:GLY:N	4:B:417:HTG:H2'2	2.33	0.43
2:B:136:PHE:HE2	2:B:236:HIS:HD2	1.67	0.43
2:D:149:VAL:HG21	2:D:157:LEU:HD11	1.99	0.43
2:H:263:ASN:ND2	2:H:266:LEU:HG	2.33	0.43
2:H:28:ILE:HD12	2:H:295:CYS:HB3	1.99	0.43
2:D:108:GLN:HB3	2:D:109:PRO:HD3	2.01	0.43
2:F:44:TYR:CG	2:F:318:ILE:HG13	2.54	0.43
2:H:60:THR:HA	2:H:61:PRO:HD3	1.88	0.43
1:A:23:ILE:O	1:A:27:VAL:HG23	2.18	0.43
2:D:59:ARG:N	2:D:59:ARG:HD3	2.32	0.43
2:F:94:LEU:HD13	2:F:219:LEU:HD22	2.01	0.43
2:B:192:LYS:HE2	2:B:222:GLU:HG2	2.01	0.43
2:D:261:ARG:NH2	2:D:366:PRO:HA	2.34	0.43
2:H:128:MET:CE	2:H:134:PHE:HB2	2.48	0.43
5:F:405:HEM:CMC	5:F:405:HEM:HBC2	2.49	0.42
2:H:63:PRO:HB2	2:H:66:SER:HB2	2.01	0.42
1:E:77:GLU:HG3	1:E:78:GLU:N	2.33	0.42
2:F:108:GLN:HG3	2:F:356:ILE:HD11	2.01	0.42
2:H:52:LYS:HG3	2:H:339:HIS:CD2	2.55	0.42
2:H:147:ILE:HA	2:H:206:MET:HB3	2.02	0.42
2:B:131:ILE:HD12	2:B:388:GLU:HA	2.02	0.42
1:C:88:ALA:O	1:C:92:ILE:HG12	2.20	0.42
2:D:315:ASP:HA	2:D:316:PRO:HD3	1.87	0.42
2:D:330:SER:HA	2:D:331:PRO:HA	1.87	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:35:LEU:HD13	1:G:52:LEU:HB3	2.02	0.42
5:B:405:HEM:HMB2	5:B:405:HEM:CBB	2.50	0.42
2:B:141:PHE:HA	2:B:154:ARG:HH11	1.85	0.41
2:H:80:MET:HE2	5:H:405:HEM:CBA	2.49	0.41
1:C:35:LEU:HD13	1:C:52:LEU:HB3	2.02	0.41
2:D:60:THR:HA	2:D:61:PRO:HD3	1.87	0.41
2:H:11:PHE:CE2	4:H:417:HTG:H4'2	2.55	0.41
2:H:94:LEU:CD2	2:H:219:LEU:HD13	2.40	0.41
2:B:206:MET:HE2	2:B:206:MET:HB3	1.93	0.41
3:G:99:ZMO:H8A	3:G:99:ZMO:H5A	1.89	0.41
3:G:99:ZMO:H9	2:H:234:ALA:HB2	2.01	0.41
2:D:90:ARG:HH12	2:D:223:GLU:CD	2.28	0.41
2:B:53:ASP:HB3	2:B:56:PHE:HD2	1.86	0.41
3:C:99:ZMO:O35	3:C:99:ZMO:H31	2.20	0.41
2:D:255:GLU:HG2	2:D:256:GLN:HG2	2.03	0.41
2:F:52:LYS:HG3	2:F:339:HIS:CD2	2.56	0.41
2:F:136:PHE:CZ	2:F:158:LYS:HG3	2.55	0.41
3:G:99:ZMO:H9	2:H:234:ALA:CB	2.51	0.41
2:H:366:PRO:HD2	2:H:394:GLU:CD	2.46	0.41
3:C:99:ZMO:H13	2:D:79:MET:HE1	2.02	0.41
1:A:74:ILE:H	1:A:74:ILE:HG12	1.70	0.40
3:A:99:ZMO:H8A	3:A:99:ZMO:H5A	1.91	0.40
2:D:123:GLN:OE1	2:D:364:ARG:NH1	2.55	0.40
2:F:136:PHE:HA	2:F:240:VAL:HG22	2.03	0.40
2:H:81:LEU:HD11	5:H:405:HEM:HBD1	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	76/97 (78%)	76 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	76/97 (78%)	75 (99%)	1 (1%)	0	100	100
1	E	74/97 (76%)	74 (100%)	0	0	100	100
1	G	73/97 (75%)	72 (99%)	1 (1%)	0	100	100
2	B	372/404 (92%)	364 (98%)	8 (2%)	0	100	100
2	D	379/404 (94%)	370 (98%)	9 (2%)	0	100	100
2	F	376/404 (93%)	369 (98%)	7 (2%)	0	100	100
2	H	378/404 (94%)	371 (98%)	7 (2%)	0	100	100
All	All	1804/2004 (90%)	1771 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	68/83 (82%)	67 (98%)	1 (2%)	57	65
1	C	68/83 (82%)	68 (100%)	0	100	100
1	E	67/83 (81%)	67 (100%)	0	100	100
1	G	66/83 (80%)	65 (98%)	1 (2%)	57	65
2	B	333/355 (94%)	330 (99%)	3 (1%)	70	78
2	D	338/355 (95%)	332 (98%)	6 (2%)	51	60
2	F	337/355 (95%)	333 (99%)	4 (1%)	63	72
2	H	338/355 (95%)	333 (98%)	5 (2%)	57	65
All	All	1615/1752 (92%)	1595 (99%)	20 (1%)	63	72

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	ILE
2	B	113	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	255	GLU
2	B	256	GLN
2	D	10	GLU
2	D	59	ARG
2	D	212	LYS
2	D	219	LEU
2	D	249	CYS
2	D	364	ARG
2	F	211	LEU
2	F	263	ASN
2	F	279	SER
2	F	375	TRP
1	G	82	ILE
2	H	80	MET
2	H	152	GLU
2	H	206	MET
2	H	219	LEU
2	H	364	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
2	B	282	GLN
2	D	14	ASN
2	D	76	GLN
2	D	108	GLN
2	D	156	GLN
1	E	34	GLN
2	F	282	GLN
2	H	14	ASN
2	H	204	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HEM	H	405	2	50,50,50	1.97	10 (20%)	67,82,82	1.27	2 (2%)
5	HEM	F	405	2	50,50,50	1.92	11 (22%)	67,82,82	1.24	3 (4%)
5	HEM	B	405	2	50,50,50	1.90	10 (20%)	67,82,82	1.25	4 (5%)
4	HTG	B	417	-	5,5,19	1.65	1 (20%)	4,4,24	1.06	0
3	ZMO	E	99	1	32,37,40	2.10	6 (18%)	36,44,49	1.66	8 (22%)
3	ZMO	A	99	1	32,37,40	2.10	6 (18%)	36,44,49	1.81	9 (25%)
3	ZMO	C	99	1	32,37,40	2.10	5 (15%)	36,44,49	1.76	8 (22%)
4	HTG	H	417	-	5,5,19	1.63	1 (20%)	4,4,24	1.23	1 (25%)
4	HTG	G	100	-	11,12,19	0.30	0	15,17,24	0.71	0
4	HTG	A	100	-	15,15,19	3.34	2 (13%)	19,20,24	1.20	1 (5%)
3	ZMO	G	99	1	32,37,40	2.13	5 (15%)	36,44,49	1.81	9 (25%)
4	HTG	C	100	-	11,12,19	0.31	0	15,17,24	0.69	0
4	HTG	D	417	-	5,5,19	1.63	1 (20%)	4,4,24	1.20	0
4	HTG	E	100	-	14,14,19	2.27	2 (14%)	18,19,24	1.37	1 (5%)
5	HEM	D	405	2	50,50,50	1.95	10 (20%)	67,82,82	1.30	5 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	H	405	2	-	4/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	F	405	2	-	4/14/54/54	-
5	HEM	B	405	2	-	3/14/54/54	-
4	HTG	B	417	-	-	3/3/3/30	-
3	ZMO	E	99	1	-	14/42/44/47	-
3	ZMO	A	99	1	-	20/42/44/47	-
3	ZMO	C	99	1	-	10/42/44/47	-
4	HTG	H	417	-	-	3/3/3/30	-
4	HTG	G	100	-	-	0/2/22/30	0/1/1/1
4	HTG	A	100	-	-	1/6/26/30	0/1/1/1
3	ZMO	G	99	1	-	22/42/44/47	-
4	HTG	C	100	-	-	0/2/22/30	0/1/1/1
4	HTG	D	417	-	-	2/3/3/30	-
4	HTG	E	100	-	-	0/5/25/30	0/1/1/1
5	HEM	D	405	2	-	6/14/54/54	-

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	100	HTG	C1'-S1	-10.13	1.67	1.81
3	E	99	ZMO	O1-C1	7.98	1.33	1.21
4	A	100	HTG	C1-S1	-7.94	1.67	1.80
3	C	99	ZMO	O1-C1	7.92	1.33	1.21
3	G	99	ZMO	O1-C1	7.91	1.33	1.21
4	E	100	HTG	C1-S1	-7.90	1.67	1.80
3	A	99	ZMO	O1-C1	7.86	1.33	1.21
5	B	405	HEM	C3D-C2D	7.75	1.53	1.36
5	H	405	HEM	C3D-C2D	7.71	1.53	1.36
5	F	405	HEM	C3D-C2D	7.60	1.53	1.36
5	D	405	HEM	C3D-C2D	7.52	1.53	1.36
5	H	405	HEM	FE-NB	5.73	2.12	1.94
3	G	99	ZMO	O35-C34	5.40	1.33	1.23
3	A	99	ZMO	O35-C34	5.35	1.33	1.23
5	D	405	HEM	FE-NA	5.33	2.12	1.95
3	E	99	ZMO	O35-C34	5.31	1.33	1.23
3	G	99	ZMO	O40-C39	5.28	1.33	1.23
3	C	99	ZMO	O35-C34	5.25	1.33	1.23
5	B	405	HEM	FE-ND	5.23	2.11	1.94
3	C	99	ZMO	O40-C39	5.12	1.33	1.23
3	A	99	ZMO	O40-C39	5.11	1.33	1.23
3	E	99	ZMO	O40-C39	5.07	1.33	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	405	HEM	FE-ND	5.01	2.10	1.94
5	F	405	HEM	FE-ND	4.90	2.10	1.94
5	D	405	HEM	FE-ND	4.80	2.09	1.94
5	F	405	HEM	FE-NB	4.24	2.07	1.94
5	B	405	HEM	FE-NA	4.13	2.08	1.95
5	F	405	HEM	FE-NC	4.10	2.08	1.95
5	D	405	HEM	FE-NC	3.74	2.07	1.95
5	H	405	HEM	FE-NA	3.53	2.06	1.95
4	D	417	HTG	C1'-S1	-3.40	1.66	1.80
4	B	417	HTG	C1'-S1	-3.40	1.66	1.80
4	H	417	HTG	C1'-S1	-3.37	1.66	1.80
5	B	405	HEM	FE-NC	3.33	2.06	1.95
5	F	405	HEM	FE-NA	3.29	2.06	1.95
3	G	99	ZMO	C34-N36	-3.13	1.26	1.33
3	C	99	ZMO	C34-N36	-2.97	1.26	1.33
5	B	405	HEM	FE-NB	2.96	2.04	1.94
4	E	100	HTG	C1'-S1	-2.95	1.66	1.81
5	F	405	HEM	CAC-C3C	2.90	1.55	1.47
3	A	99	ZMO	C39-N41	-2.88	1.26	1.33
5	B	405	HEM	CAB-C3B	2.87	1.55	1.47
3	G	99	ZMO	C39-N41	-2.87	1.26	1.33
5	H	405	HEM	CAC-C3C	2.85	1.55	1.47
5	H	405	HEM	CAB-C3B	2.85	1.55	1.47
3	C	99	ZMO	C39-N41	-2.85	1.26	1.33
5	F	405	HEM	CAB-C3B	2.85	1.55	1.47
5	D	405	HEM	CAB-C3B	2.84	1.55	1.47
5	D	405	HEM	CAC-C3C	2.83	1.54	1.47
5	B	405	HEM	CAC-C3C	2.81	1.54	1.47
5	D	405	HEM	FE-NB	2.81	2.03	1.94
3	E	99	ZMO	C39-N41	-2.75	1.26	1.33
3	A	99	ZMO	C34-N36	-2.74	1.27	1.33
3	E	99	ZMO	C34-N36	-2.66	1.27	1.33
5	H	405	HEM	FE-NC	2.46	2.03	1.95
5	F	405	HEM	CMB-C2B	2.22	1.55	1.50
5	H	405	HEM	CMC-C2C	2.21	1.55	1.50
5	D	405	HEM	CMC-C2C	2.16	1.55	1.50
5	H	405	HEM	CMB-C2B	2.16	1.55	1.50
5	B	405	HEM	CMC-C2C	2.13	1.55	1.50
3	E	99	ZMO	C2-C1	2.11	1.53	1.50
5	H	405	HEM	CMA-C3A	2.10	1.55	1.50
5	D	405	HEM	CMB-C2B	2.09	1.55	1.50
5	B	405	HEM	CMD-C2D	2.08	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	405	HEM	CMA-C3A	2.06	1.55	1.50
5	B	405	HEM	CMB-C2B	2.06	1.55	1.50
5	F	405	HEM	CMD-C2D	2.05	1.55	1.50
3	A	99	ZMO	C2-C1	2.03	1.52	1.50
5	F	405	HEM	CMC-C2C	2.03	1.54	1.50
5	D	405	HEM	CMD-C2D	2.02	1.54	1.50

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	405	HEM	C4D-ND-C1D	5.48	111.69	105.21
4	E	100	HTG	C1'-S1-C1	5.13	109.97	100.16
5	B	405	HEM	C4D-ND-C1D	5.11	111.26	105.21
5	D	405	HEM	C4D-ND-C1D	5.11	111.26	105.21
5	F	405	HEM	C4D-ND-C1D	5.09	111.24	105.21
3	A	99	ZMO	C2-C1-S1	5.06	119.43	113.40
3	E	99	ZMO	C2-C1-S1	4.93	119.28	113.40
3	C	99	ZMO	C2-C1-S1	4.93	119.27	113.40
3	G	99	ZMO	C2-C1-S1	4.84	119.17	113.40
3	G	99	ZMO	O1-C1-C2	-4.41	118.89	123.98
4	A	100	HTG	C1'-S1-C1	4.17	109.45	100.45
3	A	99	ZMO	O1-C1-C2	-4.07	119.28	123.98
3	C	99	ZMO	O1-C1-C2	-3.80	119.60	123.98
3	C	99	ZMO	C43-C42-N41	-3.72	104.65	112.41
3	E	99	ZMO	O1-C1-C2	-3.68	119.73	123.98
3	G	99	ZMO	C38-C37-N36	-3.63	104.27	112.00
3	G	99	ZMO	C37-N36-C34	3.55	128.93	122.55
3	A	99	ZMO	C43-C42-N41	-3.42	105.27	112.41
3	A	99	ZMO	C37-N36-C34	3.23	128.36	122.55
3	C	99	ZMO	C37-N36-C34	3.09	128.09	122.55
3	G	99	ZMO	C43-C42-N41	-3.07	106.00	112.41
3	G	99	ZMO	O1-C1-S1	-3.06	118.78	122.68
3	C	99	ZMO	O1-C1-S1	-2.94	118.94	122.68
3	E	99	ZMO	C42-N41-C39	2.92	128.26	122.82
3	E	99	ZMO	O1-C1-S1	-2.86	119.04	122.68
3	A	99	ZMO	C43-S1-C1	2.82	110.19	101.84
3	A	99	ZMO	C38-C37-N36	-2.74	106.18	112.00
3	E	99	ZMO	C43-S1-C1	2.69	109.80	101.84
3	C	99	ZMO	C38-C37-N36	-2.68	106.30	112.00
3	A	99	ZMO	O1-C1-S1	-2.62	119.35	122.68
3	E	99	ZMO	C37-N36-C34	2.62	127.25	122.55
3	A	99	ZMO	C32-C34-N36	2.60	121.42	116.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	99	ZMO	C42-N41-C39	2.58	127.63	122.82
3	C	99	ZMO	C43-S1-C1	2.53	109.32	101.84
3	G	99	ZMO	C43-S1-C1	2.51	109.27	101.84
3	A	99	ZMO	C42-N41-C39	2.40	127.28	122.82
5	D	405	HEM	CHA-C4D-ND	2.32	127.23	124.37
5	H	405	HEM	C1B-NB-C4B	2.31	107.94	105.21
3	G	99	ZMO	C42-N41-C39	2.30	127.11	122.82
3	E	99	ZMO	C32-C34-N36	2.28	120.81	116.48
5	D	405	HEM	C1B-NB-C4B	2.27	107.89	105.21
5	D	405	HEM	C3B-C2B-C1B	2.19	108.06	106.41
5	B	405	HEM	C1B-NB-C4B	2.19	107.80	105.21
3	E	99	ZMO	C38-C37-N36	-2.17	107.38	112.00
5	F	405	HEM	C1B-NB-C4B	2.16	107.77	105.21
5	B	405	HEM	C3B-C2B-C1B	2.16	108.03	106.41
5	F	405	HEM	C2A-C1A-NA	-2.14	107.78	110.15
4	H	417	HTG	C3'-C2'-C1'	-2.06	109.42	113.09
3	G	99	ZMO	C30-C29-C32	2.02	112.21	108.77
5	B	405	HEM	C3B-C4B-NB	-2.01	108.03	109.47
5	D	405	HEM	CMD-C2D-C1D	2.00	128.16	125.03

There are no chirality outliers.

All (92) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	99	ZMO	C28-C29-C32-O33
3	A	99	ZMO	C28-C29-C32-C34
3	A	99	ZMO	C30-C29-C32-O33
3	A	99	ZMO	C30-C29-C32-C34
3	A	99	ZMO	C32-C34-N36-C37
3	A	99	ZMO	C42-C43-S1-C1
3	A	99	ZMO	S1-C1-C2-C3
3	C	99	ZMO	O33-C32-C34-O35
3	C	99	ZMO	O1-C1-S1-C43
3	C	99	ZMO	C1-C2-C3-C4
3	E	99	ZMO	C28-C29-C32-O33
3	E	99	ZMO	C28-C29-C32-C34
3	E	99	ZMO	C31-C29-C32-O33
3	E	99	ZMO	C30-C29-C32-O33
3	E	99	ZMO	C30-C29-C32-C34
3	E	99	ZMO	C32-C34-N36-C37
3	E	99	ZMO	O1-C1-S1-C43
3	G	99	ZMO	O27-C28-C29-C31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	G	99	ZMO	O27-C28-C29-C30
3	G	99	ZMO	O27-C28-C29-C32
3	G	99	ZMO	C28-C29-C32-O33
3	G	99	ZMO	C28-C29-C32-C34
3	G	99	ZMO	C31-C29-C32-O33
3	G	99	ZMO	C31-C29-C32-C34
3	G	99	ZMO	C30-C29-C32-O33
3	G	99	ZMO	C30-C29-C32-C34
3	G	99	ZMO	O33-C32-C34-O35
3	G	99	ZMO	C42-C43-S1-C1
3	G	99	ZMO	O1-C1-S1-C43
4	A	100	HTG	C2'-C1'-S1-C1
4	D	417	HTG	S1-C1'-C2'-C3'
4	H	417	HTG	S1-C1'-C2'-C3'
5	D	405	HEM	C2C-C3C-CAC-CBC
5	D	405	HEM	C4C-C3C-CAC-CBC
5	H	405	HEM	C2C-C3C-CAC-CBC
3	A	99	ZMO	O35-C34-N36-C37
3	E	99	ZMO	O35-C34-N36-C37
3	C	99	ZMO	C6-C7-C8-C9
4	H	417	HTG	C1'-C2'-C3'-C4'
4	D	417	HTG	C1'-C2'-C3'-C4'
3	A	99	ZMO	C2-C3-C4-C5
3	E	99	ZMO	C5-C6-C7-C8
3	A	99	ZMO	C4-C5-C6-C7
3	C	99	ZMO	C3-C4-C5-C6
4	B	417	HTG	C1'-C2'-C3'-C4'
5	H	405	HEM	C4C-C3C-CAC-CBC
3	G	99	ZMO	C12-C13-C14-C15
3	C	99	ZMO	C2-C3-C4-C5
3	C	99	ZMO	C4-C5-C6-C7
3	G	99	ZMO	C2-C3-C4-C5
3	A	99	ZMO	C12-C13-C14-C15
3	G	99	ZMO	C11-C12-C13-C14
3	A	99	ZMO	C31-C29-C32-O33
3	E	99	ZMO	C2-C3-C4-C5
3	A	99	ZMO	N41-C42-C43-S1
3	E	99	ZMO	C4-C5-C6-C7
3	C	99	ZMO	O33-C32-C34-N36
3	G	99	ZMO	O33-C32-C34-N36
3	A	99	ZMO	O1-C1-S1-C43
3	G	99	ZMO	S1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	G	99	ZMO	O1-C1-C2-C3
3	C	99	ZMO	C2-C1-S1-C43
3	E	99	ZMO	C2-C1-S1-C43
5	B	405	HEM	C2C-C3C-CAC-CBC
5	D	405	HEM	C2B-C3B-CAB-CBB
5	F	405	HEM	C2B-C3B-CAB-CBB
5	H	405	HEM	C2B-C3B-CAB-CBB
3	E	99	ZMO	C31-C29-C32-C34
4	B	417	HTG	S1-C1'-C2'-C3'
3	G	99	ZMO	C9-C10-C11-C12
3	G	99	ZMO	C4-C5-C6-C7
3	G	99	ZMO	C29-C32-C34-O35
3	A	99	ZMO	C10-C11-C12-C13
5	B	405	HEM	C4C-C3C-CAC-CBC
5	H	405	HEM	C4B-C3B-CAB-CBB
3	G	99	ZMO	C29-C32-C34-N36
3	A	99	ZMO	C11-C12-C13-C14
3	A	99	ZMO	O1-C1-C2-C3
5	D	405	HEM	CAA-CBA-CGA-O2A
4	B	417	HTG	C2'-C3'-C4'-C5'
3	A	99	ZMO	C9-C10-C11-C12
3	E	99	ZMO	C9-C10-C11-C12
5	D	405	HEM	C4B-C3B-CAB-CBB
5	F	405	HEM	C4B-C3B-CAB-CBB
5	D	405	HEM	CAA-CBA-CGA-O1A
3	A	99	ZMO	C31-C29-C32-C34
3	C	99	ZMO	C9-C10-C11-C12
3	A	99	ZMO	C3-C4-C5-C6
5	F	405	HEM	CAD-CBD-CGD-O2D
4	H	417	HTG	C2'-C3'-C4'-C5'
5	B	405	HEM	CAD-CBD-CGD-O2D
5	F	405	HEM	CAD-CBD-CGD-O1D

There are no ring outliers.

10 monomers are involved in 31 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	H	405	HEM	5	0
5	F	405	HEM	2	0
5	B	405	HEM	4	0
4	B	417	HTG	4	0
3	E	99	ZMO	2	0


Continued on next page...



Continued from previous page...





Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	99	ZMO	3	0
3	C	99	ZMO	3	0
4	H	417	HTG	1	0
3	G	99	ZMO	6	0
5	D	405	HEM	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	78/97 (80%)	0.91	7 (8%)	15 16	26, 38, 56, 59	0
1	C	78/97 (80%)	0.72	6 (7%)	19 21	25, 36, 56, 59	0
1	E	76/97 (78%)	0.85	9 (11%)	9 9	26, 37, 56, 59	0
1	G	75/97 (77%)	1.09	14 (18%)	3 3	26, 40, 56, 59	0
2	B	378/404 (93%)	0.59	17 (4%)	38 40	18, 31, 45, 50	0
2	D	385/404 (95%)	0.75	25 (6%)	25 26	18, 32, 46, 54	0
2	F	380/404 (94%)	0.63	25 (6%)	24 26	15, 31, 46, 51	2 (0%)
2	H	383/404 (94%)	0.63	27 (7%)	22 24	15, 31, 46, 50	1 (0%)
All	All	1833/2004 (91%)	0.69	130 (7%)	22 23	15, 32, 47, 59	3 (0%)

All (130) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	373	PHE	5.0
2	F	371	ALA	4.0
2	H	371	ALA	4.0
1	C	94	GLY	4.0
2	D	211	LEU	3.9
2	D	372	ASP	3.8
2	B	219	LEU	3.6
1	A	40	GLU	3.6
2	D	393	PHE	3.6
2	H	102	ARG	3.5
2	B	294	ILE	3.5
2	H	204	GLN	3.5
1	A	41	GLU	3.5
1	C	37	VAL	3.4
2	F	211	LEU	3.4
2	B	371	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	381	PHE	3.3
2	H	375	TRP	3.3
1	E	35	LEU	3.3
1	A	42	VAL	3.2
2	B	381	PHE	3.2
1	G	74	ILE	3.2
2	D	202	PRO	3.1
2	H	393	PHE	3.0
2	H	123	GLN	3.0
2	D	124	GLY	3.0
1	E	42	VAL	2.9
1	G	83	THR	2.9
2	H	64	GLU	2.9
2	F	155	GLU	2.8
2	F	375	TRP	2.8
2	B	12	LEU	2.8
1	G	37	VAL	2.8
1	G	85	VAL	2.8
2	H	363	GLN	2.7
2	F	212	LYS	2.7
1	G	45	ASN	2.7
1	E	41	GLU	2.7
2	B	64	GLU	2.7
2	H	13	LYS	2.7
2	H	392	THR	2.7
1	E	40	GLU	2.7
1	G	40	GLU	2.7
2	H	295	CYS	2.7
1	A	45	ASN	2.6
1	G	90	ASP	2.6
1	C	40	GLU	2.6
2	F	119	LEU	2.6
2	D	64	GLU	2.6
1	E	38	LYS	2.6
2	H	65	SER	2.6
2	F	193	GLU	2.6
1	G	44	ASN	2.6
2	D	24	ALA	2.6
2	H	260	LEU	2.6
1	E	72	THR	2.5
2	H	109	PRO	2.5
2	D	251	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	375	TRP	2.5
2	B	218	LYS	2.5
2	B	256	GLN	2.5
1	G	41	GLU	2.5
2	D	371	ALA	2.5
2	H	155	GLU	2.5
2	F	363	GLN	2.5
2	B	376	ARG	2.5
2	H	394	GLU	2.4
2	D	295	CYS	2.4
2	D	331	PRO	2.4
1	G	92	ILE	2.4
2	D	394	GLU	2.4
2	H	262	GLU	2.4
2	H	110	TYR	2.4
2	B	154	ARG	2.4
2	D	200	ARG	2.4
2	B	263	ASN	2.4
2	F	151	GLU	2.4
1	E	43	THR	2.4
2	D	258	LEU	2.4
1	G	77	GLU	2.4
2	B	193	GLU	2.4
2	B	136	PHE	2.4
2	D	122	VAL	2.4
2	H	200	ARG	2.4
2	F	126	LYS	2.3
1	C	41	GLU	2.3
2	F	374	GLU	2.3
2	H	86	PRO	2.3
1	A	35	LEU	2.3
2	D	210	LEU	2.3
1	E	37	VAL	2.3
1	G	43	THR	2.3
2	H	85	GLN	2.3
2	H	93	THR	2.3
1	C	39	GLN	2.3
2	F	252	GLN	2.3
2	D	195	ILE	2.2
2	H	151	GLU	2.2
2	F	258	LEU	2.2
1	G	42	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	46	ALA	2.2
2	B	363	GLN	2.2
2	F	24	ALA	2.2
2	H	94	LEU	2.2
2	B	375	TRP	2.2
2	F	367	SER	2.1
2	F	218	LYS	2.1
2	D	193	GLU	2.1
2	F	202	PRO	2.1
1	G	89	ILE	2.1
2	F	112	ILE	2.1
2	F	195	ILE	2.1
1	A	79	ALA	2.1
2	H	60	THR	2.1
2	H	67	THR	2.1
2	B	261	ARG	2.1
2	F	154	ARG	2.1
1	C	81	LYS	2.1
2	F	206	MET	2.1
2	F	263	ASN	2.1
2	B	13	LYS	2.1
2	D	207	ILE	2.1
2	D	159	GLU	2.0
2	F	10	GLU	2.0
2	D	294	ILE	2.0
1	E	46	ALA	2.0
2	F	385	ALA	2.0
2	D	94	LEU	2.0
2	H	217	ASP	2.0
2	D	392	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	HTG	G	100	12/19	0.82	0.12	50,51,52,52	0
4	HTG	B	417	6/19	0.85	0.17	54,54,55,55	0
3	ZMO	A	99	38/41	0.85	0.12	28,32,35,36	0
4	HTG	A	100	15/19	0.86	0.11	35,35,36,36	0
3	ZMO	G	99	38/41	0.88	0.12	31,34,37,37	0
4	HTG	E	100	14/19	0.89	0.10	38,39,39,39	0
3	ZMO	E	99	38/41	0.89	0.11	26,31,34,35	0
3	ZMO	C	99	38/41	0.90	0.10	29,33,38,39	0
4	HTG	C	100	12/19	0.90	0.09	39,40,41,41	0
4	HTG	D	417	6/19	0.92	0.11	44,44,44,44	0
4	HTG	H	417	6/19	0.92	0.11	45,45,45,45	0
5	HEM	D	405	43/43	0.97	0.07	17,18,19,20	0
5	HEM	F	405	43/43	0.97	0.06	15,16,17,20	0
5	HEM	H	405	43/43	0.97	0.07	16,17,18,21	0
5	HEM	B	405	43/43	0.98	0.06	13,17,18,20	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HTG B 417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ZMO A 99:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG A 100:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZMO G 99:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG E 100:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZMO E 99:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ZMO C 99:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG D 417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG H 417:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM F 405:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM H 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.