



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:00 AM UTC

PDB ID : 7EJV / pdb_00007ejv
Title : The co-crystal structure of DYRK2 with YK-2-69
Authors : Li, Z.; Xiao, Y.; Yuan, K.; Kuang, W.; Xiuquan, Y.; Yang, P.
Deposited on : 2021-04-02
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	387	
2	B	391	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6390 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dual specificity tyrosine-phosphorylation-regulated kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	385	Total	C	N	O	P	S	16	1	0
			3122	1984	561	553	1	23			

- Molecule 2 is a protein called Dual specificity tyrosine-phosphorylation-regulated kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	391	Total	C	N	O	P	S	16	3	0
			3161	2013	562	562	1	23			

- Molecule 3 is [6-[[4-[2-(dimethylamino)-1,3-benzothiazol-6-yl]-5-fluoranyl-pyrimidin-2-yl]amino]pyridin-3-yl]-(4-ethylpiperazin-1-yl)methanone (CCD ID: YK2) (formula: C₂₅H₂₇FN₈OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	0
			36	25	1	8	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	B	1	Total	C	F	N	O	S	0	0
			36	25	1	8	1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	15	Total	O	0	0
			15	15		
4	B	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dual specificity tyrosine-phosphorylation-regulated kinase 2



- Molecule 2: Dual specificity tyrosine-phosphorylation-regulated kinase 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	60.86Å 129.39Å 291.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.86 – 2.50 19.86 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.86-2.50) 99.7 (19.86-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.50Å)	Xtriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, R_{free}	0.201 , 0.246 0.217 , 0.261	Depositor DCC
R_{free} test set	1303 reflections (2.10%)	wwPDB-VP
Wilson B-factor (Å ²)	54.2	Xtriage
Anisotropy	0.469	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 53.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6390	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: YK2, PTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/3181	0.66	3/4281 (0.1%)
2	B	0.48	0/3230	0.71	6/4354 (0.1%)
All	All	0.47	0/6411	0.69	9/8635 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	182	ASN	N-CA-C	6.47	120.78	113.01
1	A	126	ASN	CA-C-N	5.35	130.42	122.82
1	A	126	ASN	C-N-CA	5.35	130.42	122.82
2	B	465	ARG	CA-C-N	-5.34	106.87	122.21
2	B	465	ARG	C-N-CA	-5.34	106.87	122.21
2	B	222	ASN	N-CA-CB	-5.28	103.89	111.70
2	B	451	MET	CB-CG-SD	-5.21	97.06	112.70
1	A	126	ASN	N-CA-C	-5.16	106.28	112.58
2	B	443	LEU	N-CA-C	5.16	119.21	113.02

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3122	0	3118	87	0
2	B	3161	0	3144	71	0
3	A	36	0	0	0	0
3	B	36	0	0	0	0
4	A	15	0	0	1	0
4	B	20	0	0	1	0
All	All	6390	0	6262	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:451:MET:HE2	2:B:456:ALA:HA	1.26	1.10
1:A:136:SER:HB2	1:A:162:GLN:HE22	1.34	0.93
2:B:459:HIS:HD2	2:B:461:TRP:H	1.25	0.84
1:A:98:GLU:OE2	1:A:221:ARG:NH2	2.12	0.83
1:A:87:MET:HB3	1:A:91:MET:HB3	1.58	0.82
1:A:83:PRO:HB3	1:A:102:ILE:HG12	1.61	0.80
2:B:459:HIS:CD2	2:B:461:TRP:H	2.01	0.78
2:B:181:ARG:NH1	2:B:183:GLU:OE1	2.16	0.78
2:B:82:THR:HG22	2:B:83:PRO:HD2	1.68	0.76
1:A:82:THR:HG22	1:A:85:GLN:HE21	1.52	0.74
2:B:358:LEU:HA	2:B:361:MET:HE2	1.68	0.74
2:B:181:ARG:HB3	2:B:183:GLU:OE2	1.88	0.74
1:A:113:LEU:N	1:A:113:LEU:HD23	2.05	0.72
1:A:153:LYS:N	1:A:153:LYS:HD2	2.04	0.71
2:B:267:HIS:HA	2:B:328:MET:HE3	1.73	0.70
1:A:87:MET:O	1:A:91:MET:HG2	1.91	0.70
1:A:108:ILE:HG21	1:A:111:LEU:HD21	1.74	0.70
2:B:82:THR:HB	2:B:85:GLN:OE1	1.92	0.70
2:B:85:GLN:OE1	2:B:85:GLN:N	2.17	0.69
2:B:358:LEU:HD12	2:B:361:MET:CE	2.23	0.68
1:A:139:GLN:HE22	1:A:179:MET:CE	2.05	0.68
1:A:111:LEU:HB2	1:A:113:LEU:CD2	2.24	0.67
2:B:272:ILE:HG12	2:B:328:MET:HG3	1.76	0.67
2:B:184:LYS:HZ2	2:B:187:HIS:CD2	2.13	0.66
1:A:108:ILE:HG21	1:A:111:LEU:CD2	2.26	0.66
1:A:181:ARG:HH21	1:A:181:ARG:HG2	1.61	0.66
2:B:113:LEU:H	2:B:113:LEU:HD22	1.62	0.65
1:A:194:ILE:HG13	1:A:226:MET:HE3	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:437:ASP:O	2:B:441:GLN:HG3	1.96	0.64
2:B:150:GLU:OE1	2:B:169:HIS:NE2	2.28	0.64
1:A:396:THR:HG22	1:A:402:VAL:HG12	1.80	0.64
2:B:384:SER:HB2	2:B:386:LYS:HD2	1.80	0.63
1:A:98:GLU:HB3	1:A:147:TYR:OH	1.98	0.63
1:A:352:GLU:OE1	1:A:411:ARG:HB3	1.99	0.63
2:B:267:HIS:HA	2:B:328:MET:CE	2.29	0.63
2:B:192:GLU:OE2	2:B:195:ARG:NH2	2.32	0.62
2:B:451:MET:HE2	2:B:456:ALA:CA	2.16	0.62
2:B:82:THR:CG2	2:B:83:PRO:HD2	2.32	0.60
1:A:82:THR:H	1:A:85:GLN:NE2	1.99	0.60
2:B:178:LYS:HD3	2:B:226:MET:HE3	1.84	0.59
2:B:83:PRO:HB3	2:B:102:ILE:HG12	1.85	0.59
2:B:386:LYS:HD2	2:B:386:LYS:H	1.68	0.59
1:A:136:SER:HB2	1:A:162:GLN:NE2	2.12	0.59
1:A:184:LYS:HA	1:A:187:HIS:HB2	1.84	0.58
2:B:358:LEU:HD12	2:B:361:MET:HE3	1.85	0.58
1:A:82:THR:CG2	1:A:85:GLN:HE21	2.17	0.57
1:A:406:GLY:HA3	1:A:415:ARG:O	2.04	0.57
1:A:139:GLN:HE22	1:A:179:MET:HE1	1.67	0.57
2:B:149:TYR:OH	2:B:216[A]:GLU:OE1	2.18	0.56
1:A:367:MET:SD	1:A:389:PRO:HG3	2.45	0.56
2:B:351:GLY:H	2:B:357:GLN:HE22	1.53	0.56
1:A:204:ASP:HB2	1:A:209:MET:HE3	1.88	0.56
1:A:142:HIS:ND1	1:A:150:GLU:OE2	2.35	0.56
1:A:194:ILE:O	1:A:198:GLU:HB2	2.05	0.55
1:A:140:VAL:CG2	1:A:143:ASP:HB2	2.37	0.55
1:A:98:GLU:CD	1:A:144:HIS:HE2	2.16	0.54
1:A:152:LEU:HB2	1:A:165:LYS:C	2.32	0.54
2:B:184:LYS:NZ	2:B:187:HIS:CD2	2.76	0.54
2:B:411:ARG:HH22	2:B:413:LYS:HD3	1.74	0.53
1:A:98:GLU:HA	1:A:101:GLU:HB3	1.89	0.53
1:A:212:ILE:HB	1:A:294:ILE:HG22	1.90	0.53
2:B:137:TYR:HB2	2:B:223:HIS:CD2	2.43	0.53
1:A:306:VAL:HG23	1:A:307:TYR:CD1	2.43	0.53
2:B:97:PHE:HB2	2:B:120:GLY:O	2.09	0.53
1:A:95:THR:HG23	1:A:98:GLU:HG3	1.90	0.52
2:B:459:HIS:HD2	2:B:461:TRP:N	2.03	0.52
1:A:82:THR:HG22	1:A:85:GLN:HG3	1.93	0.51
1:A:108:ILE:HG23	1:A:147:TYR:HB3	1.92	0.51
1:A:351:GLY:H	1:A:357:GLN:HE22	1.57	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:LYS:N	1:A:153:LYS:CD	2.73	0.51
2:B:239:ILE:HD11	2:B:342:LEU:HD23	1.92	0.50
1:A:194:ILE:CG1	1:A:226:MET:HE3	2.41	0.50
1:A:200:LEU:HD21	1:A:271:ILE:HD12	1.94	0.50
2:B:288:ARG:HG2	2:B:289:SER:H	1.77	0.50
2:B:135:GLY:O	2:B:223:HIS:HE1	1.95	0.49
1:A:82:THR:HG23	1:A:84:GLU:H	1.78	0.49
1:A:113:LEU:HD23	1:A:113:LEU:H	1.75	0.49
1:A:231:LEU:HD11	1:A:292:LYS:HD3	1.95	0.49
2:B:366:GLY:CA	2:B:419:GLU:HG2	2.44	0.48
2:B:81:MET:O	2:B:108:ILE:N	2.44	0.48
2:B:184:LYS:HD3	2:B:187:HIS:CB	2.43	0.48
1:A:229:GLU:OE1	1:A:292:LYS:HE2	2.13	0.48
2:B:437:ASP:OD2	2:B:441:GLN:NE2	2.47	0.48
1:A:96:ALA:O	1:A:99:HIS:HB2	2.14	0.48
1:A:137:TYR:HB2	1:A:223:HIS:CE1	2.49	0.47
2:B:184:LYS:HD3	2:B:184:LYS:HA	1.50	0.47
1:A:95:THR:CG2	1:A:98:GLU:HG3	2.44	0.47
1:A:257:HIS:O	1:A:261:GLN:HG2	2.14	0.47
2:B:288:ARG:HG2	2:B:289:SER:N	2.29	0.47
2:B:219:THR:O	4:B:601:HOH:O	2.20	0.47
2:B:411:ARG:NH2	2:B:413:LYS:HD3	2.29	0.47
2:B:184:LYS:CD	2:B:187:HIS:HB3	2.44	0.47
2:B:437:ASP:OD2	2:B:459:HIS:HE1	1.97	0.47
2:B:85:GLN:H	2:B:85:GLN:CD	2.15	0.47
2:B:257:HIS:O	2:B:261:GLN:HG2	2.15	0.46
1:A:90:TYR:O	1:A:94:LEU:HG	2.15	0.46
1:A:152:LEU:HB3	1:A:165:LYS:HB3	1.97	0.46
1:A:282:LEU:HD11	1:A:294:ILE:HD13	1.96	0.46
1:A:87:MET:HE2	1:A:91:MET:HB3	1.98	0.46
1:A:233:MET:HB2	1:A:233:MET:HE3	1.53	0.46
2:B:159:SER:HA	2:B:181:ARG:NH2	2.31	0.46
1:A:351:GLY:H	1:A:357:GLN:NE2	2.14	0.46
1:A:108:ILE:CG2	1:A:111:LEU:CD2	2.93	0.45
1:A:372[B]:LEU:HD21	1:A:446:ASP:HA	1.97	0.45
2:B:396:THR:HA	2:B:401:SER:O	2.16	0.45
1:A:111:LEU:O	1:A:117:LYS:NZ	2.48	0.45
1:A:181:ARG:HG2	1:A:181:ARG:NH2	2.27	0.45
1:A:82:THR:HG22	1:A:85:GLN:NE2	2.27	0.45
1:A:84:GLU:O	1:A:88:LYS:HB2	2.16	0.45
2:B:231:LEU:HD11	2:B:292:LYS:HD3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:LEU:HB2	1:A:165:LYS:O	2.17	0.44
2:B:358:LEU:HA	2:B:361:MET:CE	2.43	0.44
1:A:109:TYR:CD2	1:A:170:LYS:HB2	2.52	0.44
1:A:233:MET:HE1	1:A:238:LEU:HD13	1.99	0.44
2:B:211:VAL:O	2:B:292:LYS:HE2	2.17	0.44
1:A:396:THR:O	4:A:602:HOH:O	2.21	0.44
1:A:118:ARG:HD3	1:A:129:GLY:O	2.18	0.43
1:A:153:LYS:CD	1:A:153:LYS:H	2.32	0.43
2:B:90:TYR:O	2:B:94:LEU:HG	2.18	0.43
2:B:136:SER:HB3	2:B:181:ARG:HD2	2.00	0.43
1:A:111:LEU:HB2	1:A:113:LEU:HD21	2.00	0.43
2:B:184:LYS:HD2	2:B:187:HIS:HB3	2.00	0.43
1:A:188:ARG:HD3	1:A:188:ARG:HA	1.82	0.43
1:A:89:GLN:HB3	1:A:90:TYR:CD2	2.54	0.43
1:A:140:VAL:HG23	1:A:143:ASP:HB2	2.01	0.43
2:B:159:SER:O	2:B:186:PHE:CE2	2.71	0.43
1:A:179:MET:HG2	1:A:225:CYS:SG	2.59	0.43
2:B:456:ALA:O	2:B:462:LEU:HD12	2.19	0.42
2:B:87:MET:O	2:B:91:MET:HB2	2.19	0.42
2:B:386:LYS:HD2	2:B:386:LYS:N	2.33	0.42
1:A:304:GLN:O	1:A:304:GLN:HG3	2.19	0.42
1:A:209:MET:HG2	1:A:211:VAL:HG13	2.02	0.42
1:A:372[B]:LEU:HD11	1:A:446:ASP:HB2	2.02	0.42
2:B:249:LEU:HD13	2:B:343:LEU:HD13	2.02	0.41
2:B:333:TRP:CD1	2:B:333:TRP:C	2.98	0.41
2:B:372[B]:LEU:HD11	2:B:446:ASP:HB2	2.01	0.41
1:A:442:CYS:O	1:A:450:ARG:HD3	2.21	0.41
1:A:306:VAL:HG23	1:A:307:TYR:N	2.34	0.41
2:B:371:LYS:C	2:B:371:LYS:HD3	2.45	0.41
2:B:394:VAL:HG23	2:B:402:VAL:HG13	2.03	0.41
2:B:436:LEU:HG	2:B:440:LYS:HE3	2.02	0.41
2:B:87:MET:HE1	2:B:99:HIS:O	2.21	0.41
2:B:332:MET:HE3	2:B:332:MET:HB3	1.78	0.41
1:A:98:GLU:OE2	1:A:144:HIS:NE2	2.50	0.41
1:A:82:THR:OG1	1:A:83:PRO:HD2	2.20	0.41
2:B:248:SER:O	2:B:252:VAL:HG23	2.21	0.41
1:A:82:THR:HG23	1:A:84:GLU:N	2.35	0.41
2:B:184:LYS:NZ	2:B:187:HIS:CG	2.88	0.41
2:B:270:ARG:HA	2:B:328:MET:SD	2.61	0.41
1:A:207:ASN:OD1	1:A:292:LYS:NZ	2.54	0.40
1:A:268:LYS:HB2	1:A:268:LYS:HE2	1.84	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:350:PRO:HB2	2:B:411:ARG:HG3	2.03	0.40
1:A:371:LYS:C	1:A:371:LYS:HD3	2.46	0.40
1:A:459:HIS:CG	1:A:460:PRO:HD2	2.56	0.40
1:A:81:MET:CE	1:A:86:ALA:HA	2.52	0.40
1:A:248:SER:O	1:A:252:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	381/387 (98%)	364 (96%)	17 (4%)	0	100	100
2	B	391/391 (100%)	378 (97%)	13 (3%)	0	100	100
All	All	772/778 (99%)	742 (96%)	30 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/336 (100%)	330 (98%)	5 (2%)	57	80
2	B	339/341 (99%)	337 (99%)	2 (1%)	78	91
All	All	674/677 (100%)	667 (99%)	7 (1%)	68	86

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	LEU
1	A	113	LEU
1	A	152	LEU
1	A	153	LYS
1	A	198	GLU
2	B	182	ASN
2	B	184	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	GLN
1	A	114	ASN
1	A	127	ASN
1	A	139	GLN
1	A	162	GLN
1	A	261	GLN
1	A	357	GLN
2	B	114	ASN
2	B	127	ASN
2	B	172	HIS
2	B	187	HIS
2	B	203	GLN
2	B	285	GLN
2	B	286	GLN
2	B	304	GLN
2	B	357	GLN
2	B	425	ASN
2	B	459	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PTR	B	309	2	15,16,17	1.41	1 (6%)	17,22,24	0.57	0
1	PTR	A	309	1	15,16,17	1.31	1 (6%)	17,22,24	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PTR	B	309	2	-	4/10/11/13	0/1/1/1
1	PTR	A	309	1	-	2/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	309	PTR	OH-CZ	-4.68	1.30	1.40
1	A	309	PTR	OH-CZ	-4.58	1.30	1.40

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	309	PTR	O-C-CA-CB
2	B	309	PTR	CZ-OH-P-O1P
1	A	309	PTR	CA-CB-CG-CD1
1	A	309	PTR	CA-CB-CG-CD2
2	B	309	PTR	CA-CB-CG-CD2
2	B	309	PTR	CA-CB-CG-CD1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	YK2	B	501	-	39,40,40	3.30	18 (46%)	51,57,57	3.78	21 (41%)
3	YK2	A	501	-	39,40,40	3.43	21 (53%)	51,57,57	3.81	21 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YK2	B	501	-	-	5/22/32/32	0/5/5/5
3	YK2	A	501	-	-	6/22/32/32	0/5/5/5

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	YK2	C12-N05	10.43	1.51	1.34
3	B	501	YK2	C12-N05	9.60	1.50	1.34
3	B	501	YK2	C03-N01	6.04	1.47	1.34
3	A	501	YK2	C15-N04	-5.95	1.30	1.46
3	A	501	YK2	C03-N01	5.92	1.47	1.34
3	B	501	YK2	C21-N04	-5.82	1.31	1.46
3	A	501	YK2	C16-C14	5.76	1.47	1.37
3	B	501	YK2	C15-N04	-5.70	1.31	1.46
3	A	501	YK2	C21-N04	-5.69	1.31	1.46
3	B	501	YK2	C16-C14	5.63	1.47	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	YK2	C24-N06	5.38	1.44	1.35
3	A	501	YK2	C24-N08	5.26	1.43	1.30
3	B	501	YK2	C24-N08	5.19	1.43	1.30
3	B	501	YK2	C24-N06	5.08	1.43	1.35
3	A	501	YK2	C16-N07	4.58	1.43	1.34
3	A	501	YK2	C10-N07	4.54	1.41	1.34
3	B	501	YK2	C16-N07	4.48	1.43	1.34
3	B	501	YK2	C10-N05	4.37	1.46	1.34
3	B	501	YK2	C10-N03	4.24	1.45	1.36
3	B	501	YK2	C07-N03	4.18	1.46	1.38
3	A	501	YK2	C10-N05	4.17	1.46	1.34
3	A	501	YK2	C07-N03	4.16	1.45	1.38
3	A	501	YK2	C10-N03	4.14	1.45	1.36
3	B	501	YK2	C10-N07	3.51	1.39	1.34
3	B	501	YK2	C19-C18	-3.25	1.35	1.40
3	A	501	YK2	C19-C18	-3.04	1.35	1.40
3	A	501	YK2	C11-N04	-2.91	1.33	1.48
3	B	501	YK2	C11-N04	-2.86	1.33	1.48
3	B	501	YK2	C24-S01	2.65	1.81	1.75
3	A	501	YK2	C18-S01	-2.63	1.69	1.74
3	B	501	YK2	C13-C12	2.55	1.51	1.49
3	A	501	YK2	C06-C02	-2.49	1.34	1.38
3	A	501	YK2	C02-C01	-2.41	1.35	1.39
3	A	501	YK2	C24-S01	2.39	1.81	1.75
3	B	501	YK2	C01-C03	2.20	1.53	1.50
3	B	501	YK2	C06-C02	-2.17	1.35	1.38
3	A	501	YK2	C01-C03	2.14	1.53	1.50
3	A	501	YK2	C13-C12	2.07	1.51	1.49
3	A	501	YK2	O01-C03	-2.02	1.18	1.22

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	YK2	C14-C16-N07	-15.40	109.68	122.68
3	B	501	YK2	C14-C16-N07	-14.77	110.22	122.68
3	A	501	YK2	S01-C24-N08	-11.42	99.81	116.92
3	B	501	YK2	S01-C24-N08	-10.53	101.13	116.92
3	B	501	YK2	N07-C10-N05	-10.30	116.46	126.42
3	A	501	YK2	N07-C10-N05	-8.48	118.22	126.42
3	A	501	YK2	S01-C24-N06	7.32	130.60	120.42
3	B	501	YK2	S01-C24-N06	7.25	130.50	120.42
3	B	501	YK2	F01-C14-C16	-6.60	108.28	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	YK2	C18-S01-C24	5.31	96.68	89.37
3	A	501	YK2	C13-C12-N05	5.15	122.12	115.10
3	B	501	YK2	C13-C12-N05	4.93	121.82	115.10
3	A	501	YK2	C01-C03-N01	4.87	124.74	118.66
3	A	501	YK2	F01-C14-C16	-4.85	111.01	118.60
3	A	501	YK2	C16-N07-C10	4.65	122.19	115.81
3	B	501	YK2	C18-S01-C24	4.30	95.29	89.37
3	A	501	YK2	C19-N08-C24	4.24	120.82	107.11
3	B	501	YK2	C17-C18-C19	-3.95	119.05	121.99
3	B	501	YK2	C19-N08-C24	3.95	119.90	107.11
3	B	501	YK2	C25-N01-C23	3.24	119.29	112.68
3	A	501	YK2	C25-N01-C23	3.21	119.22	112.68
3	A	501	YK2	C01-C04-N02	-3.06	119.09	123.59
3	B	501	YK2	C01-C04-N02	-3.00	119.17	123.59
3	B	501	YK2	C17-C13-C12	-2.95	114.75	120.09
3	B	501	YK2	C01-C03-N01	2.82	122.19	118.66
3	B	501	YK2	C20-C13-C12	2.78	125.12	120.62
3	A	501	YK2	C17-C18-C19	-2.75	119.95	121.99
3	A	501	YK2	C17-C13-C12	-2.63	115.33	120.09
3	B	501	YK2	C02-C01-C04	2.62	120.53	117.61
3	B	501	YK2	C16-N07-C10	2.55	119.30	115.81
3	A	501	YK2	C18-C19-N08	-2.48	110.87	115.20
3	B	501	YK2	C08-N06-C05	2.43	123.64	115.87
3	B	501	YK2	C23-C15-N04	2.42	115.52	110.65
3	A	501	YK2	O01-C03-C01	-2.40	115.54	120.29
3	A	501	YK2	C04-N02-C07	2.34	120.02	117.83
3	B	501	YK2	C04-N02-C07	2.34	120.02	117.83
3	A	501	YK2	C02-C01-C04	2.21	120.07	117.61
3	A	501	YK2	C20-C13-C17	2.18	121.23	118.23
3	B	501	YK2	C18-C19-N08	-2.16	111.43	115.20
3	B	501	YK2	C10-N03-C07	-2.15	122.89	129.21
3	A	501	YK2	C02-C06-C07	2.13	121.14	118.51
3	A	501	YK2	C08-N06-C05	2.08	122.50	115.87

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	501	YK2	N05-C10-N03-C07
3	A	501	YK2	N05-C10-N03-C07
3	B	501	YK2	N05-C12-C13-C20
3	B	501	YK2	N05-C12-C13-C17

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	501	YK2	C14-C12-C13-C20
3	B	501	YK2	C14-C12-C13-C17
3	A	501	YK2	N05-C12-C13-C20
3	A	501	YK2	C14-C12-C13-C20
3	A	501	YK2	N02-C07-N03-C10
3	A	501	YK2	N05-C12-C13-C17
3	A	501	YK2	C06-C07-N03-C10

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/387 (99%)	0.08	7 (1%) 67 64	38, 74, 122, 147	1 (0%)
2	B	390/391 (99%)	-0.06	6 (1%) 72 68	30, 63, 103, 124	3 (0%)
All	All	774/778 (99%)	0.01	13 (1%) 69 65	30, 67, 116, 147	4 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	LEU	4.9
2	B	464	ARG	3.2
2	B	183	GLU	2.9
1	A	79	THR	2.7
1	A	126	ASN	2.6
2	B	121	MET	2.6
2	B	80	PRO	2.4
2	B	303	HIS	2.2
1	A	78	ALA	2.2
2	B	465	ARG	2.2
1	A	151	VAL	2.1
1	A	186	PHE	2.1
1	A	121	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	A	309	16/17	-	-	51,58,59,60	16

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PTR	B	309	16/17	-	-	48,54,56,65	16

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	YK2	A	501	36/36	0.91	0.11	63,72,108,112	0
3	YK2	B	501	36/36	0.97	0.07	34,48,89,92	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around YK2 A 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around YK2 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.