



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 04:33 AM UTC

PDB ID : 7EJY / pdb_00007ejy
Title : Complex Structure of antibody BD-503 and RBD of COVID-19
Authors : Xu, H.; Wang, B.; Zhao, T.N.; Su, X.D.
Deposited on : 2021-04-03
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3685 (3.08-3.00)
Clashscore	190562	4007 (3.08-3.00)
Ramachandran outliers	187476	3834 (3.08-3.00)
Sidechain outliers	187428	3836 (3.08-3.00)
RSRZ outliers	180081	3684 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	R	223	52%30%5%13%
2	H	222	54%33%9%.
3	L	215	53%40%6%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4771 atoms, of which 14 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	R	194	Total	C	N	O	S	0	0	0
			1536	985	256	287	8			

- Molecule 2 is a protein called Heavy Chain of BD-503.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	213	Total	C	N	O	S	0	0	0
			1568	987	264	311	6			

- Molecule 3 is a protein called Light Chain of BD-503.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	214	Total	C	N	O	S	0	0	0
			1639	1027	272	335	5			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	R	1	Total	C	H	N	O	0	0
			28	8	14	1	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Spike protein S1



• Molecule 2: Heavy Chain of BD-503



• Molecule 3: Light Chain of BD-503



L182	S183	K184	A185	D186	Y187	E188	K189	Y193	E196	Y197	T198	H199	Q200	G201	L202	P205	V206	F210	N211	R212	G213	E214	CYS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	80.43Å 144.08Å 146.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.00 – 3.04 29.00 – 3.04	Depositor EDS
% Data completeness (in resolution range)	92.8 (29.00-3.04) 92.7 (29.00-3.04)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 3.05Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.214 , 0.254 0.217 , 0.251	Depositor DCC
R_{free} test set	1553 reflections (9.25%)	wwPDB-VP
Wilson B-factor (Å ²)	67.4	Xtriage
Anisotropy	0.084	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 34.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.020 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.035 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4771	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	R	0.88	0/1580	1.19	2/2151 (0.1%)
2	H	0.94	0/1601	1.23	6/2182 (0.3%)
3	L	0.91	0/1675	1.16	6/2276 (0.3%)
All	All	0.91	0/4856	1.19	14/6609 (0.2%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	R	340	GLU	N-CA-C	-9.15	103.27	112.97
3	L	139	ASN	N-CA-C	7.96	122.13	111.30
2	H	209	THR	CB-CA-C	-7.16	98.28	110.16
1	R	370	ASN	N-CA-C	-6.88	103.22	111.69
2	H	64	LYS	N-CA-C	-6.68	100.42	110.24
2	H	64	LYS	CB-CA-C	6.50	119.59	109.84
3	L	102	GLY	CA-C-O	-6.29	118.13	122.22
2	H	104	ILE	CA-C-O	-6.24	117.20	122.63
3	L	66	GLY	CA-C-O	-5.70	117.43	121.88
2	H	44	GLY	CA-C-O	-5.66	117.75	122.33
2	H	164	THR	CA-CB-OG1	-5.46	101.40	109.60
3	L	140	PHE	N-CA-CB	-5.27	102.84	110.70
3	L	109	ARG	N-CA-CB	-5.18	103.06	111.24
3	L	68	GLY	O-C-N	5.10	124.71	121.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	R	1536	0	1452	65	0
2	H	1568	0	1550	67	0
3	L	1639	0	1595	91	0
4	R	14	14	13	0	0
All	All	4757	14	4610	211	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (211) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:7:SER:OG	3:L:8:PRO:HD3	1.26	1.26
3:L:7:SER:OG	3:L:8:PRO:CD	1.97	1.13
3:L:36:TYR:CE1	3:L:89:GLN:HG2	1.87	1.10
1:R:393:THR:HG22	1:R:517:LEU:HD23	1.30	1.07
3:L:202:LEU:HD13	3:L:206:VAL:HG23	1.38	1.05
2:H:167:VAL:HG22	2:H:186:VAL:HG23	1.39	1.02
3:L:202:LEU:HD13	3:L:206:VAL:CG2	1.92	1.00
2:H:123:PRO:HB3	2:H:149:TYR:HB3	1.45	0.98
1:R:393:THR:HG23	1:R:517:LEU:HA	1.47	0.96
1:R:393:THR:CG2	1:R:517:LEU:HD23	1.97	0.94
3:L:18:ARG:HG2	3:L:18:ARG:HH11	1.30	0.94
3:L:36:TYR:HE1	3:L:89:GLN:CG	1.81	0.93
3:L:36:TYR:HE1	3:L:89:GLN:HG2	1.25	0.92
3:L:34:ASN:HD22	3:L:49:TYR:HA	1.36	0.91
3:L:7:SER:HB3	3:L:22:THR:HB	1.51	0.90
3:L:34:ASN:ND2	3:L:49:TYR:HA	1.86	0.90
3:L:7:SER:HG	3:L:8:PRO:HD3	1.06	0.89
3:L:171:ASP:HB3	3:L:173:THR:HG23	1.54	0.88
1:R:417:LYS:HE2	3:L:94:THR:O	1.73	0.88
2:H:1:GLU:N	2:H:1:GLU:OE2	2.07	0.88
1:R:378:LYS:HD2	1:R:380:TYR:OH	1.75	0.85
2:H:167:VAL:CG2	2:H:186:VAL:HG23	2.05	0.85
1:R:346:ARG:HD3	1:R:346:ARG:H	1.42	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:167:VAL:HG22	2:H:186:VAL:CG2	2.08	0.83
3:L:34:ASN:ND2	3:L:50:ALA:H	1.77	0.82
1:R:393:THR:CG2	1:R:517:LEU:HA	2.09	0.81
1:R:387:LEU:HD12	1:R:387:LEU:O	1.81	0.79
1:R:346:ARG:HD3	1:R:346:ARG:N	1.98	0.78
2:H:47:TRP:HE1	2:H:50:VAL:HG13	1.46	0.78
3:L:19:VAL:HG22	3:L:75:ILE:HB	1.65	0.77
3:L:123:ASP:HA	3:L:126:LEU:HD12	1.65	0.77
3:L:7:SER:CB	3:L:8:PRO:HD3	2.13	0.76
3:L:34:ASN:HD21	3:L:50:ALA:H	1.29	0.76
3:L:8:PRO:O	3:L:103:THR:HG23	1.86	0.75
3:L:18:ARG:HG2	3:L:18:ARG:NH1	1.99	0.74
3:L:120:PRO:HB3	3:L:210:PHE:CZ	2.22	0.73
3:L:37:GLN:HG3	3:L:86:TYR:CE1	2.28	0.69
3:L:36:TYR:CZ	3:L:89:GLN:HG2	2.28	0.69
1:R:455:LEU:O	1:R:455:LEU:HG	1.94	0.68
2:H:143:GLY:HA2	2:H:158:TRP:CH2	2.29	0.68
3:L:125:GLN:O	3:L:125:GLN:HG2	1.93	0.67
1:R:402:ILE:CD1	1:R:410:ILE:HD11	2.25	0.67
2:H:11:LEU:HD22	2:H:114:THR:HB	1.76	0.67
2:H:128:LEU:HB3	3:L:119:PHE:CD2	2.30	0.67
3:L:168:ASP:HB3	3:L:171:ASP:HB2	1.77	0.67
1:R:486:PHE:CZ	2:H:2:VAL:HG21	2.30	0.66
3:L:7:SER:CB	3:L:22:THR:HB	2.26	0.66
1:R:486:PHE:CZ	2:H:2:VAL:CG2	2.79	0.66
1:R:455:LEU:HD21	2:H:100:ALA:CB	2.27	0.65
2:H:6:GLU:HA	2:H:21:SER:O	1.97	0.64
2:H:123:PRO:CB	2:H:149:TYR:HB3	2.26	0.64
3:L:120:PRO:HB3	3:L:210:PHE:CE2	2.32	0.64
3:L:198:THR:HG22	3:L:205:PRO:HG3	1.79	0.64
2:H:99:ALA:HB3	2:H:103:GLY:O	1.97	0.63
2:H:62:SER:O	2:H:66:ARG:NH1	2.31	0.63
2:H:32:ASN:CG	2:H:97:ARG:HD2	2.23	0.63
3:L:163:SER:O	3:L:176:LEU:HD12	1.99	0.62
1:R:345:THR:HB	1:R:346:ARG:HH21	1.64	0.62
1:R:393:THR:HA	1:R:522:ALA:HA	1.80	0.62
3:L:117:PHE:HD2	3:L:136:LEU:HD23	1.64	0.62
3:L:213:GLY:O	3:L:214:GLU:HB2	1.99	0.62
3:L:137:LEU:HB2	3:L:176:LEU:HB3	1.81	0.62
3:L:155:LEU:HD12	3:L:155:LEU:N	2.14	0.62
3:L:184:LYS:O	3:L:188:GLU:HG2	2.00	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:82:MET:HB3	2:H:85:LEU:HD21	1.82	0.61
1:R:452:LEU:HA	1:R:493:GLN:O	2.00	0.61
1:R:410:ILE:O	1:R:410:ILE:HG22	2.00	0.61
2:H:19:ARG:HG3	2:H:81:GLN:OE1	2.00	0.61
2:H:70:SER:O	2:H:78:LEU:HD12	2.00	0.61
2:H:86:ARG:O	2:H:115:VAL:HG11	2.01	0.61
2:H:2:VAL:HG12	2:H:2:VAL:O	2.01	0.60
2:H:113:VAL:HG12	2:H:113:VAL:O	2.01	0.60
3:L:34:ASN:ND2	3:L:49:TYR:CA	2.62	0.60
1:R:416:GLY:O	1:R:420:ASP:HB2	2.02	0.60
3:L:34:ASN:ND2	3:L:50:ALA:N	2.48	0.60
3:L:4:MET:HE1	3:L:33:LEU:CD1	2.32	0.60
3:L:6:GLN:HG3	3:L:101:PRO:HD2	1.84	0.59
3:L:73:LEU:HD23	3:L:74:THR:N	2.18	0.59
3:L:187:TYR:HA	3:L:193:TYR:OH	2.03	0.58
1:R:339:GLY:O	1:R:343:ASN:HB2	2.03	0.58
2:H:52:TYR:HD1	2:H:52:TYR:N	2.02	0.58
3:L:171:ASP:HB3	3:L:173:THR:CG2	2.29	0.58
1:R:402:ILE:CD1	1:R:410:ILE:CD1	2.81	0.58
3:L:6:GLN:OE1	3:L:87:TYR:HA	2.04	0.57
2:H:17:SER:HB3	2:H:83:ASN:OD1	2.04	0.57
3:L:61:ARG:NH2	3:L:81:GLU:OE2	2.36	0.57
3:L:2:ILE:HD13	3:L:29:ILE:HD11	1.86	0.57
1:R:486:PHE:HZ	2:H:2:VAL:HG22	1.70	0.57
3:L:202:LEU:CD1	3:L:206:VAL:CG2	2.74	0.57
1:R:388:ASN:HB3	1:R:527:PRO:HD2	1.86	0.56
1:R:418:ILE:HD13	1:R:418:ILE:N	2.19	0.56
3:L:187:TYR:CZ	3:L:212:ARG:HG2	2.40	0.56
2:H:17:SER:HA	2:H:82:MET:O	2.05	0.56
2:H:143:GLY:HA2	2:H:158:TRP:HH2	1.68	0.56
3:L:36:TYR:CE1	3:L:89:GLN:CG	2.64	0.56
1:R:402:ILE:HD13	1:R:410:ILE:HD11	1.87	0.55
2:H:52:TYR:N	2:H:52:TYR:CD1	2.73	0.55
3:L:162:GLU:HG2	3:L:176:LEU:HD11	1.87	0.55
2:H:12:ILE:HD12	2:H:13:GLN:H	1.71	0.54
3:L:34:ASN:HD22	3:L:49:TYR:CA	2.17	0.54
2:H:117:SER:O	2:H:117:SER:OG	2.19	0.54
3:L:30:SER:O	3:L:30:SER:OG	2.21	0.53
2:H:154:VAL:HG23	2:H:204:HIS:HD2	1.73	0.53
3:L:61:ARG:NH1	3:L:82:ASP:OD2	2.42	0.53
2:H:32:ASN:OD1	2:H:97:ARG:HD2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:426:PRO:HD3	1:R:463:PRO:HB3	1.91	0.52
1:R:498:GLN:HG3	3:L:28:SER:HB3	1.91	0.52
2:H:182:LEU:HD12	2:H:182:LEU:C	2.34	0.52
1:R:455:LEU:HD21	2:H:100:ALA:HB1	1.91	0.52
1:R:406:GLU:O	1:R:409:GLN:HB2	2.10	0.52
1:R:398:ASP:OD2	1:R:423:TYR:OH	2.28	0.51
1:R:418:ILE:N	1:R:418:ILE:CD1	2.73	0.51
3:L:185:ALA:O	3:L:189:LYS:HG3	2.11	0.51
3:L:155:LEU:N	3:L:155:LEU:CD1	2.73	0.51
2:H:12:ILE:O	2:H:115:VAL:HA	2.11	0.51
2:H:63:VAL:HB	2:H:67:PHE:CG	2.46	0.51
3:L:12:SER:HB3	3:L:141:TYR:OH	2.10	0.50
3:L:73:LEU:HD23	3:L:73:LEU:C	2.36	0.50
3:L:36:TYR:OH	3:L:89:GLN:HG2	2.11	0.50
2:H:203:ASN:ND2	2:H:210:LYS:HG2	2.27	0.50
3:L:3:GLN:HB2	3:L:26:SER:OG	2.11	0.50
1:R:393:THR:HG21	1:R:518:LEU:H	1.77	0.50
1:R:477:SER:OG	2:H:28:ILE:HD11	2.11	0.50
2:H:99:ALA:HB1	2:H:102:TYR:HB2	1.92	0.50
1:R:439:ASN:HB2	1:R:506:GLN:OE1	2.12	0.50
3:L:155:LEU:CD1	3:L:155:LEU:H	2.24	0.50
1:R:416:GLY:O	1:R:420:ASP:CB	2.59	0.50
2:H:154:VAL:HG23	2:H:204:HIS:CD2	2.47	0.50
1:R:416:GLY:O	1:R:420:ASP:CG	2.55	0.49
1:R:362:VAL:HA	1:R:525:CYS:O	2.11	0.49
1:R:366:SER:O	1:R:370:ASN:N	2.45	0.49
2:H:18:LEU:HD12	2:H:19:ARG:H	1.78	0.49
3:L:90:GLN:HG2	3:L:92:TYR:H	1.78	0.49
1:R:334:ASN:N	1:R:334:ASN:ND2	2.60	0.48
2:H:51:LEU:HD12	2:H:57:THR:HG22	1.94	0.48
2:H:1:GLU:O	2:H:25:SER:O	2.31	0.48
2:H:14:PRO:C	2:H:16:GLY:H	2.20	0.48
3:L:167:GLN:HG3	3:L:174:TYR:OH	2.13	0.48
3:L:7:SER:OG	3:L:8:PRO:HD2	2.03	0.48
3:L:182:LEU:HA	3:L:182:LEU:HD23	1.56	0.48
3:L:213:GLY:O	3:L:214:GLU:CB	2.62	0.48
1:R:429:PHE:CZ	1:R:431:GLY:HA3	2.49	0.47
3:L:151:VAL:HG13	3:L:193:TYR:CE2	2.49	0.47
2:H:20:LEU:HD22	2:H:111:THR:HG21	1.95	0.47
1:R:380:TYR:N	1:R:431:GLY:O	2.45	0.47
2:H:63:VAL:O	2:H:64:LYS:C	2.58	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:335:LEU:HD23	1:R:362:VAL:O	2.14	0.46
1:R:490:PHE:CD1	1:R:491:PRO:HD2	2.50	0.46
2:H:156:VAL:HA	2:H:201:ASN:O	2.15	0.46
1:R:346:ARG:N	1:R:346:ARG:CD	2.72	0.46
2:H:126:PHE:CD1	3:L:125:GLN:HB2	2.50	0.46
3:L:23:CYS:HB2	3:L:35:TRP:CH2	2.50	0.46
3:L:202:LEU:CD1	3:L:206:VAL:HG23	2.28	0.46
2:H:1:GLU:HB2	2:H:25:SER:OG	2.16	0.45
1:R:452:LEU:HB3	1:R:493:GLN:O	2.16	0.45
2:H:1:GLU:O	2:H:25:SER:OG	2.29	0.45
3:L:159:ASN:OD1	3:L:159:ASN:N	2.48	0.45
1:R:404:GLY:HA2	1:R:508:TYR:CD1	2.51	0.45
3:L:187:TYR:O	3:L:212:ARG:HD3	2.16	0.45
2:H:36:TRP:O	2:H:48:VAL:HB	2.17	0.45
2:H:172:ALA:HA	2:H:182:LEU:HB3	1.98	0.45
1:R:369:TYR:CD1	1:R:369:TYR:O	2.70	0.45
1:R:433:VAL:HG22	1:R:512:VAL:HG13	1.98	0.44
2:H:50:VAL:O	2:H:69:ILE:HG21	2.17	0.44
3:L:166:GLU:H	3:L:166:GLU:HG3	1.36	0.44
1:R:454:ARG:HA	1:R:492:LEU:HD23	1.99	0.44
3:L:164:VAL:HG13	3:L:176:LEU:HD13	1.99	0.44
1:R:335:LEU:HD23	1:R:335:LEU:HA	1.79	0.44
2:H:167:VAL:CG2	2:H:186:VAL:CG2	2.82	0.44
2:H:1:GLU:N	2:H:1:GLU:CD	2.73	0.44
1:R:359:SER:OG	1:R:394:ASN:OD1	2.36	0.44
3:L:35:TRP:HB3	3:L:73:LEU:HD12	1.99	0.44
2:H:170:PHE:CZ	3:L:177:SER:HB2	2.52	0.44
3:L:34:ASN:HB2	3:L:89:GLN:HG3	1.99	0.44
1:R:369:TYR:O	1:R:369:TYR:CG	2.69	0.43
1:R:350:VAL:HG22	1:R:422:ASN:HB3	1.99	0.43
3:L:184:LYS:O	3:L:188:GLU:CG	2.65	0.43
1:R:338:PHE:HE2	1:R:363:ALA:HB1	1.82	0.43
1:R:425:LEU:HD23	1:R:425:LEU:HA	1.80	0.43
2:H:158:TRP:HB2	2:H:163:LEU:HB3	2.01	0.43
3:L:32:TYR:HD2	3:L:92:TYR:HA	1.84	0.42
1:R:346:ARG:O	1:R:346:ARG:HG2	2.19	0.42
2:H:166:GLY:O	2:H:186:VAL:HA	2.19	0.42
1:R:452:LEU:CA	1:R:493:GLN:O	2.68	0.42
2:H:173:VAL:HG22	2:H:181:SER:O	2.19	0.42
1:R:380:TYR:N	1:R:380:TYR:CD1	2.87	0.42
1:R:408:ARG:CG	1:R:408:ARG:HH11	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:20:LEU:HD12	2:H:80:LEU:HD23	2.02	0.42
3:L:199:HIS:CD2	3:L:200:GLN:H	2.37	0.42
2:H:4:LEU:HD22	2:H:22:CYS:SG	2.60	0.41
2:H:96:ALA:HB1	2:H:104:ILE:CG2	2.49	0.41
1:R:376:THR:HB	1:R:435:ALA:HB3	2.01	0.41
3:L:210:PHE:CD1	3:L:210:PHE:C	2.99	0.41
1:R:419:ALA:HA	1:R:423:TYR:O	2.20	0.41
3:L:65:SER:HB3	3:L:72:THR:HG23	2.03	0.41
3:L:11:LEU:HD23	3:L:105:VAL:HG22	2.02	0.41
2:H:14:PRO:C	2:H:16:GLY:N	2.77	0.41
3:L:37:GLN:HB2	3:L:47:LEU:HD11	2.02	0.41
1:R:382:VAL:HG22	1:R:387:LEU:HD22	2.01	0.41
1:R:393:THR:HG21	1:R:518:LEU:N	2.36	0.41
1:R:442:ASP:HB2	1:R:507:PRO:CG	2.51	0.41
3:L:6:GLN:HE21	3:L:6:GLN:HB3	1.61	0.41
1:R:435:ALA:HA	1:R:509:ARG:O	2.21	0.41
3:L:48:ILE:HG21	3:L:64:GLY:HA3	2.03	0.41
2:H:128:LEU:HD23	3:L:119:PHE:CG	2.56	0.40
3:L:30:SER:HA	3:L:67:SER:O	2.21	0.40
2:H:34:MET:HB3	2:H:78:LEU:HD22	2.03	0.40
2:H:12:ILE:HD12	2:H:13:GLN:N	2.36	0.40
3:L:29:ILE:HA	3:L:29:ILE:HD12	1.67	0.40
3:L:97:PHE:C	3:L:97:PHE:CD1	2.99	0.40
3:L:150:LYS:NZ	3:L:196:GLU:OE1	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	R	192/223 (86%)	180 (94%)	12 (6%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	H	209/222 (94%)	194 (93%)	14 (7%)	1 (0%)	24	57
3	L	212/215 (99%)	197 (93%)	14 (7%)	1 (0%)	24	57
All	All	613/660 (93%)	571 (93%)	40 (6%)	2 (0%)	36	67

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	L	7	SER
2	H	153	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	R	167/196 (85%)	144 (86%)	23 (14%)	3	15
2	H	175/183 (96%)	142 (81%)	33 (19%)	1	7
3	L	189/190 (100%)	171 (90%)	18 (10%)	8	29
All	All	531/569 (93%)	457 (86%)	74 (14%)	3	15

All (74) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	R	334	ASN
1	R	345	THR
1	R	354	ASN
1	R	357	ARG
1	R	360	ASN
1	R	367	VAL
1	R	368	LEU
1	R	373	SER
1	R	385	THR
1	R	386	LYS
1	R	387	LEU
1	R	390	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	393	THR
1	R	408	ARG
1	R	418	ILE
1	R	445	VAL
1	R	452	LEU
1	R	455	LEU
1	R	457	ARG
1	R	477	SER
1	R	514	SER
1	R	517	LEU
1	R	518	LEU
2	H	6	GLU
2	H	11	LEU
2	H	12	ILE
2	H	13	GLN
2	H	17	SER
2	H	18	LEU
2	H	19	ARG
2	H	32	ASN
2	H	35	SER
2	H	43	LYS
2	H	45	LEU
2	H	51	LEU
2	H	52	TYR
2	H	66	ARG
2	H	68	THR
2	H	73	ASN
2	H	75	LYS
2	H	88	GLU
2	H	111	THR
2	H	113	VAL
2	H	119	SER
2	H	120	THR
2	H	153	PRO
2	H	154	VAL
2	H	155	THR
2	H	163	LEU
2	H	181	SER
2	H	187	THR
2	H	192	SER
2	H	195	THR
2	H	197	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	199	ILE
2	H	213	LYS
3	L	6	GLN
3	L	9	SER
3	L	18	ARG
3	L	28	SER
3	L	29	ILE
3	L	56	SER
3	L	60	SER
3	L	65	SER
3	L	76	SER
3	L	81	GLU
3	L	137	LEU
3	L	143	ARG
3	L	159	ASN
3	L	160	SER
3	L	162	GLU
3	L	164	VAL
3	L	166	GLU
3	L	206	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	R	334	ASN
2	H	32	ASN
2	H	39	GLN
2	H	203	ASN
3	L	3	GLN
3	L	34	ASN
3	L	38	GLN
3	L	79	GLN
3	L	89	GLN
3	L	90	GLN
3	L	148	GLN
3	L	211	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	R	601	1	14,14,15	0.67	0	17,19,21	2.40	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	R	601	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	R	601	NAG	C1-O5-C5	5.74	119.88	112.19
4	R	601	NAG	C3-C4-C5	-5.03	101.12	110.23
4	R	601	NAG	O5-C1-C2	-3.65	105.65	111.29
4	R	601	NAG	O4-C4-C5	2.44	115.33	109.32
4	R	601	NAG	O3-C3-C2	2.28	114.14	109.40

There are no chirality outliers.


All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	R	601	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	R	194/223 (86%)	-0.07	3 (1%)	72 48	33, 52, 91, 128	0
2	H	213/222 (95%)	-0.01	3 (1%)	73 50	34, 57, 83, 121	0
3	L	214/215 (99%)	-0.13	1 (0%)	87 72	32, 51, 76, 99	0
All	All	621/660 (94%)	-0.07	7 (1%)	78 56	32, 54, 83, 128	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	L	30	SER	3.5
1	R	518	LEU	2.9
2	H	219	SER	2.8
2	H	117	SER	2.4
1	R	371	SER	2.2
2	H	194	GLY	2.2
1	R	445	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	R	601	14/15	0.59	0.24	62,63,187,188	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.