



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:55 AM UTC

PDB ID : 3EKA / pdb_00003eka
Title : Crystal structure of the complex of hyaluranidase trimer with ascorbic acid at 3.1 Å resolution reveals the locations of three binding sites
Authors : Mishra, P.; Ethayathulla, A.S.; Prem Kumar, R.; Singh, N.; Sharma, S.; Kaur, P.; Bhakuni, V.; Singh, T.P.
Deposited on : 2008-09-19
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	332	2% 53% 36% 8% .

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2613 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hyaluronidase, phage associated.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	332	2515	1565	439	506	5	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	338	HIS	-	expression tag	UNP Q9A0M7

- Molecule 2 is ASCORBIC ACID (CCD ID: ASC) (formula: C₆H₈O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	12	6	6	0	0
2	A	1	12	6	6	0	0
2	A	1	12	6	6	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	62	Total	O	0	0
			62	62		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hyaluronidase, phage associated



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	58.50Å 58.50Å 583.54Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 3.10 50.00 – 3.10	Depositor EDS
% Data completeness (in resolution range)	90.0 (50.00-3.10) 89.9 (50.00-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.46 (at 3.12Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.197 , 0.234 0.199 , 0.283	Depositor DCC
R_{free} test set	516 reflections (7.51%)	wwPDB-VP
Wilson B-factor (Å ²)	61.8	Xtriage
Anisotropy	0.157	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 72.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2613	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ASC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.28	8/2549 (0.3%)	1.56	42/3434 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	127	SER	N-CA	15.21	1.65	1.46
1	A	338	HIS	N-CA	10.17	1.65	1.46
1	A	120	PRO	N-CD	9.30	1.60	1.47
1	A	195	PRO	N-CD	6.15	1.56	1.47
1	A	119	LYS	CE-NZ	5.60	1.66	1.49
1	A	123	THR	N-CA	5.34	1.53	1.46
1	A	130	THR	N-CA	5.12	1.51	1.46
1	A	333	LEU	N-CA	5.11	1.52	1.46

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	127	SER	N-CA-C	11.70	125.45	110.24
1	A	119	LYS	CA-C-N	11.58	131.69	119.76
1	A	119	LYS	C-N-CA	11.58	131.69	119.76
1	A	336	LYS	N-CA-C	-11.12	88.42	107.99
1	A	126	TYR	CA-C-N	-10.65	105.17	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	126	TYR	C-N-CA	-10.65	105.17	120.82
1	A	338	HIS	N-CA-CB	-10.62	92.44	110.50
1	A	115	GLN	OE1-CD-NE2	-10.05	112.55	122.60
1	A	261	GLN	OE1-CD-NE2	-9.72	112.88	122.60
1	A	214	GLN	OE1-CD-NE2	-9.40	113.20	122.60
1	A	337	LYS	N-CA-C	-8.64	92.41	110.80
1	A	310	ASP	CA-C-N	8.63	129.15	119.92
1	A	310	ASP	C-N-CA	8.63	129.15	119.92
1	A	216	ARG	CD-NE-CZ	-8.59	112.37	124.40
1	A	120	PRO	N-CD-CG	-8.18	90.93	103.20
1	A	220	LYS	N-CA-C	-7.26	101.87	111.24
1	A	214	GLN	CG-CD-NE2	7.22	127.22	116.40
1	A	56	SER	CA-C-N	6.68	128.20	119.84
1	A	56	SER	C-N-CA	6.68	128.20	119.84
1	A	86	ALA	N-CA-C	6.36	119.70	110.28
1	A	293	GLY	N-CA-C	-6.33	103.50	112.37
1	A	115	GLN	CG-CD-NE2	6.32	125.88	116.40
1	A	261	GLN	CG-CD-NE2	6.16	125.64	116.40
1	A	311	PRO	CB-CA-C	-6.00	103.37	111.12
1	A	101	LEU	N-CA-C	5.97	118.56	111.33
1	A	157	GLY	CA-C-N	5.93	127.25	119.84
1	A	157	GLY	C-N-CA	5.93	127.25	119.84
1	A	303	ASP	N-CA-C	-5.93	99.15	108.63
1	A	23	ASP	N-CA-C	-5.55	106.58	113.19
1	A	127	SER	N-CA-CB	-5.53	101.07	109.92
1	A	125	ALA	CA-C-N	5.43	131.91	121.54
1	A	125	ALA	C-N-CA	5.43	131.91	121.54
1	A	153	ASP	N-CA-C	-5.41	106.81	113.41
1	A	337	LYS	CA-C-N	-5.37	112.03	121.70
1	A	337	LYS	C-N-CA	-5.37	112.03	121.70
1	A	202	ASN	CA-CB-CG	5.36	117.96	112.60
1	A	52	LEU	N-CA-C	-5.24	103.22	110.35
1	A	168	THR	N-CA-C	-5.22	106.96	113.38
1	A	212	ALA	N-CA-C	-5.16	105.65	111.28
1	A	250	VAL	N-CA-C	5.05	115.97	108.65
1	A	327	ILE	CB-CA-C	-5.01	105.55	111.81
1	A	238	TYR	N-CA-C	5.01	117.13	111.02

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	194	THR	Peptide
1	A	216	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2515	0	2531	127	0
2	A	36	0	18	1	0
3	A	62	0	0	17	0
All	All	2613	0	2549	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252:LYS:HE2	3:A:395:HOH:O	1.60	1.00
1:A:338:HIS:CD2	1:A:338:HIS:N	2.33	0.97
1:A:338:HIS:CD2	1:A:338:HIS:H	1.51	0.95
1:A:106:ASN:H	1:A:106:ASN:HD22	1.16	0.92
1:A:333:LEU:O	1:A:333:LEU:HD23	1.72	0.90
1:A:14:MET:HG3	1:A:18:GLU:HB2	1.56	0.88
1:A:13:ARG:HG2	1:A:13:ARG:HH11	1.45	0.81
1:A:106:ASN:H	1:A:106:ASN:ND2	1.78	0.80
1:A:26:LEU:HD22	1:A:30:GLU:HG2	1.63	0.79
1:A:156:ASP:HB3	3:A:371:HOH:O	1.83	0.78
1:A:126:TYR:CE2	1:A:130:THR:OG1	2.37	0.77
1:A:333:LEU:HD23	1:A:333:LEU:C	2.10	0.76
1:A:89:GLU:C	1:A:91:VAL:H	1.94	0.76
1:A:120:PRO:C	3:A:368:HOH:O	2.30	0.74
1:A:105:LEU:HA	3:A:388:HOH:O	1.86	0.74
1:A:89:GLU:O	1:A:91:VAL:N	2.20	0.74
1:A:253:THR:O	1:A:254:ASN:HB2	1.85	0.74
1:A:106:ASN:ND2	1:A:106:ASN:N	2.34	0.73
1:A:335:LEU:HD12	1:A:337:LYS:HB3	1.70	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:335:LEU:HD12	1:A:337:LYS:CB	2.19	0.72
1:A:308:LEU:CD1	1:A:319:THR:HG22	2.20	0.72
1:A:338:HIS:H	1:A:338:HIS:HD2	1.34	0.72
1:A:156:ASP:CB	3:A:371:HOH:O	2.36	0.72
1:A:68:ASN:HD21	1:A:71:GLY:HA3	1.56	0.70
1:A:59:ASP:HB3	1:A:62:LEU:HD12	1.74	0.68
1:A:295:TYR:OH	1:A:297:LYS:HD2	1.93	0.68
1:A:331:LYS:HD3	3:A:378:HOH:O	1.95	0.67
1:A:136:ILE:CG2	1:A:138:LEU:HD21	2.25	0.67
1:A:252:LYS:CE	3:A:395:HOH:O	2.30	0.65
1:A:302:ILE:CD1	1:A:306:LEU:HD13	2.26	0.64
1:A:15:LYS:HB2	1:A:18:GLU:HG3	1.79	0.64
1:A:116:LEU:HD23	1:A:118:PHE:HE1	1.63	0.63
1:A:239:ASP:O	1:A:241:ASN:N	2.33	0.61
1:A:286:PHE:HA	1:A:295:TYR:O	2.01	0.61
1:A:333:LEU:C	1:A:333:LEU:CD2	2.72	0.60
1:A:136:ILE:HG22	1:A:138:LEU:HD21	1.84	0.60
1:A:89:GLU:C	1:A:91:VAL:N	2.54	0.60
1:A:96:GLU:HA	1:A:99:GLN:HB3	1.82	0.60
1:A:47:ASN:OD1	1:A:51:ASP:HB2	2.03	0.59
1:A:11:PHE:CD1	1:A:31:ILE:HB	2.37	0.59
1:A:13:ARG:HG2	1:A:13:ARG:NH1	2.16	0.59
1:A:14:MET:SD	1:A:19:TRP:HA	2.44	0.57
1:A:96:GLU:O	1:A:99:GLN:HB3	2.04	0.57
1:A:116:LEU:HD23	1:A:118:PHE:CE1	2.39	0.57
1:A:138:LEU:HB3	1:A:141:THR:CG2	2.35	0.56
1:A:264:TYR:C	1:A:264:TYR:CD1	2.84	0.56
1:A:320:LYS:HG2	1:A:324:ASP:OD2	2.06	0.56
1:A:33:PHE:CZ	1:A:38:GLY:HA2	2.41	0.55
1:A:33:PHE:CE1	1:A:38:GLY:HA2	2.42	0.55
1:A:189:MET:HE3	1:A:200:ALA:HA	1.87	0.55
1:A:121:ALA:N	3:A:368:HOH:O	2.39	0.55
1:A:106:ASN:ND2	3:A:388:HOH:O	2.39	0.55
1:A:215:LEU:C	1:A:215:LEU:HD12	2.32	0.55
1:A:94:LYS:O	1:A:98:LYS:HD2	2.07	0.55
1:A:70:ASP:HB3	3:A:385:HOH:O	2.07	0.55
1:A:335:LEU:HD12	1:A:337:LYS:HB2	1.89	0.55
1:A:175:PHE:CE2	1:A:177:ASP:HB2	2.41	0.55
1:A:199:SER:HA	3:A:375:HOH:O	2.07	0.55
1:A:331:LYS:CD	3:A:378:HOH:O	2.53	0.54
1:A:156:ASP:C	3:A:371:HOH:O	2.51	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:THR:O	1:A:195:PRO:O	2.27	0.53
1:A:126:TYR:CD2	1:A:130:THR:OG1	2.61	0.52
1:A:249:ILE:HG21	1:A:260:ALA:O	2.10	0.52
1:A:273:GLY:O	1:A:290:SER:HB3	2.09	0.51
1:A:279:ARG:NE	1:A:284:ASP:OD1	2.43	0.51
1:A:149:TYR:CD1	1:A:149:TYR:N	2.79	0.51
1:A:93:THR:O	1:A:94:LYS:C	2.53	0.50
1:A:138:LEU:CA	1:A:141:THR:HG22	2.42	0.50
1:A:46:HIS:ND1	1:A:46:HIS:C	2.70	0.50
1:A:46:HIS:ND1	1:A:46:HIS:O	2.44	0.50
1:A:93:THR:C	1:A:95:ALA:N	2.63	0.50
1:A:8:ARG:HG3	1:A:8:ARG:HH11	1.77	0.49
1:A:239:ASP:C	1:A:241:ASN:H	2.21	0.49
1:A:48:ARG:HH11	1:A:48:ARG:HG3	1.77	0.48
1:A:302:ILE:HD12	1:A:306:LEU:HD13	1.94	0.48
1:A:24:VAL:HA	3:A:354:HOH:O	2.11	0.48
1:A:122:ALA:O	1:A:123:THR:C	2.56	0.48
1:A:319:THR:O	1:A:320:LYS:C	2.55	0.48
1:A:68:ASN:HD21	1:A:71:GLY:CA	2.23	0.48
1:A:22:SER:C	1:A:24:VAL:H	2.22	0.48
1:A:239:ASP:C	1:A:241:ASN:N	2.71	0.48
1:A:11:PHE:O	1:A:12:LYS:C	2.57	0.47
1:A:49:PHE:CD2	1:A:49:PHE:C	2.92	0.47
1:A:68:ASN:ND2	1:A:71:GLY:HA3	2.26	0.47
1:A:189:MET:CE	1:A:200:ALA:HA	2.45	0.47
1:A:311:PRO:HG2	1:A:322:TYR:CG	2.50	0.47
1:A:42:ALA:O	1:A:52:LEU:HD13	2.15	0.47
1:A:183:ASN:HD21	2:A:2:ASC:H61	1.80	0.47
1:A:28:GLU:HA	1:A:43:GLY:O	2.15	0.46
1:A:33:PHE:HE1	1:A:38:GLY:C	2.23	0.46
1:A:168:THR:O	1:A:169:PHE:C	2.56	0.46
1:A:231:ASN:HB2	1:A:239:ASP:OD2	2.16	0.46
1:A:334:ILE:O	1:A:336:LYS:N	2.37	0.46
1:A:124:VAL:O	1:A:125:ALA:HB3	2.16	0.46
1:A:252:LYS:O	1:A:253:THR:C	2.56	0.46
1:A:14:MET:HB2	3:A:372:HOH:O	2.15	0.46
1:A:14:MET:HG2	1:A:19:TRP:CD1	2.51	0.46
1:A:93:THR:O	1:A:95:ALA:N	2.49	0.45
1:A:136:ILE:HG22	1:A:138:LEU:CD2	2.46	0.45
1:A:26:LEU:HD22	1:A:30:GLU:CG	2.38	0.45
1:A:93:THR:C	1:A:95:ALA:H	2.24	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:TRP:O	1:A:21:ARG:N	2.51	0.44
1:A:44:ASP:OD2	1:A:47:ASN:HB2	2.17	0.44
1:A:311:PRO:HG2	1:A:322:TYR:CD1	2.51	0.44
1:A:104:LYS:NZ	3:A:381:HOH:O	2.50	0.44
1:A:99:GLN:OE1	1:A:99:GLN:HA	2.17	0.44
1:A:19:TRP:C	1:A:21:ARG:H	2.25	0.44
1:A:294:PHE:CD2	1:A:294:PHE:C	2.95	0.44
1:A:239:ASP:O	1:A:240:LYS:C	2.61	0.43
1:A:22:SER:OG	1:A:24:VAL:HB	2.19	0.43
1:A:215:LEU:HD21	1:A:225:LEU:HB2	2.01	0.43
1:A:25:ILE:N	3:A:354:HOH:O	2.44	0.43
1:A:215:LEU:HD12	1:A:216:ARG:N	2.33	0.43
1:A:68:ASN:ND2	1:A:71:GLY:H	2.18	0.42
1:A:330:LEU:O	1:A:334:ILE:HG13	2.19	0.42
1:A:19:TRP:C	1:A:21:ARG:N	2.78	0.42
1:A:138:LEU:HA	1:A:141:THR:HG22	2.02	0.42
1:A:222:LEU:HD23	1:A:222:LEU:HA	1.76	0.42
1:A:76:VAL:O	1:A:77:GLU:C	2.62	0.41
1:A:116:LEU:CD2	1:A:118:PHE:CE1	3.02	0.41
1:A:14:MET:HE2	1:A:14:MET:HB3	1.93	0.41
1:A:190:ARG:O	1:A:191:GLN:C	2.63	0.41
1:A:89:GLU:O	1:A:90:THR:C	2.63	0.40
1:A:31:ILE:HD13	1:A:31:ILE:HG21	1.85	0.40
1:A:334:ILE:C	1:A:336:LYS:H	2.24	0.40
1:A:48:ARG:HG3	1:A:48:ARG:NH1	2.36	0.40
1:A:137:ASP:OD1	1:A:137:ASP:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/332 (99%)	292 (88%)	26 (8%)	12 (4%)	2	16

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	THR
1	A	195	PRO
1	A	335	LEU
1	A	337	LYS
1	A	20	ALA
1	A	123	THR
1	A	240	LYS
1	A	254	ASN
1	A	126	TYR
1	A	122	ALA
1	A	132	GLY
1	A	194	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/270 (100%)	223 (83%)	47 (17%)	2	9

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LYS
1	A	14	MET
1	A	30	GLU
1	A	50	SER
1	A	55	ILE
1	A	56	SER
1	A	58	LEU
1	A	70	ASP
1	A	87	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	88	LYS
1	A	90	THR
1	A	91	VAL
1	A	97	SER
1	A	98	LYS
1	A	106	ASN
1	A	108	LYS
1	A	120	PRO
1	A	124	VAL
1	A	128	SER
1	A	138	LEU
1	A	139	SER
1	A	153	ASP
1	A	159	LEU
1	A	162	LEU
1	A	179	LYS
1	A	191	GLN
1	A	193	THR
1	A	194	THR
1	A	195	PRO
1	A	204	THR
1	A	209	ASN
1	A	215	LEU
1	A	228	THR
1	A	233	SER
1	A	253	THR
1	A	272	THR
1	A	278	ILE
1	A	282	SER
1	A	308	LEU
1	A	327	ILE
1	A	329	GLU
1	A	333	LEU
1	A	334	ILE
1	A	335	LEU
1	A	336	LYS
1	A	337	LYS
1	A	338	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	ASN
1	A	68	ASN
1	A	106	ASN
1	A	115	GLN
1	A	183	ASN
1	A	191	GLN
1	A	202	ASN
1	A	241	ASN
1	A	305	ASN
1	A	338	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ASC	A	2	-	12,12,12	1.83	2 (16%)	17,17,17	2.68	7 (41%)
2	ASC	A	1	-	12,12,12	2.81	3 (25%)	17,17,17	2.36	6 (35%)
2	ASC	A	3	-	12,12,12	2.15	2 (16%)	17,17,17	1.76	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ASC	A	2	-	-	2/6/22/22	0/1/1/1
2	ASC	A	1	-	-	2/6/22/22	0/1/1/1
2	ASC	A	3	-	-	1/6/22/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	ASC	O4-C1	7.30	1.47	1.36
2	A	3	ASC	O4-C1	6.23	1.46	1.36
2	A	1	ASC	O6-C6	5.77	1.66	1.42
2	A	2	ASC	O4-C1	5.63	1.45	1.36
2	A	3	ASC	O6-C6	3.08	1.55	1.42
2	A	2	ASC	O6-C6	2.35	1.52	1.42
2	A	1	ASC	C4-C3	2.18	1.53	1.50

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2	ASC	O6-C6-C5	7.49	126.89	111.16
2	A	1	ASC	C4-O4-C1	-5.88	102.82	109.27
2	A	2	ASC	C4-O4-C1	-4.70	104.12	109.27
2	A	3	ASC	O6-C6-C5	-3.96	102.84	111.16
2	A	1	ASC	O1-C1-C2	-3.81	123.61	129.33
2	A	2	ASC	O4-C4-C3	3.39	107.15	103.76
2	A	1	ASC	C6-C5-C4	-3.27	106.35	111.86
2	A	2	ASC	C5-C4-C3	-3.21	108.83	114.71
2	A	1	ASC	O3-C3-C2	-2.98	124.78	132.40
2	A	1	ASC	O4-C1-O1	2.90	125.09	121.27
2	A	3	ASC	C4-O4-C1	-2.86	106.14	109.27
2	A	3	ASC	O4-C1-O1	2.72	124.86	121.27
2	A	3	ASC	O3-C3-C2	-2.50	126.00	132.40
2	A	2	ASC	O3-C3-C2	-2.42	126.20	132.40
2	A	1	ASC	O3-C3-C4	2.26	123.75	117.99
2	A	2	ASC	O3-C3-C4	2.26	123.73	117.99
2	A	3	ASC	O1-C1-C2	-2.24	125.98	129.33
2	A	2	ASC	O2-C2-C1	2.02	127.15	122.22
2	A	3	ASC	O3-C3-C4	2.01	123.09	117.99

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2	ASC	O5-C5-C6-O6
2	A	1	ASC	O5-C5-C6-O6
2	A	1	ASC	C4-C5-C6-O6
2	A	2	ASC	C4-C5-C6-O6
2	A	3	ASC	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2	ASC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	332/332 (100%)	-0.30	5 (1%) 72 52	21, 48, 78, 97	7 (2%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	126	TYR	3.5
1	A	128	SER	2.9
1	A	129	SER	2.7
1	A	193	THR	2.5
1	A	123	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ASC	A	1	12/12	0.61	0.27	49,53,55,55	12
2	ASC	A	2	12/12	0.76	0.24	56,57,62,62	12
2	ASC	A	3	12/12	0.86	0.28	42,47,50,50	12

6.5 Other polymers [i](#)

There are no such residues in this entry.