



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:16 PM UTC

PDB ID : 5EK0 / pdb_00005ek0
Title : Human Nav1.7-VSD4-NavAb in complex with GX-936.
Authors : Ahuja, S.; Mukund, S.; Starovasnik, M.A.; Koth, C.M.; Payandeh, J.
Deposited on : 2015-11-03
Resolution : 3.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1008 (3.58-3.50)
Clashscore	190562	1062 (3.58-3.50)
Ramachandran outliers	187476	1033 (3.58-3.50)
Sidechain outliers	187428	1034 (3.58-3.50)
RSRZ outliers	180081	1007 (3.58-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	
1	B	296	
1	C	296	
1	D	296	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PX4	A	1804	-	-	-	X
2	PX4	A	1805	-	-	-	X
2	PX4	A	1807	-	-	-	X
2	PX4	B	1804	-	-	-	X
2	PX4	C	1803	-	-	-	X
2	PX4	D	1804	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chimera of bacterial Ion transport protein and human Sodium channel protein type 9 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			2061	1395	316	335	15			
1	B	245	Total	C	N	O	S	0	0	0
			2023	1373	306	329	15			
1	C	242	Total	C	N	O	S	0	0	0
			1999	1356	303	325	15			
1	D	242	Total	C	N	O	S	0	0	0
			1999	1356	303	325	15			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-17	MET	-	initiating methionine	UNP A8EVM5
A	-16	ASP	-	expression tag	UNP A8EVM5
A	-15	TYR	-	expression tag	UNP A8EVM5
A	-14	LYS	-	expression tag	UNP A8EVM5
A	-13	ASP	-	expression tag	UNP A8EVM5
A	-12	ASP	-	expression tag	UNP A8EVM5
A	-11	ASP	-	expression tag	UNP A8EVM5
A	-10	ASP	-	expression tag	UNP A8EVM5
A	-9	LYS	-	expression tag	UNP A8EVM5
A	-8	GLY	-	expression tag	UNP A8EVM5
A	-7	SER	-	expression tag	UNP A8EVM5
A	-6	LEU	-	expression tag	UNP A8EVM5
A	-5	VAL	-	expression tag	UNP A8EVM5
A	-4	PRO	-	expression tag	UNP A8EVM5
A	-3	ARG	-	expression tag	UNP A8EVM5
A	-2	GLY	-	expression tag	UNP A8EVM5
A	-1	SER	-	expression tag	UNP A8EVM5
A	0	HIS	-	expression tag	UNP A8EVM5
B	-17	MET	-	initiating methionine	UNP A8EVM5
B	-16	ASP	-	expression tag	UNP A8EVM5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	TYR	-	expression tag	UNP A8EVM5
B	-14	LYS	-	expression tag	UNP A8EVM5
B	-13	ASP	-	expression tag	UNP A8EVM5
B	-12	ASP	-	expression tag	UNP A8EVM5
B	-11	ASP	-	expression tag	UNP A8EVM5
B	-10	ASP	-	expression tag	UNP A8EVM5
B	-9	LYS	-	expression tag	UNP A8EVM5
B	-8	GLY	-	expression tag	UNP A8EVM5
B	-7	SER	-	expression tag	UNP A8EVM5
B	-6	LEU	-	expression tag	UNP A8EVM5
B	-5	VAL	-	expression tag	UNP A8EVM5
B	-4	PRO	-	expression tag	UNP A8EVM5
B	-3	ARG	-	expression tag	UNP A8EVM5
B	-2	GLY	-	expression tag	UNP A8EVM5
B	-1	SER	-	expression tag	UNP A8EVM5
B	0	HIS	-	expression tag	UNP A8EVM5
C	-17	MET	-	initiating methionine	UNP A8EVM5
C	-16	ASP	-	expression tag	UNP A8EVM5
C	-15	TYR	-	expression tag	UNP A8EVM5
C	-14	LYS	-	expression tag	UNP A8EVM5
C	-13	ASP	-	expression tag	UNP A8EVM5
C	-12	ASP	-	expression tag	UNP A8EVM5
C	-11	ASP	-	expression tag	UNP A8EVM5
C	-10	ASP	-	expression tag	UNP A8EVM5
C	-9	LYS	-	expression tag	UNP A8EVM5
C	-8	GLY	-	expression tag	UNP A8EVM5
C	-7	SER	-	expression tag	UNP A8EVM5
C	-6	LEU	-	expression tag	UNP A8EVM5
C	-5	VAL	-	expression tag	UNP A8EVM5
C	-4	PRO	-	expression tag	UNP A8EVM5
C	-3	ARG	-	expression tag	UNP A8EVM5
C	-2	GLY	-	expression tag	UNP A8EVM5
C	-1	SER	-	expression tag	UNP A8EVM5
C	0	HIS	-	expression tag	UNP A8EVM5
D	-17	MET	-	initiating methionine	UNP A8EVM5
D	-16	ASP	-	expression tag	UNP A8EVM5
D	-15	TYR	-	expression tag	UNP A8EVM5
D	-14	LYS	-	expression tag	UNP A8EVM5
D	-13	ASP	-	expression tag	UNP A8EVM5
D	-12	ASP	-	expression tag	UNP A8EVM5
D	-11	ASP	-	expression tag	UNP A8EVM5
D	-10	ASP	-	expression tag	UNP A8EVM5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-9	LYS	-	expression tag	UNP A8EVM5
D	-8	GLY	-	expression tag	UNP A8EVM5
D	-7	SER	-	expression tag	UNP A8EVM5
D	-6	LEU	-	expression tag	UNP A8EVM5
D	-5	VAL	-	expression tag	UNP A8EVM5
D	-4	PRO	-	expression tag	UNP A8EVM5
D	-3	ARG	-	expression tag	UNP A8EVM5
D	-2	GLY	-	expression tag	UNP A8EVM5
D	-1	SER	-	expression tag	UNP A8EVM5
D	0	HIS	-	expression tag	UNP A8EVM5

- Molecule 2 is 1,2-DIMYRISTOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PX4) (formula: C₃₆H₇₃NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	A	1	Total	C	N	O	P	0	0
			31	21	1	8	1		
2	A	1	Total	C				0	0
			6	6					
2	A	1	Total	C				0	0
			11	11					
2	A	1	Total	C				0	0
			6	6					
2	A	1	Total	C				0	0
			7	7					

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			31	21	1	8	1		
2	B	1	Total	C	N	O	P	0	0
			28	19	1	7	1		
2	B	1	Total	C				0	0
			6	6					
2	B	1	Total	C	N	O	P	0	0
			23	15	1	6	1		
2	C	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
2	C	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
2	C	1	Total	C				0	0
			8	8					
2	C	1	Total	C	O	P		0	0
			9	3	5	1			
2	D	1	Total	C	N	O	P	0	0
			28	19	1	7	1		
2	D	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	D	1	Total	C				0	0
			5	5					
2	D	1	Total	C				0	0
			6	6					
2	D	1	Total	C	N	O	P	0	0
			20	12	1	6	1		

- Molecule 3 is 3-cyano-4-[2-[2-(1-ethylazetidin-3-yl)pyrazol-3-yl]-4-(trifluoromethyl)phenoxy]-{N}-(1,2,4-thiadiazol-5-yl)benzenesulfonamide (CCD ID: 5P2) (formula: C₂₄H₂₀F₃N₇O₃S₂).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	0
			39	24	3	7	3	2		
3	B	1	Total	C	F	N	O	S	0	0
			39	24	3	7	3	2		
3	C	1	Total	C	F	N	O	S	0	0
			39	24	3	7	3	2		
3	D	1	Total	C	F	N	O	S	0	0
			39	24	3	7	3	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Chimera of bacterial Ion transport protein and human Sodium channel protein type 9 subunit alpha




- Molecule 1: Chimera of bacterial Ion transport protein and human Sodium channel protein type 9 subunit alpha




- Molecule 1: Chimera of bacterial Ion transport protein and human Sodium channel protein type 9 subunit alpha





- Molecule 1: Chimera of bacterial Ion transport protein and human Sodium channel protein type 9 subunit alpha



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	169.42Å 188.83Å 171.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.59 – 3.53 26.59 – 3.53	Depositor EDS
% Data completeness (in resolution range)	99.7 (26.59-3.53) 99.6 (26.59-3.53)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 3.56Å)	Xtriage
Refinement program	BUSTER 2.11.5	Depositor
R, R_{free}	0.243 , 0.272 0.272 , 0.309	Depositor DCC
R_{free} test set	1718 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	118.9	Xtriage
Anisotropy	0.564	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 87.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	8571	wwPDB-VP
Average B, all atoms (Å ²)	106.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5P2, PX4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	0/2117	1.48	12/2877 (0.4%)
1	B	0.88	3/2077 (0.1%)	1.50	14/2824 (0.5%)
1	C	0.90	1/2051 (0.0%)	1.55	16/2786 (0.6%)
1	D	0.86	0/2051	1.52	15/2786 (0.5%)
All	All	0.88	4/8296 (0.0%)	1.51	57/11273 (0.5%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1593	VAL	CA-C	6.08	1.60	1.52
1	B	1702	ILE	CA-CB	6.06	1.57	1.54
1	B	1593	VAL	CA-CB	5.77	1.61	1.54
1	C	1702	ILE	CA-CB	5.07	1.56	1.54

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1596	THR	N-CA-C	-6.89	103.21	111.69
1	A	1632	GLY	CA-C-N	6.86	130.15	120.28
1	A	1632	GLY	C-N-CA	6.86	130.15	120.28
1	B	1702	ILE	N-CA-CB	6.82	115.77	110.45
1	A	1633	MET	CA-C-N	6.81	129.71	120.38
1	A	1633	MET	C-N-CA	6.81	129.71	120.38
1	C	1528	GLN	CA-C-N	6.73	134.39	121.54
1	C	1528	GLN	C-N-CA	6.73	134.39	121.54
1	A	1527	GLY	CA-C-N	6.48	133.36	121.70
1	A	1527	GLY	C-N-CA	6.48	133.36	121.70
1	A	1722	ASP	CA-CB-CG	6.19	118.79	112.60
1	C	1702	ILE	N-CA-CB	6.01	114.55	110.52
1	B	1614	THR	CA-C-N	5.95	129.75	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1614	THR	C-N-CA	5.95	129.75	120.82
1	D	1702	ILE	N-CA-CB	5.95	115.09	110.45
1	A	1562	PHE	CA-CB-CG	5.83	119.63	113.80
1	C	1613	VAL	N-CA-C	-5.80	107.16	112.96
1	D	1692	GLU	N-CA-C	-5.80	104.33	111.40
1	D	1619	MET	CA-C-N	5.67	127.82	120.44
1	D	1619	MET	C-N-CA	5.67	127.82	120.44
1	B	1549	ILE	CA-C-N	5.66	127.86	120.28
1	B	1549	ILE	C-N-CA	5.66	127.86	120.28
1	B	1605	ARG	CA-C-N	5.64	129.38	120.47
1	B	1605	ARG	C-N-CA	5.64	129.38	120.47
1	D	1528	GLN	CA-C-N	5.63	132.29	121.54
1	D	1528	GLN	C-N-CA	5.63	132.29	121.54
1	C	1620	ARG	CA-C-N	5.62	127.74	120.44
1	C	1620	ARG	C-N-CA	5.62	127.74	120.44
1	A	1702	ILE	N-CA-CB	5.43	114.69	110.45
1	A	1525	LYS	CA-C-N	5.43	131.91	121.54
1	A	1525	LYS	C-N-CA	5.43	131.91	121.54
1	D	1556	TYR	CA-C-N	5.32	131.55	121.97
1	D	1556	TYR	C-N-CA	5.32	131.55	121.97
1	D	1561	SER	CA-C-N	5.29	127.37	120.28
1	D	1561	SER	C-N-CA	5.29	127.37	120.28
1	B	1507	THR	CA-C-N	5.27	127.77	120.29
1	B	1507	THR	C-N-CA	5.27	127.77	120.29
1	C	1530	GLN	CA-C-N	5.27	127.61	120.44
1	C	1530	GLN	C-N-CA	5.27	127.61	120.44
1	B	1562	PHE	CA-CB-CG	5.26	119.06	113.80
1	C	1731	GLU	CA-C-N	5.25	127.26	120.44
1	C	1731	GLU	C-N-CA	5.25	127.26	120.44
1	C	1561	SER	CA-C-N	5.15	127.18	120.28
1	C	1561	SER	C-N-CA	5.15	127.18	120.28
1	B	1595	PRO	CA-C-N	5.14	128.12	120.31
1	B	1595	PRO	C-N-CA	5.14	128.12	120.31
1	C	1511	ILE	CA-C-N	5.12	127.45	120.54
1	C	1511	ILE	C-N-CA	5.12	127.45	120.54
1	B	1558	HIS	CA-C-N	5.11	127.43	120.54
1	B	1558	HIS	C-N-CA	5.11	127.43	120.54
1	C	1654	LEU	N-CA-C	5.05	116.64	111.03
1	A	1610	LEU	N-CA-C	-5.04	105.98	111.82
1	D	1557	VAL	N-CA-CB	5.02	119.51	111.23
1	D	1617	PRO	CA-C-N	5.01	131.11	121.54
1	D	1617	PRO	C-N-CA	5.01	131.11	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	1573	VAL	CA-C-N	5.01	126.87	120.56
1	D	1573	VAL	C-N-CA	5.01	126.87	120.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2061	0	2149	30	0
1	B	2023	0	2111	28	0
1	C	1999	0	2088	37	0
1	D	1999	0	2088	31	0
2	A	91	0	114	0	0
2	B	103	0	123	1	0
2	C	65	0	73	3	0
2	D	74	0	87	1	0
3	A	39	0	20	0	0
3	B	39	0	20	1	0
3	C	39	0	20	1	0
3	D	39	0	20	0	0
All	All	8571	0	8913	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1529:SER:HB2	1:C:1532:MET:HB2	1.77	0.66
1:A:1527:GLY:HA2	1:A:1528:GLN:HB3	1.79	0.64
1:C:1608:ARG:HH22	3:C:1805:5P2:H20	1.44	0.63
1:C:1554:ARG:HH22	1:C:1568:SER:HA	1.63	0.63
1:B:1634:LEU:HA	1:B:1637:ILE:HD12	1.81	0.63
1:C:1497:ILE:HG21	1:C:1556:TYR:HE2	1.64	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1555:ILE:HD12	1:B:1562:PHE:HB2	1.82	0.61
1:C:1670:PHE:HB3	2:C:1802:PX4:H47	1.86	0.57
1:C:1566:PRO:HA	1:C:1569:LEU:HB3	1.87	0.57
1:A:1710:PHE:HE2	1:D:1626:LEU:HB3	1.70	0.56
1:D:1521:MET:HE3	1:D:1605:ARG:HG3	1.87	0.56
1:A:1527:GLY:HA2	1:A:1528:GLN:CB	2.36	0.55
1:B:1630:ILE:HA	1:B:1633:MET:HE2	1.89	0.55
1:C:1517:ASN:HD21	1:C:1608:ARG:HE	1.53	0.55
1:A:1688:ARG:HE	1:D:1675:GLN:HE22	1.55	0.54
1:B:1646:ILE:HG22	1:B:1650:MET:HE2	1.90	0.54
1:D:1682:TRP:O	1:D:1687:VAL:HG23	2.08	0.54
1:D:1691:MET:HA	1:D:1694:TYR:O	2.07	0.53
1:A:1733:GLN:HA	1:A:1736:ILE:HD12	1.90	0.53
1:D:1536:LEU:HA	1:D:1539:ILE:HD12	1.90	0.53
1:C:1526:GLU:HG2	1:D:1660:PRO:HB3	1.91	0.53
1:A:1639:LEU:HA	1:D:1619:MET:HE1	1.92	0.52
1:C:1622:ILE:HG13	1:D:1635:SER:HB3	1.91	0.51
1:D:1667:GLY:HA3	2:D:1801:PX4:H16	1.92	0.51
1:B:1526:GLU:HG3	1:C:1660:PRO:HB3	1.91	0.51
1:C:1667:GLY:HA2	2:C:1802:PX4:H16	1.90	0.51
1:C:1495:LEU:O	1:C:1499:ASN:HB2	2.11	0.51
1:A:1717:VAL:HA	1:A:1720:ILE:HD12	1.91	0.51
1:C:1682:TRP:O	1:C:1687:VAL:HG23	2.10	0.50
1:B:1724:MET:O	1:B:1728:ASN:HB2	2.12	0.49
1:B:1612:LEU:HB3	1:C:1642:LEU:HD21	1.94	0.49
1:C:1577:ILE:HA	1:C:1580:VAL:HG22	1.94	0.49
1:D:1551:ILE:HG21	1:D:1575:VAL:HG11	1.94	0.49
1:A:1646:ILE:HG22	1:A:1650:MET:HE2	1.95	0.49
1:B:1558:HIS:HB3	1:B:1561:SER:HB3	1.95	0.49
1:A:1498:THR:HA	1:A:1501:VAL:HG12	1.95	0.48
1:C:1600:VAL:O	1:C:1603:LEU:HB2	2.14	0.48
1:A:1682:TRP:CD1	1:D:1680:GLU:HG3	2.48	0.48
1:A:1723:ALA:HB1	1:B:1721:VAL:HG11	1.95	0.48
1:B:1627:ILE:HA	1:B:1630:ILE:HD12	1.94	0.48
1:C:1691:MET:HA	1:C:1694:TYR:O	2.13	0.48
1:B:1525:LYS:HB2	1:B:1528:GLN:HG3	1.95	0.48
1:A:1724:MET:HE3	1:D:1724:MET:HE1	1.94	0.48
1:B:1521:MET:HE3	1:B:1605:ARG:HG3	1.95	0.48
1:A:1613:VAL:HG11	1:B:1643:PHE:HE1	1.79	0.48
1:A:1640:MET:HE1	1:A:1708:VAL:HG12	1.95	0.47
1:C:1633:MET:HE2	1:C:1637:ILE:HD11	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1647:PHE:HA	1:B:1650:MET:HE3	1.97	0.47
1:C:1495:LEU:HA	1:C:1498:THR:HG22	1.97	0.47
1:A:1612:LEU:O	1:A:1616:VAL:HG12	2.14	0.47
1:B:1670:PHE:HB3	2:B:1802:PX4:H19	1.96	0.47
1:B:1498:THR:HG23	1:B:1557:VAL:HG13	1.96	0.47
1:D:1569:LEU:O	1:D:1573:VAL:HG23	2.14	0.47
1:B:1680:GLU:OE2	1:B:1681:SER:HB2	2.15	0.46
1:D:1703:PRO:O	1:D:1707:VAL:HG23	2.16	0.46
1:C:1613:VAL:HB	1:C:1623:VAL:HG21	1.98	0.46
1:C:1618:GLN:O	1:C:1622:ILE:HG12	2.16	0.46
1:D:1636:VAL:HB	1:D:1715:LEU:HD12	1.96	0.46
1:C:1633:MET:HE3	1:C:1715:LEU:HD21	1.98	0.46
1:D:1663:PHE:HE2	1:D:1690:LEU:HD11	1.80	0.46
1:A:1579:ILE:HA	1:A:1582:MET:HE2	1.98	0.46
1:B:1682:TRP:O	1:B:1687:VAL:HG23	2.15	0.45
1:C:1529:SER:HB2	1:C:1532:MET:CB	2.43	0.45
1:C:1640:MET:HE1	1:C:1708:VAL:HG22	1.98	0.45
1:A:1497:ILE:HA	1:A:1500:ILE:HD12	1.97	0.45
1:A:1541:VAL:HA	1:A:1544:ILE:HD12	1.98	0.45
1:A:1704:PHE:O	1:A:1708:VAL:HG22	2.17	0.45
1:C:1497:ILE:HG21	1:C:1556:TYR:CE2	2.47	0.45
1:A:1606:ILE:HG13	1:B:1650:MET:HG2	1.99	0.45
1:C:1694:TYR:HB3	2:C:1801:PX4:H14	2.00	0.44
1:D:1535:VAL:O	1:D:1539:ILE:HG13	2.18	0.44
1:D:1545:ILE:O	1:D:1549:ILE:HG12	2.18	0.44
1:D:1633:MET:HE2	1:D:1637:ILE:HD11	1.99	0.44
1:D:1622:ILE:O	1:D:1626:LEU:HG	2.18	0.43
1:A:1549:ILE:HA	1:A:1552:ILE:HG22	1.99	0.43
1:D:1522:MET:C	1:D:1524:GLU:H	2.27	0.43
1:A:1559:ARG:HG3	1:A:1560:ILE:H	1.84	0.43
1:B:1633:MET:HE3	1:B:1637:ILE:HD11	1.99	0.43
1:B:1730:LYS:HD3	1:B:1730:LYS:HA	1.89	0.43
1:B:1719:ILE:HG22	1:C:1717:VAL:HG11	2.01	0.43
1:A:1559:ARG:HG3	1:A:1560:ILE:N	2.33	0.43
1:B:1608:ARG:HH22	3:B:1806:5P2:H20	1.65	0.43
1:C:1536:LEU:HA	1:C:1539:ILE:HD12	2.00	0.42
1:B:1617:PRO:C	1:B:1619:MET:H	2.27	0.42
1:B:1732:GLU:O	1:B:1736:ILE:HG12	2.19	0.42
1:A:1707:VAL:O	1:A:1711:VAL:HG23	2.19	0.42
1:D:1717:VAL:HA	1:D:1720:ILE:HD12	2.01	0.42
1:A:1633:MET:HE3	1:A:1715:LEU:HD21	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1511:ILE:HA	1:D:1514:ILE:HD12	2.01	0.42
1:A:1717:VAL:HG11	1:D:1719:ILE:HG22	2.01	0.42
1:C:1512:TYR:CZ	1:C:1516:LEU:HD11	2.55	0.42
1:C:1494:TYR:HA	1:C:1497:ILE:HG22	2.01	0.42
1:C:1559:ARG:HG3	1:C:1560:ILE:HG12	2.01	0.42
1:C:1644:PHE:HB3	1:C:1670:PHE:CE1	2.54	0.42
1:B:1588:ILE:HD12	1:B:1601:ILE:HG21	2.02	0.42
1:C:1507:THR:O	1:C:1511:ILE:HG12	2.21	0.41
1:C:1719:ILE:HG22	1:D:1717:VAL:HG11	2.02	0.41
1:C:1578:SER:HB3	1:C:1608:ARG:HH11	1.84	0.41
1:C:1644:PHE:HB3	1:C:1670:PHE:CZ	2.56	0.41
1:D:1536:LEU:HD23	1:D:1539:ILE:HD12	2.01	0.41
1:D:1558:HIS:HB2	1:D:1562:PHE:HB2	2.03	0.40
1:D:1725:ALA:O	1:D:1729:GLN:HB2	2.21	0.40
1:A:1683:SER:HB3	1:D:1675:GLN:HG3	2.03	0.40
1:A:1626:LEU:HB3	1:B:1710:PHE:HE2	1.86	0.40
1:A:1649:ILE:HD11	1:D:1606:ILE:HG13	2.03	0.40
1:C:1595:PRO:HD2	1:C:1597:LEU:HB2	2.03	0.40
1:A:1606:ILE:HG23	1:B:1646:ILE:HG23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/296 (84%)	234 (94%)	10 (4%)	4 (2%)	7	36
1	B	243/296 (82%)	221 (91%)	16 (7%)	6 (2%)	4	28
1	C	238/296 (80%)	219 (92%)	12 (5%)	7 (3%)	3	25
1	D	238/296 (80%)	221 (93%)	10 (4%)	7 (3%)	3	25
All	All	967/1184 (82%)	895 (93%)	48 (5%)	24 (2%)	4	28

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1526	GLU
1	A	1592	PHE
1	B	1592	PHE
1	B	1594	SER
1	C	1529	SER
1	D	1529	SER
1	D	1618	GLN
1	B	1527	GLY
1	C	1527	GLY
1	C	1559	ARG
1	C	1656	GLY
1	D	1527	GLY
1	A	1528	GLN
1	B	1494	TYR
1	B	1529	SER
1	D	1523	VAL
1	D	1559	ARG
1	B	1500	ILE
1	C	1634	LEU
1	D	1557	VAL
1	C	1604	ALA
1	D	1736	ILE
1	C	1523	VAL
1	A	1594	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/275 (84%)	205 (89%)	25 (11%)	6	27
1	B	226/275 (82%)	198 (88%)	28 (12%)	4	23
1	C	223/275 (81%)	201 (90%)	22 (10%)	7	30
1	D	223/275 (81%)	198 (89%)	25 (11%)	6	26
All	All	902/1100 (82%)	802 (89%)	100 (11%)	6	27

All (100) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	1495	LEU
1	A	1500	ILE
1	A	1510	ILE
1	A	1511	ILE
1	A	1520	THR
1	A	1530	GLN
1	A	1553	LEU
1	A	1562	PHE
1	A	1576	ILE
1	A	1605	ARG
1	A	1609	ILE
1	A	1610	LEU
1	A	1612	LEU
1	A	1623	VAL
1	A	1627	ILE
1	A	1630	ILE
1	A	1634	LEU
1	A	1642	LEU
1	A	1649	ILE
1	A	1655	PHE
1	A	1661	GLU
1	A	1690	LEU
1	A	1699	VAL
1	A	1715	LEU
1	B	1494	TYR
1	B	1498	THR
1	B	1501	VAL
1	B	1515	VAL
1	B	1516	LEU
1	B	1523	VAL
1	B	1560	ILE
1	B	1562	PHE
1	B	1577	ILE
1	B	1587	LEU
1	B	1593	VAL
1	B	1597	LEU
1	B	1601	ILE
1	B	1609	ILE
1	B	1610	LEU
1	B	1612	LEU
1	B	1618	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1634	LEU
1	B	1641	THR
1	B	1644	PHE
1	B	1666	LEU
1	B	1670	PHE
1	B	1680	GLU
1	B	1690	LEU
1	B	1699	VAL
1	B	1708	VAL
1	B	1726	ILE
1	B	1728	ASN
1	C	1495	LEU
1	C	1498	THR
1	C	1507	THR
1	C	1513	LEU
1	C	1539	ILE
1	C	1552	ILE
1	C	1574	VAL
1	C	1577	ILE
1	C	1584	LEU
1	C	1603	LEU
1	C	1609	ILE
1	C	1624	SER
1	C	1626	LEU
1	C	1627	ILE
1	C	1641	THR
1	C	1646	ILE
1	C	1666	LEU
1	C	1670	PHE
1	C	1680	GLU
1	C	1699	VAL
1	C	1708	VAL
1	C	1721	VAL
1	D	1498	THR
1	D	1510	ILE
1	D	1517	ASN
1	D	1526	GLU
1	D	1533	THR
1	D	1560	ILE
1	D	1577	ILE
1	D	1584	LEU
1	D	1587	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	1596	THR
1	D	1606	ILE
1	D	1609	ILE
1	D	1612	LEU
1	D	1618	GLN
1	D	1622	ILE
1	D	1623	VAL
1	D	1636	VAL
1	D	1642	LEU
1	D	1655	PHE
1	D	1661	GLU
1	D	1670	PHE
1	D	1690	LEU
1	D	1699	VAL
1	D	1708	VAL
1	D	1736	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1499	ASN
1	A	1714	ASN
1	B	1558	HIS
1	B	1729	GLN
1	C	1499	ASN
1	C	1517	ASN
1	C	1653	GLN
1	C	1728	ASN
1	D	1528	GLN
1	D	1675	GLN
1	D	1728	ASN
1	D	1734	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PX4	C	1801	-	13,13,45	0.67	0	17,18,53	0.57	0
2	PX4	A	1803	-	5,5,45	0.28	0	4,4,53	0.43	0
2	PX4	A	1801	-	14,14,45	0.63	0	19,20,53	0.53	0
2	PX4	C	1802	-	33,33,45	1.22	2 (6%)	39,41,53	1.15	4 (10%)
2	PX4	A	1804	-	10,10,45	0.24	0	9,9,53	0.55	0
2	PX4	B	1803	-	27,27,45	1.06	1 (3%)	32,34,53	1.13	3 (9%)
2	PX4	B	1802	-	30,30,45	1.26	2 (6%)	36,38,53	1.22	5 (13%)
2	PX4	C	1803	-	7,7,45	0.24	0	6,6,53	0.51	0
2	PX4	D	1803	-	4,4,45	0.26	0	3,3,53	0.35	0
2	PX4	A	1805	-	5,5,45	0.30	0	4,4,53	0.35	0
2	PX4	D	1805	-	19,19,45	1.18	1 (5%)	24,25,53	0.91	2 (8%)
2	PX4	D	1804	-	5,5,45	0.29	0	4,4,53	0.41	0
2	PX4	B	1804	-	5,5,45	0.25	0	4,4,53	0.34	0
3	5P2	A	1808	-	41,43,43	1.15	6 (14%)	55,64,64	2.96	12 (21%)
2	PX4	D	1801	-	27,27,45	1.03	1 (3%)	32,34,53	1.04	1 (3%)
2	PX4	D	1802	-	14,14,45	0.61	0	19,20,53	0.56	0
3	5P2	B	1806	-	41,43,43	1.13	5 (12%)	55,64,64	2.96	13 (23%)
2	PX4	A	1802	-	30,30,45	1.10	2 (6%)	36,38,53	1.01	2 (5%)
3	5P2	D	1806	-	41,43,43	1.15	4 (9%)	55,64,64	2.92	13 (23%)
3	5P2	C	1805	-	41,43,43	1.13	6 (14%)	55,64,64	2.94	11 (20%)
2	PX4	A	1807	-	14,14,45	0.69	0	18,19,53	0.52	0
2	PX4	A	1806	-	6,6,45	0.23	0	5,5,53	0.43	0
2	PX4	B	1805	-	22,22,45	1.12	1 (4%)	27,28,53	0.86	1 (3%)
2	PX4	C	1804	-	8,8,45	1.36	1 (12%)	10,10,53	1.41	1 (10%)
2	PX4	B	1801	-	14,14,45	0.62	0	19,20,53	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PX4	C	1801	-	-	4/13/13/49	-
2	PX4	A	1803	-	-	1/3/3/49	-
2	PX4	A	1801	-	-	2/14/14/49	-
2	PX4	C	1802	-	-	23/37/37/49	-
2	PX4	A	1804	-	-	5/8/8/49	-
2	PX4	B	1803	-	-	10/30/30/49	-
2	PX4	B	1802	-	-	15/34/34/49	-
2	PX4	C	1803	-	-	3/5/5/49	-
2	PX4	D	1803	-	-	0/2/2/49	-
2	PX4	A	1805	-	-	1/3/3/49	-
2	PX4	D	1805	-	-	9/20/20/49	-
2	PX4	D	1804	-	-	1/3/3/49	-
2	PX4	B	1804	-	-	1/3/3/49	-
3	5P2	A	1808	-	-	2/29/41/41	0/5/5/5
2	PX4	D	1801	-	-	18/30/30/49	-
2	PX4	D	1802	-	-	0/14/14/49	-
3	5P2	B	1806	-	-	0/29/41/41	0/5/5/5
2	PX4	A	1802	-	-	12/33/33/49	-
3	5P2	D	1806	-	-	1/29/41/41	0/5/5/5
3	5P2	C	1805	-	-	1/29/41/41	0/5/5/5
2	PX4	A	1807	-	-	3/14/14/49	-
2	PX4	A	1806	-	-	1/4/4/49	-
2	PX4	B	1805	-	-	9/23/23/49	-
2	PX4	C	1804	-	-	1/6/6/49	-
2	PX4	B	1801	-	-	3/14/14/49	-

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1803	PX4	O7-C23	4.65	1.47	1.34
2	C	1802	PX4	O5-C9	4.57	1.46	1.33
2	B	1805	PX4	O5-C9	4.51	1.46	1.33
2	B	1802	PX4	O7-C23	4.40	1.46	1.34
2	D	1805	PX4	O5-C9	4.39	1.46	1.33
2	D	1801	PX4	O7-C23	4.37	1.46	1.34
2	A	1802	PX4	O7-C23	4.37	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1802	PX4	O7-C23	4.30	1.46	1.34
2	B	1802	PX4	O5-C9	4.25	1.45	1.33
2	C	1804	PX4	P1-O2	3.53	1.61	1.50
2	A	1802	PX4	O5-C9	2.67	1.46	1.33
3	A	1808	5P2	S35-N34	2.67	1.70	1.67
3	C	1805	5P2	S35-N34	2.56	1.70	1.67
3	A	1808	5P2	C33-N32	-2.52	1.31	1.36
3	D	1806	5P2	C31-N30	2.49	1.39	1.33
3	A	1808	5P2	C31-N30	2.48	1.39	1.33
3	B	1806	5P2	C31-N30	2.39	1.39	1.33
3	C	1805	5P2	C31-N30	2.36	1.39	1.33
3	D	1806	5P2	S35-N34	2.35	1.70	1.67
3	D	1806	5P2	C33-N32	-2.33	1.31	1.36
3	C	1805	5P2	C33-N32	-2.29	1.31	1.36
3	B	1806	5P2	S35-N34	2.26	1.70	1.67
3	B	1806	5P2	C33-N32	-2.26	1.31	1.36
3	C	1805	5P2	N7-N11	2.14	1.41	1.37
3	A	1808	5P2	F38-C36	2.12	1.40	1.33
3	B	1806	5P2	N7-N11	2.09	1.40	1.37
3	B	1806	5P2	F39-C36	2.07	1.40	1.33
3	A	1808	5P2	F37-C36	2.07	1.40	1.33
3	C	1805	5P2	F38-C36	2.06	1.40	1.33
3	D	1806	5P2	F38-C36	2.03	1.40	1.33
3	C	1805	5P2	F37-C36	2.01	1.40	1.33
3	A	1808	5P2	N7-N11	2.01	1.40	1.37

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1808	5P2	C33-N32-C31	15.10	118.02	101.76
3	B	1806	5P2	C33-N32-C31	14.55	117.43	101.76
3	D	1806	5P2	C33-N32-C31	14.38	117.24	101.76
3	C	1805	5P2	C33-N32-C31	14.37	117.24	101.76
3	B	1806	5P2	S35-C31-N30	8.87	129.89	124.42
3	C	1805	5P2	S35-C31-N30	8.67	129.77	124.42
3	A	1808	5P2	S35-C31-N30	8.62	129.74	124.42
3	D	1806	5P2	S35-C31-N30	8.48	129.65	124.42
3	C	1805	5P2	C8-N7-N11	-5.57	107.41	112.64
3	D	1806	5P2	C8-N7-N11	-5.56	107.42	112.64
3	A	1808	5P2	C8-N7-N11	-5.54	107.45	112.64
3	B	1806	5P2	C8-N7-N11	-5.52	107.46	112.64
3	B	1806	5P2	S35-C31-N32	-5.50	103.88	112.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1808	5P2	S35-C31-N32	-5.47	103.93	112.18
3	C	1805	5P2	S35-C31-N32	-5.37	104.08	112.18
3	D	1806	5P2	S35-C31-N32	-5.37	104.08	112.18
3	C	1805	5P2	C10-N11-N7	4.47	108.96	103.37
3	B	1806	5P2	C31-S35-N34	4.46	95.41	91.80
3	D	1806	5P2	C4-C5-N7	-4.45	114.94	118.18
3	C	1805	5P2	C31-S35-N34	4.39	95.36	91.80
3	A	1808	5P2	N30-C31-N32	4.38	126.33	120.40
2	D	1801	PX4	O7-C23-C24	4.35	120.89	111.48
3	D	1806	5P2	N30-C31-N32	4.34	126.27	120.40
3	B	1806	5P2	N30-C31-N32	4.31	126.22	120.40
3	C	1805	5P2	N30-C31-N32	4.25	126.15	120.40
3	D	1806	5P2	C31-S35-N34	4.21	95.21	91.80
3	D	1806	5P2	C10-N11-N7	4.17	108.58	103.37
3	B	1806	5P2	C10-N11-N7	4.16	108.56	103.37
2	B	1803	PX4	O7-C23-C24	4.08	120.32	111.48
3	A	1808	5P2	C10-N11-N7	4.08	108.46	103.37
2	A	1802	PX4	O7-C23-C24	3.89	119.90	111.48
2	C	1802	PX4	O7-C23-C24	3.77	119.63	111.48
3	A	1808	5P2	C31-S35-N34	3.76	94.84	91.80
2	C	1804	PX4	O3-P1-O1	3.41	120.61	107.80
3	C	1805	5P2	C10-C9-C8	3.40	108.62	104.82
2	B	1802	PX4	O5-C9-C10	3.35	122.04	111.83
2	B	1802	PX4	O7-C23-C24	3.05	122.13	110.93
3	A	1808	5P2	C10-C9-C8	2.92	108.09	104.82
3	C	1805	5P2	C33-N34-S35	-2.90	104.94	107.27
3	C	1805	5P2	C9-C10-N11	-2.88	108.30	112.37
3	B	1806	5P2	C5-N7-N11	2.87	125.90	119.79
3	B	1806	5P2	C10-C9-C8	2.86	108.02	104.82
3	C	1805	5P2	C5-N7-N11	2.80	125.75	119.79
2	B	1805	PX4	O5-C9-C10	2.77	120.27	111.83
3	D	1806	5P2	C5-N7-N11	2.75	125.65	119.79
2	C	1802	PX4	O5-C9-C10	2.69	120.04	111.83
3	D	1806	5P2	C10-C9-C8	2.67	107.80	104.82
2	B	1802	PX4	O5-C8-C7	2.60	115.90	108.40
3	B	1806	5P2	C33-N34-S35	-2.60	105.18	107.27
2	D	1805	PX4	O5-C9-C10	2.59	119.72	111.83
3	D	1806	5P2	C33-N34-S35	-2.55	105.22	107.27
3	A	1808	5P2	C5-N7-N11	2.54	125.19	119.79
2	B	1802	PX4	O5-C9-O6	-2.48	117.43	123.63
3	B	1806	5P2	C9-C10-N11	-2.46	108.88	112.37
2	C	1802	PX4	O7-C23-O8	-2.46	117.96	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1806	5P2	C9-C10-N11	-2.36	109.03	112.37
2	B	1803	PX4	O7-C7-C8	2.33	116.60	108.30
3	B	1806	5P2	C6-C5-N7	-2.32	116.49	118.18
2	B	1802	PX4	O7-C23-O8	-2.32	118.28	123.70
3	A	1808	5P2	C9-C10-N11	-2.31	109.10	112.37
2	B	1803	PX4	O7-C23-O8	-2.28	118.37	123.70
3	A	1808	5P2	C23-C22-S27	2.19	121.31	119.06
2	D	1805	PX4	O5-C9-O6	-2.17	118.20	123.63
2	A	1802	PX4	C8-O5-C9	2.11	122.29	117.08
3	D	1806	5P2	C9-C8-N7	2.08	107.17	105.81
3	B	1806	5P2	F38-C36-C14	-2.07	108.47	112.90
3	A	1808	5P2	C12-C8-C9	-2.02	123.65	128.19
2	C	1802	PX4	C7-O7-C23	2.00	122.59	117.80

There are no chirality outliers.

All (126) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1802	PX4	O3-C1-C2-N1
2	A	1802	PX4	O8-C23-O7-C7
2	A	1807	PX4	O3-C1-C2-N1
2	B	1801	PX4	O3-C1-C2-N1
2	B	1802	PX4	C1-O3-P1-O1
2	B	1802	PX4	C1-O3-P1-O2
2	B	1802	PX4	C1-O3-P1-O4
2	B	1802	PX4	O4-C6-C7-O7
2	B	1802	PX4	O8-C23-O7-C7
2	B	1802	PX4	C24-C23-O7-C7
2	B	1803	PX4	C6-O4-P1-O2
2	B	1803	PX4	O7-C7-C8-O5
2	B	1803	PX4	C24-C23-O7-C7
2	B	1805	PX4	C1-O3-P1-O1
2	B	1805	PX4	C1-O3-P1-O2
2	B	1805	PX4	C1-O3-P1-O4
2	C	1801	PX4	C6-O4-P1-O1
2	C	1801	PX4	C6-O4-P1-O3
2	C	1801	PX4	O3-C1-C2-N1
2	C	1802	PX4	C1-O3-P1-O2
2	C	1802	PX4	C1-O3-P1-O4
2	C	1802	PX4	C6-O4-P1-O1
2	C	1802	PX4	C24-C23-O7-C7
2	D	1801	PX4	C1-O3-P1-O1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	1801	PX4	C1-O3-P1-O4
2	D	1801	PX4	C6-O4-P1-O1
2	D	1801	PX4	C6-O4-P1-O3
2	D	1801	PX4	C24-C23-O7-C7
2	D	1805	PX4	C1-O3-P1-O2
2	D	1805	PX4	C1-O3-P1-O4
2	D	1805	PX4	C6-O4-P1-O2
3	A	1808	5P2	C6-C5-N7-N11
3	C	1805	5P2	C4-C5-N7-N11
2	C	1802	PX4	O8-C23-O7-C7
2	D	1801	PX4	O8-C23-O7-C7
2	A	1802	PX4	C24-C23-O7-C7
2	B	1805	PX4	C10-C9-O5-C8
2	B	1802	PX4	O6-C9-O5-C8
2	D	1805	PX4	O6-C9-O5-C8
2	B	1803	PX4	O8-C23-O7-C7
2	B	1802	PX4	C10-C9-O5-C8
2	A	1802	PX4	C10-C9-O5-C8
2	D	1805	PX4	C10-C9-O5-C8
2	B	1805	PX4	O6-C9-O5-C8
2	C	1802	PX4	C10-C9-O5-C8
2	C	1802	PX4	C23-C24-C25-C26
2	A	1802	PX4	O6-C9-O5-C8
2	C	1802	PX4	O6-C9-O5-C8
2	A	1807	PX4	O4-C6-C7-O7
2	D	1805	PX4	C6-C7-C8-O5
2	C	1804	PX4	O4-C6-C7-C8
2	B	1803	PX4	C8-C7-O7-C23
2	C	1802	PX4	C9-C10-C11-C12
2	A	1804	PX4	C14-C15-C16-C17
2	C	1803	PX4	C14-C15-C16-C17
2	B	1802	PX4	C11-C12-C13-C14
2	A	1802	PX4	C23-C24-C25-C26
2	B	1803	PX4	C25-C26-C27-C28
2	D	1805	PX4	C9-C10-C11-C12
2	A	1804	PX4	C15-C16-C17-C18
2	D	1801	PX4	C27-C28-C29-C30
2	D	1801	PX4	C28-C29-C30-C31
2	A	1804	PX4	C17-C18-C19-C20
2	A	1802	PX4	C28-C29-C30-C31
2	A	1802	PX4	C29-C30-C31-C32
2	C	1802	PX4	C15-C16-C17-C18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	1802	PX4	O4-C6-C7-C8
2	B	1801	PX4	O4-C6-C7-C8
2	B	1803	PX4	C23-C24-C25-C26
2	B	1802	PX4	C14-C15-C16-C17
2	D	1801	PX4	C24-C25-C26-C27
2	B	1803	PX4	C30-C31-C32-C33
2	C	1802	PX4	C11-C12-C13-C14
2	D	1804	PX4	C25-C26-C27-C28
2	B	1801	PX4	O4-C6-C7-O7
2	B	1803	PX4	C28-C29-C30-C31
2	D	1801	PX4	C26-C27-C28-C29
2	A	1804	PX4	C19-C20-C21-C22
2	A	1802	PX4	C6-C7-C8-O5
2	B	1803	PX4	C6-C7-C8-O5
2	A	1802	PX4	C24-C25-C26-C27
2	C	1803	PX4	C12-C13-C14-C15
2	B	1802	PX4	O7-C7-C8-O5
2	B	1802	PX4	C15-C16-C17-C18
2	D	1801	PX4	O7-C7-C8-O5
2	A	1803	PX4	C25-C26-C27-C28
2	B	1802	PX4	O4-C6-C7-C8
2	C	1802	PX4	C8-C7-O7-C23
2	C	1802	PX4	O4-C6-C7-O7
2	B	1802	PX4	C6-C7-C8-O5
2	A	1806	PX4	C14-C15-C16-C17
2	A	1802	PX4	O7-C7-C8-O5
2	A	1801	PX4	O3-C1-C2-N1
2	B	1805	PX4	O3-C1-C2-N1
2	D	1805	PX4	O3-C1-C2-N1
2	C	1802	PX4	C24-C25-C26-C27
2	D	1801	PX4	C7-C6-O4-P1
2	C	1802	PX4	C16-C17-C18-C19
2	B	1802	PX4	C6-O4-P1-O3
2	C	1801	PX4	C1-O3-P1-O2
2	C	1802	PX4	C1-O3-P1-O1
2	C	1802	PX4	C6-O4-P1-O2
2	C	1802	PX4	C6-O4-P1-O3
2	D	1801	PX4	C1-O3-P1-O2
2	D	1805	PX4	C1-O3-P1-O1
2	D	1801	PX4	C29-C30-C31-C32
2	D	1801	PX4	C25-C26-C27-C28
2	B	1805	PX4	C11-C12-C13-C14

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	B	1805	PX4	O4-C6-C7-C8
2	A	1802	PX4	C26-C27-C28-C29
2	C	1802	PX4	C1-C2-N1-C3
2	C	1802	PX4	C1-C2-N1-C5
2	B	1804	PX4	C11-C12-C13-C14
2	C	1803	PX4	C11-C12-C13-C14
2	A	1804	PX4	C16-C17-C18-C19
2	B	1805	PX4	C6-C7-C8-O5
2	A	1805	PX4	C25-C26-C27-C28
2	D	1801	PX4	O7-C23-C24-C25
2	A	1801	PX4	O4-C6-C7-C8
3	D	1806	5P2	C6-C5-N7-N11
2	C	1802	PX4	C1-C2-N1-C4
2	C	1802	PX4	C7-C6-O4-P1
3	A	1808	5P2	C17-C12-C8-C9
2	D	1801	PX4	O8-C23-C24-C25
2	D	1801	PX4	C6-C7-C8-O5
2	A	1807	PX4	C6-C7-O7-C23


There are no ring outliers.




6 monomers are involved in 7 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1801	PX4	1	0
2	C	1802	PX4	2	0
2	B	1802	PX4	1	0
2	D	1801	PX4	1	0
3	B	1806	5P2	1	0
3	C	1805	5P2	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













Ligand 5P2 A 1808




Ligand PX4 D 1801










Ligand 5P2 D 1806



Ligand 5P2 C 1805







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/296 (84%)	0.24	6 (2%) 59 33	67, 104, 144, 169	0
1	B	245/296 (82%)	0.22	7 (2%) 53 29	26, 101, 132, 159	0
1	C	242/296 (81%)	0.29	11 (4%) 38 19	45, 101, 132, 154	0
1	D	242/296 (81%)	0.27	12 (4%) 34 18	62, 100, 132, 153	0
All	All	979/1184 (82%)	0.25	36 (3%) 45 24	26, 101, 138, 169	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	1730	LYS	5.2
1	B	1590	THR	5.1
1	D	1575	VAL	4.8
1	C	1523	VAL	4.3
1	D	1729	GLN	4.3
1	A	1556	TYR	3.7
1	B	1592	PHE	3.5
1	B	1589	GLU	3.5
1	D	1733	GLN	3.5
1	A	1661	GLU	3.4
1	D	1726	ILE	3.3
1	D	1608	ARG	3.3
1	D	1634	LEU	3.3
1	D	1578	SER	3.2
1	C	1589	GLU	3.2
1	C	1578	SER	3.0
1	C	1608	ARG	3.0
1	A	1578	SER	2.9
1	C	1556	TYR	2.8
1	C	1520	THR	2.8
1	C	1590	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1495	LEU	2.7
1	C	1575	VAL	2.7
1	D	1498	THR	2.6
1	B	1578	SER	2.5
1	C	1544	ILE	2.4
1	A	1583	PHE	2.3
1	D	1574	VAL	2.3
1	B	1563	PHE	2.2
1	B	1530	GLN	2.2
1	C	1505	PHE	2.2
1	D	1657	GLU	2.1
1	D	1564	LYS	2.1
1	B	1615	ALA	2.1
1	C	1553	LEU	2.1
1	A	1735	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PX4	C	1804	9/46	0.21	0.25	147,154,179,183	0
2	PX4	A	1807	15/46	0.53	0.42	154,180,258,259	0
2	PX4	D	1805	20/46	0.55	0.30	104,186,227,252	0
2	PX4	D	1804	6/46	0.65	0.61	98,106,110,111	0
2	PX4	B	1805	23/46	0.65	0.23	101,144,188,195	0
2	PX4	A	1805	6/46	0.71	0.65	98,106,110,111	0
2	PX4	A	1801	15/46	0.72	0.29	103,121,168,175	0
2	PX4	A	1804	11/46	0.73	0.49	86,116,127,130	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PX4	B	1804	6/46	0.74	0.92	89,100,109,110	0
2	PX4	C	1803	8/46	0.76	0.50	86,99,103,106	0
2	PX4	B	1803	28/46	0.76	0.20	85,125,160,166	0
2	PX4	C	1801	14/46	0.81	0.21	100,136,164,164	0
2	PX4	A	1806	7/46	0.83	0.81	117,135,141,148	0
2	PX4	B	1801	15/46	0.83	0.22	77,137,171,175	0
2	PX4	A	1803	6/46	0.87	0.45	92,103,112,113	0
2	PX4	D	1801	28/46	0.87	0.20	85,125,160,166	0
2	PX4	D	1803	5/46	0.88	0.48	84,93,103,108	0
2	PX4	A	1802	31/46	0.89	0.23	101,132,211,213	0
3	5P2	C	1805	39/39	0.89	0.16	107,166,198,201	0
2	PX4	C	1802	34/46	0.91	0.23	116,141,173,192	0
3	5P2	A	1808	39/39	0.91	0.15	123,157,174,186	0
2	PX4	B	1802	31/46	0.91	0.19	96,152,193,201	0
3	5P2	B	1806	39/39	0.92	0.14	126,153,173,184	0
2	PX4	D	1802	15/46	0.92	0.19	102,141,162,164	0
3	5P2	D	1806	39/39	0.93	0.15	131,159,179,180	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PX4 A 1807:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 D 1805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 D 1804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 B 1805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 A 1805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 A 1801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 A 1804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 B 1804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 C 1803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 B 1803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 C 1801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 A 1806:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 B 1801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 A 1803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 D 1801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 A 1802:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 5P2 C 1805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 C 1802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 5P2 A 1808:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around PX4 B 1802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 5P2 B 1806:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 5P2 D 1806:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.