



Full wwPDB NMR Structure Validation Report ⓘ

Mar 9, 2026 – 02:28 AM UTC

PDB ID : 1EMN / pdb_00001emn
Title : NMR STUDY OF A PAIR OF FIBRILLIN CA2+ BINDING EPIDERMAL GROWTH FACTOR-LIKE DOMAINS, MINIMIZED AVERAGE STRUCTURE
Authors : Downing, A.K.; Campbell, I.D.; Handford, P.A.
Deposited on : 1996-08-05

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	82	22% 48% 24% 6%

2 Ensemble composition and analysis ⓘ

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1120 atoms, of which 520 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called FIBRILLIN.

Mol	Chain	Residues	Atoms						Trace
1	A	82	Total	C	H	N	O	S	0
			1118	356	520	96	131	15	

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2158	ILE	THR	conflict	UNP P35555


- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	
2	A	2	Total	Ca
			2	2

4 Residue-property plots

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

● Molecule 1: FIBRILLIN

Chain A: 



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 200 calculated structures, 1 were deposited, based on the following criterion: $F(NOE) < 165 \text{ KJ MOL-1}$ *TORSION ANGLE CONSTRAINTS VIOLATED BY* $> 3 \text{ DEGREES}$.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	refinement	3.1
X-PLOR	structure calculation	3.1

No chemical shift data was provided.

6 Model quality

6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

There are no covalent bond-length or bond-angle outliers.

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0	1
All	All	0	1

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

All planar outliers are listed below.

Mol	Chain	Res	Type	Group
1	A	2150	ARG	Sidechain

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	598	520	517	123
All	All	600	520	517	123

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 110.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:2196:PHE:CZ	1:A:2198:PRO:CG	0.76	2.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:2124:SER:O	1:A:2125:ALA:HB3	0.74	1.82
1:A:2130:GLU:O	1:A:2136:VAL:HG21	0.71	1.86
1:A:2184:VAL:HG12	1:A:2188:PHE:N	0.70	2.00
1:A:2184:VAL:HG12	1:A:2188:PHE:CA	0.70	2.16
1:A:2137:CYS:O	1:A:2138:LYS:HB2	0.69	1.85
1:A:2124:SER:O	1:A:2125:ALA:CB	0.69	2.39
1:A:2167:THR:HG23	1:A:2169:GLU:OE1	0.69	1.86
1:A:2142:CYS:C	1:A:2143:ILE:HD12	0.67	2.14
1:A:2193:GLU:O	1:A:2194:GLU:C	0.67	2.37
1:A:2158:ILE:HD13	1:A:2158:ILE:N	0.65	2.05
1:A:2196:PHE:CZ	1:A:2198:PRO:CD	0.65	2.79
1:A:2196:PHE:CZ	1:A:2198:PRO:HG3	0.65	2.26
1:A:2176:CYS:O	1:A:2204:CYS:CB	0.62	2.48
1:A:2158:ILE:HD13	1:A:2158:ILE:H	0.61	1.56
1:A:2174:ASN:HA	1:A:2181:CYS:HB3	0.61	1.73
1:A:2126:VAL:HG12	1:A:2126:VAL:O	0.60	1.94
1:A:2176:CYS:O	1:A:2204:CYS:HB2	0.60	1.96
1:A:2196:PHE:CD2	1:A:2204:CYS:SG	0.60	2.94
1:A:2158:ILE:N	1:A:2158:ILE:CD1	0.59	2.66
1:A:2169:GLU:CB	1:A:2188:PHE:CD1	0.59	2.85
1:A:2184:VAL:HG12	1:A:2188:PHE:HA	0.58	1.73
1:A:2158:ILE:CG2	1:A:2167:THR:HB	0.57	2.28
1:A:2175:PRO:CD	1:A:2181:CYS:HB3	0.57	2.30
1:A:2184:VAL:HG13	1:A:2185:ILE:N	0.57	2.13
1:A:2192:CYS:HB2	1:A:2196:PHE:CD1	0.57	2.35
1:A:2169:GLU:HB2	1:A:2188:PHE:HB3	0.57	1.74
1:A:2196:PHE:CZ	1:A:2198:PRO:CB	0.57	2.88
1:A:2196:PHE:CE2	1:A:2204:CYS:SG	0.57	2.98
1:A:2192:CYS:HB2	1:A:2196:PHE:CE1	0.56	2.34
1:A:2127:ASP:O	1:A:2128:MET:C	0.56	2.48
1:A:2129:ASP:HA	1:A:2144:ASN:ND2	0.56	2.14
1:A:2196:PHE:CG	1:A:2197:GLU:N	0.56	2.73
1:A:2157:TYR:CD2	1:A:2165:VAL:C	0.56	2.84
1:A:2157:TYR:OH	1:A:2185:ILE:CG2	0.55	2.54
1:A:2167:THR:CG2	1:A:2169:GLU:OE1	0.55	2.54
1:A:2182:LYS:N	1:A:2189:GLU:O	0.55	2.39
1:A:2196:PHE:CZ	1:A:2198:PRO:HD3	0.55	2.37
1:A:2130:GLU:HB3	1:A:2149:TYR:CD1	0.55	2.36
1:A:2182:LYS:HB3	1:A:2189:GLU:HB3	0.55	1.76
1:A:2192:CYS:N	1:A:2196:PHE:CE1	0.55	2.75
1:A:2184:VAL:HG12	1:A:2187:GLY:C	0.54	2.27
1:A:2179:GLY:HA3	1:A:2192:CYS:HA	0.54	1.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:2187:GLY:C	1:A:2188:PHE:CD1	0.54	2.85
1:A:2192:CYS:HB2	1:A:2196:PHE:CZ	0.54	2.37
1:A:2196:PHE:CE2	1:A:2198:PRO:CA	0.54	2.91
1:A:2192:CYS:HB2	1:A:2196:PHE:CG	0.54	2.38
1:A:2143:ILE:HD12	1:A:2143:ILE:N	0.54	2.18
1:A:2136:VAL:HG12	1:A:2137:CYS:N	0.53	2.18
1:A:2159:LEU:HD11	1:A:2162:ASN:O	0.53	2.03
1:A:2196:PHE:CE2	1:A:2198:PRO:N	0.53	2.76
1:A:2196:PHE:CE1	1:A:2198:PRO:HD3	0.53	2.39
1:A:2138:LYS:O	1:A:2139:HIS:HB2	0.52	2.04
1:A:2153:CYS:SG	1:A:2157:TYR:HB3	0.52	2.44
1:A:2130:GLU:O	1:A:2136:VAL:CG2	0.52	2.58
1:A:2129:ASP:O	1:A:2130:GLU:OE1	0.52	2.28
1:A:2157:TYR:OH	1:A:2185:ILE:HG23	0.52	2.05
1:A:2191:THR:O	1:A:2192:CYS:O	0.51	2.28
1:A:2192:CYS:HB2	1:A:2196:PHE:CE2	0.51	2.40
1:A:2170:CYS:HA	1:A:2181:CYS:HB2	0.51	1.83
1:A:2176:CYS:CA	1:A:2204:CYS:HB2	0.51	2.36
1:A:2192:CYS:HB2	1:A:2196:PHE:CD2	0.51	2.40
1:A:2129:ASP:O	1:A:2130:GLU:HB2	0.51	2.06
1:A:2169:GLU:HB3	1:A:2188:PHE:CD1	0.50	2.41
1:A:2184:VAL:CG1	1:A:2188:PHE:CA	0.50	2.88
1:A:2129:ASP:O	1:A:2130:GLU:CB	0.50	2.57
1:A:2169:GLU:OE2	1:A:2187:GLY:O	0.50	2.30
1:A:2145:THR:OG1	1:A:2148:SER:C	0.49	2.54
1:A:2178:ASN:O	1:A:2179:GLY:O	0.49	2.30
1:A:2130:GLU:OE1	1:A:2148:SER:O	0.49	2.30
1:A:2136:VAL:O	1:A:2162:ASN:C	0.49	2.55
1:A:2174:ASN:O	1:A:2174:ASN:CG	0.49	2.55
1:A:2157:TYR:C	1:A:2158:ILE:CG2	0.49	2.85
1:A:2166:ASP:OD2	1:A:2184:VAL:O	0.49	2.31
1:A:2158:ILE:O	1:A:2164:CYS:SG	0.49	2.70
1:A:2173:GLY:O	1:A:2174:ASN:C	0.49	2.53
1:A:2184:VAL:CG1	1:A:2188:PHE:N	0.49	2.75
1:A:2168:ASP:C	1:A:2168:ASP:OD1	0.48	2.55
1:A:2175:PRO:HD3	1:A:2181:CYS:HB3	0.48	1.83
1:A:2137:CYS:O	1:A:2138:LYS:CB	0.48	2.59
1:A:2170:CYS:HB2	1:A:2182:LYS:N	0.48	2.23
1:A:2175:PRO:CB	1:A:2188:PHE:CE2	0.48	2.97
1:A:2161:GLY:O	1:A:2162:ASN:CB	0.48	2.61
1:A:2164:CYS:O	1:A:2165:VAL:HG13	0.47	2.09
1:A:2170:CYS:O	1:A:2170:CYS:SG	0.47	2.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:2157:TYR:C	1:A:2158:ILE:HG23	0.47	2.34
1:A:2136:VAL:O	1:A:2162:ASN:O	0.47	2.32
1:A:2139:HIS:CD2	1:A:2139:HIS:N	0.47	2.83
1:A:2176:CYS:HA	1:A:2204:CYS:HB2	0.46	1.86
1:A:2182:LYS:HB3	1:A:2189:GLU:O	0.46	2.10
1:A:2126:VAL:O	1:A:2127:ASP:C	0.46	2.56
1:A:2153:CYS:SG	1:A:2158:ILE:O	0.46	2.74
1:A:2188:PHE:N	1:A:2188:PHE:CD1	0.46	2.82
1:A:2170:CYS:O	1:A:2181:CYS:SG	0.46	2.73
1:A:2139:HIS:O	1:A:2164:CYS:HB3	0.46	2.10
1:A:2129:ASP:CG	1:A:2132:LYS:HB2	0.45	2.36
1:A:2158:ILE:HD11	1:A:2165:VAL:HG23	0.45	1.89
1:A:2173:GLY:O	1:A:2175:PRO:N	0.44	2.50
1:A:2196:PHE:CD2	1:A:2197:GLU:N	0.44	2.85
1:A:2157:TYR:O	1:A:2158:ILE:CG2	0.44	2.66
1:A:2137:CYS:SG	1:A:2142:CYS:HB3	0.44	2.52
1:A:2158:ILE:HG23	1:A:2167:THR:HB	0.43	1.90
1:A:2175:PRO:CG	1:A:2188:PHE:CD2	0.43	3.01
1:A:2196:PHE:CZ	1:A:2198:PRO:HB3	0.43	2.47
1:A:2129:ASP:OD1	1:A:2131:CYS:SG	0.43	2.76
1:A:2173:GLY:O	1:A:2175:PRO:HD3	0.43	2.13
1:A:2130:GLU:O	1:A:2136:VAL:CB	0.42	2.67
1:A:2157:TYR:CB	1:A:2165:VAL:O	0.42	2.67
1:A:2136:VAL:CG1	1:A:2149:TYR:CE2	0.42	3.03
1:A:2149:TYR:O	1:A:2150:ARG:HG3	0.42	2.15
1:A:2175:PRO:HG2	1:A:2188:PHE:CD2	0.42	2.49
1:A:2138:LYS:O	1:A:2139:HIS:CB	0.42	2.67
1:A:2188:PHE:O	1:A:2201:MET:HA	0.41	2.14
1:A:2134:PRO:O	1:A:2138:LYS:HD2	0.41	2.14
1:A:2136:VAL:CG1	1:A:2137:CYS:N	0.41	2.83
1:A:2130:GLU:O	1:A:2136:VAL:HG11	0.41	2.15
1:A:2186:GLY:O	1:A:2201:MET:SD	0.41	2.79
1:A:2193:GLU:O	1:A:2194:GLU:O	0.41	2.37
1:A:2173:GLY:O	1:A:2175:PRO:CD	0.41	2.69
1:A:2157:TYR:CD2	1:A:2165:VAL:O	0.41	2.73
1:A:2153:CYS:SG	1:A:2154:PRO:HD2	0.40	2.57
1:A:2175:PRO:CG	1:A:2188:PHE:CE2	0.40	3.04
1:A:2176:CYS:C	1:A:2204:CYS:HB2	0.40	2.41

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	80/82 (98%)	47 (59%)	19 (24%)	14 (18%)	0	3
All	All	80/82 (98%)	47 (59%)	19 (24%)	14 (18%)	0	3

All 14 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	2125	ALA
1	A	2126	VAL
1	A	2136	VAL
1	A	2137	CYS
1	A	2146	ASP
1	A	2154	PRO
1	A	2158	ILE
1	A	2162	ASN
1	A	2165	VAL
1	A	2179	GLY
1	A	2192	CYS
1	A	2194	GLU
1	A	2198	PRO
1	A	2200	PRO

6.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	69/69 (100%)	48 (70%)	21 (30%)	1	16
All	All	69/69 (100%)	48 (70%)	21 (30%)	1	16

All 21 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	2124	SER
1	A	2126	VAL
1	A	2132	LYS
1	A	2137	CYS
1	A	2146	ASP
1	A	2148	SER
1	A	2152	GLU
1	A	2153	CYS
1	A	2158	ILE
1	A	2164	CYS
1	A	2165	VAL
1	A	2169	GLU
1	A	2171	SER
1	A	2176	CYS
1	A	2178	ASN
1	A	2180	THR
1	A	2184	VAL
1	A	2189	GLU
1	A	2192	CYS
1	A	2201	MET
1	A	2202	MET

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided